

Cesa News

Centre for Entomological Studies Ankara

Information about the activities of the Cesa

Free irregular internet Issues

Announcements - General News - Expeditions - Projects - Publications - Visitors - Workshops - Seminars - &c

Nr. 60

186 pages 37 figures

14 November 2010

Lepidoptera of Thailand

Ahmet Ömer Koçak
Muhabbet Kemal



Lepidoptera of Thailand



Ahmet Ömer Koçak ¹ Muhabbet Kemal ²

This article contains the list of the Thai Lepidoptera, based upon the info-system of the Cesa with some illustrations during the field notes of the authors in the northern provinces of this country. The expeditions were realized privately in the years of 2005 and 2006 and a report on this survey was published online in 2007³

The authors published several articles and reports on their activities in South East Asia, including Thailand (see Cesa Projects 4). In 2007, a comprehensive report on the Cesa projects was published.⁵

The present article deals especially with the list of the Thai Lepidoptera, arranged by the first author. Illustrations and faunal information during the field studies belong to the second author.

In the following paper, the scientific names of the species are arranged under the alphabetically listed families known in Thailand. Synonymous names are given in chronological order. Range of each species is explained as codes and in dark blue in colour. If previously published image of the second author exists, the necessary citation is given within the related species.

¹ <http://zoobank.org/?lsid=urn:lsid:zoobank.org:author:4755104C-24B4-4E00-8831-5F5E08B9E831>

² <http://zoobank.org/?lsid=urn:lsid:zoobank.org:author:671DD110-BDF1-49C8-964D-2A9251BE7824>

³ <http://www.members.tripod.com/fauna.flora/Taylandrapor2007.pdf>

⁴ <http://www.cesa-tr.org/Cesaprojects.htm> - <http://www.cesa-tr.org/cmubutt.htm> Some publications of the authors are as follows; **Kemal, M., Leksawasdi, P. & A.Ö. Koçak, 2006**, Ascalaphidae species in Chiang Mai (North Thailand) (Planipennia). *Cent. ent. Stud., Misc. Pap.* 98: 6-8, 4 figs. - **Kemal, M., Leksawasdi, P. & A.Ö. Koçak, 2006**, Wittstrota flavannamica Behounek & Speidel in Thailand (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 99: 5-6. - **Koçak, A.Ö. & M. Kemal, 2006**, Notes on the nomenclature of some species group taxa in the family Geometridae (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 102-103: 15-16. - **Koçak, A.Ö. & M. Kemal, 2006**, Checklist of the family Notodontidae in Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 104: 1-8. - **Koçak, A.Ö. & M. Kemal, 2006**, Corrections on the publication entitled "Moths of Thailand, vol. Two, Sphingidae" published in 1997 by H. Inoue, R.D. Kennett and I.J. Kitching (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 94: 1-2, 1 Tab. - **Koçak, A.Ö. & M. Kemal, 2006**, Corrections on the publication entitled "Moths of Thailand vol. Three, Noctuidae, Part I" published in 2005 by V.S. Kononenko & B.A. Pinratana (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 93: 1-8, 1 Tab. - **Koçak, A.Ö., Kemal, M. & P. Leksawasdi, 2006**, Annotated checklist of the Tortricidae of Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 102-103: 1-13. - **Leksawasdi, P., Kemal, M. & A.Ö. Koçak, 2006**, List of the Species in the Insect Collection of the Chiang Mai University (Thailand) Lepidoptera: Sphingidae. *Cent. ent. Stud. Misc. Pap.* 95: 1-7. - **Koçak, A.Ö. & M. Kemal, 2007**, Notes on the nomenclature of Asiatic butterflies (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 5-6. - **Koçak, A.Ö. & M. Kemal, 2007**, Replacement names for some Microlepidoptera (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 5-7. - **Koçak, A.Ö. & M. Kemal, 2007**, Notes on the nomenclature of Asiatic Noctuidae (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 7-8. - **Kemal, M., Koçak, A.Ö. & P. Leksawasdi, 2007**, On the occurrence of Psychothoe duvauceli (Bsd.) in North Thailand (Ctenuchidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 1-3, 3 figs. - **Kemal, M., Leksawasdi, P. & A.Ö. Koçak, 2007**, On the Pieridae fauna of Chiang Mai Province in North Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 134: 1-8, 21 figs. - **Kemal, M., Watanasit, S. & A.Ö. Koçak, 2007**, Annotated List of the species of Lepidoptera recorded in Southernmost Provinces of Thailand. *Priamus* 12 (3): 63-93, 1 map, 3 Pls (22 figs).

⁵ **Koçak, A.Ö. & M. Kemal, 2007**, Results of the International Projects of the Cesa on the World Lepidoptera - I. *Cent. ent. Stud., Memoirs* 3-4: v + 1-1989 pages, 49 Colour Plates <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10>

Within this report, Thai Lepidoptera were partly evaluated and illustrated. In Chapter 10, "List of the Lepidoptera recorded in Doi Inthanon (North Thailand) (LTH)" was published as 438 species. Similarly, in Chapter 11, "Illustrated list of the Lepidoptera recorded in Chiang Dao (North Thailand) (LTH) with 618 species and in Chapter 12, "Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand) (LTH)" with 328 species were published respectively.



White Temple, Chiang Rai, North Thailand, 30 April, 2006, M.Kemal (Cesa)

Alphabetical List of the 4414 Lepidopteran Species of Thailand

1. **Acraea (s.str.) terpsicore (Linnaeus,1758)** (Acraeidae) Synonym(s): *terpsicore* Linnaeus,1758; *violae* Fabricius,1775 **IN LK TH CMA Cuo Cuo7 Cuo9 Cmz Cz11 Knc Ptn Lmp Chy Nst Chw MY** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.5 fig.2 [adult]).
2. **Pareba issoria (Hübner,[1819])** (Acraeidae) Synonym(s): *issoria* Hübner,[1819] **Ch IN Ass Slo TH CMA Int Nan Loe TAK MM VN ID Sum Ja Bli**
3. **Nemophora aurisparsella Walker,1863** (Adelidae) Synonym(s): *aurisparsella* Walker,1863 **TH MY SG ID Sum Bor Sbh BN Swk Klt**
4. **Nemophora decisella Walker,1863** (Adelidae) Synonym(s): *decisella* Walker,1863 **TH MM MY Lkw ID Sum Ja BN Bor Klt**
5. **Nemophora maxinae Kozlov & G.S.Robinson,1996** (Adelidae) Synonym(s): *maxinae* Kozlov & G.S.Robinson,1996 **TH MY**
6. **Agape chloropyga (Walker,1854)** (Aganaiidae) Synonym(s): *chloropyga* Walker,1854; *analisis* Walker,1856; *cyanopyga* R.Felder,1874; *snelleni* Gaede,1914 **AU PH CN TH Knc ID Bor Snd Mlc**
7. **Asota caricae (Fabricius,1775)** (Aganaiidae) Synonym(s): *caricae* Fabricius,1775; *alciphron* Cramer,1777; *europa* Rothschild,1897; *#purimargo* Seitz,1914; *#alerphron* Huttacharern & Tubtim,1995 **TH CMA Cuo Cuo7 Cuo9 CDo Knc Nrt Kao Nst Cbu Bnk Sbu Cna ID Bor NP MY CN TW JP AU**
8. **Asota egens (Walker,1854)** (Aganaiidae) Synonym(s): *egens* Walker,1854; *nebulosa* Butler,1875; *confinens* Rothschild,1897 **IN Adm NP TH Knc CMA Dst MY Bor SG TW ID Bli Ja Sum Egg Nia Clb Tim Snd Wt JP CN TW PG PH Pal Mno**

9. **Asota ficus (Fabricius,1775)** (Aganaidae) Synonym(s): *ficus* Fabricius,1775 **IN NP TH CMa Dst Cuo Cuo4 Cmz Cz10 CDo TW JP (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.1 [adult]).**
10. **Asota heliconia (Linnaeus,1758)** (Aganaidae) Synonym(s): *heliconia* Linnaeus,1758; *dama* Fabricius,1775; *monycha* Cramer,1779; *silvandra* Stoll,1782; *doryca* Boisduval,1832; *intacta* Walker,1854; *lanceolata* Walker,1856; *clavata* Butler,1875; *dicta* Butler,1875; *zebrina* Butler,1877; *venalba* Moore,1877; *leuconeura* Butler,1879; *perimele* Weymer,1885; *semifusca* Butler,1887; *nicobarica* Swinhoe,1892; *malisa* Swinhoe,1892; *ghara* Swinhoe,1892; *lara* Swinhoe,1893; *enganensis* Rothschild,1896; *natumensis* Rothschild,1896; *murina* Rothschild,1896; *timorana* Rothschild,1896; *kalaonica* Rothschild,1896; *riukiwana* Rothschild,1896; *philippina* Rothschild,1896; *sangirensis* Rothschild,1896; *bandana* Rothschild,1896; *kiriwinae* Rothschild,1896; *#extensa* Rothschild,1896; *#diluta* Rothschild,1896; *#brevipennis* Rothschild,1896; *#nervosa* Rothschild,1896; *extensa* Seitz,1914; *atrata* Jordan,1924 **MM Tns TH CMa Int Knc CN TW JP Ri ID Egg Tim PH AU PG Bor Sbh KBa Nia Snd Bli Aru Amb Crm Adm Bsm Nk Ja Clb**
11. **Asota javana (Cramer,1780)** (Aganaidae) Synonym(s): *javana* Cramer,1780; *flavipennis* Rothschild,1897 **TH Cbi Ntt Hba MY Bor ID Ja**
12. **Asota paphos (Fabricius,1787)** (Aganaidae) Synonym(s): *paphos* Fabricius,1787 **TH CMa Cuo1 CDo Dst IN ID Sum Mlc CN**
13. **Asota plaginota (Butler,1875)** (Aganaidae) Synonym(s): *plaginota* Butler,1875 **MM Tns IN Hp Kul Ass LK BT SI TH CMa Dst Nan Dpk ID Aru Ij Wg Ja CN Hn**
14. **Asota plana Walker,1854** (Aganaidae) Synonym(s): *plana* Walker,1854 **IN Ass BT SI LK MM Tns TH Knc CMa Int Cmz Cz10 NP ID Bor Ja Egg Clb Bru Nia PG CN TW VN Ton PH JP Ri**
15. **Asota producta (Butler,1875)** (Aganaidae) Synonym(s): *producta* Butler,1875; *strigivenata* Butler,1875; *stigmatic* Rothschild,1897; *kuluensis* Rothschild,1897 **TH CMa Cuo1 Fn Php Int VN NP IN LK CN Hn ID Bor Sum Ja Bli**
16. **Asota subsimilis (Walker,1864)** (Aganaidae) Synonym(s): *subsimilis* Walker,1864 **TH Knc CMa Dst MY**
17. **Euplocia membliaria (Cramer,[1780])** (Aganaidae) Synonym(s): *membliaria* Cramer,[1780]; *renifer* R.Felder & Rogenhofer,1874; *moderata* Butler,1875; *inconspicua* Butler,1875; *radians* Snellen,1879 **IN Adm MM TH Knc ID MY Bor Sum Clb Snd Ja Flo Nat PH**
18. **Neochera dominia (Cramer,[1780])** (Aganaidae) Synonym(s): *dominia* Cramer,[1780]; *echione* Fabricius,1793; *eugenia* Cramer,1782; *stibosthetia* Butler,1875; *herpa* Snellen,1879; *basilissa* Meyrick,1886; *heliconides* Snellen,1888; *butleri* Swinhoe,1892; *zaria* Swinhoe,1892; *affinis* Rothschild,1896; *fumosa* Rothschild,1896 *javana* Rothschild,1896; *papuana* Rothschild,1896; *proxima* Rothschild,1896 **PH TH Rng CMa Cuo Cuo4 Cuo7 Cuo9 Cu12 Cmz Cz10 CDo KH MM CN TW IN ID Ja Sum Bor PG Clb Shw Mlc Aru Bsm Alo Tim Bru Mi Wg Sgr AU PG (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.5 [adult]).**
19. **Neochera inops (Walker,1854)** (Aganaidae) Synonym(s): *inops* Walker,1854; *cinerascens* Moore,1877; *tenuimargo* Rothschild,1896 **MM TH CMa Cuo Cuo5 Phr Chy Lop Nna BD Syl IN Adm ID Nia Sum Bor Ja Flo Alo Tim CN Hn**
20. **Neochera marmorea (Walker,1856)** (Aganaidae) Synonym(s): *marmorea* Walker,1856; *bhawana* Moore,1859 **MM Shn Tns TH Knc MY IN ID Sum Bor Snd**
21. **Peridrome orbicularis Walker,1854** (Aganaidae) Synonym(s): *orbicularis* Walker,1854; *subquadrata* Herrich-Schäffer,[1856]; *longipennis* Herrich-Schäffer,[1856] **BD Syl TH Knc Phr CMa Cmz Cz10 MM IN Adm Ass SI ID Snd Bor Sbw MY PH Pal CN**
22. **Peridrome subfascia Walker,1854** (Aganaidae) Synonym(s): *subfascia* Walker,1854; *#subfasciata* Moore,1886 **MM Tns Mm TH CMa Cmz Cz10 Dst Tng MY IN ID PH TW**
23. **Aemona lena Atkinson,1871** (Amathusiidae) Synonym(s): *lena* Atkinson,1871 **CN MM Tns Shn TH CMa CDo Chy Loe CN Yu**
24. **Amathusia binghami Fruhstorfer,1904** (Amathusiidae) Synonym(s): *binghami* Fruhstorfer,1904 **ID Sum MY TH Srt Tng**
25. **Amathusia gunneryi Corbet & Pendlebury,1936** (Amathusiidae) Synonym(s): *gunneryi* Corbet & Pendlebury,1936 **MY TH Nst Chw**
26. **Amathusia masina (Fruhstorfer,1904)** (Amathusiidae) Synonym(s): *masina* Fruhstorfer,1904 **MY TH Tng Rng Sgk Hya Tnc Yal**
27. **Amathusia ochraceofusca Honrath,[1888]** (Amathusiidae) Synonym(s): *ochraceofusca* Honrath,[1888] **MY TH Rng Yal Sat**
28. **Amathusia perakana Honrath,[1888]** (Amathusiidae) Synonym(s): *perakana* Honrath,[1888] **MY Prk TH Nst Tns Sya**
29. **Amathusia phidippus (Linnaeus,1763)** (Amathusiidae) Synonym(s): *phidippus* Linnaeus,1763; *chersias* Fruhstorfer,1911; *gunneryi* Corbet & Pendlebury,1936 **ID Sum Bor Ja PH Ceb Mas Neg Pan Sib Bon Sga Stu Taw Ala Bab Bal Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mdo Mno Pol Rom Sam Sar Sia Siq Sis Tab Tic MM MY Lkw TH Nrt Phu Ntt Rng Bnk Cbu Nrt Cbi Nna Ray Nst Kbi Chw Sgk Hya Tnc**
30. **Amathuxidia amynthaon (Doubleday,1847)** (Amathusiidae) Synonym(s): *amynthaon* Doubleday,1847 **SI IN MM MY Lkw TH Cbi CMa CDo Nna Chy Knc Nrt Nst Phu Rng Yal Ntt Ptt Tng Sgk Hya Tnc PH Neg Mno Ley Pao Sam**
31. **Discophora deo De Nicéville,1898** (Amathusiidae) Synonym(s): *deo* De Nicéville,1898 **IN Ass MM TH CMa**

32. **Discophora necho** C.Felder & R.Felder,[1867] (Amathusiidae) Synonym(s): *necho* C.Felder & R.Felder,[1867] **MY TH PH Cal Pal Bal Stu Jol Sga Taw Mar Mdo Sib Pan ID Ja**
33. **Discophora sondaica** (Boisduval,1836) (Amathusiidae) Synonym(s): *sondaica* Boisduval,1836 **PH CmM Sam Mno SI IN MM TH Bnk Chy Cbi Khn Nna Pht Knc CMA Loe Nrt Pkk Uth Nst Ths Sya Chw Tng Sgk Hya Tnc MY SG**
34. **Discophora timora** Westwood,[1850] (Amathusiidae) Synonym(s): *timora* Westwood,[1850] **MY Prk MM TH CMA CDo Cbi Loe Nna Nst Chw Rng Ntt Tng Sgk Hya Tnc**
35. **Enispe intermedia** Rothschild,1916 (Amathusiidae) Synonym(s): *intermedia* Rothschild,1916 **SI MM IN TH Chy Knc CMA CDo Rng Nst Kna MY**
36. **Faunis canens** Hübner,[1826] (Amathusiidae) Synonym(s): *canens* Hübner,[1826] **SI MM ID Sum MY TH CMA Nna Ntt Phu Tng Yal Sgk Hya Tnc Loe Nrt Nst Tak Uth**
37. **Faunis eumeus** (Drury,1773) (Amathusiidae) Synonym(s): *eumeus* Drury,1773 **MM VN TH Phr Non**




38. **Faunis gracilis** (Butler,1867) (Amathusiidae) Synonym(s): *gracilis* Butler,1867 **ID Sum MY Bor TH Yal Rng Tng Nst**
39. **Faunis kirata** (De Nicéville,1891) (Amathusiidae) Synonym(s): *kirata* De Nicéville,1891 **ID Sum Bor MY TH Yal Tng**
40. **Melanocyma faunula** (Westwood,[1850]) (Amathusiidae) Synonym(s): *faunula* Westwood,[1850] **MY MM KH TH Cbi Ray Tng Nst Sgk Hya Tnc**
41. **Stichophthalma camadeva** (Westwood,[1848]) (Amathusiidae) Synonym(s): *camadeva* Westwood,[1848] **SI IN Nag Ass MM TH Dst CMA**
42. **Stichophthalma cambodia** Hewitson,1862 (Amathusiidae) Synonym(s): *cambodia* Hewitson,1862 **KH TH Cbi Nst Ths Sya**
43. **Stichophthalma godfreyi** Rothschild,1916 (Amathusiidae) Synonym(s): *godfreyi* Rothschild,1916 **MM Tns TH Knc Rng Srt**
44. **Stichophthalma louisa** Wood-Mason,1871 (Amathusiidae) Synonym(s): *louisa* Wood-Mason,1871 **IN Ass MM TH Knc Cbi Rng Srt VN Ton**
45. **Thaumantis diores** Doubleday,1845 (Amathusiidae) Synonym(s): *diores* Doubleday,1845 **IN Ass Slo TH Cbi Loe CMA Phe MM**
46. **Thaumantis klugius** (Zincken,1831) (Amathusiidae) Synonym(s): *klugius* Zincken,1831 **MM MY Lkw TH Nst Ths Phu Yal Ntt Rng SG ID Sum Ja Bor Bng Btg**
47. **Thaumantis noureddin** Westwood,[1851] (Amathusiidae) Synonym(s): *noureddin* Westwood,[1851] **MY Bor ID Sum TH Tng Yal SG**
48. **Thaumantis odana** (Godart,[1824]) (Amathusiidae) Synonym(s): *odana* Godart,[1824] **MY TH Nst Ths Sya Tng Ntt Yal Sgk Hya Tnc**
49. **Thauria aliris** (Westwood,[1858]) (Amathusiidae) Synonym(s): *aliris* Westwood,[1858] **MM MY TH CMA CDo Cbi Nrt Cbu Ptt Phu Rng Yal Pgg Nst Tng Sgk Hya Tnc**

50. **Xanthotaenia busiris Westwood,[1858]** (Amathusiidae) Synonym(s): *busiris* Westwood,[1858]
MM ID Sum MY Bor TH Cbi Nst Rng Tng Ntt SPa Pgg Sgk Hya Tnc Yal
51. **Zeuxidia amethysta Butler,1865** (Amathusiidae) Synonym(s): *amethysta* Butler,1865 PH Bal Pal
Sga Taw CmM Mno MY Lkw TH Nna Cbi Nrt Kbi Ntt Phu Tng Nst Pgg Rng Yal Sgk Hya Tnc MM ID
Sum Bor
52. **Zeuxidia aurelia (Cramer,[1777])** (Amathusiidae) Synonym(s): *aurelia* Cramer,[1777] MY TH
Nst Rng Yal Ptt Tng Sgk Hya Tnc MM ID Sum Bor
53. **Zeuxidia doubledayi Westwood,[1851]** (Amathusiidae) Synonym(s): *doubledayi* Westwood,[1851]
ID Sum Bor MY TH Rng Yal Tng Sgk Hya Tnc
54. **Agylla alboluteola Rothschild,1912** (Arctiidae) Synonym(s): *alboluteola* Rothschild,1912 IN Ass
TH
55. **Agylla bipars (Moore,1878)** (Arctiidae) Synonym(s): *bipars* Moore,1878 IN SI TH
56. **Agylla thailandica (Kishida,1998)** (Arctiidae) Synonym(s): *thailandica* Kishida,1998 TH
57. **Aloa lactinea (Cramer,[1777])** (Arctiidae) Synonym(s): *lactinea* Cramer,[1777]; *sanguinolenta*
Fabricius,1793; *marginata* Moore,1883 *nec* Don.,1805; *frederici* Kirby,1892; *negritus* Hampson,1894 AF Nu ID Ja Lb
Flo Alo Sum VN Ann MM Krh TH CMa IN Mys Ass Khs Clc NI Klu SI LK NP PH Luz TW JP
58. **Areas (s.str.) galactina (Hoeven,1840)** (Arctiidae) Synonym(s): *galactina* Hoeven,1840 ID Sum
Ja PH VN BT IN Adm NP TH MY Bor Klt Ass Khs CN Sz Hun Yu Hph KwT Kwa SI BD BT Hp TW
59. **Argina argus (Kollar,[1844])** (Arctiidae) Synonym(s): *argus* Kollar,[1844] CN Yu Kwa Hun Kig
Fkn TW IN Ass Ch NP BT MM LK TH CMa Dst Dso9 Qs Qso3 CDo CD2 CRa (2007, Cent. ent. Stud.,
Memoirs 3/4: Pl.16 fig.8 [adult]).
60. **Argina astrea (Drury,[1773])** (Arctiidae) Synonym(s): *cribraria* Clerck,1764 *nec* Linn.,1758; *astrea*
Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877;
multiguttatus Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923. CN Yu Kwa TW BD IR Hz IN Adm Nk
LK NP MM PH JP Ri TH Nrt Pkk Bnk Shu Lop Chc PG ID AU PW GU MU GH MG SC NC ZA KE OQ NC
FJ
61. **Asura euprepioides (Walker,1862)** (Arctiidae) Synonym(s): *euprepioides* Walker,1862; *interserta*
Moore,1878 IN SI Nag ID Sum MY Bor Swk Ja Sla Snk TH CMa CDo CD2 (2007, Cent. ent. Stud.,
Memoirs 3/4: Pl.16 fig.3 [adult]).
62. **Asuridia metaphae Hampson,1900** (Arctiidae) Synonym(s): *metaphae* Hampson,1900 IN SI TH
63. **Barsine cuneonotatas (Walker,1855)** (Arctiidae) Synonym(s): *cuneonotatas* Walker,1855 TH
CMa LK
64. **Barsine eccentricis (Meyrick,1894)** (Arctiidae) Synonym(s): *eccentricis* Meyrick,1894 IN Ass
MM Kni TH CMa Pap Mro
65. **Barsine gratiosa Guérin-Ménéville,1843** (Arctiidae) Synonym(s): *gratiosa* Guérin-Ménéville,1843;
striata Bremer & Grey,1852; *mactans* Butler,1877; *pulchra* Butler,1877; *flammealis* Moore,1878; *pretiosa* Moore,1879 JP
CN IN LK MM TH CMa CDo CD2 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.4 [adult]).
66. **Barsine maculifasciata (Hampson,1894)** (Arctiidae) Synonym(s): *maculifasciata* Hampson,1894
MM TH CMa Qs Qs15
67. **Chrysorabdia bivitta (Walker,1856)** (Arctiidae) Synonym(s): *bivitta* Walker,1856 IN TH CMa
CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.1 [adult]).
68. **Cretonotos gangis (Linnaeus,1763)** (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta*
Linnaeus,1767; *francisca* Fabricius,1787; *continuatus* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914;
#feminatus Strand,1919. CN TW IN NP PK IR Ke Hz Ss LK TH CMa Cuo Cuo7 MY MM SG ID Nia Ja Sum
Bor Flo Clb Lb Sbw PH Mdo Luz AU QAU NAu Dwn Cai Mck Gtn WAu Tw
69. **Cretonotos transiens (Walker,1855)** (Arctiidae) Synonym(s): *transiens* Walker,1855 AF PK IN
Ass Klu Kma Clc Hp Djl SI Shn MM BT CN Sz Hn TH CMa Cuo Cuo1 Cuo7 Cmz Cz10 CDo CD2 Dst
Dso9 Pap Mro Nrt Sbu Bnk ID KD SG TW Bor KBa MY Swk Ja Sum Nia Ann Ton VN Clb Lb PH Luz
70. **Cyana coccinea (Moore,1878)** (Arctiidae) Synonym(s): *coccinea* Moore,1878 IN SI TH CMa Cuo
Cuo7 Lam Phe Sak (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.5 [adult]).
71. **Cyana distincta (Rothschild,1912)** (Arctiidae) Synonym(s): *distincta* Rothschild,1912 SI IN TH
CMa CDo
72. **Cyana dudgeoni Hampson,1895** (Arctiidae) Synonym(s): *dudgeoni* Hampson,1895 TH
73. **Cyana hamata (Walker,1854)** (Arctiidae) Synonym(s): *hamata* Walker,1854 JP CN TH CMa Cuo
Cmz Cz10 Qs15
74. **Cyana inconclusa (Walker,1862)** (Arctiidae) Synonym(s): *inconclusa* Walker,1862; *amelaena*
Hampson,1903; *rufistigma* Rothschild,1912; *#nexilis* Draudt,1914; *rafflesiana* Roepke,1946 MY Bor Swk BN Sbh KBa
ID Sum TH
75. **Cyana quadrinotata (Walker,1869)** (Arctiidae) Synonym(s): *quadrinotata* Walker,1869 IN CN
HK TH CMa CDo
76. **Eucallimorpha equitalis (Kollar,[1844])** (Arctiidae) Synonym(s): *equitalis* Kollar,[1844] IN Ch
SI NP MM TH CMa CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.2 [adult]).

77. **Eugoa basipuncta (Hampson,1891)** (Arctiidae) Synonym(s): *basipuncta* Hampson,1891; ? *formosicola* Matsumura,1927 **MY Bor Sbh IN ID Ja TW? TH CMa CDo CD2 Pap Mro** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.9 [adult]).
78. **Euplocia memblaria (Cramer,[1780])** (Arctiidae) Synonym(s): *memblaria* Cramer,[1780] **TH**
79. **Hemonia rotundata (Snellen,1879)** (Arctiidae) Synonym(s): *rotundata* Snellen,1879 **ID Ja Bli Clb PH MY Bor Swk TH CMa CDo CD2**
80. **Lambula pallida Hampson,1900** (Arctiidae) Synonym(s): *pallida* Hampson,1900 **MY Bor Swk TH**
81. **Lemyra alleni Thomas,1990** (Arctiidae) Synonym(s): *alleni* Thomas,1990 **TH CMa Kao**
82. **Lemyra maculifascia (Walker,1855)** (Arctiidae) Synonym(s): *maculifascia* Walker,1855 **ID Ja TH CMa Cuo Cuo4**
83. **Lemyra melanosoma (Hampson,1894)** (Arctiidae) Synonym(s): *melanosoma* Hampson,1894 **IN Kul Djl Khs MM TH SI PK Nwf**
84. **Lemyra melli (Daniel,1943)** (Arctiidae) Synonym(s): *melli* Daniel,1943 **MM CN She Yu Sz TH CMa**
85. **Lemyra nigrifrons (Walker,1865)** (Arctiidae) Synonym(s): *nigrifrons* Walker,1865 **IN SI Djl Ass MM TH**
86. **Lemyra obliquivitta (Moore,1879)** (Arctiidae) Synonym(s): *obliquivitta* Moore,1879; *jucunda* Butler,1881 **NP IN Djl SI Khs MM TH CN Yu Hun Tkg**
87. **Lemyra rhodophila (Walker,1864)** (Arctiidae) Synonym(s): *rhodophila* Walker,1864 **PK IN SI Djl MM TH CMa CDo**
88. **Lemyra stigmata (Moore,1865)** (Arctiidae) Synonym(s): *stigmata* Moore,1865; *lacteata* Butler,1881; *aurantiacana* Strand,1919 **PK IN NP Hp Up Ass BT MM TH CN Yu Sz Ti VN TW**
89. **Macrobrochis flavicincta Hampson** (Arctiidae) Synonym(s): *flavicincta* Hampson; *notabilis* Kishida,1997 **TH**
90. **Macrobrochis gigas (Walker,1854)** (Arctiidae) Synonym(s): *gigas* Walker,1854; *interstitialis* Herrich-Schäffer,1855; *leucospilota* Moore,1878; *atrata* Butler,1881; *#metallica* Mell,1922 **IN SI Djl Ben CN TH CMa**
91. **Miltochrista cornicornutata Holloway,1982** (Arctiidae) Synonym(s): *cornicornutata* Holloway,1982 **MY Pah TH**
92. **Miltochrista defecta (Walker,1854)** (Arctiidae) Synonym(s): *defecta* Walker,1854 **NP TH CMa CDo**
93. **Miltochrista orientalis Daniel,1951** (Arctiidae) Synonym(s): *orientalis* Daniel,1951 **TH CMa CDo** (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.3 [adult]).
94. **Nyctemera adversata (Schaller,1788)** (Arctiidae) Synonym(s): *adversata* Schaller,1788; *plagifera* Walker,1854. **CN Sz Yu Ti Hn Hun Hpe Fkn Kwa KwT Kig Tkg TW JP NP BT IN MM TH CMa Cuo Cuo7 Cu10 CDo CD2 Lmp ID Sum Bor MY** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.7 [adult]).
95. **Nyctemera carissima (Swinhoe,1891)** (Arctiidae) Synonym(s): *carissima* Swinhoe,1891; *formosana* Swinhoe,1908 **CN Kwa Fkn Hun TW JP Ryu IN Ass MM NP VN TH MY ID Sum**
96. **Nyctemera coleta (Stoll,[1781])** (Arctiidae) Synonym(s): *coleta* Stoll,[1781] **CN Kwa Hn Yu TW IN Ass Adm Nk LK MM SG MY TH CMa Qs Cmz Cuo CDo CD2 Pap Mro JP Ryu PH ID Ja Sum Nia Mlc Crm Bng Clb Amb Mlc Crm PG** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.6 [adult]).
97. **Nyctemera muelleri (Snellen,1863)** (Arctiidae) Synonym(s): *muelleri* Snellen,1863 **MM TH VN MY ID Egg Sum Sbt Sip Mw Bor PH Pal Taw**
98. **Nyctemera tripunctaria (Linnaeus,1758)** (Arctiidae) Synonym(s): *tripunctaria* Linnaeus,1758; *petulca* Sparrman,1769; *assimile* Snellen,1863; *confusum* Swinhoe,1892; *kondekum* Swinhoe,1892; *sumatrensis* Pagenstecher,1901; *elzuniae* Kruscheae Bryk,1937 **TH MY ID Ja Nia Sum Sme Clb CN Hn KH**
99. **Oeonistis altica (Linnaeus,1768)** (Arctiidae) Synonym(s): *altica* Linnaeus,1768; *entella* Cramer,1779; *convoluta* Fabricius,1781; *delia* Fabricius,1787; *ceramensis* Snellen,1872; *splendens* Lucas,1890 **TH? MY Bor Swk NC AU ID Crm Amb NH SB**
100. **Pareuchaetes pseudoinculata Rego-Barros,1956** (Arctiidae) Synonym(s): *pseudoinculata* Rego-Barros,1956 **ZA TH**
101. **Pericallia picta (Walker,1864)** (Arctiidae) Synonym(s): *picta* Walker,1864 **MM TH CMa Cmz Cz10 CDo**
102. **Pericallia tripartita (Walker,1855)** (Arctiidae) Synonym(s): *tripartita* Walker,1855 **IN MM Mm CN Hn TH CMa CDo** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.11 [adult]).
103. **Rhodogastris omissa Rothschild,1910** (Arctiidae) Synonym(s): *omissa* Rothschild,1910 **IN Ass TH**
104. **Spilarctia multiguttata (Walker,1855)** (Arctiidae) Synonym(s): *multiguttata* Walker,1855; *pardalina* Walker,1864; *spilosomoides* Walker,1864; *major* Rothschild,1910; *assama* Rothschild,1910; *#multiguttata* Lewvanich,2001 **IN Ass Meg Khs SI NP KH TH CMa Knc**
105. **Spilarctia obliqua (Walker,1855)** (Arctiidae) Synonym(s): *obliqua* Walker,1855; *suffusa* Walker,1855; *dentilinea* Moore,1872; *confusa* Butler,1875; *howra* Moore,1879; *assamensis* Rothschild,1910 **IN Pj Djl SI Ass Clc BD Dak AF Srb PK Mre Ci Rw NP Kdu MM TH Tha Hp Bhi Ari Alh Mad Bba Bel De Bi Up Poo Mys Tez**

106. **Spilarectia strigatulum (Walker,1855)** (Arctiidae) Synonym(s): *strigatula* Walker,1855 **MM TH**
107. **Spilosoma casignetum (Kollar,[1844])** (Arctiidae) Synonym(s): *casignetum* Kollar,[1844] **CN IN SI Ti Ass BT TH CMa CDo CD2 Cuo Cuo5 (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.4 [adult]).**
108. **Spilosoma neglectum (Rothschild,1910)** (Arctiidae) Synonym(s): *neglectum* Rothschild,1910 **IN SI TH CMa CDo**
109. **Utetheisa (Pitasila) selecta (Walker,1854)** (Arctiidae) Synonym(s): *selecta* Walker,1854; *bijunctella* Walker,1866; *bipunctella* Kirby,1892; *disrupta* Butler,1887 **PW TW IN Bru Adm PH ID TH MY Bor Clb Amb? Crm?**
110. **Utetheisa (s.str.) lotrix (Cramer,[1777])** (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941 **Sk RE SA Sk YE ZA IN SC LK JP PG AU QAU NZ NC LO NH FJ SB WS TO CN Sz Yu Fkn TW NP MM TH PH PK AF IR**
111. **Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg CN Ui GP IQ Agh TH CMa Knc Sbu**
112. **Utetheisa (s.str.) pulchelloides Hampson,1907** (Arctiidae) Synonym(s): *pulchelloides* Hampson,1907 **SC GU CC PG WS FJ TV TO MH CN Yu TH TW LK MG ID Mlc AU NH LO SB MY IN**



113. **Agatasa calydonia (Hewitson,1854)** (Argynnididae) Synonym(s): *calydonia* Hewitson,1854 **TH Chy Knc**
114. **Apatura ambica Kollar,[1844]** (Argynnididae) Synonym(s): *ambica* Kollar,[1844] **Ch PK Ci Nwf MM IN SI Sml Mus Djl Ass Nag TH CMa Cbi Chy**
115. **Apatura chevana Moore,1865** (Argynnididae) Synonym(s): *chevana* Moore,1865 **TH CMa CDo Chy**

116. **Argynnis (Argyreus) hyperbius (Linnaeus,1763)** (Argynnidae) Synonym(s): *hyperbius* Linnaeus,1763; *niphe* Linnaeus,1767. ET IN Ass Slo MM CN Ui TW LK TH Chy CMa CDo Loe MY ID Ja Sum AF PK Bl Ci Cp Mre PH Luz Mdo AU
117. **Argynnis (Childrena) childreni Gray,1831** (Argynnidae) Synonym(s): *childreni* Gray,1831 NP Ch IN Ass Slo Ci PK IN Kma CN HK MM TH CMA
118. **Ariadne ariadne (Linnaeus,1763)** (Argynnidae) Synonym(s): *ariadne* Linnaeus,1763 MY Lkw TH CMA Cuo Cui0 Cu11 CDo Pap Mro Dsk Hpt Chy Nna Cbu Nrt Sak Sbu Knc Nst Yal Tng ID Clb Flo (2007, Cent. ent. Stud., Memoirs 3/4: Pl.33 fig.8 [larva]).
119. **Ariadne isaeus (Wallace,1869)** (Argynnidae) Synonym(s): *isaeus* Wallace,1869 MM TH Tng Yal Nst ID Sum Ja Bli Nia MY Bor
120. **Ariadne merione (Cramer,[1779])** (Argynnidae) Synonym(s): *merione* Cramer,[1779] IN Ass SI MM TH LK ID Sum Bor MY PH Ala Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Bal Pal Bab Luz CMa TAl Nna Bnk Cbi Chy Nrt Sbu Knc Pht Lmp Tht Nst Ths Sya Int Cuo Cui0 Cuo7 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.33 fig.9 [larva]).
121. **Ariadne specularia (Fruhstorfer,1899)** (Argynnidae) Synonym(s): *specularia* Fruhstorfer,1899 MY Lkw TH Chy Cbi Ray Nrt Cbu Knc
122. **Athyma (Chendrana) pravara Moore,[1858]** (Argynnidae) Synonym(s): *pravara* Moore,[1858] PH Stu TH CMA CDo Pbu Nna Chy Cbi Rng Yal Tng Nst Chw Sgk Hya Tnc
123. **Athyma (Kironga) clerica Butler,1879** (Argynnidae) Synonym(s): *clerica* Butler,1879 TH Rng Nst
124. **Athyma (Kironga) ranga Moore,[1858]** (Argynnidae) Synonym(s): *ranga* Moore,[1858] IN TH CMA Cuo Cui05 Cui12 CDo Nrt Cbi Chy Cbu MY CN HK
125. **Athyma (s.str.) perius (Linnaeus,1758)** (Argynnidae) Synonym(s): *perius* Linnaeus,1758 IN PH Cal TH CMA Cuo Cui01 CDo Cbu Sbu Pkk Tng Nna Cbi Knc Sgk Nst Chw CN HK MY TW JP
126. **Athyma (Tacoraea) asura Moore,[1858]** (Argynnidae) Synonym(s): *asura* Moore,[1858] TH CMA CDo Loe Nrt Chy PH Cal Pal TW
127. **Athyma (Tacoraea) larymna (Doubleday,1848)** (Argynnidae) Synonym(s): *larymna* Doubleday,1848 TH CMA CDo Nst Nrt Yal Chy Rng
128. **Athyma (Tatisia) cama (Moore,[1858])** (Argynnidae) Synonym(s): *cama* Moore,[1858]. Mus IN MM Ass Kma TH CMA CDo TW
129. **Athyma (Tatisia) kanwa Moore,1858** (Argynnidae) Synonym(s): *kanwa* Moore,1858 TH Rng Sat Tng Yal
130. **Athyma (Tatisia) nefte (Cramer,1779)** (Argynnidae) Synonym(s): *nefte* Cramer,1779 IN Adm CN HK PH Bon Sga Stu Taw TH Rng Sat Tng Yal CMA Cuo Cui12 CDo Nst Ths Sya Nrt Cbi Chy Nna MY
131. **Athyma (Tatisia) opalina (Kollar,[1844])** (Argynnidae) Synonym(s): *opalina* Kollar,[1844] Ch Ass MM IN SI PK Mre Kma TH CMA Chy Loe Cbi CN JP
132. **Athyma (Tatisia) punctata (Leech,1890)** (Argynnidae) Synonym(s): *punctata* Leech,1890 TH CMA
133. **Athyma (Tatisia) reta Moore,[1858]** (Argynnidae) Synonym(s): *reta* Moore,[1858] PH Taw TH Tuo
134. **Athyma (Tatisia) selenophora (Kollar,[1844])** (Argynnidae) Synonym(s): *selenophora* Kollar,[1844] AF Ch Hr IN CN HK TH CMA CDo Pbu Phi Cbu Chy Nna Cbi Rng Nst Ths Sya PH Pal TW JP
135. **Athyma (Tatisia) zeroa Moore,1872** (Argynnidae) Synonym(s): *zeroa* Moore,1872 TH Chy Nna Phi Nrt Kao Pbu
136. **Auzakia danava (Moore,1857)** (Argynnidae) Synonym(s): *danava* Moore,1857 CN Ti TH CMA
137. **Bhagadatta austenia (Moore,1872)** (Argynnidae) Synonym(s): *austenia* Moore,1872 TH CMA
138. **Calinaga sudassana Melville,1893** (Argynnidae) Synonym(s): *sudassana* Melville,1893 MM TH CMA CDo
139. **Cethosia biblis (Drury,[1773])** (Argynnidae) Synonym(s): *biblis* Drury,[1773] IN Ass Slo NP CN MM MY Prk PH Bab Luz Bon Jol Mno Sga Stu Taw Boh Ceb Cts Cuy Ley Mar Mas Mdo Neg Pan Sam Sib HK Hn MY TH CMA Int Dst Qs Cuo Cui01 Cui02 Pap Mro TAl Cbi Chy Knc Rng Yal Nst Sgk Hya Tnc Adm Nk ID Clb Sum Ja Bli Lb Baw Sbw Flo (2007, Cent. ent. Stud., Memoirs 3/4: Pl.5 fig.5 [adult]).
140. **Cethosia cyane (Drury,[1773])** (Argynnidae) Synonym(s): *cyane* Drury,[1773] IN Ass Slo MM SI BT TH CMA Int Cuo Chy Sak Bnk Sbu Cbi TAl Rng Rat
141. **Cethosia hypsea Doubleday,[1847]** (Argynnidae) Synonym(s): *hypsea* Doubleday,[1847] MM TH CMA CDo Tng Yal Nst Ths Ntt SPa SG MY ID Sum Bor Ja Bgk Mw Btu PH Bal Cal Pal
142. **Cethosia penthesilea (Cramer,1777)** (Argynnidae) Synonym(s): *penthesilea* Cramer,1777 MM MY TH Nst Chw Ths Rng Tng Cph ID Sbw Sba Lb Sum Baw Ja ?Bli ?Kgn

143. **Charaxes aristogiton** C.Felder & R.Felder,[1867] (Argynnididae) Synonym(s): *aristogiton* C.Felder & R.Felder,[1867] TH CMA CDo Nrt Chy
144. **Charaxes bernardus** (Fabricius,1793) (Argynnididae) Synonym(s): *bernardus* Fabricius,1793 TH Rng CMA CDo CD2 Cuo Cuo7 Phi Cbi Knc Chy Cbu Nna Rat Nst Ths Sgk Hya Tnc (2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.2 [adult]).
145. **Charaxes distanti** Honrath,1885 (Argynnididae) Synonym(s): *distanti* Honrath,1885 TH Tng Yal Tuo
146. **Charaxes durnfordi** Distant,1884 (Argynnididae) Synonym(s): *durnfordi* Distant,1884 TH Rng Sat Tng
147. **Charaxes kahruba** (Moore,1896) (Argynnididae) Synonym(s): *kahruba* Moore,1896 IN Kma Ass MM TH CMA Dst Qs Cuo Cuo1 Cuo7 CDo Lmp Rng Srt
148. **Charaxes marmax** Westwood,1847 (Argynnididae) Synonym(s): *marmax* Westwood,1847 TH CMA CDo Nrt Chy
149. **Charaxes solon** (Fabricius,1793) (Argynnididae) Synonym(s): *solon* Fabricius,1793 PH Ceb Luz Mar Mdo Neg Pan Sib Bal Cal Pal Boh Din Ley Mno Pao Sam Sga Stu Taw TH CMA Cnz Czo3 CDo Nna Lmp Nth Rat Chy Cbi Knc (2007, Cent. ent. Stud., Memoirs 3/4: pl.38 figs.5,6 [adult]).
150. **Chersonesia intermedia** Martin,1895 (Argynnididae) Synonym(s): *intermedia* Martin,1895 PH Mno Pal MY TH Rng CMA CDo Nrt Knc Ray Phi Cbu Nna (2007, Cent. ent. Stud., Memoirs 3/4: Pl.5 fig.9 [adult]).
151. **Chersonesia peraka** Distant,1884 (Argynnididae) Synonym(s): *peraka* Distant,1884 MY Prk TH Tng Rng Sat Cph Nst Chw MM Bor ID Sum Ja Nia PH Bal Pal
152. **Chersonesia rahria** (Horsfield & Moore,1857) (Argynnididae) Synonym(s): *rahria* Horsfield & Moore,1857 IN Ass MM TH CMA Dst Cuo Cuo1 Cuo7 Cuo10 Qs Tng Yal Ptt Sgk Hya Tnc VN Ton MY Sum ID Nia Bor Ja PH Bal Pal Sga Stu Taw
153. **Chersonesia risa** (Doubleday,[1848]) (Argynnididae) Synonym(s): *risa* Doubleday,[1848] MY TH CMA CDo Nst Nrt Cbu Cbi Tng TAK Nna Ray Rng Yal IN Kma MM VN Ton CN Hn Bor Sum
154. **Cirrochroa aoris** Doubleday,[1847] (Argynnididae) Synonym(s): *aoris* Doubleday,[1847] SI IN Ass BT MM Tns TH CMA CRa TAK
155. **Cirrochroa emalea** (Guérin-Ménéville,1843) (Argynnididae) Synonym(s): *emalea* Guérin-Ménéville,1843 ID Nia Mw Sum Ja Bor TH Cbi Rng Tng Nst Ths Yal Sgk Hya Tnc MY Lkw SG
156. **Cirrochroa orissa** C.Felder & R.Felder,1860 (Argynnididae) Synonym(s): *orissa* C.Felder & R.Felder,1860 MY Bor Lkw VN TH Rng Yal Tng Nst Sgk Hya Tnc SG
157. **Cirrochroa satellita** Butler,1869 (Argynnididae) Synonym(s): *satellita* Butler,1869 MY Bor PH Pal ID Sum TH Ntt
158. **Cirrochroa surya** Moore,[1879] (Argynnididae) Synonym(s): *surya* Moore,[1879] MM TH Bnk CMA Dst Qs CDo Rng Tng Nst Yal Sat Sgk Hya Tnc MY Lkw
159. **Cirrochroa tyche** C.Felder & R.Felder,1861 (Argynnididae) Synonym(s): *tyche* C.Felder & R.Felder,1861 PH Cal Dum Pal Taw Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic SI IN Ass MM TH MY ID Ja Sum Bor Adm Nk CN Hn CMA Cuo Cuo5 Nrt Sbu Rng Ray Yal Nst Ths Sgk Hya Tnc Lsa Knc Rat Nna Cbu Cbi Pht
160. **Cupha erymanthis** (Drury,[1773]) (Argynnididae) Synonym(s): *erymanthis* Drury,[1773]; *palawana* Fruhstorfer,1899 PH Bal Bon Cal Pal Sga Sis Taw CN TW Hn LK IN Ass Adm Nk MM Tns TH CMA Dst Qs Cuo Cuo1 Cuo10 Cuo12 CDo CD2 Nna Cbu Rng TAK Knc Pht Tng Nst Ths Sgk Hya Tnc MY Lkw P-T SG Mw ID Nia Bia Sum Bor Clb Lb Kgn Bnk Ja Egg Sbw Sba Flo Nat Ij Afk
161. **Cyrestis (s.str.) thyodamas** Boisduval,1836 (Argynnididae) Synonym(s): *thyodamas* Boisduval,1836; *nobilior* Martin,1903. IN Adm NP SI MM LK TH CMA Cuo Cuo10 CDo Nna Knc Nrt Cbi Nst Hn TW CN JP Ch Ass Ch AF PK Kma Mre (2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.6 [adult]).
162. **Cyrestis cocles** (Fabricius,1787) (Argynnididae) Synonym(s): *cocles* Fabricius,1787 MY Lkw TH CMA Qs Dst Nrt Cbu Knc Nst Ths Sya Yal Nna Cbi Pht
163. **Cyrestis nivea** (Zincken,1831) (Argynnididae) Synonym(s): *nivea* Zincken,1831 ID Ja MY PH Cal Pal TH Yal Nst Sgk Hya Tnc (2007, Priamus 12 (3): pl.1 fig.1 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.8 [adult]).
164. **Cyrestis themire** Honrath,[1884] (Argynnididae) Synonym(s): *themire* Honrath,[1884] MY Lkw TH Loe Nna Cbu Pht Nst Yal Nrt Knc Rng Tng Sgk Hya Tnc
165. **Dichorragia nesimachus** (Doyère,1840) (Argynnididae) Synonym(s): *nesimachus* Doyère,1840 PH Neg Pan Ley Pao Luz Mdo Mno Sam Pal TH CMA CDo Knc Rng Yal Srt
166. **Doleschallia bisaltide** (Cramer,[1777]) (Argynnididae) Synonym(s): *bisaltide* Cramer,[1777] AU LK MY Lkw TH MM NP IN Ass Slo Adm PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Bor Sum Ja Nia Mrg Ob Baw Ass CMA Cuo Cuo7 Cuo10 Cuo11 CDo Nna Knc Pht Phi Cbi Rat Tng Nst Chw SB FJ (2007, Cent. ent. Stud., Memoirs 3/4: pl.33 fig.12 [larva]).

167. **Eulaceura osteria (Westwood,[1850])** (Argynnidae) Synonym(s): *osteria* Westwood,[1850]
TH Rng Yal Tng Nst
168. **Euripus consimilis (Westwood,[1850])** (Argynnidae) Synonym(s): *consimilis* Westwood,[1850]
TH CMa CDo Lmp Chy CRa CSa MM IN
169. **Euripus nyctelius (Doubleday,1845)** (Argynnidae) Synonym(s): *nyctelius* Doubleday,1845
MM MY PH Luz Boh CmM Ley Mno Sam Mar Mdo Bal Pal Neg Pan TH CMa CDo Pbu Nrt Chy Phr
Nna Pht Yal CRa Phi Cbi Tng Sgk Hya Tnc
170. **Euthalia (Aconthea) aconthea (Cramer,[1777])** (Argynnidae) Synonym(s): *aconthea*
Cramer,[1777] AF ID LK SI IN MM TH CMa Cuo Cuo7 Rng Yal Tng Nst Ths Nan Knc Cbi CN Hn MY
PH
171. **Euthalia (Aconthea) alpheda (Godart,[1824])** (Argynnidae) Synonym(s): *alpheda* Godart,[1824]
PH Dim Hom Mno Ley Sam Neg Pan Mdo Luz Pal Sib Sul Jol? TH Tuo Chy CMa Cuo Cuo7 Nrt Cbu
Chy Nna Sgk Hya Tnc
172. **Euthalia (Aconthea) anosia (Moore,1858)** (Argynnidae) Synonym(s): *anosia* Moore,1858
TH CMa Cuo Cuo5 Cuo10 Cuo9 CDo Cbi Nrt Ntt Yal PH Taw
173. **Euthalia (Aconthea) eriphylae De Nicéville,1891** (Argynnidae) Synonym(s): *eriphylae* De
Nicéville,1891 TH CMa CDo Nna Cbi Chy Sbu Sgk Hya Tnc
174. **Euthalia (Aconthea) garuda (Moore,1857)** (Argynnidae) Synonym(s): *garuda* Moore,1857
LK IN MM Hp Sml TH CMa Nrt Bnk Cbu Chy Sbu Knc Nth



175. **Euthalia (Aconthea) ipona Fruhstorfer,1913** (Argynnidae) Synonym(s): *ipona*
Fruhstorfer,1913 TH Rng Sat Nst Ths Tuo
176. **Euthalia (Aconthea) kanda (Moore,1859)** (Argynnidae) Synonym(s): *kanda* Moore,1859
TH Nst Yal Tng
177. **Euthalia (Aconthea) mahadeva (Moore,1859)** (Argynnidae) Synonym(s): *mahadeva*
Moore,1859 PH Bal Bon Sga Stu Taw Cal Pal Dum TH Tng Yal Sat
178. **Euthalia (Aconthea) merta (Moore,1859)** (Argynnidae) Synonym(s): *merta* Moore,1859
TH CMa CDo Sat Tng Yal (2007, Cent. ent. Stud., Memoirs 3/4: pl.39 figs.1,2 [adult]).
179. **Euthalia (Aconthea) monina (Fabricius,1787)** (Argynnidae) Synonym(s): *monina*
Fabricius,1787 PH Sul Pal TH CMa CDo CD2 Rng Tng Yal Pat Chu Nrt Cbi Cbu Knc Pbu Nst Ths Sgk
Hya Tnc
180. **Euthalia (Aconthea) phemius (Doubleday,1848)** (Argynnidae) Synonym(s): *phemius*
Doubleday,1848 TH CMa CDo Cbi Nrt
181. **Euthalia (Bassarona) dunya (Doubleday,1848)** (Argynnidae) Synonym(s): *dunya*
Doubleday,1848 PH Pal TH Rng Tng Yal Nst Ths Ptt Sgk Hya Tnc (2007, Cent. ent. Stud., Memoirs
3/4: pl.38 figs.21,22 [adult]).
182. **Euthalia (Bassarona) recta (De Nicéville,1886)** (Argynnidae) Synonym(s): *recta* De
Nicéville,1886 TH Chy Knc Tuo Nna Pht Yal Nst Ths Sgk Hya Tnc
183. **Euthalia (Bassarona) teuta (Doubleday,1848)** (Argynnidae) Synonym(s): *teuta*
Doubleday,1848 PH Bal Pal TH Rng Tng Yal Nst Ths Sat Sgk Hya Tnc Tuo Nna Cbi Cbu Chy
184. **Euthalia (Dophla) evelina (Stoll,[1790])** (Argynnidae) Synonym(s): *evelina* Stoll,[1790]
PH Cal Pal Bas Bil Boh CmM Din Ley Mno Pao Sam Bab Cat Luz Mar Mdo Mas Neg Pan Sib Stu Sga
Taw Bal MY TH CMa Cuo Cuo7 Cuo9 Nrt Cbu Sbu Chy Nna Rng Yal Tng Sak Nst Ths Sgk Hya Tnc

185. **Euthalia (Limbusa) nara (Moore,1859)** (Argynnidae) Synonym(s): *nara* Moore,1859 **MM Shn TH CMa**
186. **Euthalia (Limbusa) narayana Grose-Smith,1891** (Argynnidae) Synonym(s): *narayana* Grose-Smith,1891 **TH CMa Chy**
187. **Euthalia (Limbusa) patala (Kollar,[1844])** (Argynnidae) Synonym(s): *patala* Kollar,[1844] **TH CMa Wpp**
188. **Euthalia (s.str.) adonia (Cramer,[1779])** (Argynnidae) Synonym(s): *adonia* Cramer,[1779] **PH Pal TH Rng Nst Ths Chw (2007, Cent. ent. Stud., Memoirs 3/4: pl.38 figs.17,18 [adult])**
189. **Euthalia (s.str.) djata Distant & Pryer,1887** (Argynnidae) Synonym(s): *djata* Distant & Pryer,1887 **PH Pal TH Loe Cbi Nrt**
190. **Euthalia (s.str.) lubentina (Cramer,[1777])** (Argynnidae) Synonym(s): *lubentina* Cramer,[1777] **PH Bas Din Mno Mdo Boh Ley Sam Neg Pan Luz Mar TH CMa Cuo Cu10 Cu12 CDo Chu Knc Bnk Cbi Rng MY Lkw (Fig.1)**
191. **Euthalia (s.str.) malaccana Fruhstorfer,1899** (Argynnidae) Synonym(s): *malaccana* Fruhstorfer,1899; *chersonesia* Fruhstorfer,1904 **TH CMa Rng Cbi MY**
192. **Euthalia (s.str.) whiteheadi Grose-Smith,1899** (Argynnidae) Synonym(s): *whiteheadi* Grose-Smith,1899 **TH Chy MY**
193. **Helcyra hemina Hewitson,1864** (Argynnidae) Synonym(s): *hemina* Hewitson,1864 **TH Chy**
194. **Herona marathus Doubleday,1848** (Argynnidae) Synonym(s): *marathus* Doubleday,1848 **TH Cbi CMa CDo Loe Phi Knc Chy Nrt**
195. **Herona sumatrana Moore,1881** (Argynnidae) Synonym(s): *sumatrana* Moore,1881 **ID Sum TH**
196. **Hestina nama (Doubleday,1845)** (Argynnidae) Synonym(s): *nama* Doubleday,1845 **?Ti IN CN TH CMa CDo Chy CRa MY Prk MM VN Ton ID Sum**
197. **Hestina persimilis Westwood,[1850]** (Argynnidae) Synonym(s): *persimilis* Westwood,[1850] **TH CMa CDo**



Fig. 1 - Euthalia lubentina (Argynnidae), a resting female Thailand Chiang Mai University Campus 350m 19 3 2006 photo M. Kemal (Cesa)

198. **Hypolimnias anomala (Wallace,1869)** (Argynnidae) Synonym(s): *anomala* Wallace,1869; *nivas* Fruhstorfer,1913 **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Nia TH MY SG ID Sum Ja Bli Lb Egg Baw Flo Sbw Kgn Bor Clb Tal Sba**
199. **Hypolimnias bolina (Linnaeus,1758)** (Argynnidae) Synonym(s): *bolina* Linnaeus,1758; *nerina* Fabricius,1775; *iphigenia* Cramer,1775; *alcmene* Cramer,1775; *perimele* Cramer,1775; *proserpina* Cramer,1779; *aphrodite* Fruhstorfer,1903; *semiramis* Wildey,[1941]; *iris* Wildey,[1941] **PH Bon Jol Sga Stu Taw Ala Bab Bal Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Bat MY TW Sk MU MG KE DJ OM IN Bba TH CMA Loe TAK Cbu Cbi Non Chy Nna Ray Rat Cuo Cuo5 Cuo9 Sgk Hya Tnc PSu Nst Chw Pap (2007, Cent. ent. Stud., Memoirs 3/4: Pl.5 fig.15 [adult]).**
200. **Hypolimnias misippus (Linnaeus,1764)** (Argynnidae) Synonym(s): *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883. **AF AO AU Az BF BH BI BJ BW BZ CF CG CI CM CN DJ DZ EG EH ER ET FI GA GH GM GN GO Bio GW Hn ID IN IR Hz KE KH KM LB LK LR LS LY MA MG ML MM MR MW MY MZ NA NE NG OM PG PH PK QA RW SA SC SD SL SN SO ST SZ TD TG TH TN TR TW TZ UG US VN YE ZA Nta Kzu Ptb Mdk BI CI PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ZM ZR ZW Cp FI Mss NCa Tx Tva Lpo Gau Pre Spb Lj Jh Wri Ent Dbn Kny Kru Pma BR PE CMA CDo Lmp Nna Chu Pkk Loe Nrt Bnk Ray Nst Chw Tnga Usa Ani (2007, Cent. ent. Stud., Memoirs 3/4: Pl.5 fig.12 [adult]).**
201. **Kallima inachis (Doyère,1840)** (Argynnidae) Synonym(s): *inachis* Doyère,1840 **IN Ch CN TW TH CMA Cuo Cuo7 CDo Nna Chy Cbi Sgk Hya Tnc MM**
202. **Kallima knyveti De Nicéville,1886** (Argynnidae) Synonym(s): *knyveti* De Nicéville,1886 **IN BT Ass MM TH CMA**
203. **Kallima limborgi Moore,[1879]** (Argynnidae) Synonym(s): *limborigi* Moore,[1879] **MY TH Rng Yal Tng Nst Ths Sya MM**
204. **Kaniska canace (Linnaeus,1763)** (Argynnidae) Synonym(s): *canace* Linnaeus,1763 **SI IN Hp Kma MM CN HK LK TH CMA Cuo Cuo9 CDo CRa Nna Loe Cbi MY Prk ID Ja Bli Lb Sum Bor Clb PH Luz Mdo Mno Pan TW JP NP BT HK RU Vv PK Ci**
205. **Laringa castelnaui (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *castelnaui* C.Felder & R.Felder,1860; *castelnavi* Wallace,1869 **PH Pal MM TH Rng Tng Nst MY Bor SG ID Clb Ja Nia**
206. **Laringa horsfieldi (Boisduval,1833)** (Argynnidae) Synonym(s): *horsfieldi* Boisduval,1833 **TH CMA CDo Dst Chy Loe TAK Sgk Hya Tnc MM MY ID Ja Sum Nia IN Adm**
207. **Lebadea martha (Fabricius,1787)** (Argynnidae) Synonym(s): *martha* Fabricius,1787 **PH Sga Stu Cal Bal Pal MY Lkw SG TH Rng Tng Ntt SPa Nst Sgk Hya Tnc CMA Cuo Cuo2 Cuo9 Cu12 Cnz Cz11 CDo Nna Cbi Chy Lop Shu (2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.9 [adult]).**
208. **Lexias canescens (Butler,1869)** (Argynnidae) Synonym(s): *canescens* Butler,1869 **PH Sul Jol? TH Rng Ntt Tng**
209. **Lexias cyanipardus (Butler,1869)** (Argynnidae) Synonym(s): *cyanipardus* Butler,1869 **TH CRa Nrt Cbi Nna Nan**
210. **Lexias dirtea (Fabricius,1793)** (Argynnidae) Synonym(s): *dirtea* Fabricius,1793 **IN PH Cal Pal TH Phi Rng Tng Cbi Nst CMA Cnz Czo3 CRa Loe Sgk Hya Tnc**
211. **Lexias pardalis (Moore,1878)** (Argynnidae) Synonym(s): *pardalis* Moore,1878 **PH Bal Mdo Pal TH CMA Cuo Cuo7 Cuo9 Cu12 CDo Pap Mro Lmp Tht TAK Nna Knc Loe Nrt Cbi Non Rng Ptt Tng Yal Ntt SPa Sgk Hya Tnc (2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.15 [adult]).**
212. **Limenitis (Parasarpa) dudu Westwood,1850** (Argynnidae) Synonym(s): *dudu* Westwood,1850 **TH CMA CDo Nna Phi**
213. **Limenitis (Parasarpa) houlberti Oberthür,1913** (Argynnidae) Synonym(s): *houlberti* Oberthür,1913 **TH CMA**
214. **Limenitis (Sumalia) daraxa Doubleday,[1848]** (Argynnidae) Synonym(s): *daraxa* Doubleday,[1848] **TH CMA Int Loe**
215. **Modusa procris (Cramer,[1777])** (Argynnidae) Synonym(s): *procris* Cramer,[1777] **LK IN Adm SI CN MM MY PH Cal Bal Bon Sga Stu Taw ID Sum Btu Nia Bor Ja Bli Lb Mw Sbw Sba Flo Kgn Baw P-T TH CMA Cuo Cuo5 Cu12 Nna Cbi Rat Phi Cbu Knc Rng Yal Nst Ths Sya Sgk Hya Tnc (2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.5 [adult]; pl.38 figs.15,16 [adult]).**
216. **Neptis (Lasippa) heliodore (Fabricius,1787)** (Argynnidae) Synonym(s): *heliodore* Fabricius,1787 **MY Lkw TH Rng Tng Nst Yal Nrt Kao**
217. **Neptis (Lasippa) monata (Weyenbergh,1874)** (Argynnidae) Synonym(s): *monata* Weyenbergh,1874; *fuliginosa* Moore,1881; *thamala* Moore,1886; *serapica* Fruhstorfer,1908; *arnoldi* Fruhstorfer,1908 **PH Stu MM TH Yal MY Lkw ID Sum Bnk Nia Bor**
218. **Neptis (Lasippa) tiga (Moore,1858)** (Argynnidae) Synonym(s): *tiga* Moore,1858 **MY Lkw TH Chy Cbu Yal Cph Cbi Nrt Rng Nst Sgk Hya Tnc**
219. **Neptis (Lasippa) viraja Moore,1872** (Argynnidae) Synonym(s): *viraja* Moore,1872 **TH CMA**

220. **Neptis (Pantoporia) aurelia Staudinger,1886** (Argynnidae) Synonym(s): *aurelia Staudinger,1886* TH CMA Cbi Nrt Rng Yal Nst Pbu
221. **Neptis (Pantoporia) bieti Oberthür,1890** (Argynnidae) Synonym(s): *bieti Oberthür,1890* ?Ti CN MM TH CMA
222. **Neptis (Pantoporia) dinginga Butler,1879** (Argynnidae) Synonym(s): *dinginga Butler,1879* TH Rng
223. **Neptis (Pantoporia) hordonia (Stoll,1790)** (Argynnidae) Synonym(s): *hordonia Stoll,1790* PH Cal Pal IN Oi Ass MM VN MY TH CMA Cuo Cuo1 Cuo2 Cuo5 Cuo9 Cu12 CDo Phi Cbu Knc Rng Nrt Chy Nna Cbi Pht Yal Nst Ths
224. **Neptis (Pantoporia) paraka Butler,1879** (Argynnidae) Synonym(s): *paraka Butler,1879* PH Stu Bal Pal TH CMA Cuo Cu12 CDo Chy Cbi Rng Phi Knc Yal
225. **Neptis (Pantoporia) sandaka (Butler,1892)** (Argynnidae) Synonym(s): *sandaka Butler,1892* TH CMA Nrt Cbi Knc Chy Nna Cbu Yal Nst
226. **Neptis (Phaedyman) columella (Cramer,[1782])** (Argynnidae) Synonym(s): *columella Cramer,[1782]* PH Cts Bal Cal Pal Ley Mno Sam Mdo CmM Boh Cat Ceb Gui Luz Mar Mas Neg Pan Rom Sib MY P-T Lkw TH CMA Cuo Cuo7 Cuo9 Cu12 CDo Nrt Cbi Nst Ths Chw Chy Nna Knc Tng
227. **Neptis (s.str.) ananta Moore,[1858]** (Argynnidae) Synonym(s): *ananta Moore,[1858]* IN TH CMA Chy
228. **Neptis (s.str.) anjana Moore,1881** (Argynnidae) Synonym(s): *anjana Moore,1881* PH Pal MY TH Srt
229. **Neptis (s.str.) armandia (Oberthür,1876)** (Argynnidae) Synonym(s): *armandia Oberthür,1876* CN TH CMA MM
230. **Neptis (s.str.) cartica Moore,1872** (Argynnidae) Synonym(s): *cartica Moore,1872* MM TH CMA Chy Loe Nna Pbu
231. **Neptis (s.str.) clinia Moore,1872** (Argynnidae) Synonym(s): *clinia Moore,1872* MY Lkw PH Jol Stu Cuy Dum Pal TH CMA Cuo Cu12 CDo Phi Nrt Sbu Knc Chy Tak Nna Cbi Pht Tng Yal Ptt Nst Chw Sgk Hya Tnc
232. **Neptis (s.str.) duryodana Moore,1858** (Argynnidae) Synonym(s): *duryodana Moore,1858* PH CagSul Cuy Pal Mdo MY TH Nst Tng Ptt Yal
233. **Neptis (s.str.) harita Moore,[1875]** (Argynnidae) Synonym(s): *harita Moore,[1875]* MY Lkw IN MM PH Pal Cal TH Rng Yal Tng Phi Nrt Cbi Tak Nna Nst Ths Sgk Hya Tnc
234. **Neptis (s.str.) hylas (Linnaeus,1758)** (Argynnidae) Synonym(s): *hylas Linnaeus,1758* IN Ass MM CN Yu JP LK ID Sum Ja MY Lkw PH Bon Jol Sga Sis Stu Taw TH Rng Tng Yal Sgk CMA Cuo Cuo1 Cuo2 Cuo7 Cuo9 Cu11 Cu12 CDo Cmz Czi1 Lmp Tht Chy Nna Cbi Loe Nrt Sbi Knc Pbu Nst Ths Sgk Hya Tnc
235. **Neptis (s.str.) ilira Kheil,1884** (Argynnidae) Synonym(s): *ilira Kheil,1884* MY TH Cbi
236. **Neptis (s.str.) jumbah Moore,1858** (Argynnidae) Synonym(s): *jumbah Moore,1858* TH Rng
237. **Neptis (s.str.) leucoporus Fruhstorfer,1908** (Argynnidae) Synonym(s): *leucoporus Fruhstorfer,1908* MY Lkw TH Rng Nst Ths Sya Tng
238. **Neptis (s.str.) magadha C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *magadha C.Felder & R.Felder,[1867]* MY TH CMA CDo Nrt Knc Chy Cbi
239. **Neptis (s.str.) manasa Moore,[1858]** (Argynnidae) Synonym(s): *manasa Moore,[1858]* TH CMA Loe
240. **Neptis (s.str.) miah Moore,1858** (Argynnidae) Synonym(s): *miah Moore,1858* MY Lkw TH CMA CDo Nrt Pbu Cbi Chy Nna Yal Nst
241. **Neptis (s.str.) namba Tytler,1915** (Argynnidae) Synonym(s): *namba Tytler,1915* TH Chy MM
242. **Neptis (s.str.) narayana Moore,[1858]** (Argynnidae) Synonym(s): *narayana Moore,[1858]* TH CMA
243. **Neptis (s.str.) nashona Swinhoe,1896** (Argynnidae) Synonym(s): *nashona Swinhoe,1896* IN Ass TH CMA Dst CDo Chy Loe
244. **Neptis (s.str.) nata Moore,1858** (Argynnidae) Synonym(s): *nata Moore,1858* MY TH Rng Nst Yal CMA Cuo Cuo7 Cu11 Cu12 CDo Chy Cbi Cbu Nna Loe Phi Nrt Sbu TAK
245. **Neptis (s.str.) omeroda Moore,[1875]** (Argynnidae) Synonym(s): *omeroda Moore,[1875]* PH Stu Bal Pal MY Lkw TH Rng Yal Tng Nst Pbu
246. **Neptis (s.str.) radha Moore,[1858]** (Argynnidae) Synonym(s): *radha Moore,[1858]* IN TH CMA
247. **Neptis (s.str.) sankara (Kollar,[1844])** (Argynnidae) Synonym(s): *sankara Kollar,[1844]* TH CMA CDo Chy MM MY
248. **Neptis (s.str.) sappho (Pallas,1771)** (Argynnidae) Synonym(s): *sappho Pallas,1771; aceris Lepechin,1771; aceris Esper,[1783].* Am At Bn AT Ba BG BY CN CZ GR HU IN IT JP KG KP MK MM PK PL RO RU Sb SK Sm So Sr SS Ti TW UA VI VN Vv YU TH CMA TAK Cbi Chy Loe (2007, Cent. ent. Stud., Memoirs 3/4: Pl.5 fig.6 [adult]).

249. **Neptis (s.str.) soma Moore,1858** (Argynnidae) Synonym(s): *soma Moore,1858* MY TH CMa
CDo Chy Loe MM Shn
250. **Neptis (s.str.) yerburii Butler,1886** (Argynnidae) Synonym(s): *yerburii Butler,1886* PK Pj
Mre TH Chy CMa
251. **Neptis (s.str.) zaida Westwood,1850** (Argynnidae) Synonym(s): *zaida Westwood,1850* TH
Chy Loe
252. **Neurosigma siva (Westwood,[1850])** (Argynnidae) Synonym(s): *siva Westwood,[1850]* TH
CMa Loe
253. **Paduca fasciata (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *fasciata C.Felder & R.Felder,1860* PH Cal Pal Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb
Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga
Sia Sib Siq Sis Stu Tab Taw Tic MM MY Lkw TH Nna Cbu Rng Sbu Cbi Nst Bnk Sgk Hya Tnc ID Sum
Ja
254. **Pandita sinope Moore,[1858]** (Argynnidae) Synonym(s): *sinope Moore,[1858]* PH Cal Pal
Sga Stu Taw MY TH Cbi Ntt SPa
255. **Parthenos sylvia (Cramer,[1775])** (Argynnidae) Synonym(s): *sylvia Cramer,[1775]* PH Bal
Dum Pal Jol Bon Sga Stu Taw Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb
Cts Cuy Din Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis
Tab Tic MY Lkw TH Rng Yal Tng CMa Cuo Cuo5 Lmp Tht Nna Cbi Rat Cu12 CDo CD2 Nst Ths Sya ID
Nia
256. **Phalanta alcippe (Stoll,1782)** (Argynnidae) Synonym(s): *alcippe Stoll,1782* LK IN Adm Nk
MM TH Chy Knc Cbi Rat Tng Rng Phi Cbu Pht Nst Sgk Hya Tnc MY Bor ID Egg Sum Ja Flo Clb Sla
Snd SB PH Bal Pal Sga Stu Taw Ala Bab Bas Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat
Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Neg Mdo Mno Pan Pao Pol Rom Sam Sar
Sia Sib Siq Sis Tab Tic P-T




Fig.2- Chiang Dao (North Thailand), 11 November 2006, M.Kemal (Cesa)

257. **Phalanta phalantha (Drury,[1773])** (Argynnidae) Synonym(s): *phalantha Drury,[1773]* AO
BF BI BJ BW CF CG CI CM CN DJ DZ EG EH ER ET GA GH GM GN GO Bio GW ID IN KE KH KM LK
LR LS LY MA MG ML MM MR MW MY MZ NA NE NG NP RW SA SC SD SI Sk SL SN SO ST SZ TD TG

- TH CMA TN TZ UG VN YE ZM ZR ZW PK Ci Rw Cp Pj ZA Nta Kzu Ptb Tva Lpo Spb Mdk Ent Dst Qs
Cuo Cuo7 Cu10 Loe Bnk Chy Knc Sbu Sgk Kru Pma K12 PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus
CagSul Cal Cam CmL Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno
Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Cuo Cuo2 Cu12 Dst Dso8 Dsk
Hpt Int Nst Ths Hn TW (2007, Cent. ent. Stud., Memoirs 3/4: Pl.33 fig.7 [larva]; pl.37 fig.8 [adult]).
258. **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-album*
Linnaeus,1758; *g-album* *Fourcroy,1785*. AF AL At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu
FI FR GB GR HU IT KG Kr LB LT LU LV DZ MA TN MN NL NO PL PT RO RU Sa SE SI Si SK Sm So Sr
Ti TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken GG AZ AM Nv MD MK HV SS B-H MD Cc IQ Ama
IR Mz Elb TH CMA (2007, Cent. ent. Stud., Memoirs 3/4: Pl.33 fig.6 [larva]).
259. **Polygonia (s.str.) c-aureum (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-aureum*
Linnaeus,1758; *angelica* *Stoll,[1782]*. RU Vv Sb CN TW JP TH CMA
260. **Polyura arja (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *arja* *C.Felder &*
R.Felder,[1867] TH CMA CDo Phr CRa Srr Phi Nna Cbi Knc Chy Nrt Cbu Sbu IN SI MM VN Ton
261. **Polyura athamas (Drury,[1773])** (Argynnidae) Synonym(s): *athamas* *Drury,[1773]* CN IN Ti
Ass MM LK TH CMA Cuo Cu10 CD2 Nrt Cbu Knc Tng Chy Nna Cbi Smu Npt Rat Yal Nst PH
Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cam CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub
Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Bon Sga Taw CmL Cal
Pal Bal (2007, Cent. ent. Stud., Memoirs 3/4: pl.38 figs.11,12 [adult]).
262. **Polyura delphis (Doubleday,1843)** (Argynnidae) Synonym(s): *delphis* *Doubleday,1843* TH
CMA CDo Chy Nna Nst Cbi Phi Cbu Tng Yal PH Pal
263. **Polyura dolon (Westwood,1848)** (Argynnidae) Synonym(s): *dolon* *Westwood,1848*. CN Ti
TH CMA CDo
264. **Polyura eudamippus (Doubleday,1843)** (Argynnidae) Synonym(s): *eudamippus*
Doubleday,1843 TH CMA Cmz Cz03 Cuo Cu10 CDo Chy Dsk Hpt Nrt Cbi Phi Nna (2007, Cent. ent.
Stud., Memoirs 3/4: Pl.4 fig.4 [adult]).
265. **Polyura hebe (Butler,1866)** (Argynnidae) Synonym(s): *hebe* *Butler,1866* TH Nst Rng Yal Tng
Ptt Ntt SPa
266. **Polyura jalysus (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *jalysus* *C.Felder &*
R.Felder,[1867] TH Yal CMA CDo Cbi Chy
267. **Polyura moori (Distant,1883)** (Argynnidae) Synonym(s): *moori* *Distant,1883* TH Yal PH Sga
Taw
268. **Polyura nepenthes (Grose-Smith,1883)** (Argynnidae) Synonym(s): *nepenthes* *Grose-*
Smith,1883 TH CMA CDo Phi Pht
269. **Polyura schreiber (Godart,[1824])** (Argynnidae) Synonym(s): *schreiber* *Godart,[1824]* TH
CMA CDo Cbu Chy Phu Cbi Nst Chw PH Boh Ley Pao Pol Sam Din Luz Mar Mdo Mas Neg Mno Pal
270. **Precis (Junonia) almana (Linnaeus,1758)** (Argynnidae) Synonym(s): *almana* *Linnaeus,1758*
PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL Cmm Cat Ceb Cts Cuy Din Dum
Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis
Stu Tab Taw Tic AF PK Cp IR Ss Bl Pj IN LK MM TH MY CN ID Clb Sha Sum Ja TW Nna Cbi TAK Bnk
Ray Pap CMA Cuo Cuo2 Cu10 Cuo7 Cm1 Cmz Cz03 Cz11 CDo CD2 Dsk Hpt Sgk Hya Tnc PSu Nst Ths
(2007, Cent. ent. Stud., Priamus 12 (3): pl.1 fig.2 [adult]).
271. **Precis (Junonia) atlites (Linnaeus,1763)** (Argynnidae) Synonym(s): *atlites* *Linnaeus,1763*
PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL Cmm Cat Ceb Cts Cuy Din Dum
Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis
Stu Tab Taw Tic CN ID IN LK MM TH Nna Cbu Tng Knc Ray CMA Cuo MY Lkw Cuo1 Cu10 Cu12 CDo
CD2 Sgk Hya Tnc PSu (2007, Cent. ent. Stud., Priamus 12 (3): pl.1 fig.3 [adult]).
272. **Precis (Junonia) hierta (Fabricius,1798)** (Argynnidae) Synonym(s): *lintingensis* *Osbeck,1765*
[rejected name, Op.842, 1968]; *hierta* *Fabricius,1798* TH AF AO BF BI BJ BW CF CG CI CM CN DJ EG EH ER
ET GA GH GM GN GO Bio GW IN KE LR LS LY MG ML MR MW MZ NA NE NG PK RW SA SC SD Sk
SL SN SO ST SZ TD TG TZ UG YE ZM ZR ZW LB ZA Nta Kzu Est Tva Lpo Spb Ptb Lj Mdk Ent Gau Pre
Jh Mpu Brb MG SD SA YE SC Sk IR MM Adm LK MY Lkw TH CMA Cuo Cuo1 Cuo9 Cu10 Int Dsk Hpt
Lmp Tht Chy TAK Sbu Rng Sat Non Phi Nna Cbu Tng Tuo Sya Ths Nst (2007, Cent. ent. Stud.,
Memoirs 3/4: pl.37 fig.9 [adult]).
273. **Precis (Junonia) iphita (Cramer,[1779])** (Argynnidae) Synonym(s): *iphita* *Cramer,[1779]*
IN LK MV MM TH CMA Cuo Cuo5 Cuo7 Cuo2 Cuo9 Cu10 Cu12 Cm1 CDo CD2 Cmz Cz11 Dst Dso8 Pap
Mro Dsk Hpt Lmp Tht Nrt Phi Cbi Ptt Yal Tng Sgk Hya Tnc PSu Nst Ths Loe CN MY Lkw PH Bal Pal
ID Ja Sum Bor Sba
274. **Precis (Junonia) lemonias (Linnaeus,1758)** (Argynnidae) Synonym(s): *lemonias*
Linnaeus,1758 MY Lkw TH CMA Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cu10 Cu12 Cm1
Cmz Cz11 Dst Dso8 Pap Mro Dsk Hpt Nna Knc Cbu Chy Bnk Sbu Cbi Tng Sgk Hya Tnc PSu Nst Ths CN
TW IN LK PH Ceb Gui Luz Mar Mdo Pal (2007, Cent. ent. Stud., Priamus 12 (3): pl.1 fig.4 [adult]).
275. **Precis (Junonia) orithya (Linnaeus,1758)** (Argynnidae) Synonym(s): *orithya* *Linnaeus,1758*
BI BJ BW CF CG CI CM DJ DZ EG EH ER ET GA GH GM GN GO Bio GW IQ Nsr Bji Bgd IR Lo Fa Ke
JO KE KW LR LS LY MA MG ML MR MW MZ NA NE NG OM PK RW SA SD SL SN SO ST SZ TD TG TN
TZ UG YE MG ZA Nta Kzu Ptb ZM ZR ZW SY IN LK MM Ci Mre Pj Nwf Pes Rw Cp Tra Tva Lpo Spb Lj

- Kru Dbn MZ ZW BW NA PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic Stu SG ID Sum Ja Bli Lb Baw Bor Clb Hn TH MY Lkw CMa Cuo Cuo7 Cui2 Cmz Cz11 Loe Nna Knc Cbi Sbu Non Phi Nrt Cbu Ray Pht Sgk Yal Tng Hya PSu Nst Ths AE AF AO BF BH (2007, Cent. ent. Stud., Priamus 12 (3): pl.1 fig.5 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.13 [adult]).
276. **Prothoe franckii** Hübner,[1824] (Argynnidae) Synonym(s): *franckii* Hübner,[1824]; *franck* Godart,[1824] PH Bal Pal TH Chy Cbi Rng Yal Tng Nst Kna Ths Sya Sgk Hya Tnc
277. **Pseudergolis wedah** (Kollar,[1844]) (Argynnidae) Synonym(s): *wedah* Kollar,[1844]; *veda* Kirby,1871. Ch MM IN Ass BD Hp Kul SI CN TH CMa CDo Chy TAK
278. **Rhinopalpa polynice** (Cramer,[1779]) (Argynnidae) Synonym(s): *polynice* Cramer,[1779] IN Ass MM MY Lkw TH Knc Nst Rng Yal Sgk Hya Tnc ID Sum Nat Mw Nia Ja Bli Clb PH Boh Din Ley Mno Pao Sam Sia Bon Sga Stu Taw Bab Luz Mar Bas Ceb Neg Pan Sib Mdo
279. **Rohana nakula** (Moore,1858) (Argynnidae) Synonym(s): *nakula* Moore,1858 TH Yal
280. **Rohana parisatis** (Westwood,1850) (Argynnidae) Synonym(s): *parisatis* Westwood,1850 PH Pal TH CMa Phi Nrt Sbu Chy Nna Cbi Loe Pbu
281. **Rohana parvata** (Moore,1858) (Argynnidae) Synonym(s): *parvata* Moore,1858 TH CMa CDo Pbu MM
282. **Rohana tonkiniana** (Fruhstorfer,1906) (Argynnidae) Synonym(s): *tonkiniana* Fruhstorfer,1906 VN Ton TH Phi Nrt
283. **Sephisa chandra** (Moore,1858) (Argynnidae) Synonym(s): *chandra* Moore,1858 TH CMa CDo Loe CRa TW
284. **Sephisa dichroa** (Kollar,[1844]) (Argynnidae) Synonym(s): *dichroa* Kollar,[1844] AF Ch Hr PK Ci Mre ?Ti TH NP SI IN
285. **Stibochiona nicea** (Gray,1846) (Argynnidae) Synonym(s): *nicea* Gray,1846 IN NP TH CMa CDo Dst Rng Loe Srt MY SG CN
286. **Symbrenthia brabira** Moore,1872 (Argynnidae) Synonym(s): *brabira* Moore,1872 IN MM TH CN
287. **Symbrenthia hippoclus** (Cramer,[1779]) (Argynnidae) Synonym(s): *hippoclus* Cramer,[1779] PH Bas Luz Mar Mdo Bal Pal Cal Jol Boh Ceb CmM Cts Ley Mno Pao Sam Sia TH MY ID Sum Ja Bli Bor Mw
288. **Symbrenthia hypatia** Wallace,1869 (Argynnidae) Synonym(s): *hypatia* Wallace,1869 PH Mno TH Srt Yal Tng Nst Chw MY ID Sum Ja Bor
289. **Symbrenthia hypselis** (Godart,[1824]) (Argynnidae) Synonym(s): *hypselis* Godart,[1824] PH Pal ID IN SI Ass MM CN TH CMa CDo Nrt Kao TAK Cbi Phi Nna Yal MY ID Sum Ja Bor TW
290. **Symbrenthia lilaea** (Hewitson,1864) (Argynnidae) Synonym(s): *lilaea* Hewitson,1864 PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic IN LK MM TH CMa Knc Yal Nna TAK Tng Lmp Tht CN TW MY ID Bor Sum CDo CD2 (2007, Cent. ent. Stud., Memoirs 3/4: pl.39 figs.9,10 [adult]).
291. **Tanaecia (Cynitia) cocytus** (Fabricius,1787) (Argynnidae) Synonym(s): *cocytus* Fabricius,1787 TH CMa CDo Nrt Chy Nna Cbi Knc Pkk
292. **Tanaecia (Cynitia) flora** Butler,1873 (Argynnidae) Synonym(s): *flora* Butler,1873 TH Cph Rng
293. **Tanaecia (Cynitia) godartii** (Gray,1846) (Argynnidae) Synonym(s): *godartii* Gray,1846 TH Rng Tng Nst Chw Sgk Hya Tnc
294. **Tanaecia (Cynitia) iapis** (Godart,[1824]) (Argynnidae) Synonym(s): *iapis* Godart,[1824] TH Rng Nst Ths Sya Chw Tng Yal Sgk Hya Tnc MY
295. **Tanaecia (Cynitia) lepidea** Butler,1869 (Argynnidae) Synonym(s): *lepidea* Butler,1869 IN MY TH CMa Cuo Cuo5 Cuo7 CDo Nrt Cbi Chy Nna
296. **Tanaecia (Kirontisa) telchinia** (Ménétriés,1857) (Argynnidae) Synonym(s): *telchinia* Ménétriés,1857 TH CMa
297. **Tanaecia (s.str.) aruna** (C.Felder & R.Felder,1860) (Argynnidae) Synonym(s): *aruna* C.Felder & R.Felder,1860 TH Rng Yal Tng Ntt SPa Sgk Hya Tnc PH Bal Cal Pal
298. **Tanaecia (s.str.) clathrata** (Vollenhoven,1862) (Argynnidae) Synonym(s): *clathrata* Vollenhoven,1862 TH Tng
299. **Tanaecia (s.str.) jahnu** (Moore,1858) (Argynnidae) Synonym(s): *jahnu* Moore,1858 TH CMa Cuo Cuo7 Nrt Cbi Rng Chy Nna Knc Nst Kna Sgk Hya Tnc
300. **Tanaecia (s.str.) julii** (Lesson,1837) (Argynnidae) Synonym(s): *julii* Lesson,1837 IN TH Rng Nst Ths Nna Cbi Knc Tng Sgk Hya Tnc CMa Cuo Cuo1 Cuo7 Nrt Cbu Chy
301. **Tanaecia (s.str.) munda** Fruhstorfer,1899 (Argynnidae) Synonym(s): *munda* Fruhstorfer,1899 TH Rng Yal Tng Sgk Hya Tnc
302. **Tanaecia (s.str.) palguna** (Moore,1858) (Argynnidae) Synonym(s): *palguna* Moore,1858 TH Rng Yal Tng Sgk Hya Tnc

303. **Tanaecia (s.str.) pelea (Fabricius,1787)** (Argynnidae) Synonym(s): *pelea Fabricius,1787*
PH Sul TH Rng Yal Tng Sgk Hya Tnc MY
304. **Terinos atlita (Fabricius,1787)** (Argynnidae) Synonym(s): *atlita Fabricius,1787* IN MY Bor
ID Sum TH Chy Nna Cbi Pbu Pht Knc Rat VN
305. **Terinos clarissa Boisduval,1836** (Argynnidae) Synonym(s): *clarissa Boisduval,1836* ID Sgr
Ja MY Sum Bor Swk PH Bon Sga Taw Ley Mno Sam Bal Pal Hom TH Nst Tng Nrt Kao Sgk Hya Tnc
306. **Terinos terpander Hewitson,1862** (Argynnidae) Synonym(s): *terpander Hewitson,1862* MY
Bor MM Tns SG TH Rng Yal Tng Lmp Rat Cbi Nst Ths Sya Sgk Hya Tnc VN ID Sum Nia Bgk Ja Nat CN
HK
307. **Vagrans sinha (Kollar,[1844])** (Argynnidae) Synonym(s): *sinha Kollar,[1844]* IN MM TH
CMA CDO Ray Nna Cbi Rng Chy Cbu Pht Sgk Hya Tnc CN Hn PH Ala Bab Bal Bat Bas Bil Boh Bon Bur
Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo
Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic (2007, Cent. ent. Stud.,
Memoirs 3/4: pl.39 figs.7,8 [adult]).
308. **Vanessa (Cynthia) cardui (Linnaeus,1758)** (Argynnidae) Synonym(s): *cardui Linnaeus,1758*;
carduelis Cramer,1775; *elymi Rambur,1829*; *kershawi McCoy,1868*; *pallida Schoyen,1881*; *universa Verity,1919*; *takesakiana*
Kato,1925. Ad Ae AF AL As At AT Az BE BG BH BY Ch CH CN Co Cr CY CZ DE Dh DK EE ES FI FR GB
GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld Lt LU LV MN MT Mu Nf Nj NL NO PH PK PL
PT QA Rd RO RU SA Sa SE SI Si SK SY Ti TJ TM TR T-S UA Ui UZ YE YU SS HV B-H MK Mt AO BF BI
BJ BW BZ CF CG CI CM Cn DJ Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS LY MA
MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR ZW
Cw Dv Smt H-W Sur Ssx Ken Cy LY Kts Tm Ci Um Sau Tar DsA TeA KuA TrA Ket Bn Mu Mu18 GG AZ
Nv AM MD NP Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo
Ma Mz Qz Se Ss Th Yz Zj Ke Luz Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp IlN Io
Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns
RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru
Pma Pf Pa Hf TH CMA SD91 SD119
309. **Vanessa (Cynthia) cardui cardui (Linnaeus,1758)** (Argynnidae) Synonym(s): *cardui*
Linnaeus,1758; *carduelis Cramer,1775*; *elymi Rambur,1829*; *kershawi McCoy,1868*; *pallida Schoyen,1881*; *universa Verity,1919*;
takesakiana Kato,1925. Ad Ae AF AL As At AT Az BE BG BH BY Ch CH CN Co Cr CY CZ DE Dh DK EE ES
FI FR GB GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld Lt LU LV MN MT Mu Nf Nj NL NO
PH PK PL PT QA Rd RO RU SA Sa SE SI Si SK SY Ti TJ TM TR T-S UA Ui UZ YE YU SS HV B-H MK Mt
AO BF BI BJ BW BZ CF CG CI CM Cn DJ Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS
LY MA MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR
ZW Cw Dv Smt H-W Sur Ssx Ken Cy LY Kts Tm Ci Um Sau Tar DsA TeA KuA TrA Ket Bn Mu Mu18 GG
AZ Nv AM MD NP Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz
Lo Ma Mz Qz Se Ss Th Yz Zj Ke Luz Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp IlN Io
Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns
RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru
Pma Pf Pa Hf TH CMA SD91 SD119
310. **Vanessa (s.str.) indica (Herbst,1794)** (Argynnidae) Synonym(s): *indica Herbst,1794*; *calliroe*
Hübner,1806 Cn ES CN RU IN NI SI Ti CN PK Mre AF Ch NP MM LK TW JP PH Luz Mno Pal ID Clb
LK TH CMA Dst CDO
311. **Vindula dejone (Erichson,1834)** (Argynnidae) Synonym(s): *dejone Erichson,1834* PH Jol
Bon Sga Boh Cal Din Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Stu TH CMA CDO Dst Dso9 Rng Yal
Tng Ntt SPa Nst SG MY ID Sla Sum Clb Ja MY Bor
312. **Vindula erota (Fabricius,1793)** (Argynnidae) Synonym(s): *erota Fabricius,1793* SI IN NI
Adm LK CN MM MY Bor ID Nia Sum Ja Clb Sla TH CMA Cuo Cu12 CDO CD2 Nrt Nna Cbi Rng TAK Knc
Cbu Srt Ptt Nst Ths PH Bal Pal (2007, Cent. ent. Stud., Memoirs 3/4: Pl.4 fig.12 [adult]; pl.39 figs.5,6
[adult]).
313. **Yoma sabina (Cramer,[1780])** (Argynnidae) Synonym(s): *sabina Cramer,[1780]* PH Ala Bab
Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol
Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw
Tic ID Mlc Ja Alo Bor MY Prk Lkw TH Chy TAK Phi Nrt Knc Rat Cma MM
314. **Blastobasis basipectenella Adamski,2003** (Blastobasidae) Synonym(s): *basipectenella*
Adamski,2003 TH
315. **Blastobasis bispinaella Adamski,2003** (Blastobasidae) Synonym(s): *bispinaella Adamski,2003*
TH
316. **Blastobasis ianella Adamski,2003** (Blastobasidae) Synonym(s): *ianella Adamski,2003* TH
317. **Blastobasis ochromorpha Meyrick,1925** (Blastobasidae) Synonym(s): *ochromorpha*
Meyrick,1925 TH IN MY
318. **Blastobasis tridigitella Adamski,2003** (Blastobasidae) Synonym(s): *tridigitella Adamski,2003*
TH
319. **Calosima alba fasciata Adamski,2002** (Blastobasidae) Synonym(s): *alba fasciata Adamski,2002*
TH
320. **Calosima alba fasciella Adamski,2002** (Blastobasidae) Synonym(s): *alba fasciella Adamski,2002*
TH

321. **Calosima malikuli Adamski,2002** (Blastobasidae) Synonym(s): *malikuli* Adamski,2002 **TH**
322. **Calosima moriutii Adamski,2002** (Blastobasidae) Synonym(s): *moriutii* Adamski,2002 **TH**
323. **Cladobrostis melitricha Meyrick,1921** (Blastobasidae) Synonym(s): *melitricha* Meyrick,1921 **IN TH**
324. **Pseudohypatopa pulverea (Meyrick,1907)** (Blastobasidae) Synonym(s): *pulverea* Meyrick,1907 **IN TH**
325. **Andraca bipunctata Walker,1865** (Bombycidae) Synonym(s): *bipunctata* Walker,1865; *tricholoides* Moore,1865 **IN Ass SI ID Ja TH CMa CDo**
326. **Bombyx mori (Linnaeus,1758)** (Bombycidae) Synonym(s): *mori* Linnaeus,1758; *sinensis* Moore & Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862; *textor* Moore & Hutton,1862. **ES FR BG TR ZA TH CN**
327. **Gnathocinara situla (Van Eecke,1929)** (Bombycidae) Synonym(s): *situla* Van Eecke,1929 **ID Sum TH CMa CDo**
328. **Mustilia gerontica West,1932** (Bombycidae) Synonym(s): *gerontica* West,1932 **TW TH CMa CDo**
329. **Mustilia hepatica Moore,1879** (Bombycidae) Synonym(s): *hepatica* Moore,1879 **IN TH CMa CDo MY**
330. **Ocinara bifurcula Dierl,1978** (Bombycidae) Synonym(s): *bifurcula* Dierl,1978 **ID Sum TH Bnk MY Bor**
331. **Prismosticta tirecta Swinhoe,1903** (Bombycidae) Synonym(s): *tirecta* Swinhoe,1903 **TH CMa Dst Mth MY Bor ID Sum**
332. **Trilocha varians (Walker,1855)** (Bombycidae) Synonym(s): *variens* Walker,1855 **LK TH Shu Bnk Cbi Pbu TW CN**
333. **Patissa xanthoperas (Hampson,1895)** (Brachodidae) Synonym(s): *xanthoperas* Hampson,1895 **ID Sum TH**
334. **Phycodes minor Moore,1881** (Brachodidae) Synonym(s): *minor* Moore,1881; *lucasseni* Snellen,1901; *cymineuta* Meyrick,1909; *omnimicans* Diakonoff,1978 **SA IN Ben LK CN ID Ja NP VN Ton CI KH TH Cbi PH Luz**
335. **Phycodes taonopa Meyrick,1909** (Brachodidae) Synonym(s): *taonopa* Meyrick,1909 **IN Ass LK TH CMa Int VN**
336. **Brahmaea (Brahmophthalma) hearseyi (White,1862)** (Brahmaeidae) Synonym(s): *hearseyi* White,1862 **IN Up Bhi VN Ton Tda TH CMa Mta Hnd LA KH**
337. **Brahmaea (Brahmophthalma) wallichii (Gray,1831)** (Brahmaeidae) Synonym(s): *wallichii* Gray,1831 **LA TH VN Ton Fan PK Mre**
338. **Petavia niasica (Pagenstecher,1887)** (Callidulidae) Synonym(s): *niasica* Pagenstecher,1887 **ID Nia TH**
339. **Petavia sakuni (Horsfield,1828)** (Callidulidae) Synonym(s): *sakuni* Horsfield,1828; *abisara* Butler,1879; *minor* Moore,1879 **ID Sum TH MY MM Bor Sbh KBa**
340. **Petavia sumatrensis Pagenstecher,1887** (Callidulidae) Synonym(s): *sumatrensis* Pagenstecher,1887 **ID Sum TH**
341. **Pterothysanus laticilia Walker,1854** (Callidulidae) Synonym(s): *laticilia* Walker,1854; *lanaris* Butler,1884; *atratus* Butler,1885; *pictus* Butler,1885; *orleans* Oberthür; *noblei* Swinhoe,1889; *#roblei* Hutacharern & Tubtim,1995 **MM TH CMa Cuo Cuo4 CDo (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.12 [adult]; pl.47 fig.9 [adult]).**
342. **Meridarchis scyroides Meyrick,1916** (Carposinidae) Synonym(s): *scyroides* Meyrick,1916 **IN TH Knc Rat Smu Nkh**
343. **Meridarchis trapeziella Zeller,1867** (Carposinidae) Synonym(s): *trapeziella* Zeller,1867; *stoetzneri* Caradja,1927. **IN Ass BT CN Yu TH SI MM**
344. **Peragrarchis syncolleta (Meyrick,1928)** (Carposinidae) Synonym(s): *syncolleta* Meyrick,1928 **TH IN Adm JP MY BN Bor Sbh Clb SB**
345. **Brenthia albipunctata Arita,1987** (Choreutidae) Synonym(s): *albipunctata* Arita,1987 **TH Knc**
346. **Brenthia angoonae Arita,1987** (Choreutidae) Synonym(s): *angoonae* Arita,1987 **TH CMa Fn Msv**
347. **Brenthia Chiangmaiensis Arita,1987** (Choreutidae) Synonym(s): *Chiangmaiensis* Arita,1987 **TH CMa Fn**
348. **Brenthia dendronympha Meyrick,1937** (Choreutidae) Synonym(s): *dendronympha* Meyrick,1937 **TH IN MM Bor Swk MY**
349. **Brenthia flava Arita,1987** (Choreutidae) Synonym(s): *flava* Arita,1987 **TH CMa Dst**
350. **Brenthia karsholti Arita,1987** (Choreutidae) Synonym(s): *karsholti* Arita,1987 **TH Nna Kao**
351. **Brenthia khaoyaiensis Arita,1987** (Choreutidae) Synonym(s): *khaoyaiensis* Arita,1987 **TH Nna Kao**
352. **Brenthia kurokoi Arita,1987** (Choreutidae) Synonym(s): *kurokoi* Arita,1987 **TH Knc Cbi CMa Fn**

353. **Brenthia multipunctata Arita,1987** (Choreutidae) Synonym(s): *multipunctata* Arita,1987 **TH Nna Kao CMa Int**
354. **Brenthia octopunctata Arita,1987** (Choreutidae) Synonym(s): *octopunctata* Arita,1987 **TH CMa Dst**
355. **Brenthia punctata Arita,1987** (Choreutidae) Synonym(s): *punctata* Arita,1987 **TH Nna Kao**
356. **Brenthia saitoi Arita,1987** (Choreutidae) Synonym(s): *saitoi* Arita,1987 **TH Knc**
357. **Brenthia siamensis Arita,1987** (Choreutidae) Synonym(s): *siamensis* Arita,1987 **TH Cbi**
358. **Brenthia similis Arita,1987** (Choreutidae) Synonym(s): *similis* Arita,1987 **TH Cbi**
359. **Brenthia subflava Arita,1987** (Choreutidae) Synonym(s): *subflava* Arita,1987 **TH CMa Fn**
360. **Brenthia subsimilis Arita,1987** (Choreutidae) Synonym(s): *subsimilis* Arita,1987 **TH Knc**
361. **Brenthia thaiensis Arita,1987** (Choreutidae) Synonym(s): *thaiensis* Arita,1987 **TH**
362. **Choreutis euclista (Meyrick,1918)** (Choreutidae) Synonym(s): *euclista* Meyrick,1918 **TH IN LK MM PH**
363. **Lithobrenthia trimaculata Arita,1987** (Choreutidae) Synonym(s): *trimaculata* Arita,1987 **TH Nna Kao**
364. **Litobrenthia affinis Arita,1987** (Choreutidae) Synonym(s): *affinis* Arita,1987 **TH Nna Kao**
365. **Litobrenthia albifasciata Arita,1987** (Choreutidae) Synonym(s): *albifasciata* Arita,1987 **TH Nna Kao**
366. **Litobrenthia doiinthanonensis Arita,1987** (Choreutidae) Synonym(s): *doiinthanonensis* Arita,1987 **TH CMa Int**
367. **Litobrenthia minima Arita,1987** (Choreutidae) Synonym(s): *minima* Arita,1987 **TH Knc**
368. **Litobrenthia nakhonnayokensis Arita,1987** (Choreutidae) Synonym(s): *nakhonnayokensis* Arita,1987 **TH Nna Kao**
369. **Litobrenthia quadrimaculata Arita,1987** (Choreutidae) Synonym(s): *quadrimaculata* Arita,1987 **TH Knc**
370. **Litobrenthia yoshiyasui Arita,1987** (Choreutidae) Synonym(s): *yoshiyasui* Arita,1987 **TH Nna Kao**
371. **Saptha cypridia Meyrick,1910** (Choreutidae) Synonym(s): *cypridia* Meyrick,1910 **TH MY Swk PH ID Clb Bor**
372. **Saptha smaragditis Meyrick,1905** (Choreutidae) Synonym(s): *smaragditis* Meyrick,1905 **TH LK MM ID Ja Clb Amb MY Bor Swk Klt**



Fig. 3- A Choreutid species in camera screen (*Choreutidae*), Thailand Chiang Mai, Doi Suthep foothills 6 April 2006, A.Koçak (Cesa)

373. **Anatrachyntis amphisaris (Meyrick,1922)** (Cosmopterigidae) Synonym(s): *amphisaris*
Meyrick,1922 **LK TH MY PG**
374. **Anatrachyntis rileyi (Walsingham,1882)** (Cosmopterigidae) Synonym(s): *rileyi*
Walsingham,1882; *stigmatophora* Walsingham,1897 **Cn FR TH**
375. **Ascalenia thoracista (Meyrick,1915)** (Cosmopterigidae) Synonym(s): *thoracista* Meyrick,1915
TH IN LK AU
376. **Cosmopterix acutivalva Kuroko,1987** (Cosmopterigidae) Synonym(s): *acutivalva* Kuroko,1987
TH Nna
377. **Cosmopterix angoonae Kuroko,1987** (Cosmopterigidae) Synonym(s): *angoonae* Kuroko,1987
TH Nna Cbi
378. **Cosmopterix complicata Kuroko,1987** (Cosmopterigidae) Synonym(s): *complicata*
Kuroko,1987 **TH CMa**
379. **Cosmopterix gramineella Kuroko,1987** (Cosmopterigidae) Synonym(s): *gramineella*
Kuroko,1987 **TH Cbi**
380. **Cosmopterix latilineata Kuroko,1987** (Cosmopterigidae) Synonym(s): *latilineata* Kuroko,1987
TH Nna Kao PH Pal Mno Taw
381. **Cosmopterix longilineata Kuroko,1987** (Cosmopterigidae) Synonym(s): *longilineata*
Kuroko,1987 **TH CMa Dst**
382. **Cosmopterix plesiasta Meyrick,1919** (Cosmopterigidae) Synonym(s): *plesiasta* Meyrick,1919
CR TH CMa Dst IN
383. **Cosmopterix plumbigutella Kuroko,1987** (Cosmopterigidae) Synonym(s): *plumbigutella*
Kuroko,1987 **TH CMa Int**
384. **Cosmopterix rumakomi Kuroko,1987** (Cosmopterigidae) Synonym(s): *rumakomi* Kuroko,1987
TH CMa Fn
385. **Cosmopterix wongsirii Kuroko,1987** (Cosmopterigidae) Synonym(s): *wongsirii* Kuroko,1987
TH CMa Hnd
386. **Eumenodora tetrachorda Meyrick,1924** (Cosmopterigidae) Synonym(s): *tetrachorda*
Meyrick,1924 **TH IN MY**
387. **Labdia oxychlora Meyrick,1932** (Cosmopterigidae) Synonym(s): *oxychlora* Meyrick,1932 **SL**
IN LK TH MY BN Bor Sbh
388. **Labdia semicoccinea (Stainton,1859)** (Cosmopterigidae) Synonym(s): *semicoccinea*
Stainton,1859 **RU GG Cc KP KR JP LK IN TW ID Ja TH**
389. **Labdia stibogramma Meyrick,1924** (Cosmopterigidae) Synonym(s): *stibogramma* Meyrick,1924
TH MY
390. **Labdia trichaeola Meyrick,1933** (Cosmopterigidae) Synonym(s): *trichaeola* Meyrick,1933 **ID**
Ja TH
391. **Limnaecia chromaturga (Meyrick,1915)** (Cosmopterigidae) Synonym(s): *chromaturga*
Meyrick,1915 **TH IN LK MY**
392. **Pyroderces falcateella (Stainton,1859)** (Cosmopterigidae) Synonym(s): *falcateella*
Stainton,1859; *spodotha* Meyrick,1905; *dendrophaga* Meyrick,1920 **LK IN Clc TH AU QAU SB MY ID Ja**
393. **Stigmatophora callistrepta (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *callistrepta*
Meyrick,1917 **IN TH CMa**
394. **Syntomaula simulatella (Walker,1864)** (Cosmopterigidae) Synonym(s): *simulatella*
Walker,1864; *niveosella* Walker,1864 **TH MY BN Bor Sbh Swk PH FJ Rot**



Fig. 4 – A “Pith Moth” (*Cosmopterigidae*), Thailand, Chiang Mai 360m 6 11 2006, M.Kemal (Cesa).

Video film of this species is downloadable from the following address:

<http://www.archive.org/details/DancingBehavioursOfAnUnknownPithMothSpeciesInNorthThailand>

395. **Azygophleps scalaris (Fabricius,1775)** (Cossidae) Synonym(s): *scalaris* Fabricius,1775 **TH**
Cph AO PK Krc Sd MM KH
396. **Chalcidica minea (Cramer,[1777])** (Cossidae) Synonym(s): *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865 **TH Nan Rng CMa Cuo CDo IN SI Clc BD Syl PH Luz ID Ja Flo Clb**
Ij Kai Sly Aru Amb Crm Bia Fak PG Bsm SB (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.5 [adult]).
397. **Chiangmaiana buddhi (Yakovlev,2005)** (Cossidae) Synonym(s): *buddhi* Yakovlev,2005 **TH**
Nan CMa CN Yu
398. **Duomitus ceramicus (Walker,1865)** (Cossidae) Synonym(s): *ceramicus* Walker,1865; *ligneus* Butler,1880; *bosschae* Heylaerts,1892 **SI IN Djl ID Nia Crm TH Nan Chy Knc Kao Phy CMa Cuo PH SB**
399. **Groenendaelia kinabaluensis (Gaede,1933)** (Cossidae) Synonym(s): *kinabaluensis* Gaede,1933 **MY Bor Kba ID Sum MM Tns Krh TH Nan**
400. **Lakshmia hauensteini Yakovlev,2005** (Cossidae) Synonym(s): *hauensteini* Yakovlev,2005 **TH CMa**
401. **Lakshmia zolotuhini Yakovlev,2005** (Cossidae) Synonym(s): *zolotuhini* Yakovlev,2005 **TH**
Nan CMa Phy Msv
402. **Paracossus pinratanai Yakovlev,2005** (Cossidae) Synonym(s): *pinratanai* Yakovlev,2005 **TH CMa**
403. **Paracossus sp.** (Cossidae) Synonym(s): **TH Nan CMa**
404. **Phragmataecia fusca Wileman,1911** (Cossidae) Synonym(s): *fusca* Wileman,1911; *obscura* Wileman,1911 **TH CMa CDo TW**
405. **Phragmataecia impura Hampson,1891** (Cossidae) Synonym(s): *impura* Hampson,1891 **IN**
NI LK TH CMa CDo Dst Mth MY ID Sum Ja
406. **Rapdalus pardicolor (Moore,1879)** (Cossidae) Synonym(s): *pardicolor* Moore,1879; *pardalis* Dudgeon,1899 **IN SI MM Mm MY VN Bor Swk Sum Klt TH CMa MAI**
407. **Relluna nurella (Swinhoe,1894)** (Cossidae) Synonym(s): *nurella* Swinhoe,1894 **CN Yu TH**
Nan IN Meg Ass Khs PH Pal MY Bor
408. **Sansara hreblayi Yakovlev,2005** (Cossidae) Synonym(s): *hreblayi* Yakovlev,2005 **TH Nan**
CMa

- 409. Sansara naumanni Yakovlev, 2005** (Cossidae) Synonym(s): *naumanni* Yakovlev, 2005 **TH CMa**
- 410. Skeletohyllon euphyes (West, 1932)** (Cossidae) Synonym(s): *euphyes* West, 1932 **TH**
- 411. Tarsozeuzera fuscipars (Hampson, 1892)** (Cossidae) Synonym(s): *fuscipars* Hampson, 1892; *#fuscipars* Yakovlev, 2005 **IN SI CN Yu TH Nan CMa Int MY Bor**
- 412. Wittocossus mokanshanensis (Daniel, 1945)** (Cossidae) Synonym(s): *mokanshanensis* Daniel, 1945 **CN Yu Tkg Kgs TH CMa Dst Mta**
- 413. Xyleutes ceramicus (Walker, 1865)** (Cossidae) Synonym(s): *ceramica* Walker, 1865; *ligneus* Butler, 1880; *boschae* Heylaerts, 1886 **IN MM TH ID Sum Ja Crm MY Bor PG SB**
- 414. Xyleutes personus Le Guillou, 1841** (Cossidae) Synonym(s): *personus* Le Guillou, 1841; *leuconotus* Walker, 1856 **TH Bnk Nan CMa Int Cnz Czo1 Cuo Rng IN MY PH PG ID Bia Ij LK**
- 415. Xyleutes strix (Linnaeus, 1758)** (Cossidae) Synonym(s): *strix* Linnaeus, 1758; *signata* Walker, 1856; *bubo* Butler, 1882; *tigrata* Houlbert, 1916 **IN MY TH Srt Nan Rng CMa Cuo CDo PG NBr ID Ja Clb Amb SB PH TW** (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.6 [adult]).
- 416. Zeuzera caudata Joicey & Talbot, 1916** (Cossidae) Synonym(s): *caudata* Joicey & Talbot, 1916; *rhabdota* Jordan, 1932; *celebensis* Roepke, 1957 **TH Nan Knc Srt ID Clb JP MY ID Ij Bru Sum PG SB**
- 417. Zeuzera coffeae Nietner, 1861** (Cossidae) Synonym(s): *coffeae* Nietner, 1861; *oblita* Swinhoe, 1890; *reticulata* Joicey & Talbot, 1916; *buergeri* Gaede, 1933 **PK IN LK TH Bnk Nan Phy MY Bor TW ID Mlc Krkt PG Ij Ja**
- 418. Zeuzera conferta Walker, 1856** (Cossidae) Synonym(s): *conferta* Walker, 1856; *roricyanea* Walker, 1862; *neuropunctata* Gaede, 1933 **VN TH Phy Mae Knc BD Syl ID Sum Ja Bor Swk Klt Ob MY Clb Ij PG PH**
- 419. Zeuzera indica Herrich-Schäffer, 1854** (Cossidae) Synonym(s): *indica* Herrich-Schäffer, 1854; *viridimacula* Matsumura, 1883 **CN Hn Yu TW TH Nan CMa Cuo Ssi Srt IN SI Hp Sml BD Syl MY ID Ja PG**
- 420. Zeuzera multistrigata Moore, 1881** (Cossidae) Synonym(s): *multistrigata* Moore, 1881; *leuconotum* Butler, 1881 **IR IN Djl Meg Khs Ass BD Syl SI CN Yu She KP KR RU Us JP TW PH MM TH CMa Mae Int**
- 421. Amata albifrons (Moore, 1878)** (Ctenuchidae) Synonym(s): *albifrons* Moore, 1878 **MM TH**
- 422. Amata celebese (Walker, 1864)** (Ctenuchidae) Synonym(s): *celebese* Walker, 1864; *gracilis* Röber, 1885; *elvira* Pagenstecher, 1896 **ID Clb TH**
- 423. Amata compta (Walker, 1869)** (Ctenuchidae) Synonym(s): *compta* Walker, 1869 **SI IN Ass TH**
- 424. Amata divisa (Walker, 1854)** (Ctenuchidae) Synonym(s): *divisa* Walker, 1854; *sylhetica* Strand, 1917 **SI IN Ass BD Syl MY Prk MM Peg CN Kwa TH CMa**
- 425. Amata grotei (Moore, 1871)** (Ctenuchidae) Synonym(s): *grotei* Moore, 1871 **CN Yu VN Ann MM TH**
- 426. Amata sladeni (Moore, 1871)** (Ctenuchidae) Synonym(s): *sladeni* Moore, 1871 **MM CN Yu TH CMa**
- 427. Amata sperbius (Fabricius, 1787)** (Ctenuchidae) Synonym(s): *sperbius* Fabricius, 1787; *atkinsoni* Moore, 1871 **SI IN BT Ass CN Kwa Hn Yu Sz Ti MM VN Ton TH CMa Cuo Cuo7 Pap Prk Cph Nan Sgk Hya PSu MY**
- 428. Amata stellaris (Snellen, 1895)** (Ctenuchidae) Synonym(s): *stellaris* Snellen, 1895 **TH MY Prk ID Sum Ja Bor**
- 429. Amata wallacei (Moore, 1879)** (Ctenuchidae) Synonym(s): *wallacei* Moore, 1879 **MY Bor Swk TH ID Ja Sum**
- 430. Auriculoceryx basalis (Walker, 1864)** (Ctenuchidae) Synonym(s): *basalis* Walker, 1864; *vandepolli* Rothschild, 1910; *klossi* Rothschild, 1910 **MY TH ID Sum**
- 431. Eressa confinis (Walker, 1854)** (Ctenuchidae) Synonym(s): *confinis* Walker, 1854; *musa* Swinhoe, 1885; *catoria* Swinhoe, 1900; *malaccensis* Rothschild, 1910 **IN Ass LK MM VN Ton Mrg MY TH CMa Cuo Cuo1 Cnz Cz10 CDo CD2 Bnk TW**
- 432. Eressa ichneumoniformis Rothschild, 1910** (Ctenuchidae) Synonym(s): *ichneumoniformis* Rothschild, 1910 **IN Ass TH**
- 433. Eressa siamica (Walker, 1864)** (Ctenuchidae) Synonym(s): *siamica* Walker, 1864 **TH**
- 434. Eressa subaurata (Walker, 1854)** (Ctenuchidae) Synonym(s): *subaurata* Walker, 1854 **LK TH**
- 435. Euchromia polymena (Linnaeus, 1758)** (Ctenuchidae) Synonym(s): *polymena* Linnaeus, 1758; *celebensis* Butler, 1876; *siamensis* Butler, 1876; *butleri* Röber, 1887; *diffusihelvola* Schultze, 1908; *#hainana* Seitz, 1913; *#egestosa* Seitz, 1913. **CN Hn IN Bba MM LK Adm ID Ja Clb MY TH CMa Bnk**
- 436. Psychotoe duvauceli Boisduval, 1829** (Ctenuchidae) Synonym(s): *duvauceli* Boisduval, 1829 **PK Sd IN MM TH CMa Cuo Cuo7** (2007, Cent. ent. Stud., Misc. Pap. 105: figs.3a,b [adult]). 2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.12 [adult].
- 437. Syntomoides imaon (Cramer, 1780)** (Ctenuchidae) Synonym(s): *imaon* Cramer, 1780; *godarti* Boisduval, 1829; *fusiformis* Walker, 1856; *approximata* Walker, 1864; *libera* Walker, 1864; *fytchei* Moore, 1871; *cupreipennis* Butler, 1876; *artina* Butler, 1876; *sargania* Butler, 1879; *mota* Swinhoe, 1891 **ID Sum Ja TH CMa Dst Dso9 CDo CD2 Pap Mro MY Bor BN IN SI LK CN Yu Ri TW** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.10 [adult]).

438. **Trichaetoides albiplaga (Walker,1862)** (Ctenuchidae) Synonym(s): *albiplaga* Walker,1862; *albosignata* Walker,1864 **MY Bor TH**
439. **Trichaetoides apicalis (Walker,1856)** (Ctenuchidae) Synonym(s): *apicalis* Walker,1856; *flaviplaga* Walker,1862; *biplagata* Snellen,1880; **TH MY Bor ID Sum**
440. **Trichaetoides chloroleuca (Walker,1859)** (Ctenuchidae) Synonym(s): *chloroleuca* Walker,1859; *detracta* Walker,1862; *basifera* Walker,1862; *trizonata* Hampson,1898; *monoleuca* Hampson,1903; *dohertyi* Rothschild,1910; *biplagiata* Rothschild,1912 **MY Bor ID Sum SG Pen TH**
441. **Cyclidia orciferaria Walker,1860** (Cyclidiidae) Synonym(s): *orciferaria* Walker,1860 **CN TH Phr CRa CMa**
442. **Cyclidia pitmani (Moore,1886)** (Cyclidiidae) Synonym(s): *pitmani* Moore,1886 **MM Tvy TH CMa**
443. **Cyclotorna monocentra Meyrick,1907** (Cyclotornidae) Synonym(s): *monocentra* Meyrick,1907 **AU QAU TH**
444. **Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759 **Ad AF AL AO As BF BH BI BJ CF CG CI CM Cr CY Dh DZ EG EH ER ES Mu ET GA GH GM GN GO Bio GR Rd GW Hd Hj ID IN IQ Dy IR IT JO KE KG KW LB LR LS LY MA ML MR Mu MZ Nj RW SA Sa SD SL SN SO ST SY SZ TM TN TR Ci Kz Ahw Hz Kru ZM Bl Si Cn KM MG Fa Kh BW BZ DJ GW MW MZ NA NE NG RW SC TD TG TZ UG ZA Nta Tva Cap Lpo Spb Mdk Ltr Hgl Ent NWe Mpu Fs Nca Ec ZR ZW Wca Kzu AL As Ptb Tug TH CMa Cm1 Cuo Cu02 Cu05 Cu07 Cu09 Cu10 Nan Knc Sbu Npt Bnk Ci CN Cp Cr Cu Dh Hd Hj ID IL Pa Hf IN IT KH Kma Kre KW Lh LK MM MT MY Nf Nf Nj NP OM PK Mre Bl QA SA Sa Sd SI Si SY VN YE PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Lj Gau Pre Mv Est Pma Pf Agh Nia Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Slo Wb Jh Wri Ire Wjk Ls Mlc Tim Tnm Bgd Ja Flo Sly Tan Kla Bng Tuk Bnr Sla Kbn Kgr Ben Si Clc Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton EGO7 Nst Ths Tnga Usa Ani Eth (2007, Cent. ent. Stud., Memoirs 3/4: pl.34 fig.4 [larva]; pl.37 fig.15 [adult]).**
445. **Danaus (Salatura) affinis (Fabricius,1775)** (Danaiidae) Synonym(s): *affinis* Fabricius,1775 **AU QAU NSw NC LO NH PG NBr SB Be Re Tro Fg IN Nk ID Kai Tnm Aru Tim Wt Ja Lb Kgn Baw Sba Sbw Kla Tan Sly Clb Bgk Sla Sgr Tal PH Luz Mar Mdo MY Lkw TH Bnk Cbu Sgk Hya PSu (2007, Cent. ent. Stud., Priamus 12 (3): pl.1 fig.6 [adult]).**
446. **Danaus (Salatura) genutius (Cramer,[1779])** (Danaiidae) Synonym(s): *genutius* Cramer,[1779] **NP IN PK Bl LK MM MY TH CMa CN AU PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Tim Wt Tnm Kai Dm Bnk Dst Qs Cuo Cu01 Cu07 Cu09 Cu10 Cu12 Dsk Hpt Lmp Tht Nna Pht Nst Ths Sgk Hya Tnc Kbn But Mun Sly Nic Nia Ja Bli Bwn Bor Snd Lkw VN Ton Tda (2007, Cent. ent. Stud., Memoirs 3/4: pl.40 fig.1,2 [adult]).**
447. **Danaus (Salatura) melanippus (Cramer,[1777])** (Danaiidae) Synonym(s): *melanippus* Cramer,[1777] **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Ja Sbt Sip Pgi Pad SG TH Cbi Bnk MY Lkw TW ID Sum Clb Alo Sbw Sme Mw Nic Btu Nia Egg Sbt Sip Pgi NP IN Ass Ben Oi Clc Mrg Sgk Hya Tnc Tng (2007, Cent. ent. Stud., Memoirs 3/4: pl.40 fig.3,4 [adult]).**
448. **Euploea (Crastia) core (Cramer,[1780])** (Danaiidae) Synonym(s): *core* Cramer,[1780]; *corinna* Macleay,1826; *angasii* C.Felder & R.Felder,1865; *eucelus* Miskin,1890 **MM Yng Aky Tns Mrg Tvy Npr Pey Akn LK TH CMa Cuo Cu01 Cu07 Cu09 Cu10 CDo CD2 Dsk Hpt Lmp Tht Bnk Cbu Pht Cbi Knc Rat Nst Chw Ths Lsa Srt CN Hn ID Sum Adm Nk Ja Bli Bnr Tan Kla Sly VN Ton Ann IN SI Ass Ben Adm Clc Kma Oi NI Knr Mus Pln PK Lh NP Ben BD Cta Kbi Cu12 Tda (2007, Cent. ent. Stud., Memoirs 3/4: pl.34 fig.5 [larva]).**
449. **Euploea (Salpinx) klugii Moore,[1858]** (Danaiidae) Synonym(s): *klugii* Moore,[1858] **IN Meg Ass SI MM LK MY TH CMa Cbi Knc Cbu Nna Nst Chw Bnk Tng CN Hn VN Ben Nag Khs Oi Clc NI Pln Knr Tvy Tns Ann Sgn**
450. **Euploea (Stictoploea) mulciber (Cramer,[1777])** (Danaiidae) Synonym(s): *mulciber* Cramer,[1777]; *vandeventeri* Forbes,1885 **IN Sml Ass Slo MM MY Lkw P-T SG NP ID Ja CN TH CMa Cbi Pht Nna Rat TW PH Sib Boh Cts Ley Pao Sam Sga Taw Mar Tic Stu Bas Jol Mdo Mno Bal Cal Dum Pal Mas Pan Neg Gui Luz Pol Bat Ceb Din Bli Baw Kgn Nat Lb Flo Mw Sbt Sip Pgi Egg Btu Nia VN Cuo Cu09 Dst Qs Cu12 Mad Msm Pey Ben Tns SI Ass Nk Tvy Mus Chn Up Hp Ton Tda Nag Kma Nst Ths Sgk Hya Tnc**
451. **Euploea algea (Godart,[1819])** (Danaiidae) Synonym(s): *algea* Godart,[1819]; *violetta* Butler,1876; *dolosa* Butler,1877; *ordinata* Moore,1883; *denticulata* Moore,1883; *bipunctata* Moore,1883; *pleiades* Moore,1883; *louisia* Moore,1883; *siderea* Moore,1883; *astraea* Moore,1883; *stella* Moore,1883; *amyces* Miskin,1890 **AU PH Bal Pal TH Nna Tng Nst Sya Ths Sgk Hya Tnc Loe CMa CDo MY Lkw VN ID Sum Nia Mw Ja Bli Btu Kgn Baw Lb Sbw Bor Btg Clb Sly Sla Bng Tog Kbn Mun Mge Sgr Tal PW CN Ti IN Ass Ben SI Mpr MM Nag Meg Khs Shn Tns Tvy Krh Mrg Mm**
452. **Euploea camaralzeman Butler,1866** (Danaiidae) Synonym(s): *ochsenheimeri* Moore,1858 *nec* Luc.,1853; *camaralzeman* Butler,1866 **MY Lkw TH Cbi Pbu Loe Sat Nrt Nst Yal PH Cal Pal Bab Luz TW ID Ja Snd Bor MM Kin Mrg Tvy**

453. **Euploea crameri Lucas,1853** (Danaiidae) Synonym(s): *crameri* Lucas,1853 MM Tns Mrg Kin Aky TH Cph Nst Chw Sgk Hya Tnc MY Lkw SG Bor ID Nat Sum Nia Btu Egg Mw IN Ben Nk Adm Ja Baw Bli Sbt Sip Pgi Bgu VN Tay
454. **Euploea doubledayi C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *doubledayi* C.Felder & R.Felder,[1865] IN Ass SI MM TH Nrt Nna Ray Tng Sgk Hya Tnc MY Lkw Ben Tns Nag
455. **Euploea eunice (Godart,[1819])** (Danaiidae) Synonym(s): *eunice* Godart,[1819] MY Lkw SG TH Chy Ray Nst Rng Cbi Tng PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam Cml CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Bal Cal Pal ID Sbt Sum TW Ri GU IN Adm Nic Nia Egg Bwn Bli Lb Sbw Sba Bor MM Tns Mm VN Ton Tda
456. **Euploea eyndhovii C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *eyndhovii* C.Felder & R.Felder,[1865] PH Bal Pal TH Cbi Cbu Nst Ths MM Kin Krh Pey MY Bor ID Sum Ja
457. **Euploea midamus (Linnaeus,1758)** (Danaiidae) Synonym(s): *midamus* Linnaeus,1758 TH Knc Nna Tng Nst Ths Phb PH Sga Stu Taw MY Lkw CN VN Ton Tda ID Sum Ja Bor Kgn Mw Btu Nia Adm Nk SG P-T NP Lb Sbw Sbt Sip IN Ass SI Akn MM Rgo Krh Nag Mm Tns Nk
458. **Euploea modesta Butler,1866** (Danaiidae) Synonym(s): *modesta* Butler,1866; *mouhotii* Moore TH Pht Tng Nst Ths Sgk Hya Tnc MY Lkw P-T IN MM Tvy Tns Kin KH VN ID Sum Bor CN Hn Sbw Lb Alo Ja Flo Sbt Sip Pgi
459. **Euploea phaenareta (Schaller,1785)** (Danaiidae) Synonym(s): *phaenareta* Schaller,1785; *affinis* Gmelin,1790; *#phaenarete* D'Abbrera,1982 TH Cph Tng Rng Kbi PH Din Mno Pao Jol Hom Sam Cml Luz Pol Bal Pal ID Sbt Pgi MM Bse MY Lkw SG LK Bgk Sum Nia Egg Ja Baw Bli Sbw Flo Sba Bor Sla Amb Aru TW Clb Tal Sgr Btu Bng PG SB IN Nk Mm Mrg
460. **Euploea radamanthus (Fabricius,1793)** (Danaiidae) Synonym(s): *radamanthus* Fabricius,1793; *diocletianus* Fabricius,1793 TH Nna Tng Rng Loe Nst MY Lkw IN Ass Ben MM VN SG ID Sum Nat NP SI Bor Ja Nia Btu Tvy Nag Pey
461. **Euploea sylvester (Fabricius,1793)** (Danaiidae) Synonym(s): *sylvester* Fabricius,1793 PH Bal Cal Dum Pal Bas Cml Ceb Ley Luz Mar Mdo Mno Neg Sam Sib Pan Jol Sga Stu Taw MY Lkw IN Knr NI Oi AU LK VN Ann CN HK ID Sum Bor Ja Clb Kbn Mun Sly Bng Baw PG TW Ri Ass SI Nag Djl MM Shn Mm Tns Mrg Tvy TH Cma Dst Qs Cbi Pht Knc Rat Nst Ths Lsa Sgk Hya Tnc
462. **Euploea tulliolus (Fabricius,1793)** (Danaiidae) Synonym(s): *tulliolus* Fabricius,1793 MM Mrg TH Cph Tng Ptt Yal Chy Nst Ths Sgk Hya Tnc PH Bon Jol Bas Mno Bal Cal Cuy Dum Mdo Pal Pan Bab Boh Ceb CmM Cts Din Gui Ley Luz Mar Mas Mdo Mno Neg Pao Sam Sib Tic AU Qau CN Hn MY Bor ID Sba Nat Lb Baw Sum Ja Sbw Flo Alo Sol Bli Kgn Wt CN Hn PG AU VN Ton Tda NH NC LO FJ
463. **Idea hypermnestra (Westwood,1848)** (Danaiidae) Synonym(s): *hypermnestra* Westwood,1848 MY Bor ID Ja Sum MM Mrg Bsn Msn MY Lkw TH Rng Tng
464. **Idea leuconoe Erichson,1834** (Danaiidae) Synonym(s): *leuconoe* Erichson,1834 PH Cml Bas Boh Din Hom Ley Mas Mno Neg Pan Sia Pal Ley Sam Bal Stu Taw Mar Mdo Rom Sib Sar Ceb Pol Ala Luz MY TW ID Tal Sgr Bor Nat Ja Egg Sme Btu Sum SG Btg MM Vp TH Cbu
465. **Idea lynceus (Drury,1773)** (Danaiidae) Synonym(s): *lynceus* Drury,1773; *reinwardti* Moore,1883 MM Mrg Bsn Msn TH Nst Tng Yal Sgk Hya Tnc MY Lkw ID Sum Nia Bor
466. **Idea stollii (Moore,1883)** (Danaiidae) Synonym(s): *stollii* Moore,1883 PH Jol ID Ja Sum Btu Sbt Sip MY MM SG Nat Swk Bor TH Ntt SPa
467. **Ideopsis gaura (Horsfield,1829)** (Danaiidae) Synonym(s): *gaura* Horsfield,1829 PH Pan Cal Pal Luz Mar Neg Mno Ley Mdo Sam ID Ja MY Prk Lkw SG P-T Bor Sum Nat Nia Btu Sme Mw Sbt Sip Pgi TH Nst Sat Rng Tng (2007, Cent. ent. Stud., Memoirs 3/4: pl.40 fig.8 [adult]).
468. **Ideopsis similis (Linnaeus,1758)** (Danaiidae) Synonym(s): *similis* Linnaeus,1758 LK IN CN Nk ID Sum TH Sbu Bnk Cbu Cbi Nrt Pht Ray Nna Nst Ths Sgk Hya Tnc MY Lkw MM Tns Bse VN Ton Tda
469. **Ideopsis vulgaris (Butler,1874)** (Danaiidae) Synonym(s): *vulgaris* Butler,1874 MM Vp Bse Tns ID Btu Bgk Btg Ja Sum Sbw Sbt Sip Pgi TH Tng Sat Sgk Hya Tnc PSu Nst Lsa MY Lkw Bor PH Bal Cal Dum Pal CN Hn VN Ton Ann (2007, Cent. ent. Stud., Priamus 12 (3): pl.1 fig.8 [adult]).
470. **Parantica aglea (Stoll,[1782])** (Danaiidae) Synonym(s): *aglea* Stoll,[1782]; *grammica* Boisduval,1858; *ceylanica* C.Felder,1862 Ass Slo Adm Nk Ann CN Hn IN Up Bba Ass Oi NI Bel Pln Knr SI LK MM Tvy Chn Tns Pey MY Nk TH Cma Cuo Cuo1 Cuo4 Cuo5 Cuo9 Cu12 CDo CD2 Pap Mro Knc Pht Nst Loe Sgk Hya Tnc TW VN Ton Tda Ch Kma Msm Mus Nag NP SI
471. **Parantica agleoides (C.Felder & R.Felder,1860)** (Danaiidae) Synonym(s): *eryx* Fabricius,1798 nec Linn.,1771; *agleoides* C.Felder & R.Felder,1860 IN Nk Adm VN BD Cta MY Bor Nia Kgn Ja MM TH Cbi Cbu Nst Ths SG ID Sum Sbt Sip Pgi
472. **Parantica aspasia (Fabricius,1787)** (Danaiidae) Synonym(s): *aspasia* Fabricius,1787; *crocea* Butler,1866 MM Tvy Kin VN Ann PH Bal Cal Pal Dum TH Cbi Nna Nst Sgk Hya Tnc MY Lkw Bor SG ID Sum Ja Bgk Btg Bli Egg Nia Baw Btu Sbt Sip Pad
473. **Parantica melaneus (Cramer,[1775])** (Danaiidae) Synonym(s): *melaneus* Cramer,[1775]; *ephyre* Hübner,[1816]; *szechuana* Fruhstorfer,1899 CN Hn Yu Kwa Sz ID MM Hn Yu Tvy MY TH Cma Cbi Nna Rng Loe Yal Nst TW VN Ton Tda AF PK SI IN Ass Kma Mpr Msm Nag Up Slo BD
474. **Parantica pedonga Fujioka,1970** (Danaiidae) Synonym(s): *pedonga* Fujioka,1970 SI BT CN Ti TH Cbi

475. **Parantica sita (Kollar,[1844])** (Danaiidae) Synonym(s): *sita* Kollar,[1844]; *#tira* Fruhstorfer,1899; *#pedonga* Talbot,1943. AF Ass Slo BT Ch Chn CN Ddu Hn Ti IN Up Kgr Kma Nag MM Tns Msm Mus NP PK SI TH CMA CDo Loe Pbu Rng VN Ton Tda Yu RU Vv JP TW PH Pal Bab Luz
476. **Tirumala gautama (Moore,1877)** (Danaiidae) Synonym(s): *gautama* Moore,1877 Nk IN MM Rgo TH Phu VN Hn Ann CN MY Lkw
477. **Tirumala hamata (Macleay,1827)** (Danaiidae) Synonym(s): *hamata* Macleay,1827 AF Ass BT Chn CN Hn Hp ID IN Kgr Kma Kul MM Msm Mus MY Nag NP Oi PK TH CMA TW Up VN Yu PH Jol Sga Stu Taw Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao PG AU SB NH NC FJ Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Cuy Cts Sbt Nia TO WS Sgk Hya Tnc
478. **Tirumala limniace (Cramer,[1775])** (Danaiidae) Synonym(s): *limniace* Cramer,[1775] AF CN TW Hn LK MM PK BI ID VN Nk Adm Ass Chn Ci Clc Cp Kgr Kma Lh Mpr Mus Nag Nk Oi Pj Pln SI Tn Up PH Luz Mar Mas Mdo Neg Pan Mno Sar MY TH Bnk CMA Cuo Cuo1 Cuo3 Cuo5 Cuo9 Cu12 Dst Qs Cbu Nkh LK IN Clb Sly Tan Kla Sla Ja Bli Kgn Baw Snd Mhw Knr NI Ton Tda
479. **Tirumala septentrionis (Butler,1874)** (Danaiidae) Synonym(s): *septentrionis* Butler,1874 PH Luz Bal Pal Pan Mno Lkw MY SG TH Chy Nna Chp Pht CMA Cuo Cuo5 Cu12 Nst Chw LK ID Clb Bor Sla Tal Ja Bli Baw Snd AF Ass BT Chn CN Hn Hp ID IN Kgr Kma Kul MM Msm Mus MY Nag NP Oi PK TW Up VN Ton Tda Yu NI Mlb Pln
480. **Agnidra fuscilinea (Watson,1961)** (Drepanidae) Synonym(s): *fuscilinea* Watson,1961 MY Bor TH
481. **Albara reversaria Walker,1866** (Drepanidae) Synonym(s): *reversaria* Walker,1866 ID Sum TH MY Bor BN Sbh KBa TW
482. **Canucha miranda W.Warren,1923** (Drepanidae) Synonym(s): *miranda* W.Warren,1923; *formosicola* Matsumura,1931 IN Meg Ass Meg Khs MM TH CMA TW
483. **Canucha specularis (Moore,1879)** (Drepanidae) Synonym(s): *specularis* Moore,1879; *obtruncata* W.Warren,1900 TH CMA CDo CD2 Dst Dso9 IN LK CN MY Bor BN ID Sum Clb (Fig.5)



Fig. 5 – *Canucha specularis* (Drepanidae) at night, Thailand Chiang Dao 465m 13 11 2006, M. Kemal (Cesa)

484. **Ditrigona triangularia (Moore,1867)** (Drepanidae) Synonym(s): *triangularia* Moore,1867
IN SI Ben TH CMa
485. **Hyalostola phoenicochyta Hampson,1914** (Drepanidae) Synonym(s): *phoenicochyta* Hampson,1914; #*phoenicochta* auct. MY Bor BN Swk TH
486. **Leucoblepsis excisa (Hampson,1892)** (Drepanidae) Synonym(s): *excisa* Hampson,1892; *carneotincta* W.Warren,1901 SI IN Meg Khs Nag TH TW MY Bor BN ID Sum
487. **Macrocilix maia (Leech,1888)** (Drepanidae) Synonym(s): *maia* Leech,1888 KP KR JP CN
TW IN MY ID Sum Bor TH
488. **Microblepsis leucosticta Hampson,1895** (Drepanidae) Synonym(s): *leucosticta* Hampson,1895
IN Meg Ass Khs TH CMa Dst Dso9 MY Bor
489. **Nordstromia argenteiceps (W.Warren,1922)** (Drepanidae) Synonym(s): *argenteiceps* W.Warren,1922 IN Ass SI TH
490. **Nordstromia duplicata (W.Warren,1922)** (Drepanidae) Synonym(s): *duplicata* W.Warren,1922 IN Meg Ass Khs TH MY Bor
491. **Nordstromia lilacina (Moore,1888)** (Drepanidae) Synonym(s): *lilacina* Moore,1888 IN SI
TH
492. **Paralbara inaequidiscata (W.Warren,1922)** (Drepanidae) Synonym(s): *inaequidiscata* W.Warren,1922 IN Ass Meg Khs TH
493. **Paralbara perhamata (Hampson,1894)** (Drepanidae) Synonym(s): *perhamata* Hampson,1894
IN TH MY Bor
494. **Paralbara watsoni Holloway,1976** (Drepanidae) Synonym(s): *watsoni* Holloway,1976 MY
Bor TH
495. **Spectroreta hyalodisca Hampson,1896** (Drepanidae) Synonym(s): *hyalodisca* Hampson,1896
IN Meg Ass Khs TH MY Bor ID Kai
496. **Strepsigonia affinis W.Warren,1897** (Drepanidae) Synonym(s): *affinis* W.Warren,1897 MY
Bor TH
497. **Strepsigonia quadripunctata (Walker,1862)** (Drepanidae) Synonym(s): *quadripunctata* Walker,1862 IN TH ID Clb Sum MY Bor Mlc
498. **Strepsigonia robusta Holloway,1998** (Drepanidae) Synonym(s): *robusta* Holloway,1998 TH
MY Bor Swk Sbh BN ID Sum
499. **Teldenia specca Wilkinson,1976** (Drepanidae) Synonym(s): *specca* Wilkinson,1976 IN CN TH
CMa Cuo Cuo1 MY Bor Sbh KBa ID Sum PH Pal Bru PG (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11
fig.13 [adult]).
500. **Teldenia vestigiata Butler,1880** (Drepanidae) Synonym(s): *vestigiata* Butler,1880 IN TH
501. **Tridrepana albonotata (Moore,1879)** (Drepanidae) Synonym(s): *albonotata* Moore,1879 IN
TH MY Bor
502. **Tridrepana flava (Moore,1879)** (Drepanidae) Synonym(s): *flava* Moore,1879 IN TH MY Bor
TW ID Clb Sum
503. **Tridrepana fulvata Snellen,1876** (Drepanidae) Synonym(s): *fulvata* Snellen,1876 ID Ja Clb
MM TH Cbi Cdo MY Bor Swk (Fig.6)
504. **Epermenia (Epermeniola) thailandica Gaedike,1987** (Epermeniidae) Synonym(s):
thailandica Gaedike,1987 TH
505. **Compsoctena sp.[1]:** (Eriocottidae) Synonym(s): TH
506. **Compsoctena sp.[2]:** (Eriocottidae) Synonym(s): TH
507. **Compsoctena sp.[3]:** (Eriocottidae) Synonym(s): TH
508. **Compsoctena sp.[4]:** (Eriocottidae) Synonym(s): TH Bor Swk MY
509. **Eriocottis sp.[1]:** (Eriocottidae) Synonym(s): TH CMa Dst
510. **Eriocottis sp.[2]:** (Eriocottidae) Synonym(s): TH CMa Int
511. **Eriocottis sp.[3]:** (Eriocottidae) Synonym(s): TH Kao
512. **Ethmia argopa Meyrick,1910** (Ethmiidae) Synonym(s): *argopa* Meyrick,1910 TH Kao MY
513. **Ethmia lineatonotella (Moore,1867)** (Ethmiidae) Synonym(s): *lineatonotella* Moore,1867;
vittatopunctata Matsumura,1931. SI Djl IN MM Shn TW Ass VN CN TH
514. **Ethmia nigroapicella (Saalmüller,1880)** (Ethmiidae) Synonym(s): *nigroapicella* Saalmüller,1880; *colonella* Walsingham,1907; *meteoris* Meyrick,1911; *systematica* Meyrick,1922; *apicalis* Matsumura,1931.
MG Hw SC MM Shn TH JP Ri TW IN Ass PH WS
515. **Ethmia palawana Schultze,1925** (Ethmiidae) Synonym(s): *palawana* Schultze,1925 TH Yal
MY Bor BN Sbh PH Pal
516. **Ethmia trifida Kun,2004** (Ethmiidae) Synonym(s): *trifida* Kun,2004 MY Bor BN Sbh TH IN
MM Tns ID Sum PH Taw



Fig. 6– *Tridrepana fulvata* (Drepanidae) at night, Thailand, Chiang Dao 465m 13 11 2006, M. Kemal (Cesa)

517. **Apha subdives Walker, 1855** (Eupterotidae) Synonym(s): *subdives* Walker, 1855; *yunnanensis* Mell, 1937 **IN TH CMa CDo CN Yu** (2007, *Cent. ent. Stud., Memoirs* 3/4: pl.45 figs.7,8 [adult]).
518. **Eupterote axesta Swinhoe, 1894** (Eupterotidae) Synonym(s): *axesta* Swinhoe, 1894; *#acesta* Hutacharern & Tubtim, 1995 **TH CMa CDo**
519. **Eupterote dulcinea Swinhoe, 1901** (Eupterotidae) Synonym(s): *dulcinea* Swinhoe, 1901; *#dulcina* Hutacharern & Tubtim, 1995 **TH**
520. **Eupterote patula (Walker, 1855)** (Eupterotidae) Synonym(s): *patula* Walker, 1855; *khasiana* Moore, 1879; *abnorminervis* Strand, 1924; *dehyalinata* Strand, 1924 **IN Meg Ass Khs TH CMa Dst Ds10** (2007, *Cent. ent. Stud., Memoirs* 3/4: pl.45 figs.9,10 [adult]).
521. **Eupterote sp.** (Eupterotidae) Synonym(s): **TH CMa CDo**
522. **Eupterote testacea Walker, 1855** (Eupterotidae) Synonym(s): *testacea* Walker, 1855 **IN TH CMa CDo**
523. **Ganisa gyraleus Orhant, 2000** (Eupterotidae) Synonym(s): *gyraleus* Orhant, 2000 **TH**
524. **Ganisa similis Moore, 1884** (Eupterotidae) Synonym(s): *similis* Moore, 1884 **IN TH CMa Dst Mth MY Bor ID Sum** (2007, *Cent. ent. Stud., Memoirs* 3/4: pl.45 fig.11 [adult]).
525. **Palirisa cervina (Moore, 1865)** (Eupterotidae) Synonym(s): *cervina* Moore, 1865; *burmanica* Strand, 1924 **CN MM TH CMa CDo**
526. **Anarsia (Ananarsia) didymopa Meyrick, 1916** (Gelechiidae) Synonym(s): *didymopa* Meyrick, 1916 **IN TH**
527. **Anarsia (Ananarsia) elongata Park, 1995** (Gelechiidae) Synonym(s): *elongata* Park, 1995 **TW TH**
528. **Anarsia (Ananarsia) patulella (Walker, 1864)** (Gelechiidae) Synonym(s): *patulella* Walker, 1864 **CN TW IN LK TH AU QAU**
529. **Anarsia (Ananarsia) phortica Meyrick, 1913** (Gelechiidae) Synonym(s): *phortica* Meyrick, 1913 **TH NP IN LK MY Bor Swk ID Clb**
530. **Anarsia (Ananarsia) tricornis Meyrick, 1913** (Gelechiidae) Synonym(s): *tricornis* Meyrick, 1913 **LK TH**
531. **Anarsia (s.str.) chiangmaiensis Park & Ponomarenko, 1996** (Gelechiidae) Synonym(s): *chiangmaiensis* Park & Ponomarenko, 1996 **TH CMa Dst**

532. **Anarsia (s.str.) conica** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *conica* Park & Ponomarenko,1996 **TH CMa Dst**
533. **Anarsia (s.str.) lewvanichae** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *lewvanichae* Park & Ponomarenko,1996 **TH Kao**
534. **Anarsia (s.str.) meiosis** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *meiosis* Park & Ponomarenko,1996 **TH Tng**
535. **Anarsia (s.str.) ovula** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *ovula* Park & Ponomarenko,1996 **TH CMa CDo**
536. **Anarsia (s.str.) paraisogona** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *paraisogona* Park & Ponomarenko,1996 **TH Nan**
537. **Anarsia (s.str.) procera** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *procera* Park & Ponomarenko,1996 **TH CMa Dst**
538. **Anarsia (s.str.) spatulatana** Park & Ponomarenko,1996 (Gelechiidae) Synonym(s): *spatulatana* Park & Ponomarenko,1996 **TH CMa Dst**
539. **Aproaerema modicella** (Deventer,1904) (Gelechiidae) Synonym(s): *modicella* Deventer,1904 **TH MY IN LK ID Ja**
540. **Aristotelia articulata** Meyrick,1918 (Gelechiidae) Synonym(s): *articulata* Meyrick,1918 **TH IN NP**
541. **Aristotelia galeotis** Meyrick,1908 (Gelechiidae) Synonym(s): *galeotis* Meyrick,1908 **TH ZA IN LK ID Ja BN Bor Sbh MY PG**
542. **Aulidiotis phoxopterella** Snellen,1903 (Gelechiidae) Synonym(s): *phoxopterella* Snellen,1903 **TH IN MM MY BN Bor ID Ja**
543. **Brachyacma palpigera** (Walsingham,1891) (Gelechiidae) Synonym(s): *palpigera* Walsingham,1891; *adustipennis* Walsingham,1897; *ioloncha* Meyrick,1905; *crotalariella* Busck,1910; *epichorda* Turner,1919 **ZA TH MY ID Sum Ja PH PG**
544. **Capidentalia khaoensis** Park,1999 (Gelechiidae) Synonym(s): *khaoensis* Park,1999 **TH Kao**
545. **Dendrophilia (s.str.) hetaeropsis** (Meyrick,1935) (Gelechiidae) Synonym(s): *hetaeropsis* Meyrick,1935 **ID Ja TH**
546. **Dichomeris badiolineariella** Ponomarenko & Ueda,2004 (Gelechiidae) Synonym(s): *badiolineariella* Ponomarenko & Ueda,2004 **TH**
547. **Dichomeris baliolella** Ponomarenko & Ueda,2004 (Gelechiidae) Synonym(s): *baliolella* Ponomarenko & Ueda,2004 **TH**
548. **Dichomeris moriutii** Ponomarenko & Ueda,2004 (Gelechiidae) Synonym(s): *moriutii* Ponomarenko & Ueda,2004 **TH**
549. **Dichomeris parallelosa** Park & Ponomarenko,1998 (Gelechiidae) Synonym(s): *parallelosa* Park & Ponomarenko,1998 **TH**
550. **Dichomeris pseudodeltaspis** Ponomarenko & Ueda,2004 (Gelechiidae) Synonym(s): *pseudodeltaspis* Ponomarenko & Ueda,2004 **TH**
551. **Dichomeris quadrata** Park & Ponomarenko,1998 (Gelechiidae) Synonym(s): *quadrata* Park & Ponomarenko,1998 **TH**
552. **Dichomeris rufusella** Ponomarenko & Ueda,2004 (Gelechiidae) Synonym(s): *rufusella* Ponomarenko & Ueda,2004 **TH**
553. **Faristenia polemica** (Meyrick,1935) (Gelechiidae) Synonym(s): *polemica* Meyrick,1935 **IN Ben TH**
554. **Ficulea blandulella** Walker,1864 (Gelechiidae) Synonym(s): *blandulella* Walker,1864 **TH IN LK CN**
555. **Gelechia ? machinata** (Meyrick,1929) (Gelechiidae) Synonym(s): *machinata* Meyrick,1929 **TH CMa Int IN Ass**
556. **Helcystogramma arotraeum** (Meyrick,1894) (Gelechiidae) Synonym(s): *arotraeum* Meyrick,1894 **JP TW MM TH IN LK MY ID Ja**
557. **Helcystogramma crypsinomum** (Meyrick,1929) (Gelechiidae) Synonym(s): *crypsinomum* Meyrick,1929 **TH**
558. **Helcystogramma hibisci** (Stainton,1859) (Gelechiidae) Synonym(s): *hibisci* Stainton,1859; *obsertella* Zeller,1877; *eudela* Turner,1919 **IN Clc CN Kig TW IN TH VN SL ID Sum Ja AU QAU**
559. **Hypatima acicula** Park & Ponomarenko,1999 (Gelechiidae) Synonym(s): *acicula* Park & Ponomarenko,1999 **TH**
560. **Hypatima anguinea** (Meyrick,1913) (Gelechiidae) Synonym(s): *anguinea* Meyrick,1913 **IN Ass Meg Khs TH**
561. **Hypatima arignota** (Meyrick,1916) (Gelechiidae) Synonym(s): *arignota* Meyrick,1916 **MM ?TW TH**
562. **Hypatima haligramma** (Meyrick,1926) (Gelechiidae) Synonym(s): *haligramma* Meyrick,1926 **IN TH**
563. **Hypatima iophana** (Meyrick,1913) (Gelechiidae) Synonym(s): *iophana* Meyrick,1913 **LK TW VN Ton TH ID Ja**

564. **Hypatima ovata** Park & Ponomarenko,1999 (Gelechiidae) Synonym(s): *ovata* Park & Ponomarenko,1999 **TH**
565. **Hypatima pentagonia** Park & Ponomarenko,1999 (Gelechiidae) Synonym(s): *pentagonia* Park & Ponomarenko,1999 **TH**
566. **Hypatima spathota** Meyrick,1913 (Gelechiidae) Synonym(s): *spathota* Meyrick,1913 **TH VN**
Ton NP IN LK MY BN Bor ID Ja AU QAU
567. **Hypatima stenosa** Park & Ponomarenko,1999 (Gelechiidae) Synonym(s): *stenosa* Park & Ponomarenko,1999 **TH**
568. **Myconita plutelliformis** (Snellen,1901) (Gelechiidae) Synonym(s): *plutelliformis* Snellen,1901 **TH IN LK ID Ja Clb PG AU QAU**
569. **Onebala hibisci** (Stainton,1859) (Gelechiidae) Synonym(s): *hibisci* Stainton,1859 **TH IN LK**
TW ID Sum Ja CN
570. **Parachronistis destillans** (Meyrick,1918) (Gelechiidae) Synonym(s): *destillans* Meyrick,1918 **TH CMA Int IN Ass NP**
571. **Paralida balanaspis** (Meyrick,1930) (Gelechiidae) Synonym(s): *balanaspis* Meyrick,1930 **VN**
Ton TH
572. **Pectinophora gossypiella** (Saunders,1844) (Gelechiidae) Synonym(s): *gossypiella* Saunders,1844; *umbripennis* Walsingham,1885 **ZA ES Si IT MT YU AL BG GR TR DK RU MD TH MM MY ID**
Ja PH IN SA
573. **Phthorimaea operculella** (Zeller,1873) (Gelechiidae) Synonym(s): *terrella* Walker,1864; *operculella* Zeller,1873; *piscipellis* Zeller,1873; *solanella* Boisduval,1874; *tabacella* Ragonot,1879; *sedata* Butler,1880; *#terrella* Pinhey,1975 **PT ES FR Co Si IT MT GB BE NL DE HU RO YU BG GR Cr DK RU MD UA BY ZA Ec Wca**
Fs Nta Kzu Tva Lpo Gau Mpu Pre Pie SA YE IN TH US Tx
574. **Scrobipalpa (s.str.) aptatella** (Walker,1864) (Gelechiidae) Synonym(s): *aptatella* Walker,1864; *heliopa* Lower,1900 **FR IT YU TR IR Fa Shr AU ZA Nta Kzu Tva Lpo Ec IN LK ID Ja TH**
575. **Sitotroga cerealella** (Olivier,1789) (Gelechiidae) Synonym(s): *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938 **PT ES FR Co**
Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LV LT RU
MD UA BY ZA TH SA
576. **Stegasta variana** Meyrick,1904 (Gelechiidae) Synonym(s): *variana* Meyrick,1904 **ZA TH MY**
ID Ja Bor BN PH FJ
577. **Thiotricha rhodopa** Meyrick,1908 (Gelechiidae) Synonym(s): *rhodopa* Meyrick,1908 **IN TH**
578. **Tituacia deviella** Walker,1864 (Gelechiidae) Synonym(s): *deviella* Walker,1864; *erosella* Snellen,1878 **TH IN Adm LK MY BN Bor Sbh Swk PH ID Clb AU QAU**
579. **"Pachyodes" ornataria** Moore,1888 (Geometridae) Synonym(s): *ornataria* Moore,1888 **IN**
SI Djl IN Ass Cpj Meg TH
580. **"Pachyodes" varicoloraria** (Moore,1868) (Geometridae) Synonym(s): *varicoloraria* Moore,1868 **IN Ben TH**
581. **Abaciscus adjuncta** (L.B.Prout,1928) (Geometridae) Synonym(s): *adjuncta* L.B.Prout,1928; *ochripila* Wehrli,1939 **ID Sum CN M Bor Pah Cmh TH CMA**
582. **Abaciscus intractabilis** (Walker,1863) (Geometridae) Synonym(s): *intractabilis* Walker,1863; *figlina* Swinhoe,1890 **MY Bor Swk MM Krh CN Kwa TH**
583. **Abaciscus karsholti** Sato,1996 (Geometridae) Synonym(s): *karsholti* Sato,1996 **TH CMA Int**
VN Ton Fan
584. **Abaciscus lutosus** Holloway,[1994] (Geometridae) Synonym(s): *lutosus* Holloway,[1994] **MY Bor Swk TH**
585. **Abaciscus shaneae** Holloway,[1994] (Geometridae) Synonym(s): *shaneae* Holloway,[1994] **TH Ntt Hba MY Bor Swk**
586. **Abraxaphantes perampla** (Swinhoe,1890) (Geometridae) Synonym(s): *perampla* Swinhoe,1890 **MM Tns TH CMA CDo Cz10 Cnz** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.11 [adult]).
587. **Abraxas (Calospilos) amacula** Wehrli,1935 (Geometridae) Synonym(s): *amacula* Wehrli,1935 **CN ?TH CMA Int CDo Pki**
588. **Abraxas (Calospilos) formosilluminata** Inoue,1984 (Geometridae) Synonym(s): *formosilluminata* Inoue,1984 **TH CMA Int**
589. **Abraxas (Calospilos) hoenei** Wehrli,1935 (Geometridae) Synonym(s): *hoenei* Wehrli,1935 **CN ?TH Nna Kao**
590. **Abraxas (Calospilos) illuminata** W.Warren,1897 (Geometridae) Synonym(s): *illuminata* W.Warren,1897 **IN SI Djl TH Khn**
591. **Abraxas (Calospilos) metallica** Inoue,1994 (Geometridae) Synonym(s): *metallica* Inoue,1994 **TH CMA Int**
592. **Abraxas (Calospilos) oblongostigma** Inoue,1994 (Geometridae) Synonym(s): *oblongostigma* Inoue,1994 **TH CMA Int**
593. **Abraxas (Calospilos) sp.** (Geometridae) Synonym(s): **TH CMA CDo Pki**

594. **Abraxas (Calospilos) sp.** (Geometridae) **Synonym(s): TH Nna Kao**
595. **Abraxas (s.str.) aritai Inoue,1994** (Geometridae) **Synonym(s): aritai Inoue,1994 TH CMa Int**
596. **Abraxas (s.str.) atrolivens Inoue,1994** (Geometridae) **Synonym(s): atrolivens Inoue,1994 TH CMa Int**
597. **Absala dorcada Swinhoe,1893** (Geometridae) **Synonym(s): dorcada Swinhoe,1893 IN Ass Meg Khs CN TH VN**
598. **Achrosis incitata (Walker,1862)** (Geometridae) **Synonym(s): incitata Walker,1862; miscella Swinhoe,1891 IN SI Djl NI TH CMa CDo**
599. **Achrosis lithosiaria (Walker,1862)** (Geometridae) **Synonym(s): lithosiaria Walker,1862 MY Bor Swk TH**
600. **Achrosis recitata Holloway,[1994]** (Geometridae) **Synonym(s): recitata Holloway,[1994] MY Bor Sbh KBa TH**
601. **Acolutha flavivitta Holloway,1976** (Geometridae) **Synonym(s): flavivitta Holloway,1976 TH MY Cmh**
602. **Acolutha pictaria (Moore,1888)** (Geometridae) **Synonym(s): pictaria Moore,1888; imbecilla W.Warren,1905; canicosta W.Warren,1906; flavifascia L.B.Prout,1935 CN Hn IN SI Djl TH CMa ID Ja PG**
603. **Acolutha pulchella (Hampson,1895)** (Geometridae) **Synonym(s): pulchella Hampson,1895; interposita L.B.Prout,1935 CN Hn IN NI TH CMa ID Ja**
604. **Actenochroma musicicoloraria (Walker,[1863])** (Geometridae) **Synonym(s): musicicoloraria Walker,[1863]; sphagnata R.Felder & Rogenhofer,1875 NP IN SI Djl TH BN MY Bor CN ID Sum**
605. **Agathia arcuata Moore,1868** (Geometridae) **Synonym(s): arcuata Moore,1868 TH Ntt Hba IN Ben**
606. **Agathia codina Swinhoe,1892** (Geometridae) **Synonym(s): codina Swinhoe,1892 IN Meg Khs Ass MY Bor Pen Sbh KBa TH**
607. **Agathia cristifera (Walker,1861)** (Geometridae) **Synonym(s): cristifera Walker,1861 TH Ntt Hba MY Bor Swk**
608. **Agathia eromenoides Holloway,1996** (Geometridae) **Synonym(s): eromenoides Holloway,1996 TH Ntt Hba MY Bor ID Klt**
609. **Agathia laetata (Fabricius,1794)** (Geometridae) **Synonym(s): laetata Fabricius,1794; zonaria Donovan,1799; catenaria Walker,1861; isogyna L.B.Prout,1916; furcula Matsumura,1931; andamanensis L.B.Prout,1932 TH CMa Ntt Hba IN Adm LK CN TW**
610. **Agathia largita Holloway,1996** (Geometridae) **Synonym(s): largita Holloway,1996 TH Ntt Hba MY Bor Sbh KBa**
611. **Agathia lycaenaria (Kollar,[1844])** (Geometridae) **Synonym(s): lycaenaria Kollar,[1844]; albiangularia Herrich-Schäffer,[1855]; discriminata Walker,1861 IN Mus Mys Bel TH JP Ri AU QAu**
612. **Agathia quinararia Moore,1868** (Geometridae) **Synonym(s): quinararia Moore,1868; latilimes L.B.Prout,1916 IN BD TH ID Ja**
613. **Agathia succedanea W.Warren,1897** (Geometridae) **Synonym(s): succedanea W.Warren,1897 TH Ntt Hba MY Bor Sbh KBa**
614. **Albinospila floresaria (Walker,1866)** (Geometridae) **Synonym(s): floresaria Walker,1866 ID Flo TH**
615. **Alcis aagostigma (L.B.Prout,1927)** (Geometridae) **Synonym(s): aagostigma L.B.Prout,1927 MM TH CMa CDo Pki Dst**
616. **Alcis albifera (Moore,1888)** (Geometridae) **Synonym(s): albifera Moore,1888 IN TH CMa Int**
617. **Alcis Chiangmaiensis Sato,1991** (Geometridae) **Synonym(s): Chiangmaiensis Sato,1991; #Chiangmaiensis Sato,1993 TH CMa CDo Pki Dst Int NP**
618. **Alcis decussata (Moore,1868)** (Geometridae) **Synonym(s): decussata Moore,1868 TH CMa CDo Pki Dst Int**
619. **Alcis hodeberti Herbulot,1987** (Geometridae) **Synonym(s): hodeberti Herbulot,1987 TH CMa CDo Pki Dst Int**
620. **Alcis imbecilis (Moore,1888)** (Geometridae) **Synonym(s): imbecilis Moore,1888 IN Djl SI TH CMa Int**
621. **Alcis latifasciata (W.Warren,1893)** (Geometridae) **Synonym(s): latifasciata W.Warren,1893; euryzona Hampson,1895; eurydiscaria Hampson,1902 IN SI TH**
622. **Alcis macroclarata Sato,1993** (Geometridae) **Synonym(s): macroclaratus Sato,1993 TH CMa Int**
623. **Alcis maculata (Moore,1868)** (Geometridae) **Synonym(s): maculata Moore,1868; plagiogramma Hampson,1902; #plagiogramma Holloway,[1994] IN SI CN Ti MY Bor Sbh KBa TW ID Sum TH CMa Int**
624. **Alcis pammicra (L.B.Prout,1925)** (Geometridae) **Synonym(s): pammicra L.B.Prout,1925 TH CMa Dst MY Cmh**
625. **Alcis paraclarata Sato,1993** (Geometridae) **Synonym(s): paraclarata Sato,1993 TH CMa Int**

- 626. Alcis periphracta (L.B.Prout,1926)** (Geometridae) Synonym(s): *periphracta* L.B.Prout,1926
MY Prk Bor Sbh KBa TH
- 627. Alcis semialba (Moore,1888)** (Geometridae) Synonym(s): *semialba* Moore,1888 **IN SI DjI**
Meg Ass Khs TH CMa Int
- 628. Alcis semiclarata (Walker,1862)** (Geometridae) Synonym(s): *semiclarata* Walker,1862;
quadrifera Walker,1866 **TH CMa Int**
- 629. Alcis variegata (Moore,1888)** (Geometridae) Synonym(s): *variegata* Moore,1888 **IN SI DjI**
Meg Ass Khs TH CMa CDo Pki Int Dst ID Ja TW
- 630. Alex palparia (Walker,1861)** (Geometridae) Synonym(s): *palparia* Walker,1861; *nigrozonata*
Walker,[1863]; *rufolinearia* Pagenstecher,1890; *indica* W.Warren,1894 **IN Meg Ass Khs MY Bor Swk PH Pal Luz**
ID Amb Nia TH
- 631. Amblychia angeronia Guenée,[1858]** (Geometridae) Synonym(s): *angeronia* Guenée,[1858];
torrida Moore,1877; *sinibia* Wehrli,1938 **IN CN Sz Adm TH Ntt Hba**
- 632. Amblychia cavimargo (L.B.Prout,1925)** (Geometridae) Synonym(s): *cavimargo* L.B.Prout,1925
MY Bor Sbh KBa TH Ntt Hba
- 633. Amblychia hymenaria Guenée,[1858]** (Geometridae) Synonym(s): *hymenaria* Guenée,[1858];
brabanti Thierry-Mieg,1893; *albifascia* W.Warren,1894; *procellosa* W.Warren,1894 **TH Ntt Hba Nna Kao Loe IN Ass**
NI LK MY Prk ID Clb Ja
- 634. Amblychia praeumbrata (W.Warren,1893)** (Geometridae) Synonym(s): *praeumbrata*
W.Warren,1893; *moesta* W.Warren,1894 **TH Rng MY Prk**
- 635. Amraica inouei Sato,1993** (Geometridae) Synonym(s): *inouei* Sato,1993 **TH CMa Dst Fn Cbi**
Loe Phi Khn
- 636. Amraica recursaria (Walker,1860)** (Geometridae) Synonym(s): *recursaria* Walker,1860;
ferrolavata Walker,[1863]; *fortissima* Moore,1888; *asahinai* Inoue,1964 **JP TW TH Nna Kao Cbi Loe Nst MY Prk**
Cmh Bor Sbh VN IN Meg Ass Khs ID Klt Sum Clb Ja MM NP PH Mno Pal PG
- 637. Antipercnia belluaria (Guenée,[1858])** (Geometridae) Synonym(s): *belluaria* Guenée,[1858]
TH CMa (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.6 [adult]).
- 638. Antitrygodes cuneilinea (Walker,[1863])** (Geometridae) Synonym(s): *cuneilinea*
Walker,[1863] **IN TH**
- 639. Antitrygodes divisaria (Walker,1861)** (Geometridae) Synonym(s): *divisaria* Walker,1861 **IN**
ID Clb TW TH CMa
- 640. Aporandria specularia (Guenée,[1858])** (Geometridae) Synonym(s): *specularia*
Guenée,[1858]; *haplograpta* L.B.Prout,1922 **LK IN TH CMa Ntt Hba VN Adm MY ID Sum Bor PH Clb**
- 641. Apostegania rectilineata (Swinhoe,1906)** (Geometridae) Synonym(s): *rectilineata*
Swinhoe,1906 **TH ID Bli Sum**
- 642. Argyrocossa inductaria Guenée,[1858]** (Geometridae) Synonym(s): *inductaria* Guenée,[1858]
TH
- 643. Arichanna marginata W.Warren,1893** (Geometridae) Synonym(s): *marginata* W.Warren,1893
BT TH CMa Int
- 644. Arichanna peniculifera Stüning,2000** (Geometridae) Synonym(s): *peniculifera* Stüning,2000
NP IN SI DjI Khs Meg Ass Slo MM TH Nan Pua Dpk CMa Php VN Ton
- 645. Arichanna transfasciata W.Warren,1893** (Geometridae) Synonym(s): *transfasciata*
W.Warren,1893 **IN SI Nag TH CMa Dst**
- 646. Ascotis imparata (Walker,1860)** (Geometridae) Synonym(s): *imparata* Walker,1860; *promptaria*
Walker,1860 **NP IN TH CMa Fn Agk Dst**
- 647. Astygisa furva (W.Warren,1897)** (Geometridae) Synonym(s): *furva* W.Warren,1897; *circularia*
Swinhoe,1902 **TH Ntt Hba MY Bor Sbh Snk ID Clb**
- 648. Astygisa metaspila Walker,1864** (Geometridae) Synonym(s): *metaspila* Walker,1864; *subaurata*
L.B.Prout,1928 **TH Ntt Hba MY Bor Swk ID Sum**
- 649. Astygisa vexillaria (Guenée,[1858])** (Geometridae) Synonym(s): *vexillaria* Guenée,[1858];
capitata Walker,1861; *larentiata* Walker,1864; *rubiginata* Walker,1866 **IN TH CMa Ntt Hba MY Bor Swk**
- 650. Berta angustimedia L.B.Prout,1918** (Geometridae) Synonym(s): *angustimedia* L.B.Prout,1918
IN Ass Khs TH
- 651. Berta copiosa L.B.Prout,1917** (Geometridae) Synonym(s): *copiosa* L.B.Prout,1917 **IN Ass Nag**
TH
- 652. Berta zygophyxia L.B.Prout,1912** (Geometridae) Synonym(s): *zygophyxia* L.B.Prout,1912 **SG**
MY TH CMa PG Adl
- 653. Biston bengaliarius (Guenée,[1858])** (Geometridae) Synonym(s): *bengaliaria* Guenée,[1858]
IN Ben TH CMa Dst Mta Nna Kao CRa
- 654. Biston contectarius (Walker,[1863])** (Geometridae) Synonym(s): *contectarius* Walker,[1863]
IN ?TH
- 655. Biston inouei Holloway,[1994]** (Geometridae) Synonym(s): *inouei* Holloway,[1994] **TH MY**
Bor BN

656. **Biston insularis (W.Warren,1894)** (Geometridae) Synonym(s): *insularis* W.Warren,1894; *arenosa* W.Warren,1904; *eximia* Swinhoe,1902 **TH Ntt Hba ID Mw Nia Ja Sum**
657. **Biston luculentus Inoue,1992** (Geometridae) Synonym(s): *luculentus* Inoue,1992 **TH Cbi CMa Fn Cbi Nna Kao Cph**
658. **Biston panterinarius (Bremer & Grey,1853)** (Geometridae) Synonym(s): *panterinarius* Bremer & Grey,1853 **CN Sz TH Chy IN SI Djl JP**
659. **Biston pustulatus (W.Warren,1896)** (Geometridae) Synonym(s): *pustulata* W.Warren,1896 **MY Prk TH**
660. **Biston regalis Moore,1888** (Geometridae) Synonym(s): *regalis* Moore,1888 **IN SI Djl PK RU Am Prj Us JP ID Ja TH Nna Kao**
661. **Biston suppressarius (Guenée,[1858])** (Geometridae) Synonym(s): *suppressarius* Guenée,[1858]; *multipunctaria* Walker,[1863]; *#benesparsa* Wehrli,1941 **IN BD Syl CN MM TH**
662. **Blepharoctenucha virescens (Butler,1880)** (Geometridae) Synonym(s): *virescens* Butler,1880 **SI IN Djl TW TH CMa Int**
663. **Borbacha bipardaria Holloway,1982** (Geometridae) Synonym(s): *bipardaria* Holloway,1982 **MY Bor Swk TH Ntt Hba**
664. **Borbacha punctipardaria Holloway,1982** (Geometridae) Synonym(s): *punctipardaria* Holloway,1982 **MY Bor Swk TH Ntt Hba**
665. **Bracca georgiata (Guenée,[1858])** (Geometridae) Synonym(s): *georgiata* Guenée,[1858]; *pervasata* Walker,1862; *subradiata* W.Warren,1899 **MY Bor ID Nat Ja Sgr PH Mdo TH Ntt Hba**
666. **Calcyopa prasina Stüning,2000** (Geometridae) Synonym(s): *prasina* Stüning,2000 **TH CMa Dst Nan Dpk VN Ton MY MM Krh IN SI Djl NP Up**
667. **Calcyopa rosearia (De Joannis,1929)** (Geometridae) Synonym(s): *rosearia* De Joannis,1929 **VN Ton CN Yu TH ID Sum**
668. **Calichodes ochrifasciata (Moore,1888)** (Geometridae) Synonym(s): *ochrifasciata* Moore,1888 **IN SI Djl TH CMa Int**
669. **Calletaera foveata Holloway,[1994]** (Geometridae) Synonym(s): *foveata* Holloway,[1994] **MY Bor BN TH**
670. **Calletaera jotaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *jotaria* R.Felder & Rogenhofer,1875; *gammara* Swinhoe,1901 **ID Ja TH Ntt Hba MY Bor Sbh Klt**
671. **Calletaera postvittata (Walker,1861)** (Geometridae) Synonym(s): *postvittata* Walker,1861; *honoraria* Walker,1861; *permotaria* Walker,1861 **MY Bor Swk LK BD Syl IN TH**
672. **Calletaera subexpressa (Walker,1861)** (Geometridae) Synonym(s): *subexpressa* Walker,1861; *ruptaria* Walker,1861; *angulata* W.Warren,1896 **MY Bor Swk IN Ass Meg Khs TH**
673. **Callocasta similis (Moore,1888)** (Geometridae) Synonym(s): *similis* Moore,1888; *persimilis* Moore,1888 **TH IN SI Djl**
674. **Calluga costalis Moore,[1887]** (Geometridae) Synonym(s): *costalis* Moore,[1887]; *rufifascia* Hampson,1893; *cissocosma* Turner,1904; *albiviridis* W.Warren,1907 **IN LK TH AU QAu Bri PG**
675. **Cassephyra lamprosticta (Hampson,1895)** (Geometridae) Synonym(s): *lamprosticta* Hampson,1895; *accreta* L.B.Prout,1928 **IN Nag MM Tns TH ID Sum**
676. **Cassyma chrotadelpha Sommerer & Stüning,1992** (Geometridae) Synonym(s): *chrotadelpha* Sommerer & Stüning,1992 **ID Sum TH**
677. **Catoria olivescens Moore,1888** (Geometridae) Synonym(s): *olivescens* Moore,1888 **IN SI Djl TH CMa Ntt Hba ID Bru Bli**
678. **Catoria proicyrta (L.B.Prout,1932)** (Geometridae) Synonym(s): *proicyrta* L.B.Prout,1932 **MY Bor Sbh TH**
679. **Catoria sublavararia (Guenée,[1858])** (Geometridae) Synonym(s): *sublavararia* Guenée,[1858] **IN Adm Nk ID Ij Clb PG Nlr TH Ntt Hba CMa Phr Wgc Cbi Nna Kao**
680. **Catoria tamsi L.B.Prout,1929** (Geometridae) Synonym(s): *tamsi* L.B.Prout,1929 **MY Prk TH Ntt Hba**
681. **Celenna callopistes (L.B.Prout,1932)** (Geometridae) Synonym(s): *callopistes* L.B.Prout,1932; *#callopista* Hutacharern & Tubtim,1995 **MY Bor Sbh KBa TH**
682. **Celenna centraria (Snellen,[1886])** (Geometridae) Synonym(s): *centraria* Snellen,[1886]; *mimaria* Swinhoe,1909 **ID Sum TH**
683. **Celenna festivararia (Fabricius,1794)** (Geometridae) Synonym(s): *festivararia* Fabricius,1794; *saturataria* Walker,1861 **TH Ntt Hba IN LK TW JP PH Luz**
684. **Celenna muscicolor (W.Warren,1893)** (Geometridae) Synonym(s): *muscicolor* W.Warren,1893; *informis* W.Warren,1897; *xerophylla* L.B.Prout,1926 **TH MM Krh BD Syl MY Bor Swk**
685. **Celerena divisa Walker,1862** (Geometridae) Synonym(s): *divisa* Walker,1862 **TH BD Syl**
686. **Celerena signata W.Warren,1898** (Geometridae) Synonym(s): *signata* W.Warren,1898; *nigripalpis* Swinhoe,1902 **TH Ntt Hba ID Bor Sum**
687. **Chiasmia (Godonela) albipuncta (W.Warren,1894)** (Geometridae) Synonym(s): *albipuncta* W.Warren,1894 **MY TH Ntt Hba**

- 688. Chiasmia (Godonela) avitusaria (Walker,1860)** (Geometridae) Synonym(s): *avitusaria* Walker,1860; *violavittata* Pagenstecher,1888; *odataria* Swinhoe,1893; *deformis* W.Warren,1896; *abbreviata* W.Warren,1897
ID Clb Bli TH Ntt Hba MY Bor Swk Bch IN Meg Ass Khs SI Djl
- 689. Chiasmia (Godonela) bornusaria (Holloway,[1994])** (Geometridae) Synonym(s): *bornusaria* Holloway,[1994] **MY Bor TH Ntt Hba**
- 690. Chiasmia (Godonela) eleonora (Cramer,[1780])** (Geometridae) Synonym(s): *fasciata* Fabricius,1775 nec Sc.,1763; *eleonora* Cramer,[1780]; *fasciosaria* Hübner,[1823]; *victorinata* Guenée,[1858]; *subalbataria* Swinhoe,1890 **IN NI TH CMa Cnz Cz10 CDo Cbu Srr Phr** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.7 [adult]; pl.48 figs.1,2 [adult]).
- 691. Chiasmia (Godonela) mutabilis (W.Warren,1897)** (Geometridae) Synonym(s): *mutabilis* W.Warren,1897 **MY Bor TH Ntt Hba**
- 692. Chiasmia (Godonela) nora (Walker,1861)** (Geometridae) Synonym(s): *nora* Walker,1861 **IN Pj SI Djl LK TH Ntt Hba CMa Dst**
- 693. Chiasmia (Godonela) perfusaria (Walker,1866)** (Geometridae) Synonym(s): *perfusaria* Walker,1866; *subfasciata* Hampson,1891 **MY IN NI TH**
- 694. Chiasmia (Godonela) translineata (Walker,1866)** (Geometridae) Synonym(s): *translineata* Walker,1866; *albidulata* W.Warren,1898; *albibrunnea* W.Warren,1902; *hollowayi* Bänziger & D.S.Fletcher,1988 **ID Sum Clb Tnm Sba TH CMa CDo Ntt Hba MY Bor**
- 695. Chiasmia (Godonela) xanthonora (Walker,1861)** (Geometridae) Synonym(s): *xanthonora* Walker,1861; *semilutea* W.Warren,1905 **MM Shn IN TH CMa CDo** (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 figs.3,4 [adult]).
- 696. Chiasmia acutaria (Walker,1869)** (Geometridae) Synonym(s): *acutaria* Walker,1869 **TH CMa Dsk**
- 697. Chiasmia diplotata (R.Felder & Rogenhofer,1874)** (Geometridae) Synonym(s): *diplotata* R.Felder & Rogenhofer,1874 **IN Ben TH CMa Fn CDo**
- 698. Chiasmia elephantedestructa Bänziger & D.S.Fletcher,1988** (Geometridae) Synonym(s): *elephantedestructa* Bänziger & D.S.Fletcher,1988 **TH CMa CDo**
- 699. Chiasmia emersaria (Walker,1861)** (Geometridae) Synonym(s): *emersaria* Walker,1861 **BD Syl TH Bnk CMa CDo** (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 figs.5-7 [adult]).
- 700. Chiasmia fidoniata (Guenée,[1858])** (Geometridae) Synonym(s): *fidoniata* Guenée,[1858]; *cacavena* Walker,1861; *arenaria* Swinhoe,1885; *lineata* W.Warren,1899 **IN PK Krc LK MY TH CMa CN (Fig.7)**
- 701. Chiasmia frugaliata (Guenée,[1858])** (Geometridae) Synonym(s): *frugaliata* Guenée,[1858]; *peremptaria* Walker,1861 **IN TH Cph**
- 702. Chiasmia hygies (L.B.Prout,1932)** (Geometridae) Synonym(s): *hygies* L.B.Prout,1932; *#hygies* Hutacharern & Tuftim,1995 **MY Bor Sbh KBa TH**
- 703. Chiasmia lachriphaga (Bänziger & D.S.Fletcher,1988)** (Geometridae) Synonym(s): *lachriphaga* Bänziger & D.S.Fletcher,1988 **TH CMa CDo**
- 704. Chiasmia lannaensis (Bänziger & D.S.Fletcher,1988)** (Geometridae) Synonym(s): *lannaensis* Bänziger & D.S.Fletcher,1988 **TH CMa**
- 705. Chiasmia pluviata (Fabricius,1798)** (Geometridae) Synonym(s): *pluviata* Fabricius,1798; *sufflata* Guenée,[1858]; *breviusculata* Walker,[1863]; *diplotata* R.Felder & Rogenhofer,1875; *horridaria* Moore,1888 **IN CN Ben SI Djl Bba PK Cp Pj TH Bnk Phr**
- 706. Chiasmia sufflata (Guenée,[1858])** (Geometridae) Synonym(s): *sufflata* Guenée,[1858] **TH CMa CDo Dsk**
- 707. Chiasmia suthepensis (Bänziger & D.S.Fletcher,1988)** (Geometridae) Synonym(s): *suthepensis* Bänziger & D.S.Fletcher,1988 **TH CMa Dst**
- 708. Chiasmia triangulata (Hampson,1891)** (Geometridae) Synonym(s): *triangulata* Hampson,1891; *psammodes* Bastelberger,1907; *apatetica* Tams,1924 **IN NI SI Djl TH Phr LA**
- 709. Chiasmia trilinearia (Moore,1888)** (Geometridae) Synonym(s): *trilinearia* Moore,1888 **SI IN Djl TH CMa CDo** (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 fig.8 [adult]).
- 710. Chlorissa rubripicta (W.Warren,1893)** (Geometridae) Synonym(s): *rubripicta* W.Warren,1893 **IN SI TH**
- 711. Chloristola setosa Holloway,1996** (Geometridae) Synonym(s): *setosa* Holloway,1996 **MY Bor Swk TH**
- 712. Chloroglyphica variegata (Butler,1889)** (Geometridae) Synonym(s): *variegata* Butler,1889 **IN Hp Drm Kgr TH**
- 713. Chloroglyphica xeromeris (L.B.Prout,1932)** (Geometridae) Synonym(s): *xeromeris* L.B.Prout,1932 **ID Sum TH**
- 714. Chlorozancla falcatus (Hampson,1895)** (Geometridae) Synonym(s): *falcatus* Hampson,1895 **IN SI TH**
- 715. Chorodna complicataria (Walker,1860)** (Geometridae) Synonym(s): *complicataria* Walker,1860 **MY Bor Swk TH Ntt Hba Rng Nst**



Fig. 7- *Chiasmia fidoniata* (Geometridae) at rest, Thailand Chiang Mai 360m 23 10 2006, M. Kemal (Cesa)

716. **Chorodna creataria** (Guenée,[1858]) (Geometridae) Synonym(s): *creataria* Guenée,[1858]
TH CMa Dst Int CDo Pki Agk Fn Nna Kao
717. **Chorodna erebusaria** Walker,1860 (Geometridae) Synonym(s): *erebusaria* Walker,1860 IN
TH CMa CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 fig.9 [adult]).
718. **Chorodna mauraria** (Guenée,[1858]) (Geometridae) Synonym(s): *mauraria* Guenée,[1858]
TH CMa CDo Pki Int Dst
719. **Chorodna metaphaearia** (Walker,[1863]) (Geometridae) Synonym(s): *metaphaearia*
Walker,[1863]; *semiclusaria* Walker,[1863]; *praetextaria* R.Felder & Rogenhofer,1875 IN SI Djl TH CMa Dst Dso8
CDo Agk Fn Int Nna Kao (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 figs.11,12 [adult]).
720. **Chorodna obliterata** (Moore,1868) (Geometridae) Synonym(s): *obliterata* Moore,1868 IN
Ben TH
721. **Chorodna pallidularia** Moore,1868 (Geometridae) Synonym(s): *pallidularia* Moore,1868
MY Bor Sbh ID Sum CN IN SI Djl TH Nna Kao
722. **Chorodna quadrinotata** (W.Warren,1893) (Geometridae) Synonym(s): *quadrinotata*
W.Warren,1893 IN SI TH CMa Dst
723. **Chorodna scurobolima** Holloway,[1994] (Geometridae) Synonym(s): *scurobolima*
Holloway,[1994] MY Bor Swk TH
724. **Chorodna strixaria** (Guenée,[1858]) (Geometridae) Synonym(s): *strixaria* Guenée,[1858];
celebensis L.B.Prout,1928 LK IN ID Ja Clb Ij TH Nna Kao Cbi Loc
725. **Chorodna testacea** (Moore,1868) (Geometridae) Synonym(s): *testacea* Moore,1868 IN
Ben TH CMa Int Dst Mta
726. **Chrysoblephara chrysoteucta** (L.B.Prout,1926) (Geometridae) Synonym(s): *chrysoteucta*
L.B.Prout,1926 MM Hta TH CMa Dst
727. **Chrysoclystis morbosa** L.B.Prout,1916 (Geometridae) Synonym(s): *morbosa* L.B.Prout,1916
MY Pen TH Ntt Hba
728. **Chrysocraspeda abhadraca** (Walker,1861) (Geometridae) Synonym(s): *abhadraca*
Walker,1861 IN MM TH MY ID Sum Bor Kba BN
729. **Chrysocraspeda lunulata** Swinhoe,1902 (Geometridae) Synonym(s): *lunulata* Swinhoe,1902
TH Ntt Hba MY Bor Snk Sbh Klt Pon ID BN

730. **Chrysocraspeda marginata** W.Warren,1897 (Geometridae) Synonym(s): *marginata* W.Warren,1897 **IN Ass Meg Khs MM TH MY Bor**
731. **Chrysocraspeda rubricata** Swinhoe,1903 (Geometridae) Synonym(s): *rubricata* Swinhoe,1903 **TH**
732. **Cleora alienaria** (Walker,1860) (Geometridae) Synonym(s): *alienaria* Walker,1860 **LK CX**
IN Adm TH CMa Fn CDo Pki Dst Int Loe Nna Kao Nst Knc Cbi Rng
733. **Cleora biclavata** (D.S.Fletcher,1953) (Geometridae) Synonym(s): *biclavata* D.S.Fletcher,1953 **TH Nst ID Sum**
734. **Cleora concentraria** (Snellen,1877) (Geometridae) Synonym(s): *concentraria* Snellen,1877 **TH CMa Dst Int Nna Kao Cbi Knc**
735. **Cleora contiguata** (Moore,1868) (Geometridae) Synonym(s): *contiguata* Moore,1868 **IN PH**
Luz MY Bor ID Ja TH CMa Dst CDo Pki Nna Kao Knc Cbi
736. **Cleora cucullata** D.S.Fletcher,1953 (Geometridae) Synonym(s): *cucullata* D.S.Fletcher,1953 **IN Ass Nag TH CMa Dst Nna Kao**
737. **Cleora cucullata fusconebulata** D.S.Fletcher,1953 (Geometridae) Synonym(s): *fusconebulata* D.S.Fletcher,1953 **TH CMa Dst Nna Kao**
738. **Cleora decisaria** (Walker,1866) (Geometridae) Synonym(s): *decisaria* Walker,1866; *callicrossa* Meyrick,1889; *gilva* Scott,1893; *psychastis* Scott,1893; *amphidoxa* L.B.Prout,1937; *nigristigma* L.B.Prout,1937 **TH ID Crm**
MY Bor Sbh PG NBr Bsm PMo AU SB
739. **Cleora determinata** (Walker,1860) (Geometridae) Synonym(s): *determinata* Walker,1860 **MY Bor Swk TH Ntt Hba CMa Dst Mth**
740. **Cleora fraterna** (Moore,1888) (Geometridae) Synonym(s): *fraterna* Moore,1888 **TH CMa Int**
CDo Pki Chy Cbi
741. **Cleora injectaria** (Walker,1860) (Geometridae) Synonym(s): *injectaria* Walker,1860; *compactaria* Walker,[1863]; *sublectaria* Walker,[1863] **NC MY Pen LK FJ ID Mlc Aru Egg PG Ls TH Cbi Nst**
742. **Cleora inoffensa** (Swinhoe,1902) (Geometridae) Synonym(s): *inoffensa* Swinhoe,1902 **IN**
Meg Ass Khs TH Nna Kao Nst ID Sum Ja Clb PH Luz SB
743. **Cleora onycha** D.S.Fletcher,1953 (Geometridae) Synonym(s): *onycha* D.S.Fletcher,1953 **IN**
Ass Nag PG IN ID Sbw Ja NBr PH Luz Clb TH Nna Kao
744. **Cleora pendleburyi** L.B.Prout,1929 (Geometridae) Synonym(s): *pendleburyi* L.B.Prout,1929 **MY Sgo TH**
745. **Cleora pupillata** (Walker,1860) (Geometridae) Synonym(s): *pupillata* Walker,1860 **TH Nna**
Kao Cbi Phu
746. **Cleora repulsaria** (Walker,1860) (Geometridae) Synonym(s): *repulsaria* Walker,1860 **TH**
CMa Dst
747. **Cleora venustaria** (Leech,1891) (Geometridae) Synonym(s): *venustaria* Leech,1891 **TH CMa**
CDo Pki JP KP KR
748. **Comibaena attenuata** (W.Warren,1896) (Geometridae) Synonym(s): *attenuata* W.Warren,1896 **TH MY Bor Swk ID Clb**
749. **Comibaena biplaga** Walker,1861 (Geometridae) Synonym(s): *biplaga* Walker,1861 **MY Bor**
Swk TH CMa CDo (Fig.8)



Fig. 8- *Comibaena biplaga* (Geometridae), Thailand, Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

750. **Comibaena cassidara (Guenée,[1858])** (Geometridae) Synonym(s): *cassidara* Guenée,[1858]; *detenta* Walker,1861; *dissecta* Walker,1861 **IN NP Pj CN TH CMa Cuo Cuo1 Cuo9 SG MY Bor**
751. **Comibaena quadrinotata Butler,1889** (Geometridae) Synonym(s): *quadrinotata* Butler,1889 **IN Hp Kgr Drm Meg Ass Khs TH ID Ja Tal**
752. **Comostola cedilla L.B.Prout,1917** (Geometridae) Synonym(s): *cedilla* L.B.Prout,1917 **TH PG**
753. **Comostola laesaria (Walker,1861)** (Geometridae) Synonym(s): *laesaria* Walker,1861; *perlepidaria* Walker,1866 **LK TH AU QAU**
754. **Comostola leucosticta Yazaki,1993** (Geometridae) Synonym(s): *leucosticta* Yazaki,1993 **NP TH**
755. **Comostola pyrrhogona (Walker,1866)** (Geometridae) Synonym(s): *pyrrhogona* Walker,1866; *cornuta* W.Warren,1896; *callicrossa* L.B.Prout,1934; *pisochlora* L.B.Prout,1934; *woodfordi* L.B.Prout,1934; *succornuta* L.B.Prout,1937; *exquisitata* D.S.Fletcher,1957; *#cornula* Hutacharern & Tuhtim,1995 **NF AU QAU Bri LO NC PG Ent Fg Bsm NBr NHa Nlr SB Adl ID Bli IN TH**
756. **Comostola turgescens (L.B.Prout,1917)** (Geometridae) Synonym(s): *turgescens* L.B.Prout,1917 **IN Meg Ass Khs TH**
757. **Conolophia nigripuncta (Hampson,1891)** (Geometridae) Synonym(s): *nigripuncta* Hampson,1891 **IN NI TH CMa MY Bor Swk**
758. **Coremecis maculata (W.Warren,1899)** (Geometridae) Synonym(s): *maculata* W.Warren,1899 **MY Pen TH Nna Kao**
759. **Coremecis nigrovittata (Moore,1868)** (Geometridae) Synonym(s): *nigrovittata* Moore,1868; *fasciata* W.Warren,1894 **IN Ben SI TH CMa Dst Nna Kao Rng**
760. **Coremecis stueningi Sato,1995** (Geometridae) Synonym(s): *stueningi* Sato,1995 **IN Nag Khs Meg Ass TH CMa Lmp**
761. **Corymica arnearia Walker,1860** (Geometridae) Synonym(s): *arnearia* Walker,1860 **MY Bor Swk TH**
762. **Corymica fulvimaculata (W.Warren,1899)** (Geometridae) Synonym(s): *fulvimaculata* W.Warren,1899 **MY Pen TH**
763. **Corymica pryeri (Butler,1878)** (Geometridae) Synonym(s): *pryeri* Butler,1878 **IN Hp Kgr Drm JP Hdo TH ID Sum PG Eca Fg**
764. **Cusiala boarmoides Moore,[1887]** (Geometridae) Synonym(s): *boarmoides* Moore,[1887]; *boarmioides* Moore,1888; *angulata* Hampson,1891; *griseifusa* Sonan,1938; *#bcarmoides* Watanasit et al.,2004 **TW TH CMa Dst Fn CDo Chi Nna Kao Ntt Hba MY Bor Swk LK IN SI Djl NI**
765. **Cusiala raptaria (Walker,1860)** (Geometridae) Synonym(s): *raptaria* Walker,1860; *determinata* Walker,1860; *suiasasa* Walker,1860; *rufifasciata* Hampson,1893 **LK TH**
766. **Cyclophora carsoni Holloway,1997** (Geometridae) Synonym(s): *carsoni* Holloway,1997 **TH MY Bor Sbh KBa**
767. **Cyclophora frenaria (Guenée,[1858])** (Geometridae) Synonym(s): *frenaria* Guenée,[1858]; *pulverulenta* Swinhoe,1892; *maculifera* Swinhoe,1900; *plumbeodisca* W.Warren,1903; *cyclophora* Turner,1908 **TH AU QAU PG Bor IN Ass Meg Khs**
768. **Cyclophora imbuta (W.Warren,1897)** (Geometridae) Synonym(s): *imbuta* W.Warren,1897 **IN Ass Meg Khs TH**
769. **Cyclophora lowi Holloway,1997** (Geometridae) Synonym(s): *lowi* Holloway,1997 **TH MY Bor Swk**
770. **Cyclophora pepira (L.B.Prout,1938)** (Geometridae) Synonym(s): *pepira* L.B.Prout,1938 **MY CMh Pah TH**
771. **Dalima delineata (W.Warren,1894)** (Geometridae) Synonym(s): *delineata* W.Warren,1894 **MY Prk TH**
772. **Dalima metachromata (Walker,1862)** (Geometridae) Synonym(s): *metachromata* Walker,1862 **TH CMa**
773. **Dalima patularia (Walker,1860)** (Geometridae) Synonym(s): *patularia* Walker,1860 **IN CN TH MY Bor Sbh KBa ID Sum Clb**
774. **Dalima schistacearia Moore,1868** (Geometridae) Synonym(s): *schistacearia* Moore,1868; *patnaria* R.Felder & Rogenhofer,[1875] **IN Ben SI Djl TH CMa**
775. **Dalima subflavata (R.Felder & Rogenhofer,[1875])** (Geometridae) Synonym(s): *subflavata* R.Felder & Rogenhofer,[1875] **ID Ja TH Ntt Hba**
776. **Dasyboarmia subpilosa (W.Warren,1894)** (Geometridae) Synonym(s): *subpilosa* W.Warren,1894; *instigata* L.B.Prout,1929 **ID Bru Clb Sum NP IN TH CMa Dst CDo Pki Chi Loe Nna Kao MY Bor Sbh KBa PH**
777. **Dindica olivacea Inoue,1990** (Geometridae) Synonym(s): *olivacea* Inoue,1990 **TH Nna Kao Ntt Hba IN CN MM ID Sum MY PH Luz Neg**
778. **Dindica para Swinhoe,1891** (Geometridae) Synonym(s): *para* Swinhoe,1891; *erythropunctura* Chu,1981 **MY IN Meg Ass Khs SI Djl BT CN Hn Sz Fkn TH CMa Int**

779. **Dindica polyphaenaria** (Guenée,[1858]) (Geometridae) Synonym(s): *polyphaenaria* Guenée,[1858]; *basiflavata* Moore,1868 **SI Djl IN CN Sz TH Nna Kao MY ID Sum Bor Clb TW**
780. **Diplurodes kerangatis** Holloway,[1994] (Geometridae) Synonym(s): *kerangatis* Holloway,[1994] **MY Bor BN TH**
781. **Dooabia borealis** Yazaki,1997 (Geometridae) Synonym(s): *borealis* Yazaki,1997 **TH CMa Dst**
782. **Dooabia puncticostata** L.B.Prout,1923 (Geometridae) Synonym(s): *puncticostata* L.B.Prout,1923 **ID Sbt MY TH Ntt Hba**
783. **Dysphania militaris** (Linnaeus,1758) (Geometridae) Synonym(s): *militaris* Linnaeus,1758; *abrupta* Walker,1862; *roepstorffii* Moore,1877; *lumulata* Butler,1882; *ludifica* Swinhoe,1890; *scylla* Swinhoe,1893; *caeruleoplaga* Bastelberger,1911 **IN Ass MM Mm Adm MM Rng Tns CN Hn HK MY Bor Sbh KBa TH CMa Sbu**
784. **Dysphania sagana** (Druce,1882) (Geometridae) Synonym(s): *sagana* Druce,1882 **VN TH MY Prk ID Sum Bor**
785. **Dysphania subrepleta** (Walker,1854) (Geometridae) Synonym(s): *subrepleta* Walker,1854; *bellonaria* Guenée,[1858] **CN Hn MY Bor LK MM Tvy Tns IN Meg Ass Khs TH CMa**
786. **Ecliptopera rectilinea** W.Warren,1894 (Geometridae) Synonym(s): *rectilinea* W.Warren,1894 **TH IN Meg Khs ID Clb Bli TW**
787. **Ectropidia illepidaria** (Walker,1861) (Geometridae) Synonym(s): *illepidaria* Walker,1861; *pustulata* W.Warren,1900 **MY Bor Swk Pen TH**
788. **Ectropidia quasilepidaria** Holloway,[1994] (Geometridae) Synonym(s): *quasilepidaria* Holloway,[1994] **MY Bor Swk TH**
789. **Ectropidia shoreae** (L.B.Prout,1934) (Geometridae) Synonym(s): *shoreae* L.B.Prout,1934 **IN Up Ddu TH CMa CDo**
790. **Ectropis bhurmitra** (Walker,1860) (Geometridae) Synonym(s): *bhurmitra* Walker,1860; *diffusaria* Walker,1860; *sabulosa* W.Warren,1897; *semifascia* W.Warren,1897; *semifasciata* W.Warren,1900; *obrussata* Holland,1900; *brevifasciata* Wileman,1912 **LK TW IN Pj TH Ntt Hba ID Bru Crm Amb Ij**
791. **Ectropis longiscapia** L.B.Prout,1926 (Geometridae) Synonym(s): *longiscapia* L.B.Prout,1926 **MY Bor Swk TH Ntt Hba**
792. **Ectropis pais** L.B.Prout,1931 (Geometridae) Synonym(s): *pais* L.B.Prout,1931; *ischnadelta* L.B.Prout,1932 **MY Kdh Bor Sbh KBa TH**
793. **Ellicrinia flava** (Moore,1888) (Geometridae) Synonym(s): *flava* Moore,1888; *rufofasciata* Poujade,1891 **LA IN Djl TH**
794. **Eois lunulosa** (Moore,[1887]) (Geometridae) Synonym(s): *lunulosa* Moore,[1887]; *ochracea* W.Warren,1894 **LK IN Meg Khs TH TW**
795. **Eois memorata** (Walker,1861) (Geometridae) Synonym(s): *memorata* Walker,1861; *rapistriaria* Swinhoe,1890 **IN MM Rgo TH Ntt Hba**
796. **Eois pallidula** (W.Warren,1896) (Geometridae) Synonym(s): *pallidula* W.Warren,1896 **TH Ntt Hba ID Ja**
797. **Eois phaneroscia** L.B.Prout,1922 (Geometridae) Synonym(s): *phaneroscia* L.B.Prout,1922 **IN Ass Meg Khs TH**
798. **Ephemerophila lignata** (W.Warren,1894) (Geometridae) Synonym(s): *lignata* W.Warren,1894 **TH CMa Dst Int**
799. **Ephemerophila subterminalis** (L.B.Prout,1925) (Geometridae) Synonym(s): *subterminalis* L.B.Prout,1925 **MY Bor TH Nna Kao Loe**
800. **Ephemerophila torridaria** (Moore,1888) (Geometridae) Synonym(s): *torridaria* Moore,1888 **TH CMa Fn Agk**
801. **Epipristis minimaria** Guenée,[1858] (Geometridae) Synonym(s): *minimaria* Guenée,[1858] **LK IN TH**
802. **Epipristis nelearia** (Guenée,[1858]) (Geometridae) Synonym(s): *nelearia* Guenée,[1858] **TH Ntt Hba MY Bor ID Bli**
803. **Epipristis truncataria** (Walker,1861) (Geometridae) Synonym(s): *truncataria* Walker,1861 **MY Bor Swk TH**
804. **Episothalma cognataria** Swinhoe,1903 (Geometridae) Synonym(s): *cognataria* Swinhoe,1903 **TH CN Yu**
805. **Episothalma irrobustaria** Xue & Wang,2009 (Geometridae) Synonym(s): *irrobustaria* Xue & Wang,2009 **TH Nan**
806. **Episothalma robustaria** (Guenée,[1858]) (Geometridae) Synonym(s): *robustaria* Guenée,[1858]; *sisunaga* Walker,1861; *macruraria* Walker,[1863]; *indeterminata* Walker,1869; *fimbriaria* Walker,1869 **IN Ass Meg Khs Djl SI Nl CN Hn Yu NP BD TH Ntt Hba Mae VN MY Bor Swk MM ID Sum Ja**
807. **Erebomorpha fulguraria** Walker,1860 (Geometridae) Synonym(s): *fulguraria* Walker,1860 **TH CMa Int CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 fig.13 [adult]).**
808. **Eretmopus marinaria** (Guenée,[1858]) (Geometridae) Synonym(s): *marinaria* Guenée,[1858]; *penicillata* Walker,1861; *retensa* L.B.Prout,1931 **MY Bor Swk PH Mno IN Adm TH SG ID Bli Clb Mlc PG AU**
809. **Eucrostes disparata** (Walker,1861) (Geometridae) Synonym(s): *disparata* Walker,1861 **ZA ZA18 Ec Wca Ste Nta Kzu Srn TH**

810. **Eucyclodes albisparsa (Walker,1861)** (Geometridae) Synonym(s): *albisparsa* Walker,1861
MY Bor Swk TH CMa
811. **Eucyclodes discata (W.Warren,1897)** (Geometridae) Synonym(s): *discata* W.Warren,1897
MY Bor Sbh KBa TH
812. **Eucyclodes gavissima (Walker,1861)** (Geometridae) Synonym(s): *gavissima* Walker,1861
LK MY Bor CN Sz TW TH CMa
813. **Eucyclodes semialba (Walker,1861)** (Geometridae) Synonym(s): *semialba* Walker,1861 MY
Bor Swk ID Clb LK TH CMa Cmz Cz10 Cz11 (Fig.9)
814. **Eumelea florinata Guenée,[1858]** (Geometridae) Synonym(s): *florinata* Guenée,[1858] ID Ja
TH Ntt Hba
815. **Eumelea ludovicata Guenée,[1858]** (Geometridae) Synonym(s): *ludovicata* Guenée,[1858];
aureliata Guenée,[1858]; *vulgivaga* Sawamoto,1938 LK TW SI IN TH Ntt Hba ID Tnm Clb PG Sip Mw Bsm
Nlr SB Bgv
816. **Eumelea rosalia (Stoll,1781)** (Geometridae) Synonym(s): *rosalia* Stoll,1781 LK IN NI TH CMa
Mrm ID Crm Kai Clb Amb Lb Sbt NC LO Sgr SB AU QAU PG
817. **Eumelea rubrifusa W.Warren,1896** (Geometridae) Synonym(s): *rubrifusa* W.Warren,1896
MY Bor Sbh KBa TH Ntt Hba ID Clb
818. **Exeliopsis hibernaria (Swinhoe,1886)** (Geometridae) Synonym(s): *hibernaria* Swinhoe,1886
IN Bba TH CMa Lop
819. **Exeliopsis macrouncus Holloway,[1994]** (Geometridae) Synonym(s): *macrouncus*
Holloway,[1994] MY Bor BN TH
820. **Fascellina albicordis L.B.Prout,1932** (Geometridae) Synonym(s): *albicordis* L.B.Prout,1932
MY Bor Sbh KBa TH
821. **Fascellina aua L.B.Prout,1928** (Geometridae) Synonym(s): *aua* L.B.Prout,1928 ID Sum TH
CMa CDo
822. **Fascellina aurifera W.Warren,1897** (Geometridae) Synonym(s): *aurifera* W.Warren,1897
MY TH ID Sum Bor Swk
823. **Fascellina castanea Moore,1877** (Geometridae) Synonym(s): *castanea* Moore,1877; *albidiscata*
W.Warren,1894; *hypochryseis* Swinhoe,1894; *hypocausta* L.B.Prout,1931 IN Adm TH MY PH Mno IN Ass Khs Meg
Cpj
824. **Fascellina dacoda Swinhoe,1893** (Geometridae) Synonym(s): *dacoda* Swinhoe,1893 IN Meg
Ass Khs Slo TH
825. **Fascellina pinratanai Inoue,1992** (Geometridae) Synonym(s): *pinratanai* Inoue,1992 TH
CMa Int
826. **Fascellina plagiata (Walker,1866)** (Geometridae) Synonym(s): *plagiata* Walker,1866; *viridis*
Moore,1867; *kankozana* Matsumura,1931; *icteria* Wehrli,1936; *subvirens* Wehrli,1936 IN Ben CN Sz MM TH CMa JP
827. **Fascellina porphyreofusa Hampson,1895** (Geometridae) Synonym(s): *porphyreofusa*
Hampson,1895 IN SI TH CMa CDo
828. **Fascellina punctata W.Warren,1898** (Geometridae) Synonym(s): *punctata* W.Warren,1898
IN Ass Meg Khs TH
829. **Fascellina rectimarginata W.Warren,1894** (Geometridae) Synonym(s): *rectimarginata*
W.Warren,1894; *cyanifera* Swinhoe,1894; *hypochlora* Swinhoe,1894 IN Ass Meg Khs Cpj TH
830. **Fascellina subsignata W.Warren,1893** (Geometridae) Synonym(s): *subsignata*
W.Warren,1893; *curtaca* Swinhoe,1893 IN SI Ass Meg Khs TH CMa CDo



Fig.9 - *Eucyclodes semialba* (Geometridae) at night, Thailand, Chiang Mai Doi Suthep lower hills 480m 22 11 2006, M.Kemal (Cesa)

- 831. *Gasterocome pannosaria* (Moore,1868)** (Geometridae) Synonym(s): *pannosaria* Moore,1868
IN Ben TH ID Ja MY Bor Sbh KBa TW CN Sz
- 832. *Gnophos tephrosiarius* Moore,1888** (Geometridae) Synonym(s): *tephrosiaria* Moore,1888;
senicaria Hampson,1907 IN SI Djl TH
- 833. *Gymnoscelis imparatalis* (Walker,[1866])** (Geometridae) Synonym(s): *imparatalis* Walker,[1866]; *indicata* Walker,1866; *semivivosa* W.Warren,1896; *perangusta* W.Warren,1897; *imperviata* Swinhoe,1900
MY Bor Swk ID Ja TH Knc Nkh Cbi Bnk
- 834. *Hemistola rubrimargo* W.Warren,1893** (Geometridae) Synonym(s): *rubrimargo* W.Warren,1893 IN SI Djl TH
- 835. *Hemithea evanescens* Inoue,1992** (Geometridae) Synonym(s): *evanescens* Inoue,1992 TH
CMA Dst
- 836. *Hemithea marina* (Butler,1878)** (Geometridae) Synonym(s): *costipunctata* Moore,[1867]; *marina* Butler,1878; *simplex* W.Warren,1897; *pariciliata* Fuchs,1902 JP Hdo AF Nu Bkt LK ID Sum Ja TH
- 837. *Hemithea neptunaria* Holloway,1996** (Geometridae) Synonym(s): *neptunaria* Holloway,1996
MY Bor Swk TH
- 838. *Hemithea notospila* L.B.Prout,1917** (Geometridae) Synonym(s): *notospila* L.B.Prout,1917
MY Bor TH
- 839. *Hemithea ochralauta* (W.Warren,1894)** (Geometridae) Synonym(s): *ochralauta* W.Warren,1894 BT TH
- 840. *Hemithea tritonaria* (Walker,[1863])** (Geometridae) Synonym(s): *tritonaria* Walker,[1863]; *vivida* Inoue,1961 JP CN HK TH CMA
- 841. *Herochroma flavibasalis* (W.Warren,1894)** (Geometridae) Synonym(s): *flavibasalis* W.Warren,1894; *bipunctata* Thierry-Mieg,1915 TH Ntt Hba ID Ja MY Bor Sbh KBa
- 842. *Herochroma orientalis* (Holloway,1982)** (Geometridae) Synonym(s): *orientalis* Holloway,1982 MY Bor Sbh KBa TH
- 843. *Herochroma subtepes* (Walker,1860)** (Geometridae) Synonym(s): *subtepes* Walker,1860; *formosicola* Matsumura,1931 TW MY Bor Swk TH

844. **Heteralex rectilineata** (Guenée,[1858]) (Geometridae) **Synonym(s):** *rectilineata* Guenée,[1858]; *microneata* Walker,1862; *rarata* Walker,[1863]; *aspilatataria* Pagenstecher,1890 **TH Ntt Hba MY Bor Swk PH Pal**
845. **Heterolocha polymorphoides** Holloway,[1994] (Geometridae) **Synonym(s):** *polymorphoides* Holloway,[1994] **MY Bor Sbh KBa TH**
846. **Heterostegane contessellata** (L.B.Prout,1926) (Geometridae) **Synonym(s):** *contessellata* L.B.Prout,1926 **MY Bor TH Ntt Hba**
847. **Heterostegane subtessellata** (Walker,[1863]) (Geometridae) **Synonym(s):** *subtessellata* Walker,[1863]; *quadrilineata* Snellen,1886 **TH CMa CDo CD2 IN ID Sum (Fig.10)**
848. **Heterostegane tritocampsis** (L.B.Prout,1934) (Geometridae) **Synonym(s):** *tritocampsis* L.B.Prout,1934 **IN Ass Meg Khs TH MY Bor Swk ID Clb**
849. **Heterostegane urbica** (Swinhoe,1886) (Geometridae) **Synonym(s):** *urbica* Swinhoe,1886 **IN Bba TH MY Bor Sbh**
850. **Heterostegane warreni** (L.B.Prout,1932) (Geometridae) **Synonym(s):** *quadrilineata* W.Warren,1894 *nec* Snn.,1886; *warreni* L.B.Prout,1932 **MY Bor TH CMa Cmz Cz10**
851. **Heterostegania thamia** L.B.Prout,1926 (Geometridae) **Synonym(s):** *thamia* L.B.Prout,1926 **MM Hta TH**
852. **Hydatocapnia marginata** (W.Warren,1893) (Geometridae) **Synonym(s):** *marginata* W.Warren,1893 **TH IN Nag**
853. **Hyperythra flavaria** (Fabricius,1787) (Geometridae) **Synonym(s):** *lutea* Stoll,1781 *nec* Hufn.,1766; *flavaria* Fabricius,1787; *flavata* Fabricius,1794; *limbolaria* Guenée,[1858]; *ennomaria* Guenée,[1858]; *luteata* Guenée,[1858]; *penicillaria* Guenée,[1858]; *lutearia* Herrich-Schäffer,1856; *rufifimbria* W.Warren,1896 **ID Ja IN Meg Ass LK Khs MY Bor Sbh KBa TH Ntt Hba**
854. **Hyperythra phoenix** Swinhoe,1891 (Geometridae) **Synonym(s):** *phoenix* Swinhoe,1891; *hasiana* Swinhoe,1893 **IN Meg Ass Khs TH**



Fig.10 - *Heterostegane subtessellata* (Geometridae) at night, Thailand Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

855. **Hypochrosis abstractaria** (Walker,1862) (Geometridae) **Synonym(s):** *abstractaria* Walker,1862; *tinctaria* Walker,[1863]; *irrorata* Moore,1888 **IN SI Djl MM TH**
856. **Hypochrosis baenzigeri** Inoue,1982 (Geometridae) **Synonym(s):** *baenzigeri* Inoue,1982 **TH Nrt Kao**
857. **Hypochrosis binexata** (Walker,[1863]) (Geometridae) **Synonym(s):** *binexata* Walker,[1863]; *glaucaria* Snellen,1880; *ocellata* Swinhoe,1902 **MY Bor Swk ID Sum TH Ntt Hba**
858. **Hypochrosis flavifusata** (Moore,1888) (Geometridae) **Synonym(s):** *flavifusata* Moore,1888 **IN SI Djl TH CMa Qs15 Mta**

- 859. Hypochrosis hyadaria Guenée,[1858]** (Geometridae) Synonym(s): *hyadaria* Guenée,[1858]; *ignivorata* Walker,[1863]; *obliquaria* Moore,1888 **IN SI Djl MY Bor Sbh KBa ID Sum Ja Bli Flo Sbw Tim PH Clb TH**
- 860. Hypochrosis iris (Butler,1880)** (Geometridae) Synonym(s): *iris* Butler,1880 **IN SI Djl TH CMa Dsk**
- 861. Hypochrosis pyrrhophaeata (Walker,[1863])** (Geometridae) Synonym(s): *pyrrhophaeata* Walker,[1863] **TH Ntt Hba**
- 862. Hypochrosis pyrrhularia (Guenée,[1858])** (Geometridae) Synonym(s): *pyrrhularia* Guenée,[1858]; *instabilata* Walker,1862 **IN TH CMa CDo**
- 863. Hypochrosis rufescens (Butler,1880)** (Geometridae) Synonym(s): *rufescens* Butler,1880 **TH IN SI Djl**
- 864. Hypochrosis sternaria Guenée,[1858]** (Geometridae) Synonym(s): *sternaria* Guenée,[1858]; *schistacea* Moore,1879 **IN MM Tns TH**
- 865. Hypochrosis subrufa (Bastelberger,1909)** (Geometridae) Synonym(s): *subrufa* Bastelberger,1909; *sanguiniscrita* Herbulot,1985 **TH Ntt Hba MY Bor PH Pal**
- 866. Hypocomete clauda W.Warren,1896** (Geometridae) Synonym(s): *clauda* W.Warren,1896 **SI IN Ass Meg Khs MM TH CMa CDo Pki TW**
- 867. Hypomecis cineracea (Moore,1888)** (Geometridae) Synonym(s): *cineracea* Moore,1888 **TW TH CMa Dst Nna Kao Cbi NP IN SI Djl**
- 868. Hypomecis costaria (Guenée,[1858])** (Geometridae) Synonym(s): *costaria* Guenée,[1858]; *xylopterata* Snellen,1895; *spissata* W.Warren,1899 **MY Bor Swk ID Nia Ja Sum TH Ntt Hba Nna Kao Phe Srt**
- 869. Hypomecis infixaria (Walker,1860)** (Geometridae) Synonym(s): *infixaria* Walker,1860 **IN TH CMa Dst Loe Knc**
- 870. Hypomecis lioptilaria (Swinhoe,1903)** (Geometridae) Synonym(s): *lioptilaria* Swinhoe,1903 **MY Bor Sbh KBa TH Ntt Hba CMa Dst Int Chy Nna Kao Phe Cbi**
- 871. Hypomecis moriutii Sato,1991** (Geometridae) Synonym(s): *moriutii* Sato,1991 **TH Phe CMa Int CDo Pki**
- 872. Hypomecis nepalensis (Hampson,1902)** (Geometridae) Synonym(s): *#subalbida* W.Warren,1896; *nepalensis* Hampson,1902 **IN Meg Ass Khs NP TH CMa Int**
- 873. Hypomecis oblivia (L.B.Prout,1925)** (Geometridae) Synonym(s): *oblivia* L.B.Prout,1925 **BD Slo IN Ass TH CMa Int**
- 874. Hypomecis procuraria (Walker,1860)** (Geometridae) Synonym(s): *procuraria* Walker,1860 **TH Knc**
- 875. Hypomecis reparata (Walker,1860)** (Geometridae) Synonym(s): *reparata* Walker,1860; *glochiphora* L.B.Prout,1925 **BD Syl IN Ass Meg Khs TH**
- 876. Hypomecis separata (Walker,1860)** (Geometridae) Synonym(s): *separata* Walker,1860; *retractaria* Walker,1860 **LK IN MY Bor Swk TH Ntt Hba Chy Nna Kao Cbi Phi Phu Nst Srt**
- 877. Hypomecis sommereri Sato,1990** (Geometridae) Synonym(s): *sommereri* Sato,1990 **ID Sum TH Ntt Hba**
- 878. Hypomecis stueningi Sato,1991** (Geometridae) Synonym(s): *stueningi* Sato,1991 **TH CMa Int**
- 879. Hypomecis subdetractaria (L.B.Prout,1923)** (Geometridae) Synonym(s): *detractaria* Walker,1860 *nec* Wlk.,1860; *subdetractaria* L.B.Prout,1923; *#subdetracta* Hutacharern & Tubtim,1995 **TH Rng Ntt Hba ID Clb**
- 880. Hypomecis tetragonata (Walker,[1863])** (Geometridae) Synonym(s): *tetragonata* Walker,[1863]; *deficiens* Moore,1888; *pallidiplaga* W.Warren,1899 **TH Ntt Hba MY Bor Swk IN SI Djl TH PG Ls**
- 881. Hypomecis transcissa (Walker,1860)** (Geometridae) Synonym(s): *transcissa* Walker,1860; *lineataria* Walker,1866; *latipennis* Butler,1881; *#transissa* Hutacharern & Tubtim,1995 **TH CMa Cuo Cuo1 Ntt Hba Chy Nna Kao Phi BD Syl IN Hp Kgr Drm ID Ja**
- 882. Hyposidra altiviolescens Holloway,[1994]** (Geometridae) Synonym(s): *altiviolescens* Holloway,[1994] **MY Bor Swk Sbh KBa TH**
- 883. Hyposidra aquilaria (Walker,1862)** (Geometridae) Synonym(s): *aquilaria* Walker,1862; *albipunctata* W.Warren,1893; *kala* Swinhoe,1893; *davidaria* Poujade,1895 **IN SI CN Sz TH**
- 884. Hyposidra incomptaria (Walker,1866)** (Geometridae) Synonym(s): *incomptaria* Walker,1866; *corticata* Walker,1866; *lutosaria* Pagenstecher,1884; *alfuraria* Pagenstecher,1886; *maculipennis* W.Warren,1896; *prunicolor* W.Warren,1897 **SB PG Ent Fg ID Aru Amb ID Snw Crm TH Ntt Hba**
- 885. Hyposidra infixaria (Walker,1860)** (Geometridae) Synonym(s): *infixaria* Walker,1860; *aquilaria* Walker,[1863] *nec* Wlk.,1862; *umbrosa* Swinhoe,1890; *virgata* Wileman,1910 **TH Ntt Hba TW MY Bor Swk MM Rgo**
- 886. Hyposidra murina (Swinhoe,1891)** (Geometridae) Synonym(s): *murina* Swinhoe,1891 **IN Ass Meg Khs TH**
- 887. Hyposidra picaria (Walker,1866)** (Geometridae) Synonym(s): *picaria* Walker,1866; *caesia* W.Warren,1897; *ruptifascia* W.Warren,1901; *lactiflua* L.B.Prout,1931 **TH Ntt Hba MY Pen Bor Sbh KBa PH Bas Cag**

- 888. Hyposidra talaca (Walker,1860)** (Geometridae) Synonym(s): *talaca* Walker,1860; *deceptura* Walker,1860; *decepiens* Walker,1860; *rigusaria* Walker,[1863]; *bombycaria* Walker,1866; *vampyraria* Snellen,1881; *myceterna* Druce,1889; *flaccida* Lucas,1894 **ID Crm Clb LK IN PH AU QAU SB TH CMa Cuo Cnz Cz10 Knc Cbi Phe Ntt Hba MY Bor**
- 889. Hyposidra violescens Hampson,1895** (Geometridae) Synonym(s): *violescens* Hampson,1895 **IN SI TH CMa Cnz Cz10**
- 890. Hypulia convoluta Holloway,[1994]** (Geometridae) Synonym(s): *convoluta* Holloway,[1994] **MY Bor Swk TH**
- 891. Idaea craspedota (L.B.Prout,1934)** (Geometridae) Synonym(s): *marginata* Swinhoe,1894 *nec* Wlk.; *craspedota* L.B.Prout,1934 **IN Ass Meg Khs Cpj TH**
- 892. Idaea galsworthyi Holloway,1997** (Geometridae) Synonym(s): *galsworthyi* Holloway,1997 **MY Bor Sbh KBa TH**
- 893. Idaea macrospila (L.B.Prout,1926)** (Geometridae) Synonym(s): *macrospila* L.B.Prout,1926 **IN Bba TH CMa**
- 894. Idaea vacillata (Walker,[1863])** (Geometridae) Synonym(s): *vacillata* Walker,[1863]; *phaenicozona* Hampson,1895 **MY Bor Swk IN SI TH CMa**
- 895. Iotaphora iridicolor (Butler,1880)** (Geometridae) Synonym(s): *iridicolor* Butler,1880 **IN SI Djl TH CMa**
- 896. Iridoplecta ferriera (Moore,1888)** (Geometridae) Synonym(s): *ferriera* Moore,1888 **IN SI Djl TH CMa**
- 897. Iulotrichia muhabbet Koçak,2006** (Geometridae) Synonym(s): *decursaria* Walker,1860 *nec* Wlk.,1860; *muhabbet* Koçak,2006 **MY Bor Swk TH Ntt Hba**
- 898. Jankowskia fuscaria (Leech,1891)** (Geometridae) Synonym(s): *fuscaria* Leech,1891 **TH CMa Dst**
- 899. Jodis subtractata (Walker,[1863])** (Geometridae) Synonym(s): *subtractata* Walker,[1863] **IN ID Bli TH**
- 900. Krananda lucidaria Leech,1897** (Geometridae) Synonym(s): *lucidaria* Leech,1897 **CN Yu TH MY Bor Sbh ID Sum**
- 901. Krananda nepalensis Yazaki,1992** (Geometridae) Synonym(s): *nepalensis* Yazaki,1992 **NP TH CMa**
- 902. Krananda oliveomarginata Swinhoe,1894** (Geometridae) Synonym(s): *oliveomarginata* Swinhoe,1894; *nicolasi* Herbulot,1987 **IN Meg Ass Khs MY Bor Sbh KBa CN TW VN TH ID Sum**
- 903. Krananda semihyalina Moore,1868** (Geometridae) Synonym(s): *semihyalina* Moore,1868; *vittraria* R.Felder & Rogenhofer,1875 **IN ID Ja Mlc JP MY Bor TH**
- 904. Lipomelia subusta W.Warren,1893** (Geometridae) Synonym(s): *subusta* W.Warren,1893; *ustata* Swinhoe,1893 **IN SI Nag Ass Meg Khs TH CMa**
- 905. Lomographa anoxys (Wehrli,1936)** (Geometridae) Synonym(s): *anoxys* Wehrli,1936 **CN Hun TW PH TH IN NP MY**
- 906. Lomographa araeophragma (L.B.Prout,1934)** (Geometridae) Synonym(s): *araeophragma* L.B.Prout,1934 **MY Bor Swk TH**
- 907. Lomographa distans (W.Warren,1894)** (Geometridae) Synonym(s): *distans* W.Warren,1894; *ochrilinea* W.Warren,1894 **JP CN TH**
- 908. Lophophelma erionoma (Swinhoe,1893)** (Geometridae) Synonym(s): *erionoma* Swinhoe,1893; *furvirubens* L.B.Prout,1934 **MY Bor Sbh KBa TH IN Meg Khs Ass CN Sz T-T ID Sum**
- 909. Lophophelma loncheres (L.B.Prout,1931)** (Geometridae) Synonym(s): *loncheres* L.B.Prout,1931 **MY Bor Sbh Snk TH**
- 910. Lophophelma luteipes (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *luteipes* R.Felder & Rogenhofer,1875; *similis* Moore,1888; *enthusiastes* L.B.Prout,1927 **TH CMa IN SI Djl ID Sum VN Coc**
- 911. Lophophleps purpurea Hampson,1891** (Geometridae) Synonym(s): *purpurea* Hampson,1891 **IN NI TH**
- 912. Luxiaria amasa (Butler,1878)** (Geometridae) Synonym(s): *amasa* Butler,1878; *fasciosa* Moore,1888; *fulvifascia* W.Warren,1894 **TH JP IN SI Djl ID Sum Clb MY Cmh**
- 913. Luxiaria emphatica L.B.Prout,1925** (Geometridae) Synonym(s): *emphatica* L.B.Prout,1925; *versiformis* L.B.Prout,1925 **IN Meg Khs MY TH**
- 914. Luxiaria hyalodela L.B.Prout,1928** (Geometridae) Synonym(s): *hyalodela* L.B.Prout,1928; *molesta* L.B.Prout,1928 **TH ID Sum Clb**
- 915. Luxiaria mitorrhaphes L.B.Prout,1925** (Geometridae) Synonym(s): *mitorrhaphes* L.B.Prout,1925 **TH IN Nag**
- 916. Luxiaria phyllosaria (Walker,1860)** (Geometridae) Synonym(s): *phyllosaria* Walker,1860; *alfenusaria* Walker,1860 **TH MY Bor Swk**
- 917. Luxiaria submonstrata (Walker,1861)** (Geometridae) Synonym(s): *submonstrata* Walker,1861; *nigripalparia* Walker,[1863] **TH MY Bor Swk PG**

918. **Macrohastina gemmifera (Moore,1868)** (Geometridae) Synonym(s): *gemmifera* Moore,1868
IN Ben TH CMa
919. **Marobia dentigerata (W.Warren,1899)** (Geometridae) Synonym(s): *dentigerata*
W.Warren,1899 MY Pen TH
920. **Maxates coelataria (Walker,1861)** (Geometridae) Synonym(s): *coelataria* Walker,1861 LK
IN Meg Khs Ass TH CMa Cmz Cz11 Ntt Hba MY Bor (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.1
[adult]).
921. **Maxates iridescens (W.Warren,1896)** (Geometridae) Synonym(s): *iridescens* W.Warren,1896
IN Meg Khs TH
922. **Maxates submontana Holloway,1996** (Geometridae) Synonym(s): *submontana* Holloway,1996
TH MY Bor Swk
923. **Maxates thetydaria (Guenée,[1858])** (Geometridae) Synonym(s): *thetydaria* Guenée,[1858];
bifasciata Walker,[1863] TH IN BD Syl
924. **Maxates waterstradti (L.B.Prout,1933)** (Geometridae) Synonym(s): *waterstradti*
L.B.Prout,1933 TH MY Bor Sbh KBa
925. **Medasina acribomena (L.B.Prout,1928)** (Geometridae) Synonym(s): *acribomena*
L.B.Prout,1928 ID Sum TH
926. **Medasina albidaria (Walker,1866)** (Geometridae) Synonym(s): *albidaria* Walker,1866 IN
CN TH CMa Int
927. **Medasina basistrigaria (Moore,1868)** (Geometridae) Synonym(s): *basistrigaria* Moore,1868
TH CMa Int
928. **Medasina lampasaria (Hampson,1895)** (Geometridae) Synonym(s): *lampasaria*
Hampson,1895 TH CMa Int
929. **Medasina maxima Moore,1888** (Geometridae) Synonym(s): *maxima* Moore,1888 TH CMa
Int Dst IN SI Djl
930. **Medasina missionaria (Wehrli,1941)** (Geometridae) Synonym(s): *missionaria* Wehrli,1941
CN Sz T-T TH CMa Int CDo Pki
931. **Medasina mucidaria (Walker,1866)** (Geometridae) Synonym(s): *mucidaria* Walker,1866
TH CMa Int NP IN SI Djl
932. **Menophra subpilosa (W.Warren,1894)** (Geometridae) Synonym(s): *subpilosa*
W.Warren,1894; *instigata* L.B.Prout,1929 ID Bru Clb Sum PH Pal Luz Mno IN Ass Meg Khs TH CMa Dst
MY Bor Sbh KBa
933. **Menophra translineata (Walker,1869)** (Geometridae) Synonym(s): *translineata* Walker,1869;
nemea Swinhoe,1891 IN Ass Meg Khs TH
934. **Mesaster albidiscata W.Warren,1895** (Geometridae) Synonym(s): *albidiscata* W.Warren,1895
ID Sum Pad TH Ntt Hba
935. **Metabraxas atrogrisea Inoue,1992** (Geometridae) Synonym(s): *atrogrisea* Inoue,1992 TH
CMa Dst Dsk CRa Loe MM Tns IN Djl SI
936. **Metabraxas regularis W.Warren,1893** (Geometridae) Synonym(s): *regularis* W.Warren,1893
IN Nag TH CMa
937. **Metallaxis semiustus (Swinhoe,1894)** (Geometridae) Synonym(s): *semiustus* Swinhoe,1894
IN Ass Meg Khs Cpj TH CMa
938. **Metallolophia devecisi Herbulot,1989** (Geometridae) Synonym(s): *devecisi* Herbulot,1989
MY Cmh ID Sum TH CMa Int
939. **Metallolophia subradiata (W.Warren,1897)** (Geometridae) Synonym(s): *subradiata*
W.Warren,1897 MY Pen TH Bor Swk ID Sum Clb
940. **Metallolophia vitticosta (Walker,1860)** (Geometridae) Synonym(s): *vitticosta* Walker,1860
TH Ntt Hba MY Bor Swk VN ID Sum
941. **Metaperenia ductaria (Walker,1862)** (Geometridae) Synonym(s): *ductaria* Walker,1862 TH
CMa IN
942. **Microcalicha delika (Swinhoe,1902)** (Geometridae) Synonym(s): *delika* Swinhoe,1902 MY
Bor Sbh ID Sum TH Ntt Hba
943. **Micronissa delphinaria Swinhoe,1891** (Geometridae) Synonym(s): *delphinaria* Swinhoe,1891
IN Ass Meg Khs TH CMa
944. **Milionia basalis Walker,1854** (Geometridae) Synonym(s): *basalis* Walker,1854; *latifasciata*
Butler,1881 TH MY ID Sum JP Ri MM Tns IN Bor
945. **Mimochroa angulifascia Moore,1879** (Geometridae) Synonym(s): *angulifascia* Moore,1879
MM Tns TH ID Ja
946. **Mimomiza creuntaria (Moore,1868)** (Geometridae) Synonym(s): *creuntaria* Moore,1868 IN
Ben Meg Ass Khs TH CMa CDo
947. **Mixochlora prasinus (Butler,1879)** (Geometridae) Synonym(s): *prasinus* Butler,1879 IN
Ben TH ID Ja Sum JP Hdo
948. **Monocerotesa locoscripta Holloway,[1994]** (Geometridae) Synonym(s): *locoscripta*
Holloway,[1994] MY Bor Swk TH Ntt Hba

949. **Myrioblephara conifera** (Moore,1888) (Geometridae) Synonym(s): *conifera* Moore,1888
IN SI Djl TH CMA Int
950. **Myrioblephara embolochroma** (L.B.Prout,1927) (Geometridae) Synonym(s):
embolochroma L.B.Prout,1927 MM TH CMA Int
951. **Myrioblephara idaeoides** (Moore,1888) (Geometridae) Synonym(s): *idaeoides* Moore,1888
CN IN SI Djl TH CMA Dst
952. **Myrioblephara irrorata** (Moore,1888) (Geometridae) Synonym(s): *irrorata* Moore,1888
IN SI Djl TH CMA Int
953. **Myrioblephara simplaria** (Swinhoe,1894) (Geometridae) Synonym(s): *simplaria*
Swinhoe,1894 IN Meg Ass Khs TH Loe CMA Dst ID Mlc Crm Ja MY Bor Swk PH Luz PG
954. **Naxa textilis** Walker,1856 (Geometridae) Synonym(s): *textilis* Walker,1856; *cypraria* Guenée,[1858];
hugeli R.Felder & Rogenhofer,1875 BD Syl TH Ch IN NI
955. **Necyopa flatipennata** Walker,1862 (Geometridae) Synonym(s): *flatipennata* Walker,1862;
recticommata Swinhoe,1903 TH Nna Kao Nst MY Bor Swk Sbh ID Sum
956. **Necyopa ioge** L.B.Prout,1932 (Geometridae) Synonym(s): *ioge* L.B.Prout,1932 MY Bor Sbh
TH CMA Int
957. **Neohipparchus vallata** (Butler,1878) (Geometridae) Synonym(s): *vallata* Butler,1878 JP
TH
958. **Nothomiza cinerascens** (Moore,1888) (Geometridae) Synonym(s): *cinerascens* Moore,1888
IN SI Djl TH
959. **Omiza lycoraria** (Guenée,[1858]) (Geometridae) Synonym(s): *lycoraria* Guenée,[1858];
hypopyrata Snellen,1895; *languidata* Swinhoe,1902 TH Ntt Hba ID Sum MY Bor Prk IN
960. **Omiza miliaria** Swinhoe,1890 (Geometridae) Synonym(s): *miliaria* Swinhoe,1890 IN TH ID
Crm
961. **Ophthalmitis basiscripta** Holloway,[1994] (Geometridae) Synonym(s): *basiscripta*
Holloway,[1994] MY Bor Swk TH Ntt Hba
962. **Ophthalmitis clararia** (Walker,1866) (Geometridae) Synonym(s): *clararia* Walker,1866;
fasciata W.Warren,1900 ID Ja MY Pen TH Nst
963. **Ophthalmitis herbidaria** (Guenée,[1858]) (Geometridae) Synonym(s): *herbidaria*
Guenée,[1858]; *pulsaria* Swinhoe,1891 IN Ass Khs TH CMA
964. **Ophthalmitis pertusaria** (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s):
pertusaria R.Felder & Rogenhofer,1875 IN SI Djl TH CMA Int Dst Loe Phe
965. **Ophthalmitis rufilauta** (L.B.Prout,1925) (Geometridae) Synonym(s): *rufilauta* L.B.Prout,1925
TH Ntt Hba MY Bor Swk
966. **Ophthalmitis satoi** Holloway,[1994] (Geometridae) Synonym(s): *satoi* Holloway,[1994] TH
Ntt Hba MY Bor Swk
967. **Ophthalmitis variegata** Holloway,[1994] (Geometridae) Synonym(s): *variegata*
Holloway,[1994] MY Bor Swk TH
968. **Ophthalmitis viridior** Holloway,[1994] (Geometridae) Synonym(s): *viridior* Holloway,[1994];
#virdior Watanasit et al.,2004 TH Ntt Hba MY Bor Swk
969. **Opisthograptis moelleri** W.Warren,1893 (Geometridae) Synonym(s): *moelleri*
W.Warren,1893 TW TH NP IN SI
970. **Ornithospila avicularia** Guenée,[1858] (Geometridae) Synonym(s): *avicularia* Guenée,[1858];
pennisignata Walker,1861 TH Ntt Hba NP ID Sum MY Bor
971. **Ornithospila bipunctata** L.B.Prout,1916 (Geometridae) Synonym(s): *bipunctata*
L.B.Prout,1916 TH Ntt Hba ID Nat Sum MY Pen Bor Clb PH
972. **Ornithospila esmeralda** (Hampson,1895) (Geometridae) Synonym(s): *esmeralda*
Hampson,1895 MM Tns TH CMA Cuo Cuo7 MY Bor
973. **Ornithospila lineata** (Moore,1872) (Geometridae) Synonym(s): *lineata* Moore,1872 LK IN
SI TH CMA Cnz Cz10 Cz11 VN MM ID Sum MY Bor
974. **Ornithospila submonstrans** (Walker,1861) (Geometridae) Synonym(s): *submonstrans*
Walker,1861; *circumflexaria* Snellen,[1886] ID Mlc Bch Ob MY Bor Swk ID Sum TH Ntt Hba
975. **Ornithospila succincta** L.B.Prout,1917 (Geometridae) Synonym(s): *succincta* L.B.Prout,1917
TH Ntt Hba MY Pen Bor ID Sum PH PG
976. **Orothalassodes hypocrites** (L.B.Prout,1912) (Geometridae) Synonym(s): *hypocrites*
L.B.Prout,1912 MY SG TH
977. **Orothalassodes retaka** Holloway,1996 (Geometridae) Synonym(s): *retaka* Holloway,1996
TH Ntt Hba MY Bor BN
978. **Orthocabera ocernaria** (Swinhoe,1893) (Geometridae) Synonym(s): *ocernaria* Swinhoe,1893;
conspicua W.Warren,1897; *eumytha* L.B.Prout,1928 IN Ass Meg Khs TH ID Clb
979. **Orthorisma netunaria** (Guenée,[1858]) (Geometridae) Synonym(s): *netunaria* Guenée,[1858];
crassistriga W.Warren,1896; *unicolor* W.Warren,1899 MY Bor ID Nat TH Ntt Hba
980. **Ourapteryx astrigera** Inoue,1993 (Geometridae) Synonym(s): *astrigera* Inoue,1993 TH CMA
Int

981. **Ourapteryx clara** Butler,1880 (Geometridae) Synonym(s): *clara* Butler,1880 **TW BT IN TH**
Nna Kao CMa Dst CRa
982. **Ourapteryx claretta** Holloway,1982 (Geometridae) Synonym(s): *claretta* Holloway,1982 **MY**
TH
983. **Ourapteryx consociata** Inoue,1993 (Geometridae) Synonym(s): *consociata* Inoue,1993 **SI IN**
Ben NP TH CMa Int
984. **Ourapteryx contronivea** Inoue,1993 (Geometridae) Synonym(s): *contronivea* Inoue,1993 **IN**
SI Djl TH CMa Loe
985. **Ourapteryx diminuta** Inoue,1993 (Geometridae) Synonym(s): *diminuta* Inoue,1993 **TH CMa**
Dst CDo Pki Int VN
986. **Ourapteryx fulvinervis** W.Warren,1894 (Geometridae) Synonym(s): *fulvinervis*
W.Warren,1894 **ID Sum TH Nan**
987. **Ourapteryx karsholti** Inoue,1993 (Geometridae) Synonym(s): *karsholti* Inoue,1993 **TH Loe**
988. **Ourapteryx margaritata** Moore,1868 (Geometridae) Synonym(s): *margaritata* Moore,1868
IN Ben TH CMa Int Nan
989. **Ourapteryx nivea** Butler,1883 (Geometridae) Synonym(s): *nivea* Butler,1883 **JP TH**
990. **Ourapteryx pallidula** Inoue,1985 (Geometridae) Synonym(s): *pallidula* Inoue,1985 **TW CN**
IN TH
991. **Ourapteryx picticaudata** Walker,1860 (Geometridae) Synonym(s): *picticaudata* Walker,1860
MY Bor Swk TH Nna Kao Nan CMa Dst
992. **Ourapteryx podaliriata** Guenée,[1858] (Geometridae) Synonym(s): *podaliriata* Guenée,[1858]
IN Ben Ch TH Ntt Hba
993. **Ourapteryx primularis** Butler,1886 (Geometridae) Synonym(s): *primularis* Butler,1886 **IN**
SI NP TH
994. **Ourapteryx sciticaudaria** Walker,1862 (Geometridae) Synonym(s): *sciticaudaria* Walker,1862
CN TW IN NP TH CMa Int BT
995. **Ourapteryx stueningi** Inoue,1993 (Geometridae) Synonym(s): *stueningi* Inoue,1993 **TH CMa**
Int
996. **Ozola basisparsata** (Walker,[1863]) (Geometridae) Synonym(s): *basisparsata* Walker,[1863]
MY Bor Swk TH
997. **Ozola edui** Sommerer,1995 (Geometridae) Synonym(s): *edui* Sommerer,1995 **TH Ntt Hba ID**
Sum
998. **Ozola falcipennis** (Moore,1888) (Geometridae) Synonym(s): *falcipennis* Moore,1888 **IN SI**
Djl TH MY Bor Sbh KBa
999. **Ozola hollowayi** Scoble & Sommerer,1988 (Geometridae) Synonym(s): *hollowayi* Scoble &
Sommerer,1988 **TH Ntt Hba ID Sum Nia MY Bor Clb PH Ja Mlc PG Bsm AU QAU**
1000. **Ozola sinuicosta** L.B.Prout,1910 (Geometridae) Synonym(s): *sinuicosta* L.B.Prout,1910 **IN SI**
Ass Meg Khs TH
1001. **Ozola turlini** Herbulot,1985 (Geometridae) Synonym(s): *turlini* Herbulot,1985 **TH Ntt Hba**
PH Pal ID Clb MY Bor
1002. **Pachyodes harutai** Yazaki,1992 (Geometridae) Synonym(s): *harutai* Yazaki,1992 **NP TH**
CMa Int
1003. **Palpoctenidia phoenicosoma** (Swinhoe,1895) (Geometridae) Synonym(s): *phoenicosoma*
Swinhoe,1895 **IN Meg Cpj TH CMa JP**
1004. **Paracalicha prasinaria** Sato,1992 (Geometridae) Synonym(s): *prasinaria* Sato,1992 **TH**
CMa Int
1005. **Paramaxates khasiana** (W.Warren,1894) (Geometridae) Synonym(s): *khasiana*
W.Warren,1894; *minuscula* Yazaki,1988 **IN Ass Meg Khs TH CMa Dst**
1006. **Paramaxates posterecta** Holloway,1976 (Geometridae) Synonym(s): *posterecta* Holloway,1976
MY Bor Sbh KBa TH
1007. **Paramaxates spinivesica** Holloway,1996 (Geometridae) Synonym(s): *spinivesica*
Holloway,1996 **TH Ntt Hba MY Bor Sbh KBa**
1008. **Paramaxates taiwana** Yazaki,1988 (Geometridae) Synonym(s): *taiwana* Yazaki,1988 **TW**
TH
1009. **Paraperenia chionoepela** Inoue,1992 (Geometridae) Synonym(s): *chionoepela* Inoue,1992
TH CMa Int Dst
1010. **Parasynergia fortilineata** Holloway,[1994] (Geometridae) Synonym(s): *fortilineata*
Holloway,[1994] **TH Ntt Hba MY Bor Swk**
1011. **Parasynergia pluristriaria** (Walker,[1863]) (Geometridae) Synonym(s): *pluristriaria*
Walker,[1863] **TH IN**
1012. **Parectropis siamensis** Sato,1996 (Geometridae) Synonym(s): *siamensis* Sato,1996 **TH CMa**
CDo Pki

- 1013. Pareumelea eugeniata (Guenée,[1858])** (Geometridae) Synonym(s): *fimbriata* Stoll,[1782] nec Schr.,1759; *eugeniata* Guenée,[1858]; *flagrata* R.Felder & Rogenhofer,1875 **TH Ntt Hba SG MY ID Crm Amb**
- 1014. Pareumelea hortensiata (Guenée,[1858])** (Geometridae) Synonym(s): *hortensiata* Guenée,[1858]; *fervidaria* Walker,1866; *marginipennis* Butler,1879 **MY SG ID Sum TH Sip Clb**
- 1015. Pelagodes falsaria (L.B.Prout,1912)** (Geometridae) Synonym(s): *falsaria* L.B.Prout,1912; *griseifimbria* L.B.Prout,1937 **IN Meg Ass Khs ID Bli TH Nrt CMa Pbu**
- 1016. Pelagodes tridens Holloway,1996** (Geometridae) Synonym(s): *tridens* Holloway,1996 **TH Ntt Hba MY Bor Sbh**
- 1017. Peratophyga beta Holloway,[1994]** (Geometridae) Synonym(s): *beta* Holloway,[1994] **TH Ntt Hba MY Bor Swk**
- 1018. Peratophyga flavomaculata Swinhoe,1902** (Geometridae) Synonym(s): *flavomaculata* Swinhoe,1902 **ID Bor Klt TH CMa Cmz Cz10 Cuo Cuo1** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.5 [adult]).
- 1019. Peratophyga hypsidesma Holloway,[1994]** (Geometridae) Synonym(s): *hypsidesma* Holloway,[1994] **TH Ntt Hba MY Bor Swk**
- 1020. Peratophyga spilodesma L.B.Prout,1934** (Geometridae) Synonym(s): *spilodesma* L.B.Prout,1934 **TH MY Bor Swk**
- 1021. Peratophyga venetia Swinhoe,1902** (Geometridae) Synonym(s): *venetia* Swinhoe,1902 **MY Prk Bor Swk SG TH CMa CDo**
- 1022. Perixera contrariata (Walker,1861)** (Geometridae) Synonym(s): *contrariata* Walker,1861; *variospila* W.Warren,1901; *falsareolaria* Oberthür,1916 **IN Ass Adm TH TW CN HK MY Bor Swk**
- 1023. Perixera decretaria (Walker,1861)** (Geometridae) Synonym(s): *decretaria* Walker,1861; *privata* Walker,1861 **TH Ntt Hba MY Bor Swk**
- 1024. Perixera monetaria (Guenée,[1858])** (Geometridae) Synonym(s): *monetaria* Guenée,[1858]; *areolaria* Guenée,[1858]; *argentspila* W.Warren,1893; *hyperythra* Swinhoe,1894; *pleniluna* W.Warren,1897 **LK IN Ass Meg Khs Cpj Nag MY Bor Pen PG AU SB FJ TH**
- 1025. Perixera nesidica (L.B.Prout,1931)** (Geometridae) Synonym(s): *nesidica* L.B.Prout,1931 **ID Mw Sbt TH**
- 1026. Perixera ochraria (Swinhoe,1902)** (Geometridae) Synonym(s): *ochraria* Swinhoe,1902 **TH Ntt Hba MY SG**
- 1027. Perixera ochreofusa Holloway,1997** (Geometridae) Synonym(s): *ochreofusa* Holloway,1997 **TH Ntt Hba MY Bor Swk**
- 1028. Petelia delostigma L.B.Prout,1932** (Geometridae) Synonym(s): *delostigma* L.B.Prout,1932 **TH Ntt Hba MY Bor**
- 1029. Petelia medardaria (Herrich-Schäffer,[1856])** (Geometridae) Synonym(s): *medardaria* Herrich-Schäffer,[1856]; *chacoraca* Walker,1860; *chandubija* Walker,1860 **LK TH Ntt Hba**
- 1030. Petelia paroobathra L.B.Prout,1932** (Geometridae) Synonym(s): *paroobathra* L.B.Prout,1932 **TH Ntt Hba MY Bor Sbh KBa**
- 1031. Petelia tuhana Holloway,1976** (Geometridae) Synonym(s): *tuhana* Holloway,1976 **TH Ntt Hba MY Bor Sbh**
- 1032. Pholodes fuliginea (Hampson,1891)** (Geometridae) Synonym(s): *fuliginea* Hampson,1891; *atrifasciata* W.Warren,1893; *indigna* W.Warren,1899 **IN SI NI MY Pen TH CMa**
- 1033. Phthonandria atrilineata (Butler,1881)** (Geometridae) Synonym(s): *atrilineata* Butler,1881; *brunnearia* Herz,1905; *emarioides* Wehrli,1941; *epistygna* Wehrli,1941 **IN SI Djl KP KR JP CN TW TH**
- 1034. Pingasa chlora (Stoll,[1782])** (Geometridae) Synonym(s): *chlora* Stoll,[1782]; *ecchloraria* Hübner,[1823]; *chloraria* Guenée,[1858]; *paulinaria* Pagenstecher,1885; *latifascia* W.Warren,1894 **ID Amb Mw Nia Clb TH Knc Cbu Pbu AU**
- 1035. Pingasa lariaria (Walker,1860)** (Geometridae) Synonym(s): *lariaria* Walker,1860; *irrorataria* Moore,1868 **TH MY Bor Swk IN Ben**
- 1036. Pingasa rubicunda W.Warren,1894** (Geometridae) Synonym(s): *rubicunda* W.Warren,1894 **IN Khs Meg Ass TH**
- 1037. Pingasa rubimontana Holloway & Sommerer,1984** (Geometridae) Synonym(s): *rubimontana* Holloway & Sommerer,1984 **TH Ntt Hba ID Sum**
- 1038. Pingasa ruginaria (Guenée,[1858])** (Geometridae) Synonym(s): *ruginaria* Guenée,[1858]; *nyctemerata* Walker,1860; *perfectaria* Walker,1860 **ZA ZA04 ZA05 Ksi Kzu Nta Dbn Mal Tva Lpo IN Adm UG SL JP Ri TH Ntt Hba**
- 1039. Pingasa subviridis W.Warren,1896** (Geometridae) Synonym(s): *subviridis* W.Warren,1896 **TH IN Ass**
- 1040. Platycerota vitticostoides Holloway,[1994]** (Geometridae) Synonym(s): *vitticostoides* Holloway,[1994] **TH MY Bor Swk**
- 1041. Plutodes costatus (Butler,1886)** (Geometridae) Synonym(s): *costatus* Butler,1886; *triangularis* W.Warren,1893 **IN SI Djl Nag Ass TH CMa Dst Dso8**
- 1042. Plutodes cyclaria Guenée,[1858]** (Geometridae) Synonym(s): *cyclaria* Guenée,[1858] **TH Ntt Hba MY Bor Swk**

1043. **Plutodes evaginata** Holloway,[1994] (Geometridae) Synonym(s): *evaginata* Holloway,[1994]
TH Ntt Hba MY Bor Swk
1044. **Plutodes exquisita** Butler,1880 (Geometridae) Synonym(s): *exquisita* Butler,1880 TH CMa
IN SI Djl
1045. **Plutodes flavescens** Butler,1880 (Geometridae) Synonym(s): *flavescens* Butler,1880 TH CMa
IN
1046. **Plutodes malaysiana** Holloway,1982 (Geometridae) Synonym(s): *malaysiana* Holloway,1982
MY TH Ntt Hba
1047. **Plutodes transmutata** Walker,1861 (Geometridae) Synonym(s): *transmutata* Walker,1861;
gavisata Walker,[1863] IN TH CMa
1048. **Pogonopygia pavid**a (Bastelberger,1911) (Geometridae) Synonym(s): *pavida*
Bastelberger,1911 JP Ri TW TH MY Bor Sbh ID Sum
1049. **Polynesia curtibia** L.B.Prout,1922 (Geometridae) Synonym(s): *curtibia* L.B.Prout,1922 IN
Meg Ass Khs TH MY Bor Sbh
1050. **Polyscia viridis**purca L.B.Prout,1927 (Geometridae) Synonym(s): *viridis*purca L.B.Prout,1927
MY Bor Swk TH
1051. **Probithia exclus**a (Walker,1860) (Geometridae) Synonym(s): *exclusa* Walker,1860; *praetereuns*
Walker,1860; *frenata* R.Felder & Rogenhofer,[1875]; *lignaria* Walker,1866 TH Ntt Hba ID Mlc Ja LK IN
1052. **Probithia imprim**ata (Walker,1861) (Geometridae) Synonym(s): *imprimata* Walker,1861
MY Bor Swk TH
1053. **Problepsis apollin**aria (Guenée,[1858]) (Geometridae) Synonym(s): *apollinaria* Guenée,[1858]
MY Bor PG Bsm IN ID Kai PH Luz TH
1054. **Problepsis delphi**aria (Guenée,[1858]) (Geometridae) Synonym(s): *delphiaria* Guenée,[1858]
MY SG Pen IN MM TH ID Sum Bor
1055. **Problepsis vulgar**is Butler,1889 (Geometridae) Synonym(s): *vulgaris* Butler,1889; *attenuata*
W.Warren,1909 IN Hp Kgr TH
1056. **Prochasma albimon**ilis L.B.Prout,1927 (Geometridae) Synonym(s): *albimonilis* L.B.Prout,1927
MM Hta TH CMa CDo Pki
1057. **Prochasma dentil**inea (W.Warren,1893) (Geometridae) Synonym(s): *dentilinea*
W.Warren,1893; *squalida* Wileman,1915 TH CMa CDo Pki IN SI Ass Nag TW
1058. **Protulio**cnemis *biplagiata* (Moore,[1887]) (Geometridae) Synonym(s): *biplagiata*
Moore,[1887] LK TH Ntt Hba NC PG Bsm ID Mlc Crm
1059. **Protulio**cnemis *partita* (Walker,1861) (Geometridae) Synonym(s): *partita* Walker,1861;
felicitata Walker,1861; *concisiplaga* Walker,1861; *calliptera* Meyrick,1889; *doddaria* Oberthür,1916 TH AU QAu Kda
MY Bor Swk BN PG PMo
1060. **Pseudalcis ciner**ascens W.Warren,1897 (Geometridae) Synonym(s): *cinerascens*
W.Warren,1897 ID Bor Klt TH
1061. **Pseudalcis trispin**aria (Walker,1860) (Geometridae) Synonym(s): *trispinaria* Walker,1860
IN TH CMa Dst Int
1062. **Pseudobiston pin**ratanai Inoue,1994 (Geometridae) Synonym(s): *pinratanai* Inoue,1994
TH CMa Int
1063. **Pseudomiza obli**quaria (Leech,1897) (Geometridae) Synonym(s): *obliquaria* Leech,1897 CN
TH
1064. **Pseudomiza unifo**rmis Inoue,1992 (Geometridae) Synonym(s): *uniformis* Inoue,1992 TH
CMa Int
1065. **Psilalcis bisinu**ata (Hampson,1895) (Geometridae) Synonym(s): *bisinuata* Hampson,1895
IN SI TH Nna Kao CMa Int MY Cmh ID Sum
1066. **Psilalcis breta** (Swinhoe,1890) (Geometridae) Synonym(s): *breta* Swinhoe,1890 IN NI JP
TW TH CMa Cuo2 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.9 [adult]).
1067. **Psilalcis dignam**pta (L.B.Prout,1927) (Geometridae) Synonym(s): *dignampta* L.B.Prout,1927
MM Hta TH Loc VN Ton Tda
1068. **Psilalcis interme**dia W.Warren,1899 (Geometridae) Synonym(s): *intermedia* W.Warren,1899
ID Ja Sum TH CMa Fn Knc
1069. **Psilalcis parace**ptaria Sato,1996 (Geometridae) Synonym(s): *paraceptaria* Sato,1996 TH Nst
CMa Int
1070. **Psilalcis postoch**rea Sato,1996 (Geometridae) Synonym(s): *postochrea* Sato,1996 TH Nna
Kao CMa Dst NP
1071. **Psyra cune**ata Walker,1860 (Geometridae) Synonym(s): *cuneata* Walker,1860; *dsagara* Wehrli,1953;
lidjangica Wehrli,1953; *szetschwana* Wehrli,1953 IN TW CN Ti Sz Yu Lik TH CMa Int
1072. **Rhodom**etra *sacraria* (Linnaeus,1767) (Geometridae) Synonym(s): *sacraria* Linnaeus,1767;
labda Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistl,1856; *labdaria*
Guenée,[1858]; MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU
AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU

MD UA BY AF Ca PK Bl Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN Cn
Md Az IN AZ Nv AM IR Cm

1073. **Rhombocentra semipurpurea** (W.Warren,1897) (Geometridae) **Synonym(s):** *semipurpurea* W.Warren,1897 **BD Cta TH Ntt Hba**
1074. **Rhynchobapta eburnivea** (W.Warren,1896) (Geometridae) **Synonym(s):** *eburnivea* W.Warren,1896; *albovenaria* Leech,1897 **IN Ass Meg Khs TH JP**
1075. **Rikiosatoa euphiles** (L.B.Prout,1916) (Geometridae) **Synonym(s):** *euphiles* L.B.Prout,1916 **CN Ti TH CMA Int Dst MM Hta**
1076. **Rikiosatoa fucatariodes** Sato,1992 (Geometridae) **Synonym(s):** *fucatariodes* Sato,1992 **TH Pht**
1077. **Ruttellerona pallicostaria** (Moore,1868) (Geometridae) **Synonym(s):** *pallicostaria* Moore,1868 **IN Ben TH Ntt Hba CMA Cuo Cuo1 Fn Nna Kao Cbi Knc Nst**
1078. **Sarcinodes carnearius** Guenée,[1858] (Geometridae) **Synonym(s):** *carnearia* Guenée,[1858] **TH CMA CDo IN**
1079. **Sarcinodes debitarius** (Walker,[1863]) (Geometridae) **Synonym(s):** *debitaria* Walker,[1863] **IN SI Djl TH CMA CDo**
1080. **Sarcinodes fortis** Yazaki,1988 (Geometridae) **Synonym(s):** *fortis* Yazaki,1988 **TH Loe**
1081. **Sarcinodes sumatrarius** (Walker,1866) (Geometridae) **Synonym(s):** *sumatraria* Walker,1866 **ID Sum MY Bor TH PH Pal**
1082. **Sarcinodes vultuarius** Guenée,[1858] (Geometridae) **Synonym(s):** *vultuaria* Guenée,[1858]; *bilineata* Moore,1868; *punctata* W.Warren,1894 **IN MY Bor ID Clb Sum TH**
1083. **Sarcinodes yazakii** Inoue,1992 (Geometridae) **Synonym(s):** *yazakii* Inoue,1992 **TH CMA Dst Int**
1084. **Sauris fuscomarginata** Hashimoto,1995 (Geometridae) **Synonym(s):** *fuscomarginata* Hashimoto,1995 **TH CMA Dst**
1085. **Scopula haematophaga** Bänziger & D.S.Fletcher,1985 (Geometridae) **Synonym(s):** *haematophaga* Bänziger & D.S.Fletcher,1985 **TH CMA CDo CN Yu MY Prk ID Sum**
1086. **Scopula lacriphaga** Bänziger & D.S.Fletcher,1985 (Geometridae) **Synonym(s):** *lacriphaga* Bänziger & D.S.Fletcher,1985 **TH CMA CDo Dst Dsk CN Yu**
1087. **Scopula malayana** Bänziger & D.S.Fletcher,1985 (Geometridae) **Synonym(s):** *malayana* Bänziger & D.S.Fletcher,1985 **MY Prk TH CMA**
1088. **Scopula mecysma** (Swinhoe,1894) (Geometridae) **Synonym(s):** *mecysma* Swinhoe,1894 **IN Ass Meg Cpj CN TW TH ID Ja Bli PG**
1089. **Scopula rufistigma** (W.Warren,1895) (Geometridae) **Synonym(s):** *rufistigma* W.Warren,1895 **CN IN Meg Ass Khs TH CMA CDo MY VN Ton** (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 fig.14 [adult]).
1090. **Scopula vacuata** (Guenée,1858) (Geometridae) **Synonym(s):** *vacuata* Guenée,1858 **TH**
1091. **Shangrilana paradisea** Inoue,1994 (Geometridae) **Synonym(s):** *paradisea* Inoue,1994 **TH CMA Int**
1092. **Somatina anthophilata** Guenée,[1858] (Geometridae) **Synonym(s):** *anthophilata* Guenée,[1858] **TH CMA CDo IN Bba** (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 fig.15 [adult]).
1093. **Somatina dentifasciaria** Inoue,1992 (Geometridae) **Synonym(s):** *dentifasciaria* Inoue,1992 **TH CMA Dst MM Tns Krh**
1094. **Spaniocentra hollowayi** Inoue,1986 (Geometridae) **Synonym(s):** *hollowayi* Inoue,1986 **JP TH CMA**
1095. **Spaniocentra lobata** Holloway,1982 (Geometridae) **Synonym(s):** *lobata* Holloway,1982 **ID Bor Klt TH Ntt Hba**
1096. **Spaniocentra megaspilaria** (Guenée,[1858]) (Geometridae) **Synonym(s):** *megaspilaria* Guenée,[1858]; *uniplaga* Walker,1861 **MY Bor Swk TH Ntt Hba**
1097. **Sundagrapha tenebrosa** (Swinhoe,1902) (Geometridae) **Synonym(s):** *tenebrosa* Swinhoe,1902 **MY SG TH**
1098. **Synegia eumeleata** (Walker,1861) (Geometridae) **Synonym(s):** *eumeleata* Walker,1861; *secunda* Swinhoe,1909; *tertia* West,1929 **MY Bor Swk ID Sum TH TW**
1099. **Synegiodes diffusifascia** Swinhoe,1892 (Geometridae) **Synonym(s):** *diffusifascia* Swinhoe,1892 **MM TH MY Bor**
1100. **Tanaorhinus kina** Swinhoe,1893 (Geometridae) **Synonym(s):** *kina* Swinhoe,1893 **TH CMA IN Meg Ass Khs SI TW**
1101. **Tanaorhinus malayanus** Inoue,1992 (Geometridae) **Synonym(s):** *malayanus* Inoue,1992 **MY Cmh TH**
1102. **Tanaorhinus rafflesii** (Moore,[1860]) (Geometridae) **Synonym(s):** *rafflesii* Moore,[1860]; *luteoviridata* Walker,1861; *subignita* Walker,1861; *basaliata* Walker,1866; *#rafflesii* Hutacharern & Tubtim,1995 **MY SG Bor Swk ID Sum Ja MM TH CMA Dst Dso8 Ntt Hba**
1103. **Tanaorhinus viridiluteata** (Walker,1861) (Geometridae) **Synonym(s):** *viridiluteata* Walker,1861 **CN TW MY Bor ID Sum TH CMA CDo IN SI Djl**

1104. **Tasta micaceata** Walker,[1863] (Geometridae) Synonym(s): *micaceata* Walker,[1863]; *iridis* Butler,1880 **MY Bor Swk TH ID Sum**
1105. **Telletrurona amnicosta** Sato,1996 (Geometridae) Synonym(s): *amnicosta* Sato,1996 **IN Mpr TH CMa Dst VN**
1106. **Thalassodes dissitoides** Holloway,1996 (Geometridae) Synonym(s): *dissitoides* Holloway,1996 **TH Ntt Hba MY Bor Swk**
1107. **Thalassodes immistaria** Walker,1861 (Geometridae) Synonym(s): *immistaria* Walker,1861 **LK IN Djl SI TH JP**
1108. **Thalassodes maipoensis** Galsworthy,1997 (Geometridae) Synonym(s): *maipoensis* Galsworthy,1997 **CN HK TH CMa**
1109. **Thalassodes quadraria** Guenée,[1858] (Geometridae) Synonym(s): *quadraria* Guenée,[1858]; *digressa* Walker,1861; *ricinaria* Guenée,1862; *aequaria* Mabilie,1898; *chlorinaria* Mabilie,1898; *subreticulata* Mabilie,1900; *sapoliaria* Swinhoe,1904, #*quadrasis* Hutacharern & Tubtim,1995 **ZA Ktz ZA04 ZA05 ZA06 ZA07 ZA08 Ksi ZA14 Mal Tva Lpo Spb Mdk ZA16 Mpu ZA18 Ec Nta ZA25 Kzu Umk Dbn Srn KM MG SA As RE MU TH**
1110. **Thinopteryx crocoptera** (Kollar,[1844]) (Geometridae) Synonym(s): *crocoptera* Kollar,[1844]; *crocoptera* Guenée,[1858]; *erythrosticta* Wehrli,1939 **KP KR JP ID Sum IN SI Ass Mus CN Yu TH CMa**
1111. **Timandromorpha energes** (L.B.Prout,1933) (Geometridae) Synonym(s): *energes* L.B.Prout,1933 **MY Bor ID Sum TH CMa CDo**
1112. **Traminda aventiaria** (Guenée,[1858]) (Geometridae) Synonym(s): *aventiaria* Guenée,[1858]; *molybdias* Meyrick,1889. **IN LK MM MY TH CMa CDo CD2 VN Bor PG PMo AU GU (Fig.11)**



Fig.11 - *Traminda aventiaria* (Geometridae) at night, Thailand, Chiang Dao 465m. 13 11 2006, M.Kemal (Cesa)

1113. **Traminda mundissima** (Walker,1861) (Geometridae) Synonym(s): *mundissima* Walker,1861; *diatomata* Walker,[1863]; *semicompleta* Walker,[1863]; *burmana* Swinhoe,1890; *malacopis* Lower,1902 **BH AE OM SA PG PMo ID Sba Sbw Bli AU NC MM Rgo TH CMa Cuo Cuo5 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.8 [adult]).**
1114. **Trichopterigia atrofasciata** Hashimoto,1995 (Geometridae) Synonym(s): *atrofasciata* Hashimoto,1995 **TH CMa CDo Pki**

1115. **Trichopterigia decorata (Moore,1888)** (Geometridae) Synonym(s): *decorata* Moore,1888
IN SI Djl TH
1116. **Trichopterigia minuta Inoue,1992** (Geometridae) Synonym(s): *minuta* Inoue,1992 TH CMa Dst
1117. **Trichopterigia sanguinipunctata (W.Warren,1893)** (Geometridae) Synonym(s): *sanguinipunctata* W.Warren,1893; *pulcherrima* Swinhoe,1893; *exsanguis* L.B.Prout,1958 IN SI Ass Khs Meg NP MM PH Luz TH CMa CDo Pki TW
1118. **Trichopterigia viridilineata Hashimoto,1995** (Geometridae) Synonym(s): *viridilineata* Hashimoto,1995 TH CMa Int
1119. **Uliura combustaria (Walker,1866)** (Geometridae) Synonym(s): *combustaria* Walker,1866
IN TH CMa Int
1120. **Uliura dierli Stüning,2000** (Geometridae) Synonym(s): *dierli* Stüning,2000 TH CMa Int NP
1121. **Uliura gratiosa Sato,1995** (Geometridae) Synonym(s): *gratiosa* Sato,1995 NP TH CMa Int
1122. **Uliura kurokoi Sato,1995** (Geometridae) Synonym(s): *kurokoi* Sato,1995 TH CMa Int Dst IN Ass Nag
1123. **Vindusara moorei (Thierry-Mieg,1899)** (Geometridae) Synonym(s): *moorei* Thierry-Mieg,1899 IN TH CMa (2007, Cent. ent. Stud., Memoirs 3/4: pl.48 figs.10 [adult]).
1124. **Xandrames albofasciata Moore,1868** (Geometridae) Synonym(s): *albofasciata* Moore,1868
IN SI Djl CN Sz T-T Ti TH CMa Int
1125. **Xandrames dholaria Moore,1868** (Geometridae) Synonym(s): *dholaria* Moore,1868; *sericea* Butler,1881 TH CMa IN SI Djl JP
1126. **Xandrames latiferaria (Walker,1860)** (Geometridae) Synonym(s): *latiferaria* Walker,1860; *cnecozone* L.B.Prout,1926 MY Bor Sbh KBa TH Nna Kao Chy IN Ass Meg Khs ID Ja JP
1127. **Xandrames xanthos Sato,1996** (Geometridae) Synonym(s): *xanthos* Sato,1996 TH CMa Int VN Ton Fan
1128. **Xenoplia foraria (Guenée,[1858])** (Geometridae) Synonym(s): *foraria* Guenée,[1858]; *submissa* W.Warren,1893 ID Sum TH IN SI
1129. **Xerodes ypsaria Guenée,[1858]** (Geometridae) Synonym(s): *ypsaria* Guenée,[1858]; *testacearia* Moore,1868 IN SI Djl MY Bor TH CMa
1130. **Xylinophylla hypocausta (W.Warren,1899)** (Geometridae) Synonym(s): *hypocausta* W.Warren,1899 MY Pen TH Ntt Hba
1131. **Yashmakia orsinephes (L.B.Prout,1928)** (Geometridae) Synonym(s): *orsinephes* L.B.Prout,1928 TH Ntt Hba ID Sum
1132. **Zamarada eogenaria (Snellen,1881)** (Geometridae) Synonym(s): *eogenaria* Snellen,1881
MM Slo Tns Nag Mpr IN Meg Ass Khs ID Clb Bor Ja Sum SG MY TH Ntt Hba
1133. **Zanclomenophra subusta (W.Warren,1901)** (Geometridae) Synonym(s): *subusta* W.Warren,1901 TH Nna Kao
1134. **Zanclopera falcata W.Warren,1894** (Geometridae) Synonym(s): *falcata* W.Warren,1894; *calidata* W.Warren,1905 IN Ass Meg Khs TH CN Hn
1135. **Zeheba aureata Moore,[1887]** (Geometridae) Synonym(s): *aureata* Moore,[1887] IN SI Djl TH CMa
1136. **Zeheba lucidata (Walker,[1863])** (Geometridae) Synonym(s): *lucidata* Walker,[1863] MY Bor Swk TH
1137. **Zythos oblitterata (W.Warren,1897)** (Geometridae) Synonym(s): *oblitterata* W.Warren,1897; *simplaria* Snellen,1899 TH Ntt Hba MY Bor ID Sum Ja
1138. **Zythos strigata (W.Warren,1896)** (Geometridae) Synonym(s): *strigata* W.Warren,1896 TH Ntt Hba MY Bor ID Bli
1139. **Zythos turbata (Walker,1862)** (Geometridae) Synonym(s): *turbata* Walker,1862; *strigularia* Snellen,1886 TH Ntt Hba MY Bor Swk ID Sum
1140. **Chrysocentris ditiorana (Walker,1863)** (Glyphipterygidae) Synonym(s): *ditiorana* Walker,1863 MY Bor ID Ja MU ZA CN Tkg Yu IN LK TH JP
1141. **Electrographa argentifasciata (Arita,1985)** (Glyphipterygidae) Synonym(s): *argentifasciata* Arita,1985 TH
1142. **Electrographa moriutii (Arita,1987)** (Glyphipterygidae) Synonym(s): *moriutii* Arita,1987 TH Nna Kao
1143. **Glyphipterix antidoxa Meyrick,1909** (Glyphipterygidae) Synonym(s): *antidoxa* Meyrick,1909 TH IN LK CN HK
1144. **Glyphipterix argyromis Meyrick,1907** (Glyphipterygidae) Synonym(s): *argyromis* Meyrick,1907 TH IN LK MY Bor BN ?FJ



Fig.12 – *Zamarada* aff. *excisa* (Geometridae) at night, Thailand Chiang Dao 465m 13 11 2006, M. Kemal (Cesa).

1145. **Acrocercops diatonica** Meyrick,1916 (Gracillariidae) Synonym(s): *diatonica* Meyrick,1916
PK IN TH MY PG NBr
1146. **Acrocercops eugeniella** (Van Deventer,1904) (Gracillariidae) Synonym(s): *eugeniella* Van Deventer,1904 ID Ja TH
1147. **Acrocercops symbolopsis** Meyrick,1936 (Gracillariidae) Synonym(s): *symbolopsis* Meyrick,1936
IN TH
1148. **Acrocercops zygonoma** Meyrick,1921 (Gracillariidae) Synonym(s): *zygonoma* Meyrick,1921
IN Bi Pus TH
1149. **Aristaea bathracma** (Meyrick,1912) (Gracillariidae) Synonym(s): *bathracma* Meyrick,1912;
asteris Kumata,1977 ZA Tva Gau Pre Mpu Brb ZA14 Nta Kzu Esw MZ Mag CN TH JP
1150. **Artifodina kurokoi** Kumata,1995 (Gracillariidae) Synonym(s): *kurokoi* Kumata,1995 TH
CMA Int
1151. **Artifodina siamensis** Kumata,1995 (Gracillariidae) Synonym(s): *siamensis* Kumata,1995 TH
CMA Int
1152. **Caloptilia (Phylloptilia) syrphetias** (Meyrick,1907) (Gracillariidae) Synonym(s):
syrphetias Meyrick,1907; *zopherotarsa* Meyrick,1936; *perseella* Kumata,1982 CN Sz JP IN Ass Slo LK Bor BN Clb
MY Pah TH Uth
1153. **Caloptilia (Povolnya) jelita** Yuan & G.S.Robinson,1993 (Gracillariidae) Synonym(s):
jelita Yuan & G.S.Robinson,1993 IN NP CN TH MY Cmh Pah ID Clb
1154. **Caloptilia (s.str.) ariana** (Meyrick,1914) (Gracillariidae) Synonym(s): *ariana* Meyrick,1914;
heliciae Kumata,1966 LK IN Ass Meg Khs ID Clb Ri JP Bor Sbh KBa TH Nna Kao
1155. **Caloptilia (s.str.) aurifasciata** Kumata,1982 (Gracillariidae) Synonym(s): *aurifasciata*
Kumata,1982 JP CN HK MY TH CMA Dst Nna Kao
1156. **Caloptilia (s.str.) dogmatica** (Meyrick,1908) (Gracillariidae) Synonym(s): *dogmatica*
Meyrick,1908 LK TH Knc
1157. **Caloptilia (s.str.) flavida** Liu & Yuan,1990 (Gracillariidae) Synonym(s): *flavida* Liu &
Yuan,1990 CN Sz Hun TH Nna Kao
1158. **Caloptilia (s.str.) hemiconis** (Meyrick,1894) (Gracillariidae) Synonym(s): *hemiconis*
Meyrick,1894; *raptocrossa* Meyrick,1932 MM Kni TH ID Bli Ja

- 1159. Caloptilia (s.str.) iselaea (Meyrick,1914)** (Gracillariidae) Synonym(s): *iselaea* Meyrick,1914; *hapalocharis* Meyrick,1935 **LK TH Bor BN ID Ja Clb MY FJ**
- 1160. Caloptilia (s.str.) nomurai Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *nomurai* Yuan & G.S.Robinson,1993 **MY Bor BN TH Nna Kao VN**
- 1161. Caloptilia (s.str.) prottiella (Van Deventer,1904)** (Gracillariidae) Synonym(s): *prottiella* Van Deventer,1904; *corollata* Meyrick,1933; *elongata* Kumata,1982 **JP IN ID Ja MY TH**
- 1162. Caloptilia (s.str.) tangkai Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *tangkai* Yuan & G.S.Robinson,1993 **TH CMa**
- 1163. Caloptilia (s.str.) theivora Walsingham,1891** (Gracillariidae) Synonym(s): *theivora* Walsingham,1891 **IN LK CN TH Nna Kao MY Bor Cmh Pah BN JP KP KR ID TW VN**
- 1164. Caloptilia (Timodora) acinata Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *acinata* Yuan & G.S.Robinson,1993 **IN Ass Meg Khs TH CMa Dst Nna Kao**
- 1165. Caloptilia (Timodora) iselaea (Meyrick,1914)** (Gracillariidae) Synonym(s): *iselaea* Meyrick,1914; *hapalocharis* Meyrick,1935 **LK ID Ja Clb TH Chy Bnk MY Sgo Pah Bor BN FJ CK**
- 1166. Caloptilia (Timodora) prottiella (Deventer,1904)** (Gracillariidae) Synonym(s): *prottiella* Deventer,1904; *corollata* Meyrick,1933; *elongata* Kumata,1982 **ID Ja JP TH Nna Kao MY Pah IN Ass**
- 1167. Calybitis phasianipennella (Hübner,[1813])** (Gracillariidae) Synonym(s): *phasianipennella* Hübner,[1813]; *quadruplela* Zeller,1839; *isograptia* Meyrick,1928 **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY IL Pa IR KG KR KP JP Hkk PK IN Ass TH ID Clb**
- 1168. Conopobathra gravissima (Meyrick,1912)** (Gracillariidae) Synonym(s): *gravissima* Meyrick,1912; *globulifera* Meyrick,1931 **ZA Mpu Tva Tst Brb Gau Pre ZW Uma NA Abc TH KE MY PG NBr ID Ja**
- 1169. Conopomorpha cramerella Snellen,1904** (Gracillariidae) Synonym(s): *cramerella* Snellen,1904 **TW VN MY Bor BN Sbh Swk TH ID Ja Adm Klt Ij Sum Clb WS PH CN HK IN LK SA SB PG NBr NH**
- 1170. Conopomorpha litchiella Bradley,1986** (Gracillariidae) Synonym(s): *litchiella* Bradley,1986 **TH MY Sgo CN IN NP TW AU**
- 1171. Conopomorpha sinensis Bradley,1986** (Gracillariidae) Synonym(s): *sinensis* Bradley,1986 **CN HK TH NP IN TW**
- 1172. Cryptolectica ensiformis (Yuan,1986)** (Gracillariidae) Synonym(s): *ensiformis* Yuan,1986 **TH IN CN Hn JP Ri ID Clb**
- 1173. Epicephala albifrons (Stainton,1859)** (Gracillariidae) Synonym(s): *albifrons* Stainton,1859 **IN Clc LK TH VN ID Bru**
- 1174. Eteoryctis syngamma (Meyrick,1914)** (Gracillariidae) Synonym(s): *syngamma* Meyrick,1914 **NG IN Adm Nk ID TH**
- 1175. Neurostrotia gunniella (Busck,1906)** (Gracillariidae) Synonym(s): *gunniella* Busck,1906 **TH US Tx CU MX AU**
- 1176. Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913 **Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl**
- 1177. Phyllonorycter triarcha (Meyrick,1908)** (Gracillariidae) Synonym(s): *triarcha* Meyrick,1908 **IN Bi TH MY PH ID Bru**
- 1178. Spulerina isonoma (Meyrick,1916)** (Gracillariidae) Synonym(s): *isonoma* Meyrick,1916 **IN Bi Pus MY TH**
- 1179. Stomphastis chalybacma (Meyrick,1908)** (Gracillariidae) Synonym(s): *chalybacma* Meyrick,1908 **IN LK MY Bor Sbh MM TH ID Clb**
- 1180. Telamoptilia prosacta (Meyrick,1918)** (Gracillariidae) Synonym(s): *prosacta* Meyrick,1918 **TH IN Bi TW JP Ri ID Ja FJ**
- 1181. Endoclita chalybeatus (Moore,1879)** (Hepialidae) Synonym(s): *chalybeatus* Moore,1879 **IN SI Djl MM TH MY**
- 1182. Endoclita signifer (Walker,1856)** (Hepialidae) Synonym(s): *signifer* Walker,1856; *hunanensis* Chu & Wang,1985 **IN LK CN Hun MY Bor TH CMa Cuo Cuo5**
- 1183. Acerbas anthea (Hewitson,1868)** (Hesperiidae) Synonym(s): *anthea* Hewitson,1868; *ciliatus* Butler,1877; *tagiadoides* Elwes & Edwards,1897 **PH Luz Ley Mno Pao TH Srt Rng Nst Ths Sya MY MM Krh Mrg ID Sum Bor Ja**
- 1184. Acerbas martini (Distant & Pryer,1887)** (Hesperiidae) Synonym(s): *martini* Distant & Pryer,1887; *nitidifasciata* Elwes & Edwards,1897 **TH Rng MM Krh Tvy MY ID Sum Bor**
- 1185. Aeromachus kali De Nicéville,1895** (Hesperiidae) Synonym(s): *kali* De Nicéville,1895 **CN Yu Lsd Gon Mku SI IN Ass MM Shn TH CMa CDo**

- 1186. *Aeromachus pygmaeus* (Fabricius,1775)** (Hesperiidae) Synonym(s): *pygmaeus* Fabricius,1775; *indistincta* Moore,1878 **IN NI LK BD Cta Knr MM Mrg Ass Mys Bel BD Cta TH Rng Nst Ths Sya Chw MY Lkw**
- 1187. *Aeromachus stigmatus* (Moore,1878)** (Hesperiidae) Synonym(s): *stigmatus* Moore,1878; *monilis* Mabille,1883 **BT IN Ass Cpj Nag Bha Mpr Kma Mre Mus Hp PK MM CN Yu Gon Shn Krh TH CMA**
- 1188. *Ampittia dioscorides* (Fabricius,1793)** (Hesperiidae) Synonym(s): *dioscorides* Fabricius,1793; *maro* Fabricius,1798; *ephesus* Hübner,1823 **LK IN Hp Kgr Ben Ass MM Shn SG TH Chy Knc Mae CMA Cuo Cuo7 Cu10 Lmp Bnk Nst Chw Ths TW CN Kwa Fkn Kig Yu Hn VN Ton ID Sum Ja MY Bor (2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.4 [adult]).**
- 1189. *Ampittia maroides* De Nicéville,1896** (Hesperiidae) Synonym(s): *maroides* De Nicéville,1896 **MM Krh Mm ID Ass Mpr TH Chy Lam CMA CDo**
- 1190. *Ancistroides armatus* (Druce,1873)** (Hesperiidae) Synonym(s): *armatus* Druce,1873 **MM Mrg TH Rng Yal Tng Nst Ths Ntt SPa Sgk Hya Tnc MY Bor Sip ID Sum Nia Mw (2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.15 [adult]).**
- 1191. *Ancistroides fulgur* De Nicéville,1894** (Hesperiidae) Synonym(s): *fulgur* De Nicéville,1894 **TH ID Sum**
- 1192. *Ancistroides gemmifer* Butler,1877** (Hesperiidae) Synonym(s): *gemmifer* Butler,1877 **TH Rng MY Bor MM Tvy Vp ID Sum Sip**
- 1193. *Ancistroides nigrita* (Latreille,1824)** (Hesperiidae) Synonym(s): *nigrita* Latreille,1824 **ID Ja Sum Nia MY Bor Bgk Sip MM Krh Mrg Krh Shn IN Ben Ass SI BT TH CMA Cuo Cuo1 Nna Knc Srt Cbi Yal Tng Nst Chw Ths PH Bab Bal Bas Bil Boh CmM Ceb Gui Ley Luz Mas Mdo Mno Neg Pal Pan Sam Sib**
- 1194. *Apostictopterus fuliginosus* Leech,1894** (Hesperiidae) Synonym(s): *fuliginosus* Leech,1894 **IN Ass Nag Mpr CN Sz T-T TH**
- 1195. *Arnetta atkinsoni* (Moore,1878)** (Hesperiidae) Synonym(s): *atkinsoni* Moore,1878; *khasianus* Moore,1878; *subtestaceus* Moore,1878; *parnaca* Fruhstorfer,1910 **TH Cbi CMA CDo Knc VN Ton SI IN Ass Meg Khs MM Tns Tvy**
- 1196. *Arnetta verones* (Hewitson,1878)** (Hesperiidae) Synonym(s): *verones* Hewitson,1878; *kala* Evans,1932 **TH Nst Ths Sgk Hya Knc ID Sum MY Bor**
- 1197. *Astictopterus jama* C.Felder & R.Felder,1860** (Hesperiidae) Synonym(s): *jama* C.Felder & R.Felder,1860; *pulligo* Mabille,1876; *melania* Plötz,1885 **ID Ja MY Sum SI BT IN Ass MM TH CMA Cuo Cuo1 CDo Nrt Cbu Rat Yal Nst Ths Chw CN Fkn Hpe Hnn Kig Kwa Yu Hn VN Ann Ton**
- 1198. *Badamia exclamationis* (Fabricius,1775)** (Hesperiidae) Synonym(s): *exclamationis* Fabricius,1775; *ladon* Cramer,[1780]; *ericus* Fabricius,1798 *nec* Fabricius,1793; *forulus* Hübner,[1819]; *thymbron* Felder,1860. **AF AU QAU CN FJ ID Amb IN Ass Slo Adm Ja Bli Tim Bor Hm Crm Aru NBr JP Isg Iri KH LK MM MY NC NH NP PG PK Ci SI TH CMA Cuo Cuo1 Cu10 Cu12 Dst Dsk Hpt Cbi Knc Rng Chy Nna Rat Nst Ths Nrt TO TW VN WS Yu PH Bas Hom Ley Luz Mar Mdo Mno Neg Pal Pol Sam Stu Taw Tic (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.9 [adult]).**
- 1199. *Baoris farri* (Moore,1878)** (Hesperiidae) Synonym(s): *farri* Moore,1878 **TH CMA CDo Chy Knc Lam Rat Tng Cbi Cbu Srt Phe Nst Chw Ths Bnk**
- 1200. *Baoris oceia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *oceia* Hewitson,1868 **PH Bab Bal Bas Bil Boh Cal CmM Ceb Cts Hom Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Sib Stu Taw Tic TH Chy Rng Cbi**
- 1201. *Baoris pagana* De Nicéville,1887** (Hesperiidae) Synonym(s): *pagana* De Nicéville,1887 **TH**
- 1202. *Baoris penicillata* Moore,1881** (Hesperiidae) Synonym(s): *penicillata* Moore,1881 **TH Cbi Cbu Nna**
- 1203. *Bibasis amara* (Moore,1865)** (Hesperiidae) Synonym(s): *amara* Moore,1865; *pindapatra* Fruhstorfer,1911 **IN Ben Adm SI Ass MM CN Hn TH CMA Cbu Chy Cbi Knc Rat**
- 1204. *Bibasis anadi* De Nicéville,1883** (Hesperiidae) Synonym(s): *anadi* De Nicéville,1883; *purpurea* Riley & Godfrey,1925 **IN Ass Mus SI TH Chy MM Krh**
- 1205. *Bibasis etelka* (Hewitson,[1867])** (Hesperiidae) Synonym(s): *etelka* Hewitson,[1867] **MM Krh MY ID Sum Ja Bor Swk PH Mno Pal TH Yal Nst**
- 1206. *Bibasis gomata* (Moore,[1866])** (Hesperiidae) Synonym(s): *gomata* Moore,[1866] **IN SI Ass Ben MM Krh MY ID Ja Sum Bor Clb CN Sz T-T Yu Mou PH Cal CmL Ley Luz Mar Mdo Mno Neg Pal Pan Pol TH CMA Knc Cbi Tng Yal (2007, Cent. ent. Stud., Memoirs 3/4: pl.44 figs.1,2 [adult]).**
- 1207. *Bibasis harisa* (Moore,1865)** (Hesperiidae) Synonym(s): *harisa* Moore,1865; *asambha* Fruhstorfer,1911 **IN SI Ben Ass MM TH CMA CDo Cbi Cbu Chy Rat Nst Ths Sya CN Hn Adm VN Ton ID Nia Ja Sum Bgk Clb Sla MY Bor PH Sga Stu Pal**
- 1208. *Bibasis iluska* (Hewitson,1867)** (Hesperiidae) Synonym(s): *iluska* Hewitson,1867 **IN Mpr Ass MM ID Clb Kla Ja Tim Flo Lb Sbw Sba Wt Alo TH CMA Rat Nrt**
- 1209. *Bibasis jaina* (Moore,[1866])** (Hesperiidae) Synonym(s): *jaina* Moore,[1866]; *vasundhara* Fruhstorfer,1911 **Adm Ass Bor MY Ddu Djl IN Kma Krh MM SI TH CMA Chy Rat TW Up**

- 1210. Bibasis oedipodea (Swainson,1820)** (Hesperiidae) Synonym(s): *oedipodea Swainson,1820*
Ass Ben Bor BT Clc CN HK Hn ID LK IN Ja Kgr Kma MM Mno SI Sum TH Cbi Rat Knc Yal Ton Up VN
PH Bal Pal Sga Stu Taw Ceb Ley Luz Mar Mdo Mno Neg Pan Sam Clb Bor Sla MY
- 1211. Bibasis sena (Moore,[1866])** (Hesperiidae) Synonym(s): *sena Moore,[1866]* Adm Ass Ben
Bor Clb CN Hn ID Sum Ja IN Kma Krh LK MM Mno Mre MY Pj PK SI Sul Up PH Boh Cal Ceb Hom
Ley Luz Mar Mno Neg Pal Pan Pol Sga Sib Stu Taw Ja Krh Lb Sba Baw TH Rat Yal Tng Chy Nrt Chy
- 1212. Bibasis vasutana (Moore,1865)** (Hesperiidae) Synonym(s): *vasutana Moore,1865; rahita*
Fruhstorfer,1911; burma Evans,1934. IN Djl NP Ass SI MM Krh TH Cma Phe
- 1213. Borbo bevani (Moore,1878)** (Hesperiidae) Synonym(s): *bevani Moore,1878* TH Bnk Nna
Cma CDo
- 1214. Borbo cinnara (Wallace,1866)** (Hesperiidae) Synonym(s): *cinnara Wallace,1866* PH Bal
CmM Jol Ley Lub Luz Mas Mdo Mno Neg Pal Pan Sam Sga Stu Taw TH Bnk Nna Rat Cbu Lmp Yal Nst
Chw Ths
- 1215. Caltoris bromus Leech,1894** (Hesperiidae) Synonym(s): *bromus Leech,1894; reducta Evans,1932*
CN Sz HK Yu IN Ass MM VN MY ID Sum Ja Bor Sba Alo Clb TW PH Ley Mas Mno Pal Pan Sam TH
Cma Bnk Nst Chw
- 1216. Caltoris brunnea (Snellen,1876)** (Hesperiidae) Synonym(s): *brunnea Snellen,1876* IN Ass
MM VN Ann MY ID Sum Bgk Bor Ja Bli Lb Sbw PH Cal Pal TH Cma Nst Ths
- 1217. Caltoris cahira (Moore,1877)** (Hesperiidae) Synonym(s): *cahira Moore,1877* TH Cbi Tak Nst
Chw Ths CN Sz Fkn Hpe Yu IN Adm Nk Ass Meg Khs MM Rgo Mpr TW SI MY Hn
- 1218. Caltoris cormasa (Hewitson,1876)** (Hesperiidae) Synonym(s): *cormasa Hewitson,1876; moolata*
Moore,1878; dravida Mabilie,1878 PH Hom Ley Luz Mar Mdo Mno Pal Sam Sib Stu Taw MM Tns IN Ass
TH Cma CDo Tng Knc Nst Chw Ths Bnk VN Ton MY Bor ID Ja Nia Sum CN Hn
- 1219. Caltoris kumara (Moore,1878)** (Hesperiidae) Synonym(s): *kumara Moore,1878* TH MM Krh
Shn LK SI IN Knr Bba Ass ID Ja Bor Lb
- 1220. Caltoris malaya Evans,1926** (Hesperiidae) Synonym(s): *malaya Evans,1926; javana Evans,1932*
MY TH Rng Nst Ths ID Bor Sum Ja MM Mrg
- 1221. Caltoris plebeia (De Nicéville,1887)** (Hesperiidae) Synonym(s): *plebeia De Nicéville,1887;*
mormo Mabilie,1893 TH Cma Yal Tng SI IN MM MY ID Ja Bor
- 1222. Caltoris sirius Evans,1926** (Hesperiidae) Synonym(s): *sirius Evans,1926* CN Ti ID Ja Bgk Bor
MY TH IN Ass Mpr MM Krh VN Ton
- 1223. Caltoris tenuis Evans,1932** (Hesperiidae) Synonym(s): *tenuis Evans,1932* MM Tvy TH Cma
- 1224. Caltoris tulsii (De Nicéville,1883)** (Hesperiidae) Synonym(s): *tulsii De Nicéville,1883* SI IN BT
Ass MM CN Yu MY TH ID Ja Sum Bor
- 1225. Capila hainana Crowley,1900** (Hesperiidae) Synonym(s): *hainana Crowley,1900; barroni Riley &*
Godfrey,1923. MM TH Srt Cbi CN Hn MY
- 1226. Capila phanaeus (Hewitson,1867)** (Hesperiidae) Synonym(s): *phanaeus Hewitson,1867* IN
Mpr Meg Ass Khs MY Prk Lkw TH Nrt Cma Cuo Cuo9 Chy Tng MM Krh Shn Mrg ID Sip Sbt Sum Bor
Swk
- 1227. Caprona agama (Moore,1857)** (Hesperiidae) Synonym(s): *agama Moore,1857; syrictus C.Felder &*
R.Felder,[1867]; erosula Felder,1867; danae Plötz,1884; saraya Doherty,1886; siamica Swinhoe,1907; pelias Fruhstorfer,1909;
pelligera Fruhstorfer,1909; mettasuta Fruhstorfer,1909. BT Clb ID Sba Sbw Alo IN Up Ja Meg Ass Khs Kma
MM Mpr MY NP Oi Pj PK Rw TH Cma Non Rat Cbu Phr Uth VN Ton
- 1228. Caprona alida De Nicéville,1891** (Hesperiidae) Synonym(s): *alida De Nicéville,1891; elwesii*
Watson,1897; parvipunctata Mabilie & Boulet,1917. Chn CN Kwa Kig Ddu HK Hn IN LK MM Mpr TH Rat NP
Oi Pj PK Rw Ti Ton Up VN NI
- 1229. Celaenorrhinus andamanicus Wood Mason & De Nicéville,1881** (Hesperiidae)
Synonym(s): *andamanicus Wood Mason & De Nicéville,1881* MM TH Cbi Adm IN
- 1230. Celaenorrhinus asmara (Butler,[1879])** (Hesperiidae) Synonym(s): *asmara Butler,[1879];*
goto Mabilie,1883; milinda Fruhstorfer,1909; ayata Fruhstorfer,1909 PH Pal MY Lkw ID Bor MY Clb Sum Ja MM
Krh Shn Mrg TH Chy Cma Nrt Pbu TH Kbi Nst Ths Sya Bnk IN Ass
- 1231. Celaenorrhinus aurivittatus (Moore,[1879])** (Hesperiidae) Synonym(s): *aurivittatus*
Moore,[1879] MY Bor KBa ID Sme Sum IN Ass CN Sz Adm MM TH Yal Chy Nna Cbi Nst Ths Sya Sgk
Hya Tnc
- 1232. Celaenorrhinus cameroni (Distant,1882)** (Hesperiidae) Synonym(s): *cameroni Distant,1882*
MY Lkw MM Mrg TH Nst Tng Rng Yal
- 1233. Celaenorrhinus dhanada (Moore,[1866])** (Hesperiidae) Synonym(s): *dhanada Moore,1866*
MY Bor KBa Ass Krh Ben BT IN Kma Mus SI Up ID Sum Ja Bli Clb TH Chy Cma CDo
- 1234. Celaenorrhinus ficulnea Hewitson,1868** (Hesperiidae) Synonym(s): *ficulnea Hewitson,1868;*
signata Druce,1873 IN Nag Ass ID Nia Sum Hm Bch MM Mrg TH Rng Yal Tng Nst MY PH Pal Bor
- 1235. Celaenorrhinus inaequalis Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *inaequalis*
Elwes & Edwards,1897 TH Srt MY Bor Prk ID Sum Ja
- 1236. Celaenorrhinus ladana (Butler,1870)** (Hesperiidae) Synonym(s): *ladana Butler,1870; vajirada*
Fruhstorfer,1911 TH Yal MY Bor

- 1237. Celaenorrhinus leucocera (Kollar,[1844])** (Hesperiidae) Synonym(s): *leucocera* Kollar,[1844]; *arminia* Plötz,1884. **Adm Ass Slo BT Ch CN Hn IN Hp Kma MM Mre Pj Up PK SI TH Chy Nrt Cbi Srt Nst VN Ton MY Lkw**
- 1238. Celaenorrhinus munda Moore,1865** (Hesperiidae) Synonym(s): *munda* Moore,1865 **CN Yu IN Mre Pj PK SI Sml Up Meg Ass MM Krh Khs TH Chy Cbi**
- 1239. Celaenorrhinus nigricans De Nicéville,1885** (Hesperiidae) Synonym(s): *nigricans* De Nicéville,1885 **PH Ley Luz Mno MY Bor KBa SI BT IN Ass MM Shn Krh TH Mrg Cbi Srt**
- 1240. Celaenorrhinus patula De Nicéville,1889** (Hesperiidae) Synonym(s): *patula* De Nicéville,1889; *pluscula* Leech,1894; *chinensis* Swinhoe,1907. **CN Yu Sij Gaz Qq Gon Sz T-T IN SI Ass Nag Mpr MM Krh Shn TH CMA**
- 1241. Celaenorrhinus pero De Nicéville,1889** (Hesperiidae) Synonym(s): *pero* De Nicéville,1889 **IN Kma Mus SI Nag CN Sz Mou TH CMA**
- 1242. Celaenorrhinus pinratanai Eliot,1984** (Hesperiidae) Synonym(s): *pinratanai* Eliot,1984 **TH Srt**
- 1243. Celaenorrhinus putra Moore,1865** (Hesperiidae) Synonym(s): *putra* Moore,1865 **ID Ja Sum MM Krh MY Bor KBa PH Pal IN Ben SI BT Ass TH Cbi Rng Nst**
- 1244. Cephrenes acalle (Hopffer,1874)** (Hesperiidae) Synonym(s): *acalle* Hopffer,1874 **PH Bal Pal Stu Boh CmM Ceb Cts Ley Luz Mar Mdo Mno Neg Pan Pol Sam Sib TH Bnk Cbi Cbu Sbu CMA CDo Ray Nst Chw Ths IN Nk ID Nia Egg Baw Clb Ja Sum MY Bgk Sip SI Clc Ass CN Hn Yu Adm MM Mrg VN**
- 1245. Chamunda chamunda (Moore,[1866])** (Hesperiidae) Synonym(s): *chamunda* Moore,[1866] **IN Djl SI Ass MM Shn Krh MY TH CMA CDo**
- 1246. Choaspes benjaminii (Guérin-Méneville,1843)** (Hesperiidae) Synonym(s): *benjaminii* Guérin-Méneville,1843 **MM TH CMA Nrt PH Pal ID Sum VN Ton JP Isg Iri TW Hdo Shk Kyu Yak Amm Oki CN Hpe Yu Naq IN Hp Kgr Kma NI NP SI Ass Tns MY**
- 1247. Choaspes hemixanthus Rothschild,1903** (Hesperiidae) Synonym(s): *hemixanthus* Rothschild,1903 **CN Sz T-T Kgs Yu Hn NP SI IN BT Ass Krh MM TH CMA MY Prk PH Pal PG ID Sum Hm**
- 1248. Choaspes plateni Staudinger,1888** (Hesperiidae) Synonym(s): *plateni* Staudinger,1888 **SI IN Ass VN Ton CN Hn PH Mno Luz Mdo Pal Bil Boh Ley Pao Sam ID Ja Bli Neg ID Clb TH Rng Tng Srt**
- 1249. Choaspes subcaudatus (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *subcaudatus* C.Felder & R.Felder,[1867] **PH Taw MM Krh Mrg MY TH Nst Kna Bor ID Ja Sum Nia**
- 1250. Choaspes xanthopogon (Kollar,[1844])** (Hesperiidae) Synonym(s): *xanthopogon* Kollar,[1844]; *similis* Evans,1932 **Ch IN Ass Hp Kma NP CN Yu Gaz Sz T-T TH CMA**
- 1251. Coladenia agni (De Nicéville,[1884])** (Hesperiidae) Synonym(s): *agni* De Nicéville,[1884] **SI IN Ass MM TH CMA Rng MY CN Hn**
- 1252. Coladenia buchananii De Nicéville,1889** (Hesperiidae) Synonym(s): *buchananii* De Nicéville,1889 **TH CMA MM Krh CN Yu Lsd**
- 1253. Coladenia igna Semper,1892** (Hesperiidae) Synonym(s): *igna* Semper,1892; *sadakoe* Sonan,1936 **PH Ley Luz Mdo Mno Sam TW ID Sum Ja Bor MY TH Rng**
- 1254. Coladenia indrani (Moore,[1866])** (Hesperiidae) Synonym(s): *indrani* Moore,[1866] **JP SG MY MM Mpr TH Cbu Nrt LK IN Oi NI Ben Kgr Hp Kma BT SI Ass**
- 1255. Coladenia laxmi (De Nicéville,[1889])** (Hesperiidae) Synonym(s): *laxmi* De Nicéville,[1889] **IN Ass Mpr ID Sum CN Hn MY MM Mrg TH Krh Phr Tng Yal Nst**
- 1256. Ctenoptilum multiguttatum De Nicéville,1890** (Hesperiidae) Synonym(s): *multiguttatum* De Nicéville,1890 **TH Non CMA CDo MM IN Ass Mpr**
- 1257. Ctenoptilum vasava (Moore,1865)** (Hesperiidae) Synonym(s): *vasava* Moore,1865 **CN Hpe Tkg Kwa Fkn IN Djl Ass SI MM Tvy TH Chy CMA Dst Nrt Non**
- 1258. Cupitha purrea (Moore,1877)** (Hesperiidae) Synonym(s): *purrea* Moore,1877; *tympanifera* Moore,1884; *verruca* Mabile,1889; *lycorias* Mabile,1893; *alara* Fruhstorfer,1911; *#purreea* Pinratana,1985 **TH Chy CMA Cuo Cuo9 Nna Tng Cbi Cbu Rng Yal MM Peg ID Ja Nia Sum Clb MY Bor IN Ass Adm SI BT (2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.13 [adult]).**
- 1259. Cyrina cyrina (Hewitson,1876)** (Hesperiidae) Synonym(s): *cyrina* Hewitson,1876; *parca* Nicéville,1889; *meleagrina* Elwes & Edwards,1897 **IN SI Djl BT Ass TH CMA MY Bor**
- 1260. Darpa hanria Moore,[1866]** (Hesperiidae) Synonym(s): *hanria* Moore,[1866] **SI IN Ass MM Shn TH CMA**
- 1261. Darpa pteria (Hewitson,1868)** (Hesperiidae) Synonym(s): *pteris* Hewitson,1868 **IN Ass MY TH Tng ID Bor Ja PH Pal Ley Luz Mno**
- 1262. Darpa striata (Druce,1873)** (Hesperiidae) Synonym(s): *striata* Druce,1873; *dimidiata* Fruhstorfer,1910 **IN Ass Mpr MM Shn Krh Mrg TH Rng Tng MY ID Nia Sum Bor**
- 1263. Eetion elia (Hewitson,1866)** (Hesperiidae) Synonym(s): *elia* Hewitson,1866; *eburus* Plötz,1885; *magniplaga* Fruhstorfer,1911; *ayankara* Fruhstorfer,1911 **MM MY Prk Bor ID Sum TH Rng Nst Ths Sya**
- 1264. Erionota acroleucus Wood-Mason & De Nicéville,1881** (Hesperiidae) Synonym(s): *acroleucus* Wood-Mason & De Nicéville,1881; *lara* Swinhoe,1890 **PH Luz ID Clb IN Nk TH Nst Chw Bnk**

1265. **Erionota harmachis (Hewitson,1878)** (Hesperiidae) Synonym(s): *harmachis* Hewitson,1878; *staudingeri* Distant,1886 **ID Sum Bgk MY Bor TH Nst Chw**
1266. **Erionota hiraca Moore,1881** (Hesperiidae) Synonym(s): *hiraca* Moore,1881 **TH Bnk Cbu Ray Cbi Nrt Yal PH Ley Luz Mdo Mno Pal Pol Sam Tic IN SI Ass MM Bse VN Ton MY ID Nia Sip Ja Bor**
1267. **Erionota sybiritia Hewitson,1876** (Hesperiidae) Synonym(s): *sybiritia* Hewitson,1876; *mabiliei* Staudinger,1889 **TH Cbi Tng PH Pal MM Tvy MY Bor SG**
1268. **Erionota thrax (Linnaeus,1767)** (Hesperiidae) Synonym(s): *thrax* Linnaeus,1767 **TH Bnk Nna Ray Cbi Nrt Sgk Hya Tnc PH Din Hom Jol Ley Mno Sam Luz Ceb Cts Luz Mar Mas Mdo Mno Neg Pal Pan Pol Sib Stu Taw ID Ja Sum Nia Bgk Sbw Lb Bor Cib Sgr Ob Bch Hm Trn IN SI Ass MM VN MY**
1269. **Erionota torus Evans,1941** (Hesperiidae) Synonym(s): *torus* Evans,1941 **TH CMA CDo Shu Bnk Tng Rat Yal Nst Ths PH Ceb Din Ley Mno Neg Pan Sam IN SI Ddu Hp Ass MM Tvy VN Ton CN Fkn Kwa MY**
1270. **Gangara lebadea Hewitson,1886** (Hesperiidae) Synonym(s): *lebadea* Hewitson,1886; *glandulosa* Distant,1886 **IN Adm PH Ley Pal TH Cbi Nna SI Ass MM Krh VN ID Ja Bor MY**
1271. **Gangara sanguinocculus Martin,1895** (Hesperiidae) Synonym(s): *sanguinocculus* Martin,1895 **MM Krh MY ID Sum TH Rng**
1272. **Gangara thyrsis (Fabricius,1775)** (Hesperiidae) Synonym(s): *thyrsis* Fabricius,1775; *pandia* Moore,1857; *yasodara* Fruhstorfer,1910; *hainana* Sonan,1920 **PH Neg Pan Pal Cml Ley Luz Mdo Mno Pao Sam Sib TH Chy CMA Qs Rng Tng Cbi Yal Nth Srt Nst Ths Chw LK IN Clc Ass Kgr Hp Adm MM VN CN Hn MY ID Sum Nia Bgk Bor Clb**
1273. **Ge geta De Nicéville,1895** (Hesperiidae) Synonym(s): *geta* De Nicéville,1895 **MM Mrg TH Yal MY Pen Sum Ja Bor ID**
1274. **Gerosis bhagava (Moore,[1866])** (Hesperiidae) Synonym(s): *bhagava* Moore,[1866]; *milliana* Swinhoe,1912 **TH CMA CDo Nrt Knc Rat IN Adm MM Tvy NP Ass Mpr**
1275. **Gerosis limax (Plötz,1884)** (Hesperiidae) Synonym(s): *limax* Plötz,1884; *visana* Fruhstorfer,1910 **MM Tvy Mrg TH Cbi Rng Tng Nst MY ID Sum Bor ID Nia Ja PH Bal Pal**
1276. **Gerosis phisara (Moore,1884)** (Hesperiidae) Synonym(s): *phisara* Moore,1884 **CN Hn Yu Ndd Ti Sz T-T Hpe Kwa Kig SI IN Ass Hp Kma MM Tvy TH Cbi Nrt CMA CDo Nst Rat MY**
1277. **Gerosis tristis (Eliot,1959)** (Hesperiidae) Synonym(s): *tristis* Eliot,1959 **MY TH Nst Ths Sya**
1278. **Halpe arcuata Evans,1937** (Hesperiidae) Synonym(s): *arcuata* Evans,1937 **MM Krh SI IN Ass MY TH Chy Nna CMA**
1279. **Halpe aurifera (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *aurifera* Elwes & Edwards,1897; *hazis* Nicéville,1897 **Nia ID MY TH MM Tvy**
1280. **Halpe burmana Swinhoe,1913** (Hesperiidae) Synonym(s): *burmana* Swinhoe,1913 **TH Chy MM**
1281. **Halpe elana Eliot,1959** (Hesperiidae) Synonym(s): *elana* Eliot,1959 **MY TH Chy Cbi**
1282. **Halpe flava Evans,1926** (Hesperiidae) Synonym(s): *flava* Evans,1926 **MM Tvy Mrg Krh TH Yal Phe Nst MY Bor**
1283. **Halpe hauxwelli Evans,1937** (Hesperiidae) Synonym(s): *hauxwelli* Evans,1937 **MM Shn Pey IN Ass Mpr MY Lkw TH CMA Cbu Nst Ths**
1284. **Halpe insignis (Distant,1886)** (Hesperiidae) Synonym(s): *insignis* Distant,1886 **SG MM Mrg MY TH CMA ID Sum Bor**
1285. **Halpe kusala Fruhstorfer,1911** (Hesperiidae) Synonym(s): *kusala* Fruhstorfer,1911; *diana* Evans,1932 **MM Mrg TH CMA Loe VN Ann MY**
1286. **Halpe ormenes Plötz,1886** (Hesperiidae) Synonym(s): *ormenes* Plötz,1886 **MM ID Sum Ja MY Nia TH Nna CMA**
1287. **Halpe pelethronix Fruhstorfer,1910** (Hesperiidae) Synonym(s): *pelethronix* Fruhstorfer,1910; *limbanga* Evans,1932 **MM Mrg Tvy Krh PH Pal ID Ja Bor Sum MY TH Rng Tng**
1288. **Halpe porus (Mabille,1876)** (Hesperiidae) Synonym(s): *porus* Mabille,1876; *moorei* E.Y.Watson,1893; *teliga* Swinhoe,1893; *beturina* Fruhstorfer,1911 **LK IN Ass Adm Clc MM Tvy CN Hn KwT Kwa TH Chy CMA Cuo Cuo5 Nna Rat Sbu Cbi Knc Nrt Ray Nst Ths Sya Bnk MY Pen VN Ann (2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.6 [adult]).**
1289. **Halpe sikkima (Moore,1882)** (Hesperiidae) Synonym(s): *sikkima* Moore,1882; *selangora* Swinhoe,1913 **SI IN Ass Meg Khs MM Mrg Mpr TH CMA CN Hn MY ID Sum Ja Bor**
1290. **Halpe toxopea Evans,1932** (Hesperiidae) Synonym(s): *toxopea* Evans,1932 **ID Ja Sum Bor PH Cal Pal MY Lkw TH Tng**
1291. **Halpe wantona Swinhoe,1893** (Hesperiidae) Synonym(s): *wantona* Swinhoe,1893; *confusa* Evans,1932 **MM Mpr IN Ass Shn Slo MY TH Tak Nna Rng**
1292. **Halpe zema (Hewitson,1877)** (Hesperiidae) Synonym(s): *zema* Hewitson,1877 **SI Djl IN Ass MM TH MY Nia Bor Swk ID**
1293. **Halpe zola Evans,1937** (Hesperiidae) Synonym(s): *zola* Evans,1937 **MM Mpr Tvy Mrg TH CMA CDo Cbi Rng Nna Rat**
1294. **Hasora (Lizetta-gr.) proxissima Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *proxissima* Elwes & Edwards,1897 **TH Chy Sbu PG SB MY Bor VN PH Pal Ley Mdo Mno**

- 1295. Hasora (Lizetta-gr.) salanga Plötz,1885** (Hesperiidae) Synonym(s): *salanga* Plötz,1885; *woolletti* Riley,1923 **MM MY ID Sum Bor TH Srt**
- 1296. Hasora (Mixta-gr.) badra (Moore,1858)** (Hesperiidae) Synonym(s): *badra* Moore,1858; *certhia* Plötz,1884; *godana* Fruhstorfer,1911; *sankarya* Fruhstorfer,1911. **LK PH Bal Cal Pal ID Ja Clb Flo Nia Egg Sum TW IN Adm Baw SI Ass TH Chy Rat Nrt Srt Nst Ths Sya Chw MM CN Hn Kig**
- 1297. Hasora (Mixta-gr.) quadripunctata (Mabille,1876)** (Hesperiidae) Synonym(s): *quadripunctata* Mabille,1876 **TH Nst MY ID Bch Hm Clb Sum Ja PH CmM Din Ley Mdo Mno Sam**
- 1298. Hasora (Mixta-gr.) vitta (Butler,1870)** (Hesperiidae) Synonym(s): *vitta* Butler,1870; *chabrona* Plötz,1884. **CN Yu Bap Ndd PH Bal Luz Mdo Mno Pal MM TH Rng Cbi Chy Yal CMa Nrt Rat Sgk Hya Knc Nst Chw MY VN Ton ID Bor Sum Nia Clb Adm Wg IN PG**
- 1299. Hasora (Myra-gr.) anura De Nicéville,1889** (Hesperiidae) Synonym(s): *anura* De Nicéville,1889 **SI Khs IN Meg Ass Nag Mpr MM Shn CN Yu Qq Lsd Sz T-T Fkn Hun TH CMA**
- 1300. Hasora (Myra-gr.) danda Evans,1949** (Hesperiidae) Synonym(s): *danda* Evans,1949 **MM Shn IN Mpr Ass Krh TH CMA VN Ton**
- 1301. Hasora (Myra-gr.) zoma Evans,1934** (Hesperiidae) Synonym(s): *zoma* Evans,1934 **MY ID Sum TH Srt**
- 1302. Hasora (s.str.) chromus (Cramer,[1782])** (Hesperiidae) Synonym(s): *alexis* Fabricius,1775 *nec* Poda,1761; *chromus* Cramer,[1782]; *contempta* Plötz,[1883]; *lucescens* Lucas,1900; *attenuata* Mabille,[1904] *nec* Staudinger,1889; *ganapata* Fruhstorfer,1911. **AU QAU FJ NH Amm Oki Isg Iri Yo JP PH Bas Ley Mar Neg Taw Tic IN PK Bl LK MM TH Knc Nth Nrt Rat TW MY Bor PG Nlr VN Ann CN Kgs ID Tnm SB Rs**
- 1303. Hasora (s.str.) schoenherr (Latreille,1828)** (Hesperiidae) Synonym(s): *schoenherr* Latreille,1828 **ID Ja PH Bal Pal Bab Boh CmM Ley Luz Mar Mdo Mno Neg Pan Pao Sam Sib IN Ass Nag Nia MM TH CMA CDo Cbi Nna Tng Srt Yal Rng VN Ton MY Bor Swk Sum (2007, Cent. ent. Stud., Memoirs 3/4: pl.44 fig.16 [adult]).**
- 1304. Hasora (s.str.) taminatus (Hübner,[1818])** (Hesperiidae) Synonym(s): *taminatus* Hübner,[1818] **PH Bal Pal Bas Boh Ceb CmL Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sib Taw Tic IN Adm Nk LK TW ID Sum Nia Ja Shw Kgn Tim Sba Clb Wg Amb Bch Bru Crm Ob Kai Hm SI Hp Kgr CN Sz MM Krh MY Bor Hn TH CMA Loe Cbu Rng Tng Chy Rat Spk Nst**
- 1305. Hasora (Thridas-gr.) khoda (Mabille,1876)** (Hesperiidae) Synonym(s): *khoda* Mabille,1876 **PG Dmp Bgv SB Hon Hon4 IN Ass MM Adm Kch AU QAU Bri NC MY TH Cbi ID Amb Bru Crm Sba Nia Ja Clb Tal PH Bal Ley Luz Mar Neg Pal Pan Sam Taw**
- 1306. Hasora (Thridas-gr.) leucospila Mabille,1891** (Hesperiidae) Synonym(s): *leucospila* Mabille,1891; *palinda* Swinhoe,1905; *matisca* Fruhstorfer,1911; *parnia* Fruhstorfer,1911. **TH Rng Srt MY Bor KBa ID Amb Clb Ja MM Mrg Sum PH Bas Hom Ley Luz Mdo Mno Neg Pal Sam**
- 1307. Hidari bhawani De Nicéville,1888** (Hesperiidae) Synonym(s): *bhawani* De Nicéville,1888 **MY Lkw MM IN Ass TH Cph**
- 1308. Hidari irava (Moore,[1858])** (Hesperiidae) Synonym(s): *thrax* Geyer *nec* Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931 **PH Mno Sul TH Cbi Nst Ths Sya Yal Nna Rng Tng Sgk Hya PSu Tnc MM MY ID Sum Ja Bgk Bor (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.7 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.3 [adult]).**
- 1309. Hyarotis adrastus (Stoll,[1780])** (Hesperiidae) Synonym(s): *adrastus* Stoll,[1780] **LK IN Kgr NP SI Ass ID Ja Sip Mw MM CN Hn MY Bor Sum PH Cal Mno Pal TH Bnk CMA Cuo Cuo1 Qs Rat Chy Non Yal Nst Ths (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.10 [adult]).**
- 1310. Hyarotis iadera De Nicéville,1895** (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897 **MY Pen ID Sum Bor Sbt Bgk PH Pal TH Cbi Rng**
- 1311. Hyarotis microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907 **LK IN Ass MM TH Cbi Nrt MY ID Sum Bor PH Luz Mdo**
- 1312. Iambrix distanti Shepherd,1937** (Hesperiidae) Synonym(s): *unicolor* Distant,1886 *nec* Mre.,1883; *distanti* Shepherd,1937 **MM Vp MY Bor ID Sum Nia Sbt Sip TH Rng Nst Ths Sya**
- 1313. Iambrix obliquans Mabille,1893** (Hesperiidae) Synonym(s): *obliquans* Mabille,1893 **TH Yal Nst Ths MM ID Ja MY Bgk**
- 1314. Iambrix salsala (Moore,1865)** (Hesperiidae) Synonym(s): *salsala* Moore,1865; *vasuba* Fruhstorfer,1910 **VN Ton IN Hp Kma Ben SI Ass MM CN Hn HK ID Sum Ja Nl LK TH Bnk Cbi Nna Yal Chy CMA Cuo Cuo1 Cuo7 Cuo9 Cu12 CDo CD2 Dst Tng Sgk Hya PSu Tnc Nst Ths Chw (2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.11 [adult]).**
- 1315. Iambrix stellifer (Butler,1877)** (Hesperiidae) Synonym(s): *stellifer* Butler,1877; *mergus* Plötz,1884; *niasicus* Fruhstorfer,1910 **TH Pgg Yal Rng Nst Ths Sya Sgk Hya Tnc MM ID Nia Sum Ja Mw MY Bor**
- 1316. Isma bononia (Hewitson,1868)** (Hesperiidae) Synonym(s): *bononia* Hewitson,1868; *inarime* De Nicéville,1891; *zetus* Mabille,1893 **TH Nst Ths Srt Rng Tng MY Prk ID Ja Sum Bor MM Mrg Krh Tvy**
- 1317. Isma feralia (Hewitson,1868)** (Hesperiidae) Synonym(s): *feralia* Hewitson,1868; *javana* Evans,1932 **PH Ley Mno Sam TH Rng Tng Nst MY Bor ID Ja Sum MM Mrg**
- 1318. Isma guttulifera Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *guttulifera* Elwes & Edwards,1897; *damocles* Evans,1939 **TH Tng MY Joh Bor Sbh KBa ID Sum Bgk**
- 1319. Isma hislopi Eliot,1973** (Hesperiidae) Synonym(s): *hislopi* Eliot,1973 **MY Joh TH Nst Ths Sya**

1320. **Isma kuala Evans,1932** (Hesperiidae) Synonym(s): *kuala Evans,1932* **TH Yal MY Pah**
1321. **Isma miosticta De Nicéville,1891** (Hesperiidae) Synonym(s): *miosticta De Nicéville,1891; indistincta Druce,1912* **TH Rng Tng Srt MY Prk Bor MM Mrg ID Bgk Sbt Sip**
1322. **Isma obscura Distant,1886** (Hesperiidae) Synonym(s): *obscura Distant,1886* **MM Krh Tvy TH Cbi Nna Srt Nst Lsa SG ID Sum Ja Ged MY Bor**
1323. **Isma protoclea (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *protoclea Herrich-Schäffer,1869* **MM Mrg ID Sum Ja Sbt MY Bor TH Rng Yal Tng**
1324. **Isma umbrosa Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *umbrosa Elwes & Edwards,1897* **TH Cbi Rng**
1325. **Iton semamora (Moore,1866)** (Hesperiidae) Synonym(s): *semamora Moore,1866* **TH CMA Dst Cuo Cu12 Nna Nst Ths**
1326. **Iton watsonii De Nicéville,1895** (Hesperiidae) Synonym(s): *watsonii De Nicéville,1895* **TH CMA Nst Ths Sgk Hya Tnc**
1327. **Koruthaialos butleri (De Nicéville,1883)** (Hesperiidae) Synonym(s): *butleri De Nicéville,1883; nigerrima Swinhoe,1919* **TH Rng TAK MM Shn IN Ass SI**
1328. **Koruthaialos rubecula (Plötz,1882)** (Hesperiidae) Synonym(s): *rubecula Plötz,1882* **IN Mpr Clc Meg Ass Khs Nag Syl BD MY Bor Sbh KBa PH Ceb Ley Mno Neg Sam Luz Mar Pal ID Nia Sum Ja Bli MM TH Cbi Nna CMA CDo Chy Rng Yal Tng Nst Ths Sya VN Ann Ton**
1329. **Koruthaialos sindu (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *sindu C.Felder & R.Felder,1860* **PH Cal Pal ID Ja Nia Sip TH CMA Yal Tng Nst Lsa Sgk Hya Tnc IN Ass Nag Mpr MM Kath**
1330. **Lobocla liliana (Atkinson,1871)** (Hesperiidae) Synonym(s): *liliana Atkinson,1871; casyapa Moore,1884* **IN Kma Mre Mus PK Up CN Yu Gon MM Ass Krh LA VN Ton TH CMA**
1331. **Lotongus avesta (Hewitson,1868)** (Hesperiidae) Synonym(s): *avesta Hewitson,1868* **TH Rng Nst Ths Sya**
1332. **Lotongus calathus (Hewitson,1876)** (Hesperiidae) Synonym(s): *calathus Hewitson,1876* **ID Ja Clb Sum Nia MY Bor Nat Bgk PH Bas Pal MM Tvy Krh Mrg VN Ton TH Cbi Nna Nst**
1333. **Lotongus sarala De Nicéville,1889** (Hesperiidae) Synonym(s): *sarala De Nicéville,1889* **IN Ass Meg Khs Bha MM CN Sz T-T VN Ton Hn TH Chy Cbi**
1334. **Matapa aria (Moore,[1866])** (Hesperiidae) Synonym(s): *aria Moore,[1866]; neglecta Mabille,1876; pulla Plötz,1882.* **LK IN Adm Mus SI Ass Ben MM TH CMA Cuo Cuo1 CDo Knc Nna Rat Cbu Loe Nst Chw Ths Sgk Hya Tnc Rng Bnk Nrt CN Fkn Kig Kwa Hn ID MY Bor Sum Ja Lb Bgk PH Cal Cts Hom Ley Luz Mdo Mno Neg Pal Pan Sib (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.6 [adult]).**
1335. **Matapa cresta Evans,1949** (Hesperiidae) Synonym(s): *cresta Evans,1949* **TH Cbi Nrt Cbu Rat Nst Ths Chw SI IN Ass MM VN Adm MY ID Sum Bor**
1336. **Matapa druna (Moore,[1866])** (Hesperiidae) Synonym(s): *druna Moore,[1866]; shalgrama De Nicéville,1883* **SI IN Ass MM MY Bor ID Sum Ja VN TH Nna Nrt Nst Ths Sya**
1337. **Matapa sasivarna (Moore,[1866])** (Hesperiidae) Synonym(s): *sasivarna Moore,[1866]* **IN SI Ass MM MY ID Sum CN Hn TH Cbi Nrt Tng Nna Rng Pbu**
1338. **Mooreana trichoneura (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *trichoneura C.Felder & R.Felder,1860* **PH Pal CN Hn MM Tns Krh Shn TH Chy CMA CDo Cbi Nna Rng Yal Nst Chw Lsa IN Kma SI Ben VN Ton Ass MY Mrg Bor KBa ID Ja Nia**
1339. **Notocrypta clavata Staudinger,1889** (Hesperiidae) Synonym(s): *clavata Staudinger,1889; devadatta Fruhstorfer,1911* **PH Pal ID Nia Sum Sip MY Bor TH Chy CMA Rng Yal Tng Nst Ths Pbu Sgk Hya Knc MM Krh Shn Tvy Mrg VN Ton**
1340. **Notocrypta curvifascia (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *curvifascia C.Felder & R.Felder,1862; restricta Moore,1881* **LK IN NP Ass Adm Slo MM CN Sz Yu HK TW TH Chy Cbi CMA CDo Nrt Tng Nna Nst ID Ja Sum MY Bor JP**
1341. **Notocrypta feisthamelii (Boisduval,1832)** (Hesperiidae) Synonym(s): *feisthamelii Boisduval,1832; satra Fruhstorfer,1911; unipuncta Rothschild,1915* **IN Hp Sml Kgr SI Ass MM VN MY CN Sz T-T TH CMA Dst Dso9 Loe PH ID Amb Bru Crm Clb Mlc Bch Hm Trn Lb Sba Sbw Flo Wt Tnm Ja Bor (2007, Cent. ent. Stud., Memoirs 3/4: pl.44 fig.9 [adult]).**
1342. **Notocrypta paralysos (Wood Mason & De Nicéville,1881)** (Hesperiidae) Synonym(s): *paralysos Wood Mason & De Nicéville,1881; infrapicta Strand,1920* **TH Chy Nna Rng Yal Nst Chw Pbu CMA CDo PH Bal Cal Pal Stu Bas Bil Ceb Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam Sib Taw IN Knr Ass Adm Nk LK TW VN Ton SI MM MY Bor Bgk Lkw CN Hn ID Sum Nia Sip Ja Sgr Clb Sbw Bli Sla Tal**
1343. **Notocrypta pria (Druce,1873)** (Hesperiidae) Synonym(s): *pria Druce,1873* **MM Vp Tvy MY Bor TH Rng Nst Chw ID Sum**
1344. **Ochlodes brahma Moore,1878** (Hesperiidae) Synonym(s): *brahma Moore,1878; rama Evans,1932* **Ass Chn IN Kma MM Mus NP SI Sml Up TH CMA Int**
1345. **Ochlodes siva Moore,1878** (Hesperiidae) Synonym(s): *siva Moore,1878* **TH CMA IN Ass Meg Khs SI Shn Knh Bha Sad MM TW CN Ti**
1346. **Ochus subvittatus (Moore,1878)** (Hesperiidae) Synonym(s): *subvittatus Moore,1878* **SI IN Ass Meg Khs CN Yu Lsd Bap TH CMA CDo Nst MM Mm Sad Shn Krh VN Ton**

- 1347. *Odina decoratus* (Hewitson,1867)** (Hesperiidae) Synonym(s): *decoratus* Hewitson,1867; *bicolor* Oberthür,1893. **VN Ton SI IN Ass MM TH Cbi Nna Cbu**
- 1348. *Odina hieroglyphica* (Butler,1870)** (Hesperiidae) Synonym(s): *hieroglyphica* Butler,1870 **ID Clb MY Prk Bor Swk Sum MM Mrg Tns TH Rng Yal**
- 1349. *Odontoptilum angulatum* (C.Felder,1862)** (Hesperiidae) Synonym(s): *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909. **CN SI ID Clb Lb Sbw IN NP BT MM TH Cbi Cbu Nrt Yal CMa CDo Nna Rat Nst Ths Hn MY Lkw LK Kgr Kul Ja Sum Bor Ass PH Bas Boh Ceb Ley Mdo Mno Neg Pan Sam Luz Mar Pol** (2007, Cent. ent. Stud., Memoirs 3/4: pl.44 figs.10,11 [adult]).
- 1350. *Odontoptilum pygelum* (Hewitson,1868)** (Hesperiidae) Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909 **ID Sum Ja MM Krh Mrg MY Bor Nia Bgk TH Rng Yal PH Pal Sga Taw**
- 1351. *Oerane microthyrus* (Mabille,1883)** (Hesperiidae) Synonym(s): *microthyrus* Mabille,1883; *mindorana* Semper,1892 **PH Ley Luz Mar Mdo Mno Sam MY Prk ID Sum Ja Bgk MM Krh Mrg TH Tng Nst Lsa**
- 1352. *Onryza meiktila* (De Nicéville,1891)** (Hesperiidae) Synonym(s): *meiktila* De Nicéville,1891 **MM Bha TH Knc Rat**
- 1353. *Onryza siamica* N.D.Riley & Godfrey,1925** (Hesperiidae) Synonym(s): *siamica* N.D.Riley & Godfrey,1925 **MM Bha Shn TH CMa Rat**
- 1354. *Oriens gola* (Moore,1877)** (Hesperiidae) Synonym(s): *gola* Moore,1877 **PH Bal Cal Luz Pal TH Rng Tng Bnk Ntt SPa Nst Ths Lsa Sgk Hya Tnc IN Adm MM MY ID Sum Ja Bor Sbw Lb Flo SG Nk Bgk Bli NP SI CN Hn Hpe**
- 1355. *Oriens goloides* (Moore,1881)** (Hesperiidae) Synonym(s): *goloides* Moore,1881 **TH CMa Chy Cbi Tng Bnk Nst Ths LK IN BT Ass MM Shn Mrg SI CN Hn MY**
- 1356. *Oriens paragola* (De Nicéville,1895)** (Hesperiidae) Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932 **TH Nst PH Pal MM Mrg ID Sum Ja MY Bor**
- 1357. *Parnara ganga* Evans,1937** (Hesperiidae) Synonym(s): *ganga* Evans,1937 **CN Hn IN Ass Meg Khs MM Mpr MY Nag Sz Ton Up VN TH CMa Tng**
- 1358. *Parnara guttatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *guttatus* Bremer & Grey,[1852]; *fortunei* Felder,1862; *wambo* Plötz,1886; *kotoshana* Sonan,1936 **IN Ass Ch Ci CN Hn Hyb Kma KP KR Ld Nwf PK SI Sz TW Up Yu Pkn RU Vv Mre Abb TH Bnk CMa Cuo Cu12 Phu Chy Lmp Rng Nst Ths Chw**
- 1359. *Parnara naso* (Fabricius,1798)** (Hesperiidae) Synonym(s): *naso* Fabricius,1798; *marchalli* Boisdual,1833 **MU MG RE SN ZA ZM ZR CM GA CN Hn ID IN Ass Ben Ch JP KH LK MM MY RE PH SI TW VN KE SD SO ET PH CmL Hom Ley Luz Mas Mdo Mno Rom Pal Sib Taw TH CMa TAg Tng Nst Ths Sgk Hya Tnc AU QAU**
- 1360. *Pelopidas agna* (Moore,[1866])** (Hesperiidae) Synonym(s): *agna* Moore,[1866]; *dingo* Evans,1949. **SB Adm Ass Ben Ch CN Cu Hn ID IN LK MM Mre PH Pj PK SI TH Bnk CMa Nrt Rng Nna Nst Ths Chw Rat Tng TW Yu PH Bal Bas CmL Ceb Hom Jol Ley Luz Mas Mdo Mno Neg Pal Pao Sam Sib Stu Taw Tic AU PG**
- 1361. *Pelopidas assamensis* De Nicéville,1882** (Hesperiidae) Synonym(s): *assamensis* De Nicéville,1882 **MM IN Ass TH Cbi Lam CMa CDo TAg Nst**
- 1362. *Pelopidas conjunctus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *conjunctus* Herrich-Schäffer,1869 **PH Bas Boh CmL Ceb Cts Din Hom Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Sam Sib Stu Taw TH CMa Cuo Cu12 Loe Tng Ptt Rng Ntt SPa**
- 1363. *Pelopidas mathias* (Fabricius,1798)** (Hesperiidae) Synonym(s): *mathias* Fabricius,1798; *elegans* Mabille,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albistrotris* Mabille,[1887]. **Ad IR As BD BF BH BI BJ BW CF CG CI CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW Hj ID IN KE KH KM KW LK LR LS LY MA MG ML MM Tns MR MW MY MZ NA NE NG OM QA RW SA SD SL SN SO ST SZ TD TG TH TN TZ UG VN YE ZA Tva Lpo Spb Kru K12 Pma Gau Pre Brb ZM ZR PH Boh CmL CmM Ceb Cts Gui Hom Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Sam Taw Nta Kzu Pth IN Ass Slo Mpu Suw Buf Jh Wjk Wm AO Bnk CMa Nrt Knc Rat Chy Nna Nst Chw Ths Phu Tng Sgk Hya PSu**
- 1364. *Pelopidas subochraceus* Moore,1878** (Hesperiidae) Synonym(s): *subochraceus* Moore,1878 **TH Nrt**
- 1365. *Pemara pugnans* (De Nicéville,1891)** (Hesperiidae) Synonym(s): *pugnans* De Nicéville,1891 **MM Mrg MY ID Sum Nia Mw Bgk Ja Bor TH Rng Tng Nst Ths Sya Lsa**
- 1366. *Pintara pinwilli* (Butler,[1879])** (Hesperiidae) Synonym(s): *pinwilli* Butler,[1879] **MM Krh Vp TH Tng Sgk Hya Knc ID Sum MY Bor VN Ann MY**
- 1367. *Pirdana distanti* Staudinger,1889** (Hesperiidae) Synonym(s): *distanti* Staudinger,1889 **MM Tvy Krh TH Cbi Tng Srt MY ID Ja Sum Nia Bor**
- 1368. *Pirdana hyela* (Hewitson,1867)** (Hesperiidae) Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911 **IN SI Ass PH Luz Pal MM Mrg Krh Tvy TH Chy CMa Nrt Tng Cbi Nna Rng Ntt SPa Nst Ths Sya ID Ja Sum Clb Bor MY**
- 1369. *Pithauria marsena* (Hewitson,[1866])** (Hesperiidae) Synonym(s): *marsena* Hewitson,[1866]; *ornata* C.Felder & R.Felder,[1867]; *subornata* Plötz,1887; *aithisoni* Wood-Mason & De Nicéville,[1887]; *uma* De Nicéville,1888; *glauca* Elwes & Edwards,1897 **TH Rng Yal MM Krh Tvy SI IN Ass Mpr Nat ID Sum Ja MY Bor VN Ton**

- 1370. Pithauria murdava (Moore,[1866])** (Hesperiidae) Synonym(s): *murdava* Moore,[1866]; *weymeri* Plötz,1883 **TH CMA CDo Chy Nna IN Clc Ass SI Djl MM VN MY Bor**
- 1371. Pithauria stramineipennis Wood-Mason & De Nicéville,[1887]** (Hesperiidae) Synonym(s): *stramineipennis* Wood-Mason & De Nicéville,[1887] **MY TH Chy CMA Nna Rng Cbi Knc Nrt Rat Nst Ths IN SI Ass MM CN Hn ID Sum CN Sz T-T**
- 1372. Plastingia callineura (C.Felder & R.Felder,1867)** (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,1867 **ID Ja Nia MY Bor Sbh KBa MM Krh PH Pal ID Sum IN Ass Prk TH Sgk Hya Knc**
- 1373. Plastingia naga De Nicéville,1884** (Hesperiidae) Synonym(s): *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909 **ID Ja Sum Nia Bgk IN Ass MM MY PH Bal CmL Ley Luz Mar Mas Mdo Mno Pal Pao TH Nrt Tng Rng**
- 1374. Plastingia pellationia Fruhstorfer,1911** (Hesperiidae) Synonym(s): *pellationia* Fruhstorfer,1911 **ID Sum Bgk Ja MM MY Bor PH Pal TH Cbi Rng**
- 1375. Polytrems annama Evans,1937** (Hesperiidae) Synonym(s): *annama* Evans,1937 **VN Ann TH Cbu Nrt**
- 1376. Polytrems discreta Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *discreta* Elwes & Edwards,1897; *himalaya* Evans,1926 **Meg Ass CN Sz Yu IN Khs Hp Sml MM Mre NP PG Pj PK SI TH CMA CDo Ton T-T Up VN**
- 1377. Polytrems eltola (Hewitson,1869)** (Hesperiidae) Synonym(s): *eltola* Hewitson,1869 **PK Mre Pj IN SI Ass Djl Kma Up MM MY TH CMA CDo TW**
- 1378. Polytrems lubricans (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *lubricans* Herrich-Schäffer,1869 **TW TH Chy CMA CDo Chy Rng Cbi Nna Yal Nst PH Stu Taw**
- 1379. Polytrems minuta Evans,1926** (Hesperiidae) Synonym(s): *minuta* Evans,1926 **TH IN Mpr MM Tvy MY Prk**
- 1380. Potanthus confucius (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *confucius* C.Felder & R.Felder,1862; *freda* Evans,1934 **PH Pal TH Bnk Nna Lmp Yal CMA Nrt Rat IN Ass Pln NI Nk Adm MM VN MY ID Sum Lb Sba Flo Alo Ja Bgk CN JP TW LK NP SI BT Hn**
- 1381. Potanthus flavum (Murray,1875)** (Hesperiidae) Synonym(s): *flavum* Murray,1875; *japonica* Mabille,1883 **JP KP CN RU IN Am Vv Yu Stg Sz T-T Kwt Hun MM PH Mdo Krh Shn Nag TH**
- 1382. Potanthus ganda Fruhstorfer,1911** (Hesperiidae) Synonym(s): *ganda* Fruhstorfer,1911; *lena* Evans,1934 **TH Chy CMA Rng Tng Cbi Nna Tng PH Cal Pal ID Nia Ja MY Bor Hn CN Bli MM IN Ass**
- 1383. Potanthus hetaerus Mabille,1883** (Hesperiidae) Synonym(s): *hetaerus* Mabille,1883 **PH Bon Hom Ley Luz Mdo Mno Neg Pal Pan Pol Rom Sga Sib Taw Bal Cal Stu TH ID Clb MM Tvy Mrg IN Adm ID Sum Nia Ja**
- 1384. Potanthus junio Evans,1932** (Hesperiidae) Synonym(s): *juno* Evans,1932 **TH CMA CDo Chy Tng Cbi MM Tvy Rgo IN Ass Mrg MY TW**
- 1385. Potanthus lydia Evans,1934** (Hesperiidae) Synonym(s): *lydia* Evans,1934 **TH CMA Mae Bnk Nst Chw Ths IN Ass MM VN CN Sz Krh**
- 1386. Potanthus mingo (Edwards,1866)** (Hesperiidae) Synonym(s): *mingo* Edwards,1866; *nitida* Mabille,1877; *flavoguttata* Plötz,1883 **PH Bas Jol Ley Luz Mas Mdo Mno Neg Pan Sam Sga Taw TH CMA Nst Ths IN Ass MM Mrg Krh VN MY ID Sum Ja**
- 1387. Potanthus nesta Evans,1934** (Hesperiidae) Synonym(s): *nesta* Evans,1934 **PH Bas Boh CmL CmM Ceb Cts Gui Hom Ley Luz Mar Mdo Mno Neg Pal Pan Pao Pol Sib Taw TH Bnk CMA Nst Ths Sya IN Ass MM Mrg SI BT VN ID Lb Ja Bli Kb**
- 1388. Potanthus omaha (Edwards,1863)** (Hesperiidae) Synonym(s): *omaha* Edwards,1863; *maesoides* Butler,1877; *luzonensis* Staudinger,1889 **PH Mno Taw TH CMA Yal Nna Nst Ths Chw MM Krh Mrg Tvy MY VN Ann ID Sum Bor Clb**
- 1389. Potanthus pallida (Evans,1932)** (Hesperiidae) Synonym(s): *pallida* Evans,1932 **SI LK IN BT Ass MM TH CMA Nrt Cbu Nst Chw CN Yu Kma Sml**
- 1390. Potanthus palnia Evans,1914** (Hesperiidae) Synonym(s): *palnia* Evans,1914 **IN Pln NI Coe SI BT Ass MM CN Hpe Hn VN TH CMA TAK ID Sum**
- 1391. Potanthus pamela Evans,1934** (Hesperiidae) Synonym(s): *pamela* Evans,1934 **TH Ntt SPa Nst Chw ID Sum Ja MY Bor**
- 1392. Potanthus pavus Fruhstorfer,1911** (Hesperiidae) Synonym(s): *pavus* Fruhstorfer,1911 **TH CMA PH Din Luz Mdo Mno Pol Sib TW IN SI Ass MM Krh CN Yu Sz Hpe Hn MY ID Clb**
- 1393. Potanthus pseudomaesa (Moore,1881)** (Hesperiidae) Synonym(s): *pseudomaesa* Moore,1881; *cato* Evans,1932. **Ass Ch CN Sz T-T Drm HK IN LK MM MY Shn SI Sml Sz T-T Up TH CMA Nrt**
- 1394. Potanthus rectifasciatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *rectifasciatus* Elwes & Edwards,1897 **SI IN MM Tvy Ass BT MY TH Chy Knc CMA Nst Chw**
- 1395. Potanthus trachala Mabille,1877** (Hesperiidae) Synonym(s): *trachala* Mabille,1877 **MM Mrg IN Ass Mpr VN CN Hpe Fkn Yu Hn IN Adm MY Bor ID Ja Sum TH Chy CMA CDo Nrt Uth Cbi Nna Rng Tng**
- 1396. Pseudoborbo bevani (Moore,1878)** (Hesperiidae) Synonym(s): *bevani* Moore,1878; *modesta* Moore,[1884]; *vaika* Plötz,1886; *sarus* Mabille,1891; *thyone* Leech,[1893]. **ID TH MY Hn CN TW BT Ch SI IN Yu Ass MM**

1397. **Pseudocoladenia dan (Fabricius,1787)** (Hesperiidae) **Synonym(s): dan Fabricius,1787 MY**
Meg Khs AF Ch PK Kgr Hp Mus NP ID Sum Bor KBa Ja Lb Clb Flo Sba Sbw CN Sz T-T Mou IN Ass Tkg
Fkn Hn KwT BT SI BT MM Shn Nag Mpr Mrg Sz T-T Yu Krh TH Chy CMa Cuo Cuo1 Cuo5 Cu10 Cu12
CDo CD2 Nst Rng Yal Cbi Rat Tng Lam Ths Cw Lsa Sgk Hya Tnc (2007, Cent. ent. Stud., Priamus 12
(3): pl.2 fig.6 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.9 fig.8 [adult]).
1398. **Pseudokerana fulgur (De Nicéville,1894)** (Hesperiidae) **Synonym(s): fulgur De Nicéville,1894**
MY ID Sum TH Tng
1399. **Pyroneura callineura (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):**
callineura C.Felder & R.Felder,[1867] TH Srt ID Ja MY Bor Sbh KBa IN Ass PH Pal
1400. **Pyroneura derna (Evans,1941)** (Hesperiidae) **Synonym(s): derna Evans,1941 MM Tvy ID Sbt**
Sum MY Bor PH Pal TH Cbi Nna Cph Rng
1401. **Pyroneura flavia (Staudinger,1889)** (Hesperiidae) **Synonym(s): flavia Staudinger,1889 ID**
Ja Sum MY Bor PH Pal TH Rng
1402. **Pyroneura helena (Butler,1870)** (Hesperiidae) **Synonym(s): helena Butler,1870 MM Mrg TH**
ID Nat ID Sum MY Lkw Bor Bgk
1403. **Pyroneura latoia (Hewitson,1868)** (Hesperiidae) **Synonym(s): latoia Hewitson,1868 SG MY**
ID Ja Bor Sum TH Tng Yal Cbi MM Mrg Krh
1404. **Pyroneura margherita (Doherty,1889)** (Hesperiidae) **Synonym(s): margherita Doherty,1889**
IN Ass Mpr Nag MM Krh TH CN Hn
1405. **Pyroneura niasana (Fruhstorfer,1909)** (Hesperiidae) **Synonym(s): niasana Fruhstorfer,1909**
ID Nia PH Pal TH Srt Tng Nst MM Krh
1406. **Pyroneura perakana (Evans,1926)** (Hesperiidae) **Synonym(s): perakana Evans,1926 MY**
Prk TH
1407. **Quedara monteithi (Wood-Mason & De Nicéville,1887)** (Hesperiidae) **Synonym(s):**
monteithi Wood-Mason & De Nicéville,1887; comoploea Swinhoe,1909 PH Cal Ley Mno Pal Sam Bal TH CMa Rng
MM Mrg ID Bgk Sum Bor Nia Ja
1408. **Salanoemia fuscicornis (Elwes & Edwards,1897)** (Hesperiidae) **Synonym(s): fuscicornis**
Elwes & Edwards,1897 TH Rng Nna Nst Ths CMa CDo MM Krh MY Bor
1409. **Salanoemia sala (Hewitson,1866)** (Hesperiidae) **Synonym(s): sala Hewitson,1866; submaculata**
Staudinger,1889; maculicornis Elwes & Edwards,1897; kanara Evans,1926 IN Knr MM Mrg MY Bor PH Pal TH
Cph Nst
1410. **Salanoemia tavoyana (Evans,1926)** (Hesperiidae) **Synonym(s): tavoyana Evans,1926 MM**
Tvy Krh Mrg MY Bor TH Rng Nst
1411. **Sancus fuligo (Mabille,1876)** (Hesperiidae) **Synonym(s): fuligo Mabille,1876; forensis Plötz,1884;**
kethra Plötz,1884; ulunda Staudinger,1889 ID Ja Sip Sum Clb MY Bor IN Ass MM Tns Vp PH Bal Bas Boh
Ceb CmM Cts Jol Ley Luz Mas Mdo Mno Neg Pal Pan Sam Sib Stu Taw TH Cbi Nrt Yal Nna Tng Nst
Ths Sya Ntt SPA
1412. **Sarangesa dasahara (Moore,[1866])** (Hesperiidae) **Synonym(s): dasahara Moore,[1866];**
philippus Mabille,1883 LK IN NI Poo Ben Adm SI BT Bi Ass MM CN Yu MY Lkw TH Chy Nna Tng CMa
CDo Pap Mro Rng Sgk Hya PSu Nst Ths Chw (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.3
[adult]).
1413. **Satarupa gopala Moore,[1866]** (Hesperiidae) **Synonym(s): gopala Moore,[1866]; tonkiniana**
Fruhstorfer,1909; hainana Evans,1932. VN Ton CN Hn ID Sum SI IN Ass MY TH Loe
1414. **Scobura cephaloides (Hewitson,1876)** (Hesperiidae) **Synonym(s): cephaloides De**
Nicéville,1888 TH CMa Phe MM Shn VN Ton Hn CN IN Ass Mpr Krh Nag Bmy
1415. **Scobura isota (Swinhoe,1893)** (Hesperiidae) **Synonym(s): isota Swinhoe,1893 SI IN Ass MM**
TH Chy Rng MY VN Ton
1416. **Scobura phiditia (Hewitson,1866)** (Hesperiidae) **Synonym(s): phiditia Hewitson,1866; martini**
Elwes & Edwards,1897 TH Cbi Nna IN Ass MM VN Ton MY SG ID Sum
1417. **Scobura woolletti N.D.Riley,1923** (Hesperiidae) **Synonym(s): woolletti N.D.Riley,1923 MY**
Bor IN Ass Mpr TH Rng ID Ja
1418. **Sebastonyma pudens Evans,1937** (Hesperiidae) **Synonym(s): pudens Evans,1937 TH CMa**
Dst MM Sad Shn Krh
1419. **Seseria affinis (Druce,1873)** (Hesperiidae) **Synonym(s): affinis Druce,1873; niphates Weymer,1873**
ID Ja Nia Sum MY Bor Prk TH
1420. **Seseria sambara (Moore,[1866])** (Hesperiidae) **Synonym(s): sambara Moore,1865; cosima**
Plötz,1884. TH VN Ton IN Ass BT Kma Mpr Nag SI Hp
1421. **Seseria strigata Evans,1926** (Hesperiidae) **Synonym(s): strigata Evans,1926 MM Krh TH**
CMa Chy Nna Nst Ths
1422. **Sovia albipecta (De Nicéville,1891)** (Hesperiidae) **Synonym(s): albipecta De Nicéville,1891;**
prominens Evans,1932 TH Chy Phe Knc MM Shn Krh VN

1424. **Spialia (s.str.) galba (Fabricius,1793)** (Hesperiidae) Synonym(s): *galba Fabricius,1793*. **IN**
Clc Kma Ch Ass MM Shn SI Ass TH Cbi Knc
1425. **Suada swerga (De Nicéville,1883)** (Hesperiidae) Synonym(s): *swerga De Nicéville,1883; moelleri Moore,1883* **SI IN Ass MM Mrg Shn Krh Tvy Pey MY TH CMa Nna Rat Knc Rng Nst Ths Sya ID Sum Ja**
1426. **Suastus everyx Mabille,1883** (Hesperiidae) Synonym(s): *everyx Mabille,1883; tripura De Nicéville,1883* **TH Rng Tng MM Tvy MY Bor ID Sum Ja**
1427. **Suastus gremius (Fabricius,1798)** (Hesperiidae) Synonym(s): *gremius Fabricius,1798; disu Kollar,1844; divodasa Moore,1865; robsonii De Nicéville,1895; centripuncta Seitz,1927* **TH CMa Cuo Cuo1 Cuo7 Msa CRa Bnk Cbu Lmp Nna Pkk Nst Ths Chw ID Sba Flo CN IN SI Ben Ass MM HK Hn TW LK (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.2 [adult]).**
1428. **Suastus minutus (Moore,1877)** (Hesperiidae) Synonym(s): *minutus Moore,1877; sinhalus Plötz,1885* **TH Chy Nrt Ray Cbu Rng Yal IN NI Ass Adm LK SI MM Mrg CN Hn ID Ja PH Pal Cal**
1429. **Tagiades (Nestus-gr) calliganus Butler,[1879]** (Hesperiidae) Synonym(s): *calliganus Butler,[1879]; yapatha Fruhstorfer,1910* **ID Nia Nag Ja Bor Sum MY MM TH Rng Yal**
1430. **Tagiades (Nestus-gr) cohaerens Mabille,1914** (Hesperiidae) Synonym(s): *cohaerens Mabille,1914; formosana Matsumura,1919* **MM Krh PK Mre NP SI IN Ass Shn CN TW MY TH CMa**
1431. **Tagiades (Nestus-gr) litigious Möschler,1878** (Hesperiidae) Synonym(s): *litigious Möschler,1878; vajuna Fruhstorfer,1910; eson Evans,1926; kotoshona Sonan,1936*. **LK TW IN Adm Ass MM SI TH CMa Yu CN Hn KwT Kwa ID Flo Sbw Ja Bli Lb**
1432. **Tagiades (Nestus-gr) menaka (Moore,[1866])** (Hesperiidae) Synonym(s): *menaka Moore,[1866]; vulturna Plötz,1884; gavina Fruhstorfer,1910*. **CN Sz T-T Kma Kul SI BT TH CMa Pbu VN Ton IN Clc Hp Ass MM Hn MY Prk**
1433. **Tagiades (Nestus-gr) toba De Nicéville,1896** (Hesperiidae) Synonym(s): *toba De Nicéville,1896* **MM Mrg MY ID Sum Bor Nia TH Tng Nst Ths Sya Sgk Hya Knc**
1434. **Tagiades (Nestus-gr) ultra Evans,1932** (Hesperiidae) Synonym(s): *ultra Evans,1932* **PH Pal Bor Nia MY MM Mrg Sum TH Nrt Yal Nst**
1435. **Tagiades (s.str.) gana Moore,[1866]** (Hesperiidae) Synonym(s): *gana Moore,[1866]; menantho Plötz,1885; perakanus Fruhstorfer,1910* **IN Adm Clc Oi NP SI Ass PH CmL Bas Bil Boh CmM Cts Din Ley Luz Mar Mas Mdo Mno Neg Pan Pao Pol Sam Sia Sib Pal Stu Taw Bor KBa Prk MY ID Sip Ja Nia Sum Mrg MM Krh TH Rng Yal CMa CDo Cmz Czo1 Dst Cuo Cu12 Rat Chy Nst Ths Lsa VN Ton (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.4 [adult]).**
1436. **Tagiades (s.str.) japetus (Stoll,[1781])** (Hesperiidae) Synonym(s): *japetus Stoll,[1781]; buruanus Fruhstorfer,1910; epius Fruhstorfer,1910; masistius Fruhstorfer,1910; deinolochus Fruhstorfer,1910*. **IN Ass Oi Clc SI TH MM VN Bgv4 PG SB Adl ID AU LK MY Tnm Sum Bor Ja Egg Nk Nia Sla Sba Lb Sbw Flo Alo Clb Sly Tim Wt Bbr Baw Bli Kai PH Bas Bil Boh Cal Ceb CmL CmM Cts Gui Ley Lub Luz Mas Mdo Mno Neg Pal Pan Pao Pol Sam Sia Sib Ob Amb Trn Beh Bru Grm KY Fg Vu Wg Ij D-Y Goo Stn Tro NBr Nlr Dmp NHa Mi Bgv Chs Hon4 Hon Hon7 NGe NGe6 Hon1 Cri Isa NGe1 NGe4 Phu Srt Rng Tng Nna Nrt Nst Ths Lsa Pbu Sgk Hya Knc CMa Cuo Cu12 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.8 [adult]; pl.44 figs.12,13 [adult]).**
1437. **Tagiades (s.str.) lavatus Butler,[1879]** (Hesperiidae) Synonym(s): *lavatus Butler,[1879]; albovitata Moore,1883* **MY Bor Sum Ja MM TH Srt**
1438. **Tagiades (s.str.) parra Fruhstorfer,1910** (Hesperiidae) Synonym(s): *parra Fruhstorfer,1910* **Prk MY SI IN Ass MM Mrg TH Cbi Srt Nna Rng Tng Yal Nst Sgk Hya Tnc ID Nia Bor Ja Sum ID Pal Ley Mas PH**
1439. **Tapena thwaitesi Moore,1881** (Hesperiidae) Synonym(s): *thwaitesi Moore,1881* **MM Shn Mpr IN Ass TH CMa Dst Rng Cbu Rat Nst PH Bal Pal Prk MY Lkw ID Sum Bor**
1440. **Taractrocera archias (C.Felder,1860)** (Hesperiidae) Synonym(s): *archias C.Felder,1860; nigrolimbatus Snellen,1876; dschaka Plötz,1885; ikramana Fruhstorfer,1910; turica Seitz,1927* **ID Ja Bli Bgk Tim Alo Sba Flo MM Krh VN Ann MY Tvy TH CMa Cuo Cuo5 Cuo7 Bnk Cbi Nrt Chy Knc Lmp (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.8 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.5 [adult]).**
1441. **Taractrocera maevius (Fabricius,1793)** (Hesperiidae) Synonym(s): *maevius Fabricius,1793; flaccus Fabricius,1793* **Ass Djl IN Kul Up LK MM Nwf Pes PK Shn SI TH CMa Cuo Cuo5 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.10 fig.11 [adult]).**
1442. **Taractrocera ziclea Plötz,1884** (Hesperiidae) Synonym(s): *ziclea Plötz,1884* **MM Mrg MY Bor ID Nia TH CMa ID Clb**
1443. **Telicota augias (Linnaeus,1763)** (Hesperiidae) Synonym(s): *augias Linnaeus,1763* **PH Pal Boh Ceb CmM Cts Gui Ley Luz Mar Mdo Mno Neg Pan Sam Sib Taw TH CMa Yal Phr**
1444. **Telicota bambusae (Moore,1878)** (Hesperiidae) Synonym(s): *bambusae Moore,1878* **Ann Ass Ben Clc ID IN Kma MM Tns MY BOR CN Oi Pj PK Mre Up SI TH Nna Nst Ths Nrt Rat VN**
1445. **Telicota colon (Fabricius,1775)** (Hesperiidae) Synonym(s): *colon Fabricius,1775* **IN PH Boh Luz Mar Mas Mdo Mno Neg Pal Sib TH Bnk Knc Rng Tng Rat Nst Chw CMa CDo Nna Sgk**
1446. **Telicota hilda Eliot,1959** (Hesperiidae) Synonym(s): *hilda Eliot,1959* **TH Nst Ths MM MY PH Pal**

1447. **Telicota linna Evans,1949** (Hesperiidae) Synonym(s): *linna Evans,1949* **TH Chy Nrt Cbi**
1448. **Telicota ohara Plötz,1883** (Hesperiidae) Synonym(s): *ohara Plötz,1883* **TH Chy CMA CDo Nst**
Lsa Yal Cbi TAK TW PH Bal Bas Hom Ley Mar Mas Mdo Mno Neg Pal Pan Pol Sam Sib
1449. **Thoressa cerata (Hewitson,1876)** (Hesperiidae) Synonym(s): *cerata Hewitson,1876* **SI IN**
Ass MM TH Nna Phe Nrt VN
1450. **Thoressa masoni (Moore,1878)** (Hesperiidae) Synonym(s): *masoni Moore,1878* **MM Tns**
Mpr Tvy IN Ass TH Chy CMA CDo Nna Cbi Knc VN Ton
1451. **Udaspes folus (Cramer,[1775])** (Hesperiidae) Synonym(s): *folus Cramer,[1775]; cicero Fabricius,1793* **IN Ass Slo BT LK NP MM TH Bnk Pbu Cbu Yal CMA Rng CN Hn TW Yu MY ID Sum Ja**
Egg Lb Sbw
1452. **Unkana ambasa (Moore,1857)** (Hesperiidae) Synonym(s): *ambasa Moore,1857; latreillei C.Felder & R.Felder,[1867]; cruda Herrich-Schäffer,1869; anitta Plötz,1882; palawana Fruhstorfer,1911* **TH Cbi Cph Kbi Nst Ths**
Chw Rng PH Boh CmL Din Hom Ley Luz Mdo Mno Neg Pan Sam Sib Pal Stu Taw ID Nia Ja Sum IN
MM Krh Mrg MY Bor
1453. **Unkana flava Evans,1932** (Hesperiidae) Synonym(s): *flava Evans,1932* **MM Shn TH VN Ton**
1454. **Unkana mythea (Hewitson,1877)** (Hesperiidae) Synonym(s): *mythea Hewitson,1877* **TH**
Tng Yal Nst Chw MY Bor MM Mrg ID Sum Bgk Nia
1455. **Xanthoneura corissa (Hewitson,1876)** (Hesperiidae) Synonym(s): *corissa Hewitson,1876; drancus Plötz,1884; lathonia Elwes & Edwards,1897* **MM Mrg Tvy MY Bor ID Sum Ja TH Rng Nst**
1456. **Zela adorabilis Fruhstorfer,1911** (Hesperiidae) Synonym(s): *adorabilis Fruhstorfer,1911* **MY**
ID Sum Sbt Bor TH Tng
1457. **Zela elioti Evans,1939** (Hesperiidae) Synonym(s): *elioti Evans,1939* **MY Lkw TH Cbi**
1458. **Zela smaragdinus (Druce,1913)** (Hesperiidae) Synonym(s): *smaragdinus Druce,1913* **MY Bor**
TH Rng
1459. **Zela zeus De Nicéville,1895** (Hesperiidae) Synonym(s): *zeus De Nicéville,1895* **MY Bor ID**
Sum IN Ass Meg Khs MM Krh Mrg TH Cbi Nna PH Hom Ley Luz Mdo Mno Sam Sib Taw
1460. **Zographetus doxus Eliot,1959** (Hesperiidae) Synonym(s): *doxus Eliot,1959* **PH Mas Pan Sib**
Taw TH Rng Cbi
1461. **Zographetus ogygia (Hewitson,1866)** (Hesperiidae) Synonym(s): *ogygia Hewitson,1866; flavipennis De Nicéville,1885; flavalum De Nicéville,1887* **PH CmM Ley Luz Mar Mdo Mno Neg Pal Pan Pol**
Sam IN Adm Ass SI TH MY ID Sum Nia Bgk Lb Sbw Flo Alo
1462. **Zographetus rama (Mabille,1876)** (Hesperiidae) Synonym(s): *rama Mabille,1876; graeae De Nicéville,1895; angulifera Elwes & Edwards,1897; dawna Evans,1926* **PH Ley Mdo Sam TH Rng Chy MM Krh MY**
ID Clb Sum
1463. **Zographetus satwa (De Nicéville,1884)** (Hesperiidae) Synonym(s): *satwa De Nicéville,1884* **TH CMA Rng Lmp Nna Ray Cbi ID Ja IN SI Ass MM MY**
1464. **Himantopterus zaida (Doubleday,1843)** (Himantopteridae) Synonym(s): *zaida Doubleday,1843; flavescens Jordan,1907* **IN TH CMA Cuo Phy MM Tns**
1465. **Hyblaea constellata Guenée,1852** (Hyblaeidae) Synonym(s): *constellata Guenée,1852; contraria Walker,1865; #triflagiata Strand,1919* **TH**
1466. **Hyblaea puera (Cramer,[1777])** (Hyblaeidae) Synonym(s): *puera Cramer,[1777]; saga Fabricius,1787; unxia Hübner,[1813]; apricans Boisduval,1833; limacodella Walker,1866; mirificum Strecker,1876; #nigra Stebbing,1903; insula Gaede,1917.* **SR US ZA MG MM JM AU QAU WS PC FJ SB PG MY IN TH CMA CDo**
CRa Lmp TAK Knc Sbu Nna Bnk Cbi Trat Npt Pht ID Ja
1467. **Imma diluticiliata Walsingham,1900** (Immidae) Synonym(s): *diluticiliata Walsingham,1900* **TH IN Ass Bor Klt ID**
1468. **Imma mackwoodii (Moore,1887)** (Immidae) Synonym(s): *mackwoodii Moore,1887* **TH LK**
ID Clb
1469. **Imma semicitra Meyrick,1937** (Immidae) Synonym(s): *semicitra Meyrick,1937* **TH IN Mh**
Bba LK
1470. **Imma transversella Snellen,1878** (Immidae) Synonym(s): *transversella Snellen,1878* **TH MM**
MY SG BN Bor PG
1471. **Moca auxobathra Meyrick,1906** (Immidae) Synonym(s): *auxobathra Meyrick,1906* **TH IN**
Ass HK MM ID Sum Clb MY Bor BN Klt Swk PG
1472. **Anticrates despotica Meyrick,1926** (Lacturidae) Synonym(s): *despotica Meyrick,1926* **TH**
MY BN Bor Swk
1473. **Anticrates eulimna Meyrick,1913** (Lacturidae) Synonym(s): *eulimna Meyrick,1913* **TH MY**
Bor BN Swk Sbh
1474. **Alompra ferruginea Moore,1872** (Lasiocampidae) Synonym(s): *ferruginea Moore,1872* **IN SI**
Djl NP MM MY CN VN Bor Sum ID PH Mno TH CMA Pap Pfa Dst Int Nan Bou
1475. **Alompra roepkei Tams,1953** (Lasiocampidae) Synonym(s): *roepkei Tams,1953* **MY TH CMA**
Int Dst Ctg Fn Nan Bou Pua Ntt Knc Tng Nna Kao IN Ass VN Ton Han MM Sum Ja PH
1476. **Amurilla rubra (Hampson,1896)** (Lasiocampidae) Synonym(s): *rubra Hampson,1896* **IN NP**
MM TH CMA Pfa Php MAI Nan Pua Int CN Sz?

1477. **Argonestis flammans (Hampson,1892)** (Lasiocampidae) Synonym(s): *flammans* Hampson,1892 IN Ass Mpr NP CN VN Ton Fan LA TH CMa Dst Dso8 Wia Sop Fn Ctg MAI Pfa Pap Int CRa Met Nan Pua Dpk Bou Bby Mae Pai Bhn
1478. **Arguda decurtata Moore,1879** (Lasiocampidae) Synonym(s): *decurtata* Moore,1879 IN SI Djl CN VN ID Sum TH CMa Pap Pfa Nan Pua Bou
1479. **Arguda insulindiana De Lajonquière,1977** (Lasiocampidae) Synonym(s): *insulindiana* De Lajonquière,1977 ID Sum Bor VN MM TH CMa Ssi Wia Pfa MAI Mcm Dst CDo Nan Bou Mae Bhn CN IN
1480. **Arguda magnifica Zolotuhin,2005** (Lasiocampidae) Synonym(s): *magnifica* Zolotuhin,2005 TH Nan Bou Mae Bhn
1481. **Arguda rectilinea Hampson,[1893]** (Lasiocampidae) Synonym(s): *rectilinea* Hampson,[1893] MM ID Sum IN TH Nan Bou MY PH Pal
1482. **Arguda sandrae Zwick,1998** (Lasiocampidae) Synonym(s): *sandrae* Zwick,1998 PH Pal TH CMa Pfa Nan Bou Pap CN Yu Xis
1483. **Arguda tayana Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *tayana* Zolotuhin & Witt,2000 VN CN TH CMa Dst Nan Bou
1484. **Arguda thaica Zolotuhin,2005** (Lasiocampidae) Synonym(s): *thaica* Zolotuhin,2005 TH CMa Int Php Fn Nan Bou MAI VN Ton Fan
1485. **Arguda viettei De Lajonquière,1977** (Lasiocampidae) Synonym(s): *viettei* De Lajonquière,1977 ID Sum Bor MY CN Yu VN MM TH CMa Pap Ctg Fn MAI Sop Pfa Wia Nan Bou Pua
1486. **Arguda vinata (Moore,1865)** (Lasiocampidae) Synonym(s): *vinata* Moore,1865 IN SI Djl NP IN SI CN Yu Sz Shs MM VN Ton Fan MY TH CMa Fn Sop Wia MAI Kob Ctg Pap CDo Agk Nan Bou Pua Mae Pai
1487. **Cerberolebeda styx Zolotuhin,1995** (Lasiocampidae) Synonym(s): *styx* Zolotuhin,1995 VN Fan Ton TH Nan Bou Pua Dpk Int MM IN CN Hn
1488. **Chonopla modulata (Swinhoe,1890)** (Lasiocampidae) Synonym(s): *modulata* Swinhoe,1890 MM Bha IN VN Ton Han TH CMa Pfa Nan Bou Nrt
1489. **Cosmeptera salvazai De Lajonquière,1979** (Lasiocampidae) Synonym(s): *salvazai* De Lajonquière,1979 TH CMa MAI Fn Sop Mae Mrm Smn Pai Bhu Nan Bby Bou LA
1490. **Crinocraspeda torrida (Moore,1879)** (Lasiocampidae) Synonym(s): *torrida* Moore,1879 IN SI Djl TH CMa Fn Pfa MAI Int Dst NP MM CN VN Ton Fan
1491. **Dendrolimus angulata Gaede,1932** (Lasiocampidae) Synonym(s): *angulata* Gaede,1932 CN Yu Sz VN Ton Fan TH CMa Int Fn Pfa MAI CDo
1492. **Dendrolimus grisea (Moore,1879)** (Lasiocampidae) Synonym(s): *grisea* Moore,1879; *houi* De Lajonquière,1979 IN Ass Khs Meg CN TH CMa Dst CDo Ctg Pap Bkm Agk Fn Int CRa LA VN Ton Fan
1493. **Dendrolimus senex Zolotuhin,2002** (Lasiocampidae) Synonym(s): *senex* Zolotuhin,2002 TH Mae Pai CMa Int Wia Sop Kob
1494. **Eteinopla narcissus Zolotuhin,1995** (Lasiocampidae) Synonym(s): *narcissus* Zolotuhin,1995 TH Nan Dpk CMa Fn Kob Agk Ctg Sop Bkm MAI Pfa Bou Pua VN MM CN Yu Hn Shs
1495. **Eteinopla signata (Moore,1879)** (Lasiocampidae) Synonym(s): *signata* Moore,1879 IN SI Djl TH CMa Fn Pfa Kob MAI CDo Nor Ctg Nan Bou Pua Bby Mae Pai NP CN MM VN Ton Fan Tda MY
1496. **Euthrix fossa (Swinhoe,1879)** (Lasiocampidae) Synonym(s): *fossa* Swinhoe,1879 IN TH CMa Php Fn CDo Sop Agk Nan Bou
1497. **Euthrix fox Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *fox* Zolotuhin & Witt,2000 VN Ton Fan TH CMa Fn Nan Dpk Bou CN Sz LA L13
1498. **Euthrix imitatrix (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *imitatrix* De Lajonquière,1978 CN Kwa VN Ton CN TH Int Fn CMa Php Nor Sop Bkm Agk Wia Pap Bou Bby
1499. **Euthrix improvisa (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *improvisa* De Lajonquière,1978 VN Ton CH TH CMa Php MAI Pfa Kob Agk Sop Nan Dpk Bou Pua
1500. **Euthrix inobtrusa (Walker,1862)** (Lasiocampidae) Synonym(s): *inobtrusa* Walker,1862 IN TH CMa MAI Wia CDo Pfa Pap Pai Bsl Bhu Mae Nan Bou NP CN BT VN MY ID Sum
1501. **Euthrix isocyma (Hampson,1892)** (Lasiocampidae) Synonym(s): *isocyma* Hampson,1892 IN Ass Nag TH Mae Bhu Nan Bou Pua Bby CMa Pfa Pap Fn MM CN LA VN
1502. **Euthrix laeta (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta* Walker,1855 IN Ass Syl NP LK ID Sum Bor Ja MM TH CMa Cu01 CDo Php Pap Pfa Smn Haf Nan Bou CDo Phy Mae Pai Phe Nrt VN LA MY PH Pal Bal CN TW JP KP KR RU Us
1503. **Euthrix sherpai Zolotuhin,2001** (Lasiocampidae) Synonym(s): *sherpai* Zolotuhin,2001 TH CMa Pfa Nor Hnd Msu CDo Fn MAI Pap Nan Bou Phy CMu Knc Ssw CN Yu
1504. **Euthrix sondensis (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *sondensis* De Lajonquière,1978 ID Ja Sum TH CMa Fn MY VN Ton
1505. **Gastropacha (Estigena) koniensis Tams,1935** (Lasiocampidae) Synonym(s): *koniensis* Tams,1935 TH CMa Int Mae Pai IN CN Yu MM

1506. **Gastropacha (Estigena) pardale (Walker,1855)** (Lasiocampidae) Synonym(s): *pardale* Walker,1855 ID Ja TH Cbi Bnk CMA CDo Int Pfa Pap Ctg Wia Nan Bou Mae Pai Dmy Nrt PK IN NP CN Yu TW VN Ton Fan MY Sum
1507. **Gastropacha (Estigena) philippinensis Tams,1935** (Lasiocampidae) Synonym(s): *philippinensis* Tams,1935 PH Luz PK IN NP CN Yu TH CMA Php MAL Fn Ctg Int Nan Pua VN Ton Fan MM Bor ID Sum Adm
1508. **Gastropacha (Estigena) xenapates Tams,1935** (Lasiocampidae) Synonym(s): *xenapates* Tams,1935 IN SI Djl NP CN MM VN Ann Ton Fan Tda TH CMA Int Dst Wia Fn Pap MAL Pfa Nan Pua Bou Phe Mae Bsl Knc Ssw Pgg Tng Nrt Kao Phu Nst
1509. **Gastropacha (Stenophyllides) acutifolia Roepke,1953** (Lasiocampidae) Synonym(s): *acutifolia* Roepke,1953 ID Ja CMA TH Int Mta Pap Nan Knc Ssw Bhy Hnd Pua
1510. **Gastropacha (Stenophyllides) remnaumovi Zolotuhin,2005** (Lasiocampidae) Synonym(s): *remnaumovi* Zolotuhin,2005 TH Phy CMu
1511. **Gastropacha (Stenophyllides) sikkima Moore,1879** (Lasiocampidae) Synonym(s): *sikkima* Moore,1879 IN SI Djl TH Nan Pua
1512. **Hallicarnia albipectus (Walker,1855)** (Lasiocampidae) Synonym(s): *albipectus* Walker,1855 VN Ton TH CMA CDo CD1 Nan Phy CMu Ntt Hba Tng Kbi Nst MY ID Sum Bor
1513. **Kosala reducta Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *reducta* Zolotuhin & Witt,2000 VN Ton Fan TH CMA Php
1514. **Kosala rufa Hampson,1892** (Lasiocampidae) Synonym(s): *rufa* Hampson,1892 IN Ass Nag TH CN CMA Php Fn Kob Agk CN VN Ton Fan
1515. **Kosala sanguinea Moore,1879** (Lasiocampidae) Synonym(s): *sanguinea* Moore,1879 IN Meg Ass Khs CN VN TH CMA Fn Php
1516. **Kunugia ampla (Walker,1855)** (Lasiocampidae) Synonym(s): *ampla* Walker,1855 BD Syl IN CN VN MY TH CMA Ctg Int Dst Nan Bou
1517. **Kunugia australoplacida Holloway,1987** (Lasiocampidae) Synonym(s): *australoplacida* Holloway,1987 MY Bor Swk VN ID Sum Ja PH Pal TH CMA CDo MAL CRa Nrt Kao Kbi
1518. **Kunugia basinigra (Roepke,1953)** (Lasiocampidae) Synonym(s): *basinigra* Roepke,1953 ID Ja Bor Sum PH MY VN Ton Fan CN Shs TH
1519. **Kunugia brunnea (Wileman,1915)** (Lasiocampidae) Synonym(s): *brunnea* Wileman,1915 TW TH CMA Fn Php Nrt Kao CN VN Ton Fan NP
1520. **Kunugia burmensis (Gaede,1932)** (Lasiocampidae) Synonym(s): *burmensis* Gaede,1932 MM Krh CN VN Ton Fan TH CMA Pap Fn Pfa Php MAL Nan Knc
1521. **Kunugia divaricata (Moore,1884)** (Lasiocampidae) Synonym(s): *divaricata* Moore,1884 IN SI Djl NP MM CN LA VN Ton Tda MY TH CMA Dst Ctg Pfa Wia Nan Pua Bou Mae Pai Nrt Kao
1522. **Kunugia falco Zolotuhin,2002** (Lasiocampidae) Synonym(s): *falco* Zolotuhin,2002 TH CMA Php Fn Int Ctg Nan Bou
1523. **Kunugia florimaculata (Tsai & Hou,1983)** (Lasiocampidae) Synonym(s): *florimaculata* Tsai & Hou,1983; *charpentieri* Holloway & Bender,1990 CN Yu Xis ID Sum IN Ass MY TH CMA Dst Pfa Kob Ctg Pap Sop Agk Nan Bou Mae Pai Pua
1524. **Kunugia fulgens (Moore,1879)** (Lasiocampidae) Synonym(s): *fulgens* Moore,1879 IN SI Djl TH CMA Int Fn Ctg MAL Nan Dpk Pua Nrt Kao NP CN VN Ton Fan MM
1525. **Kunugia grjukovae Zolotuhin,2005** (Lasiocampidae) Synonym(s): *grjukovae* Zolotuhin,2005 TH Nan CMA Pap Bou MAL Php Pfa Ctg Int MM Krh
1526. **Kunugia gynandra (Swinhoe,1893)** (Lasiocampidae) Synonym(s): *gynandra* Swinhoe,1893 ID Ja TH CMA Dst Kbi Phe Sum MY Bor
1527. **Kunugia latipennis (Walker,1855)** (Lasiocampidae) Synonym(s): *latipennis* Walker,1855; *basimacula* Walker,1862; *purpurascens* Moore,1884; *sumatrae* Swinhoe,1916; *basidiscata* Holloway,1982; *dongchuaensis* Tsai & Hou,1983 TH CMA Fn Ctg CDo Sop Pfa Nan Pua Bou CRa Mae Nrt Bhu Khk IN Bor Swk Sum ID SG CN Yu MM PH Pal NP VN Ton Tda
1528. **Kunugia lemeepauli (Lemee & Tams,1950)** (Lasiocampidae) Synonym(s): *lemeepauli* Lemee & Tams,1950; *yongdensis* Tsai & Hou,1983 VN Ton Fan TH CMA Fn MAL Ctg CDo Dst Nan Pua Bby Bou Nrt CN
1529. **Kunugia lineata (Moore,1879)** (Lasiocampidae) Synonym(s): *lineata* Moore,1879 IN SI Djl NP CN VN Ton Fan MM TH CMA Dst Fn Sop Kob Nor Ctg Pfa MAL Nan Dpk Bou Mae Pai Bby Pua
1530. **Kunugia placida (Moore,1879)** (Lasiocampidae) Synonym(s): *placida* Moore,1879; *lidderdalii* Butler,1881; *dukouensis* Tsai & Hou,1980 IN SI Djl BT CN Sz VN MY TH CMA Ctg Fn Pfa Nan Dpk Phy Rng Kbi Haf
1531. **Kunugia siamka Zolotuhin,2002** (Lasiocampidae) Synonym(s): *siamka* Zolotuhin,2002 TH CMA Pap Mro Nan Mae LA MY
1532. **Kunugia sinjaevi Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *sinjaevi* Zolotuhin & Witt,2000 VN Fan Ton TH CMA Dst Dso7 Fn Nan Bou
1533. **Kunugia vulpina (Moore,1879)** (Lasiocampidae) Synonym(s): *vulpina* Moore,1879 IN SI Djl TH CMA Int CDo Fn Ctg Php MAL Nan Bou CN Yu Sz VN Ton

1534. **Lajonquierea poeciloptera (Grünberg,1913)** (Lasiocampidae) Synonym(s): *poeciloptera* Grünberg,1913 TH CMa Ssi Sum Bor MY ID
1535. **Lebeda cognata Grünberg,1913** (Lasiocampidae) Synonym(s): *cognata* Grünberg,1913 Bor Sum ID MY TH Mae Ntt Hba Bhu
1536. **Lebeda nobilis Walker,1855** (Lasiocampidae) Synonym(s): *nobilis* Walker,1855 NP IN Syl TH CMa Int Ctg Php MAI CRa Nan Bou Sop TW VN Ton Fan Tda CN MY ID Sum Ja
1537. **Lebeda trifascia (Walker,1855)** (Lasiocampidae) Synonym(s): *trifascia* Walker,1855 IN NP CN VN Ton Fan MM TH CMa CDo Fn Phe Srt Nan Pua
1538. **Metanastria aconyta (Cramer,[1777])** (Lasiocampidae) Synonym(s): *aconyta* Cramer,[1777] TH Cbi IN NP
1539. **Metanastria asteria Zolotuhin,2005** (Lasiocampidae) Synonym(s): *asteria* Zolotuhin,2005 TH Cbi Knc MY Png CN Yu Xis
1540. **Metanastria capucina Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *capucina* Zolotuhin & Witt,2000 VN Ton Fan TH CMa MAI Nan Bou Php Int Ctg Bkm Nan Bou CD1 CDo Kob Agk Dst MM Tns Krh LA L13 CN
1541. **Metanastria gemella De Lajonquière,1979** (Lasiocampidae) Synonym(s): *gemella* De Lajonquière,1979 ID Sum TH CMa Pfa Cbi Knc Ssw CN IN NP VN Ton MY Bor
1542. **Metanastria hyrtaca (Cramer,[1779])** (Lasiocampidae) Synonym(s): *hyrtaca* Cramer,[1779] CN TW IN NP MM ID Sum Bor MY VN Ton Tda TH CMa Fn Ctg Pfa Agk MAI Kob Sop CDo Nan Bou Bby Pua Dpk CRa Khk Kjn Phe Phy Mae Bsl Nrt Kao
1543. **Metanastria mantra Zolotuhin,2005** (Lasiocampidae) Synonym(s): *mantra* Zolotuhin,2005 TH CMa Php Int MAI
1544. **Micropacha krocha Zolotuhin,1995** (Lasiocampidae) Synonym(s): *krocha* Zolotuhin,1995 TH CMa MAI Fn Sop Nan Dpk Bou Pua Bby Mae Pai
1545. **Micropacha roepkei Holloway,1987** (Lasiocampidae) Synonym(s): *roepkei* Holloway,1987 MY Bor TH Ntt Hba ID Sum
1546. **Micropacha zojka Zolotuhin,2000** (Lasiocampidae) Synonym(s): *zojka* Zolotuhin,2000 VN Ton TH CMa Agk Kob Pap Pfa Nan Bou Pua Bby Knc Ssw Ntt Hba IN Ass MM CN Yu MY ID Sum
1547. **Odonestis bheroba Moore,1859** (Lasiocampidae) Synonym(s): *bheroba* Moore,1858 IN SI Djl NP TH CMa Dst Nan Pua Bou TAK VN CN MM TW
1548. **Odonestis erectilinea (Swinhoe,1904)** (Lasiocampidae) Synonym(s): *erectilinea* Swinhoe,1904 ID Sum Bor MY Ja PH Pal CN IN MM VN TH CMa Pap CDo Fn Ssi Nan Bou Bby Bnk Nna Kao Nrt Ntt Hba
1549. **Odonestis lipara Tams,1935** (Lasiocampidae) Synonym(s): *lipara* Tams,1935 MY Bor TH CMa Ssi Dsk
1550. **Odonestis pinratanai Zolotuhin,2005** (Lasiocampidae) Synonym(s): *pinratanai* Zolotuhin,2005 TH Knc Ssw
1551. **Odonestis vita Moore,1859** (Lasiocampidae) Synonym(s): *vita* Moore,1859 ID Ja TH Bnk CMa Phy CMU Kbi IN LK Adm CN VN Ton Han Sgn Ann B-e Bor Sum PH
1552. **Odontocraspis collieri Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *collieri* Zolotuhin & Witt,2000 VN Ton Fan CN Yu TH CMa Pfa Nan Pua Dpk
1553. **Odontocraspis hasora Swinhoe,1894** (Lasiocampidae) Synonym(s): *hasora* Swinhoe,1894 IN Ass Slo CN MM VN Ton MY ID Sum Bor TH CMa Dst Wia Pap Ctg Nan Pua Dpk Bou
1554. **Pachypasoides lucanivalvus Zolotuhin,2002** (Lasiocampidae) Synonym(s): *lucanivalvus* Zolotuhin,2002 TH CMa Php Ctg Dst CRa Wpp
1555. **Paradoxopla sinuata (Moore,1879)** (Lasiocampidae) Synonym(s): *sinuata* Moore,1879 PK IN SI Djl TH CMa Php Fn MAI Int Ctg VN CN NP TW
1556. **Paralebeda crinodes (R.Felder,1868)** (Lasiocampidae) Synonym(s): *crinodes* R.Felder,1868 ID Ja Bli Sum Bor PH Pal MY MM TH VN CN Ntt Hba Tng
1557. **Paralebeda lucifuga (Swinhoe,1892)** (Lasiocampidae) Synonym(s): *lucifuga* Swinhoe,1892 SG MY TH CMa Ssi Nst Knc Ssw Tng Dsk ID Bor Bli Sum PH Pal
1558. **Paralebeda plagifera (Walker,1855)** (Lasiocampidae) Synonym(s): *plagifera* Walker,1855 NP IN BT CN MM VN Ton Fan TH CMa Dst Pfa Sop Ctg Fn Bby Nan Pua Nna Kao
1559. **Pyrosis fulviplaga (De Joannis,1929)** (Lasiocampidae) Synonym(s): *fulviplaga* De Joannis,1929 VN Ton TH CMa Dst IN NP MM
1560. **Pyrosis rotundipennis (De Joannis,1929)** (Lasiocampidae) Synonym(s): *rotundipennis* De Joannis,1929 VN Ton Fan Tda CN Sz Yu IN LA MM TH CMa Dst Int Mta CRa Wpp Nan Bsw
1561. **Pyrosis sp.** (Lasiocampidae) Synonym(s): TH CMa Int Php Ctg VN CN Sz
1562. **Radhica elisabethae De Lajonquière,1977** (Lasiocampidae) Synonym(s): *elisabethae* De Lajonquière,1977 ID Sum Bor Bli MY TH CMa Ssi Ctg Pfa MAI Sop Mcm CDo Pap Fn Nan Pua Bou Mae Pai Bhn Bhu Knc Ssw Nrt Kao PH Pal VN Ton Tda MM CN IN
1563. **Radhica flavovittata Moore,1879** (Lasiocampidae) Synonym(s): *flavovittata* Moore,1879 TH Nan Pua Dpk CMa Dst CDo Fn MAI Ctg Wia Bou IN NP CN Yu TW MM VN Ton Fan ID Sum Bor MY

1564. **Radhica himerta (Swinhoe,1893)** (Lasiocampidae) Synonym(s): *himerta Swinhoe,1893* **ID**
Ja Sum Bor MY TH CMA Dsk Ssi Pap Pfa
1565. **Radhica holoxantha (Grünberg,1912)** (Lasiocampidae) Synonym(s): *holoxantha Grünberg,1912*
ID Sum Bor MY MM TH CMA Cnz Cz03 Nan Bou Phy CMU (2007, Cent. ent. Stud., Memoirs 3/4:
Pl.11 fig.14 [adult]).
1566. **Streblote igniflua (Moore,[1883])** (Lasiocampidae) Synonym(s): *igniflua Moore,[1883]* **LK**
IN NP VN Ton Fan Han CN LA TH?
1567. **Streblote stupida (Staudinger,1887)** (Lasiocampidae) Synonym(s): *stupida Staudinger,1887*
RU Us CN TH VN Sgn Coc MY Bnk Nrt Cbi Pty
1568. **Suana concolor (Walker,1855)** (Lasiocampidae) Synonym(s): *concolor Walker,1855; bimaculata*
Walker,1855; ampla Walker,1855; cervina Moore,1879; riemsdyki Heylaerts,1889 **IN Syl LK MM CN TH VN Ton MY**
PH ID Sum Bor Ja Bnk CMA Cnz Cz10 Fn Int Nan Ntt Hba Kbi
1569. **Syrastrena borneensis Tams,1935** (Lasiocampidae) Synonym(s): *borneensis Tams,1935* **MY**
Bor Swk Sum ID VN TH CMA Sop Wia Pfa Nan Bou Phy CMU Kbi
1570. **Syrastrena lajonquierei Holloway,1982** (Lasiocampidae) Synonym(s): *lajonquierei*
Holloway,1982 **MM Kam VN Ton Fan TH CMA Fn Php MAI Nan Bou Kbi NP**
1571. **Syrastrena lanaoensis Tams,1935** (Lasiocampidae) Synonym(s): *lanaoensis Tams,1935* **PH**
Mno Luz ID Bor Sum VN Ton MY TH CMA Pfa Phy CMU Srt Kbi
1572. **Syrastrena malaccana Tams,1935** (Lasiocampidae) Synonym(s): *malaccana Tams,1935* **MY**
VN TH CMA Dst Sop Pfa Fn Pap MAI Nan Bou Bby Pua Mae Bhn LA MM
1573. **Syrastrenopsis inthanonensis Orhant,2001** (Lasiocampidae) Synonym(s): *inthanonensis*
Orhant,2001 **TH CMA Fn Int**
1574. **Takanea diehli De Lajonquière,1978** (Lasiocampidae) Synonym(s): *diehli De Lajonquière,1978*
ID Sum MY Bor PH TH CMA Cnz Cz10 Ntt Hba Knc Ssw Phe
1575. **Takanea excisa (Wileman,1910)** (Lasiocampidae) Synonym(s): *excisa Wileman,1910* **TW JP**
RU Krl CN TH CMA CDo Wia Php Sop Kob Mae Pai Fn Nor Agk Int (2007, Cent. ent. Stud., Memoirs
3/4: pl.47 fig.6 [adult]).
1576. **Trabala brahma Roepke,1951** (Lasiocampidae) Synonym(s): *brahma Roepke,1951* **ID Ja TH**
CMA Dst MM VN MY
1577. **Trabala ganesha Roepke,1951** (Lasiocampidae) Synonym(s): *ganesha Roepke,1951* **ID Ja Sum**
Bor TH Tng PH Pal Mno MY
1578. **Trabala irrorata Moore,1884** (Lasiocampidae) Synonym(s): *irrorata Moore,1884* **ID Ja Sme**
TH CMA Dst Ctg Pfa Knc Ssw Phu Nna Tng Nrt Sum Bor MY MM PH Pal Neg Mno Ley
1579. **Trabala krishna Roepke,1951** (Lasiocampidae) Synonym(s): *krishna Roepke,1951* **ID Ja TH**
CMA Fn Dst Ntt Nan Bou MM VN MY Sum Bor PH Pal Mno
1580. **Trabala niphae Owada & Kishida,1989** (Lasiocampidae) Synonym(s): *niphae Owada &*
Kishida,1989 **TH Knc VN Tda Bao**
1581. **Trabala pallida (Walker,1855)** (Lasiocampidae) Synonym(s): *pallida Walker,1855* **ID Ja Sum**
Bli Bor IN Adm CN MM VN MY TH CMA Dst Cuo Cuo7 Pap Pfa Ssi Wia Sop Mal Nan Bou Mae Pai Loe
Knc Cbi Srt Nrt Bnk Smu Sbu (2007, Cent. ent. Stud., Memoirs 3/4: Pl.11 fig.15 [adult]; pl.34 fig.10
[larva]).
1582. **Trabala pinratanai Zolotuhin,2005** (Lasiocampidae) Synonym(s): *pinratanai Zolotuhin,2005*
TH Knc Ssw
1583. **Trabala shiva Roepke,1951** (Lasiocampidae) Synonym(s): *shiva Roepke,1951* **ID Ja TH CMA**
CDo Bor Sum VN
1584. **Trabala viridana Joicey & Talbot,1917** (Lasiocampidae) Synonym(s): *viridana Joicey &*
Talbot,1917 **ID Ij Sum Bor Bli TH Rng MY VN**
1585. **Trabala vishnou (Lefèbvre,1827)** (Lasiocampidae) Synonym(s): *vishnou Lefèbvre,1827* **TH**
Bnk CMA Dst Php MAI Kob Wia Fn Nan Bou Pua Bby Mae Knc Ssw Bhn Srt PK IN Mad NP MM CN
KH VN MY LK TW Bby
1586. **Coydalla interguttella Walker,1864** (Lecithoceridae) Synonym(s): *interguttella Walker,1864*
IN TH MY ID Sum Bor BN Sbh Swk
1587. **Homaloxestis australis Park,2004** (Lecithoceridae) Synonym(s): *australis Park,2004* **TH**
Cbi Nna Kao CMA Fn
1588. **Homaloxestis cholopis (Meyrick,1906)** (Lecithoceridae) Synonym(s): *cholopis Meyrick,1906;*
lophophora Janse,1954; surrepta Diakonoff,[1968] **YE NA Abc ZA Tva Gau Pre Mpu Wv Brb Nta Kzu Nha Nyl**
Mlm Umk Dbn ZW Uma Rtf Rtb IN NP CN Yu Lik TW TH MM Kni MY ID Ja PH Mno
1589. **Homaloxestis furcula Park,2004** (Lecithoceridae) Synonym(s): *furcula Park,2004* **TH Nna**
Kao
1590. **Homaloxestis hainanensis Wu,1994** (Lecithoceridae) Synonym(s): *hainanensis Wu,1994*
CN Hn TH CMA Int Loe
1591. **Homaloxestis horridens Gozmany,1973** (Lecithoceridae) Synonym(s): *horridens*
Gozmany,1973 **NP TH Loe**

1592. **Homaloxestis multidentalis Park,2004** (Lecithoceridae) Synonym(s): *multidentalis* Park,2004
TH Loe
1593. **Homaloxestis plocamandra (Meyrick,1907)** (Lecithoceridae) Synonym(s): *plocamandra* Meyrick,1907 IN Hp Sml SI NP TH Cbi PH Luz Pan Mno
1594. **Homaloxestis pumilis Park,2004** (Lecithoceridae) Synonym(s): *pumilis* Park,2004 TH Cbi
Cma Fn
1595. **Homaloxestis saitoi Park,2004** (Lecithoceridae) Synonym(s): *saitoi* Park,2004 TH Nna Kao
Cma Dst Loe
1596. **Homaloxestis xylotripta Meyrick,1918** (Lecithoceridae) Synonym(s): *xylotripta* Meyrick,1918
PK AF NP CN TH Cma Int Dst Loe
1597. **Hygroplasta atrifasciata Park,2003** (Lecithoceridae) Synonym(s): *atrifasciata* Park,2003
TH Loe
1598. **Hygroplasta parviella Park,2003** (Lecithoceridae) Synonym(s): *parviella* Park,2003 TH Pgg
1599. **Lecithocera alpestra Park,2005** (Lecithoceridae) Synonym(s): *alpestra* Park,2005 TH Loe
Cma Int Nna Kao
1600. **Lecithocera caviella Park,2005** (Lecithoceridae) Synonym(s): *caviella* Park,2005 TH Cbi
1601. **Lecithocera magna Park,2005** (Lecithoceridae) Synonym(s): *magna* Park,2005 TH Cma Int
Dst
1602. **Nosphistica acriella Park,2002** (Lecithoceridae) Synonym(s): *acriella* Park,2002 TH Nna
Kao
1603. **Nosphistica undulata Park,2002** (Lecithoceridae) Synonym(s): *undulata* Park,2002 TH Loe
1604. **Odites (s.str.) albidella Snellen,1901** (Lecithoceridae) Synonym(s): *albidella* Snellen,1901
TH MY ID Ja BN Sbh Bor
1605. **Odites (s.str.) ricinella (Stainton,1859)** (Lecithoceridae) Synonym(s): *ricinella* Stainton,1859
IN CN MY TH
1606. **Pectinimura crassipalpis Park & Byun,2008** (Lecithoceridae) Synonym(s): *crassipalpis* Park & Byun,2008 TH Loe
1607. **Scythropiodes atonopa (Meyrick,1918)** (Lecithoceridae) Synonym(s): *atonopa* Meyrick,1918
TH Nst Cna Ptn Smu Pbu
1608. **Spatulignatha hemichrysa (Meyrick,1910)** (Lecithoceridae) Synonym(s): *hemichrysa* Meyrick,1910 IN Ass Meg Khs CN Sz Kgs Tkg TH
1609. **Thubana abbreviata Park,2003** (Lecithoceridae) Synonym(s): *abbreviata* Park,2003 TH
1610. **Thubana batillua Park,2003** (Lecithoceridae) Synonym(s): *batillua* Park,2003 TH
1611. **Thubana caligaris Park,2003** (Lecithoceridae) Synonym(s): *caligaris* Park,2003 TH
1612. **Thubana chanthaburiensis Park,2003** (Lecithoceridae) Synonym(s): *chanthaburiensis* Park,2003 TH Cbi
1613. **Thubana davula Park,2003** (Lecithoceridae) Synonym(s): *davula* Park,2003 TH
1614. **Thubana dialeukos Park,2003** (Lecithoceridae) Synonym(s): *dialeukos* Park,2003 TH
1615. **Thubana doisuthepana Park,2003** (Lecithoceridae) Synonym(s): *doisuthepana* Park,2003
TH Cma Dst
1616. **Thubana fangensis Park,2003** (Lecithoceridae) Synonym(s): *fangensis* Park,2003 TH Cma
Fn
1617. **Thubana helvilimbata Park,2003** (Lecithoceridae) Synonym(s): *helvilimbata* Park,2003 TH
1618. **Thubana kurokoi Park,2003** (Lecithoceridae) Synonym(s): *kurokoi* Park,2003 TH
1619. **Thubana ochrodelta Park,2003** (Lecithoceridae) Synonym(s): *ochrodelta* Park,2003 TH
1620. **Thubana stenosis Park,2003** (Lecithoceridae) Synonym(s): *stenosis* Park,2003 TH
1621. **Tisis asterias Park,2003** (Lecithoceridae) Synonym(s): *asterias* Park,2003 TH Rng
1622. **Tisis helioclina (Meyrick,1894)** (Lecithoceridae) Synonym(s): *helioclina* Meyrick,1894 MM
Fst TH
1623. **Tisis nielsenii Park,2001** (Lecithoceridae) Synonym(s): *nielsenii* Park,2001 TH
1624. **Tisis thaiana Park,2003** (Lecithoceridae) Synonym(s): *thaiana* Park,2003 TH Cbi
1625. **Torodora angustia Park,2007** (Lecithoceridae) Synonym(s): *angustia* Park,2007 TH Nna
Kao
1626. **Torodora aritai Park,2002** (Lecithoceridae) Synonym(s): *aritai* Park,2002 TH
1627. **Torodora chiangdoica Park,2002** (Lecithoceridae) Synonym(s): *chiangdoica* Park,2002 TH
Cma CDo
1628. **Torodora chumphonica Park,2002** (Lecithoceridae) Synonym(s): *chumphonica* Park,2002
TH Cph
1629. **Torodora epicharis Park,2002** (Lecithoceridae) Synonym(s): *epicharis* Park,2002 TH
1630. **Torodora epiphorana Park,2002** (Lecithoceridae) Synonym(s): *epiphorana* Park,2002 TH
1631. **Torodora epitritona Park,2002** (Lecithoceridae) Synonym(s): *epitritona* Park,2002 TH Cma
Dst

1632. **Torodora eupatris (Meyrick,1910)** (Lecithoceridae) Synonym(s): *eupatris* Meyrick,1910 **IN**
Ass Meg Khs MY TH
1633. **Torodora fuscobasalis Park,2002** (Lecithoceridae) Synonym(s): *fuscobasalis* Park,2002 **TH**
1634. **Torodora karsholti Park,2002** (Lecithoceridae) Synonym(s): *karsholti* Park,2002 **TH**
1635. **Torodora lineata Park,2002** (Lecithoceridae) Synonym(s): *lineata* Park,2002 **TH**
1636. **Torodora loeica Park,2002** (Lecithoceridae) Synonym(s): *loeica* Park,2002 **TH Loe**
1637. **Torodora longilobella Park,2002** (Lecithoceridae) Synonym(s): *longilobella* Park,2002 **TH**
1638. **Torodora moriyasu Park,2002** (Lecithoceridae) Synonym(s): *moriyasu* Park,2002 **TH**
1639. **Torodora pentagona Park,2002** (Lecithoceridae) Synonym(s): *pentagona* Park,2002 **TH**
1640. **Torodora phuruaensis Park,2007** (Lecithoceridae) Synonym(s): *phuruaensis* Park,2007 **TH**
Loe
1641. **Torodora rectivalvata Park,2007** (Lecithoceridae) Synonym(s): *rectivalvata* Park,2007 **TH**
CMa Int
1642. **Torodora sagmaria Park,2002** (Lecithoceridae) Synonym(s): *sagmaria* Park,2002 **TH**
1643. **Torodora silvatica Park,2007** (Lecithoceridae) Synonym(s): *silvatica* Park,2007 **TH Pgg Nna**
Kao Rng
1644. **Torodora spinula Park,2002** (Lecithoceridae) Synonym(s): *spinula* Park,2002 **TH CMa Nna**
Kao
1645. **Libythea (s.str.) geoffroy Godart,[1823]** (Libytheidae) Synonym(s): *geoffroy* Godart,[1823]
PH Ceb Luz Mar Mdo Boh CmM Mno Pal Pan Pao Stu Taw MM TH Knc Rat Cbi Pht Kao Nna CN MY
ID Ja Bli Lb Sbw Tim Sba Clb PG
1646. **Libythea (s.str.) lepita Moore,1857** (Libytheidae) Synonym(s): *lepita* Moore,1857 **LK IN Ch**
Ass MM PK Mre Cp Ci TH CMa CDo
1647. **Libythea (s.str.) myrrha Godart,[1819]** (Libytheidae) Synonym(s): *myrrha* Godart,[1819]
Ld AF PH Pal ID Ja Bli Lb Sbw Sum Bor LK SI IN Ass MM TH CMa Chy Nna Kao Tak Cbi Phi Phe Nst
Yal Loe Pbu MY CN
1648. **Libythea (s.str.) narina Godart,[1819]** (Libytheidae) Synonym(s): *narina* Godart,[1819] **IN**
Ass MM TH CMa Knc Chy Nna Kao Cbi Pht Loe Pbu Nst MY ID Ja Bli Lb Sum Sba Sbw Clb PH Luz
Mdo Pal PG
1649. **Altha adala (Moore,[1860])** (Limacodidae) Synonym(s): *adala* Moore,1859; #adada Hutacharern &
Tubtim,1995 **TH CMa CDo ID Ja Bli Sum Bor Clb BN MY Sbw LK IN Nag NI Ass VN Ton** (2007, Cent.
ent. Stud., Memoirs 3/4: pl.45 fig.13 [adult]).
1650. **Altha rufescens Swinhoe,1893** (Limacodidae) Synonym(s): *rufescens* Swinhoe,1893 **TH**
1651. **Birthosea bisura (Moore,[1860])** (Limacodidae) Synonym(s): *bisura* Moore,[1860]; *orthosioides*
Walker,1862; *brunnea* Swinhoe,1904 **ID Sum Ja TH**
1652. **Cania bandura (Moore,[1860])** (Limacodidae) Synonym(s): *bandura* Moore,[1860]; *malaccana*
Walker,1865 **TH MM Rgo ID Sum Ja MY Bor**
1653. **Cania robusta M.Hering,1931** (Limacodidae) Synonym(s): *robusta* M.Hering,1931; *pallida*
M.Hering,1931 **CN TH CMa CDo**
1654. **Cania sericea Walker,1855** (Limacodidae) Synonym(s): *sericea* Walker,1855; #sericae Hutacharern &
Tubtim,1995 **TH IN ID Ja**
1655. **Cania siamensis Tams,1924** (Limacodidae) Synonym(s): *siamensis* Tams,1924 **TH Cph**
1656. **Chalcocelis albiguttatus (Snellen,1879)** (Limacodidae) Synonym(s): *albiguttatus* Snellen,1879;
fumifera Swinhoe,1890; *nigriplaga* Heylaerts,1890; *sanguineomaculata* Heylaerts,1890; *pulchrimacula* Hulstaert,1924 **MM**
Rgo SG TH ID Sum Ja Clb Mlc PG AU QAU PH Mno Luz
1657. **Cheromettia sumatrensis (Heylaerts,1884)** (Limacodidae) Synonym(s): *sumatrensis*
Heylaerts,1884 **ID Sum Ja Bli TH Nrt Srt MY Bor BN**
1658. **Darna (Orthocraspeda) furva (Wileman,1911)** (Limacodidae) Synonym(s): *furva*
Wileman,1911; *fasciata* Shiraki,1913 **TW TH CN IN**
1659. **Darna (Orthocraspeda) sordida (Snellen,1900)** (Limacodidae) Synonym(s): *sordida*
Snellen,1900; *luticrista* Tams,1924 **ID Sum Ja MY TH**
1660. **Darna (Orthocraspeda) trima (Moore,[1860])** (Limacodidae) Synonym(s): *trima*
Moore,[1860] **MM Peg TH ID Sum Ja MY Bor Swk ID Sum MY SG**
1661. **Darna (Oxyplax) pallivitta (Moore,1877)** (Limacodidae) Synonym(s): *ochracea* auct. nec
Mr.,[1883]; *pallivitta* Moore,1877 **TH CN TW MY Ja ID Bor**
1662. **Darna (Ploneta) diducta (Snellen,1900)** (Limacodidae) Synonym(s): *diducta* Snellen,1900
ID Sum Ja TH Nrt
1663. **Darna (s.str.) sybilla (Swinhoe,1903)** (Limacodidae) Synonym(s): *sybilla* Swinhoe,1903 **TH**
1664. **Darna sp.** (Limacodidae) Synonym(s): **TH Nrt Cbi**
1665. **Demonarosa rufotessellata (Moore,1879)** (Limacodidae) Synonym(s): *rufotessellata*
Moore,1879 **IN SI TH CMa Cnz Cz10 TW ID Ja**
1666. **Hyphorma minax Walker,1865** (Limacodidae) Synonym(s): *minax* Walker,1865 **SI IN CN**
VN Ton TH MY Bor ID Sum Ja

1667. **Idonauton apicalis (Walker,1855)** (Limacodidae) Synonym(s): *apicalis* Walker,1855; *curvifera* Walker,1859; *rubriplaga* Walker,1862 **BD Syl IN TH CMa SG MY Bor ID Sum**
1668. **Iragoides conjuncta (Walker,1855)** (Limacodidae) Synonym(s): *conjuncta* Walker,1855; *fimbriates* Walker,1858; *cuprea* Moore,1878 **CN TW IN SI MM Peg Rgo TH Knc Cbu**
1669. **Miresa albipuncta (Herrich-Schäffer,[1854])** (Limacodidae) Synonym(s): *albipuncta* Herrich-Schäffer,[1854]; *guttifera* Walker,1855 **IN LK TH CMa Rat Sbu Bnk**
1670. **Miresa argentifera Walker,1855** (Limacodidae) Synonym(s): *argentifera* Walker,1855 **LK ID Sum Ja TH?**
1671. **Miresa bracteata Butler,1880** (Limacodidae) Synonym(s): *bracteata* Butler,1880 **IN SI Djl Nag TH ID Sum Ja Bli MY Bor BN**
1672. **Miresa burmensis M.Hering,1931** (Limacodidae) Synonym(s): *burmensis* M.Hering,1931 **MM TH CMa CDo**
1673. **Miresa fulgida Wileman,1910** (Limacodidae) Synonym(s): *fulgida* Wileman,1910; *orientis* Strand,1915; *#kagoshimensis* Strand,1915; *demangei* De Joannis,1930 **JP TW TH VN Ton**
1674. **Narosa corusca Wileman,1911** (Limacodidae) Synonym(s): *corusca* Wileman,1911; *baibarana* Matsumura,1927; *ishidae* Matsumura,1927; *shinshana* Matsumura,1927; *takamukui* Matsumura,1927 **TW TH**
1675. **Narosa lacteola Swinhoe,1890** (Limacodidae) Synonym(s): *lacteola* Swinhoe,1890 **TH Cph**
1676. **Parasa bicolor (Walker,1855)** (Limacodidae) Synonym(s): *bicolor* Walker,1855 **CN TW IN SI MM ID Ja TH**
1677. **Parasa darma Moore,[1860]** (Limacodidae) Synonym(s): *darma* Moore,[1860]; *dharma* Hampson,1893 **TH MM Rgo ID Sum Ja MY Bor PH Pal**
1678. **Parasa grandis M.Hering,1931** (Limacodidae) Synonym(s): *grandis* M.Hering,1931 **CN TH CMa Cuo Cuo7 CDo CD2**
1679. **Parasa herbifera (Walker,1855)** (Limacodidae) Synonym(s): *herbifera* Walker,1855 **IN NI Sml NP TH CMa CDo**
1680. **Parasa lampra West,1937** (Limacodidae) Synonym(s): *lampra* West,1937 **ID Sum TH**
1681. **Parasa lepida (Cramer,[1779])** (Limacodidae) Synonym(s): *lepida* Cramer,[1779]; *graciosa* Westwood,1848; *latifascia* Walker,1855; *media* Walker,1855 **LK IN ID Sum Ja TH CMa Rat Cbu Cbi Bnk (2007, Cent. ent. Stud., Memoirs 3/4: pl.34 fig.12 [larva]).**
1682. **Parasa sp.** (Limacodidae) Synonym(s): **TH Nrt**
1683. **Phocoderma ocellata (Moore,1879)** (Limacodidae) Synonym(s): *ocellata* Moore,1879 **IN SI Ass Meg Khs MM TH**
1684. **Phocoderma velutina (Kollar,1844)** (Limacodidae) Synonym(s): *velutina* Kollar,1844; *rugosa* Walker,1855 **Ch IN ID Sum MM TH CMa Phr Loe Knc Rat Sbu Bnk Nst MY Bor**
1685. **Pseudonirmines cyanopasta (Hampson,1910)** (Limacodidae) Synonym(s): *cyanopasta* Hampson,1910 **MM TH**
1686. **Quasithosea sythoffi (Snellen,1900)** (Limacodidae) Synonym(s): *sythoffi* Snellen,1900 **ID Ja TH**
1687. **Scopelodes anthela Swinhoe,1909** (Limacodidae) Synonym(s): *anthela* Swinhoe,1909 **ID Ja TH MY Pah**
1688. **Scopelodes testacea Butler,1886** (Limacodidae) Synonym(s): *testacea* Butler,1886 **TH MY**
1689. **Scopelodes unicolor Westwood,1841** (Limacodidae) Synonym(s): *unicolor* Westwood,1841; *palparis* Walker,1855; *palpiger* Herrich-Schäffer,1856; *minax* Walker,1862; *micacea* Walker,1865; *lutea* M.Hering,1931 **SI IN Ass MM TH ID Sum Ja MY Bor**
1690. **Scopelodes venosa Walker,1855** (Limacodidae) Synonym(s): *venosa* Walker,1855; *aurogrisea* Moore,1883; *ursina* Butler,1886 **JP LK IN SI BD Syl MM Mm ID Sum TH CMa CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.12 [adult]).**
1691. **Setora baibarana (Matsumura,1931)** (Limacodidae) Synonym(s): *baibarana* Matsumura,1931; *suberecta* Hering,1931; *kwangtungensis* Hering,1931; *#alibarana* Hutacharern & Tubtim,1995 **CN Kwa TW TH CMa CDo**
1692. **Setora fletcheri Holloway,1987** (Limacodidae) Synonym(s): *fletcheri* Holloway,1987 **TH CMa Nrt Nna Cbi Cph Yal**
1693. **Setora neutra Swinhoe,1890** (Limacodidae) Synonym(s): *neutra* Swinhoe,1890 **TH CMa Dst Ds10**
1694. **Setora nitens Walker,1855** (Limacodidae) Synonym(s): *nitens* Walker,1855 **IN ID Sum Ja TH MY Bor SG PG**
1695. **Setothosea asigna (Van Eecke,1929)** (Limacodidae) Synonym(s): *assigna* Van Eecke,1929 **ID Sum MY Bor PH Pal TH**
1696. **Susica malayana M.Hering,1931** (Limacodidae) Synonym(s): *malayana* M.Hering,1931 **MY Bor ID Sum Ja TH PH**
1697. **Susica sinensis (Walker,1856)** (Limacodidae) Synonym(s): *sinensis* Walker,1856 **CN TH Bnk**
1698. **Thosea bipartita M.Hering,1933** (Limacodidae) Synonym(s): *bipartita* M.Hering,1933 **TH**

1699. **Thosea loesa (Moore,[1860])** (Limaconidae) Synonym(s): *loesa* Moore,[1860] **IN ID Ja TW TH**
1700. **Thosea ostia (Swinhoe,1902)** (Limaconidae) Synonym(s): *ostia* Swinhoe,1902 **IN Meg Ass Khs TH CMA CDO**
1701. **Thosea rara Swinhoe,1889** (Limaconidae) Synonym(s): *rara* Swinhoe,1889 **TH Cph MM**
1702. **Thosea sevastopuloi Holloway,1987** (Limaconidae) Synonym(s): *sevastopuloi* Holloway,1987 **TH**
1703. **Thosea siamica Holloway,1987** (Limaconidae) Synonym(s): *siamica* Holloway,1987 **TH Cph Lop**
1704. **Thosea vetusta (Walker,1862)** (Limaconidae) Synonym(s): *vetusta* Walker,1862; *biguttata* Walker,1862 **MY Swk Bor Sbh KBa ID Sum Ja Clb TH**
1705. **Trichogyia gateri West,1937** (Limaconidae) Synonym(s): *gateri* West,1937 **MY TH**
1706. **Acytolepis lilacea (Hampson,1889)** (Lycaenidae) Synonym(s): *lilacea* Hampson,1889; *crissa* De Nicéville,1894. **IN NI LK LA MM Pey TH**
1707. **Acytolepis puspa (Horsfield,[1828])** (Lycaenidae) Synonym(s): *puspa* Horsfield,[1828]; *sania* Fruhstorfer,1910; *contilia* Fruhstorfer,1910. **AF IN Bba Nk Nag NP SI BT LK MM Krh Vp MY Bor P-T Lkw SG TH Nst Rng Sat CMA Chy Cbu Nna Rat TW ID Ja Sum Nia Nat Dm Wt Tim Clb Bng Baw Kng Sla Mw Sip Pgi Sbt Kai LA KH CN Yu Hnn VN PH Bas CmM Jol Ley Mno Sam Taw Luz Mdo Pal HK Adm BD Kwa Mrg Log JP Kyu Cuo Cu10 CDo CD2 Sgk Hya Tnc** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.10 [adult]).
1708. **Ahmetia achaja (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *achaja* Fruhstorfer,[1912] **TH CMA Knc Loe Lmp**
1709. **Allotinus (Fabitaras) sarrastes Fruhstorfer,1913** (Lycaenidae) Synonym(s): *sarrastes* Fruhstorfer,1913 **TH Tng Phu Nst MY Lkw PH Mno**
1710. **Allotinus (Paragerydus) corbeti Eliot,1956** (Lycaenidae) Synonym(s): *corbeti* Eliot,1956 **TH Phu Ntt Yal MY PH Mno**
1711. **Allotinus (Paragerydus) davidis Eliot,1959** (Lycaenidae) Synonym(s): *davidis* Eliot,1959 **TH Rng Tng MY**
1712. **Allotinus (Paragerydus) horsfieldi (Moore,[1858])** (Lycaenidae) Synonym(s): *horsfieldi* Moore,[1858] **TH Yal Sgk Hya Tnc MY Lkw**
1713. **Allotinus (Paragerydus) leogoron Fruhstorfer,1916** (Lycaenidae) Synonym(s): *leogoron* Fruhstorfer,1916; *vadosus* Corbet,1939; *lindus* Corbet,1939 **ID Sum MY Lkw TH Ntt SPa Nst Ths Sya Yal**
1714. **Allotinus (Paragerydus) substrigosus (Moore,1884)** (Lycaenidae) Synonym(s): *substrigosus* Moore,1884 **MM ID Sum Bor TH Phu Tng MY PH Mno Pal**
1715. **Allotinus (Paragerydus) unicolor C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *unicolor* C.Felder & R.Felder,[1865]; *dilutus* Corbet,1939 **ID Sum MM TH Chy Cbi Phu Pgg TAK Tng Yal Nst Lsa Ths Sya Sgk Hya Tnc Knc Pbu MY Lkw PH Boh Mdo Sga Taw**
1716. **Allotinus (s.str.) subviolaceus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *subviolaceus* C.Felder & R.Felder,[1865]; *alkamah* Distant,1886 **IN Ass Mpr MM TH Chy Sgk Hya Tnc MY Lkw Bor Sbh KBa ID Ja PH Cal Luz Mno Pal Stu**
1717. **Allotinus drumila (Moore,1865)** (Lycaenidae) Synonym(s): *drumila* Moore,1865 **IN Ass MM Shn TH CMA**
1718. **Amblypodia anita Hewitson,1862** (Lycaenidae) Synonym(s): *anita* Hewitson,1862 **CN Hn LK SI IN Adm Ass Mpr MM VN TH Cbi CMA Cuo Cu02 Cu12 Dst Knc Nrt Phr Uth Sbu Ubo Nst Ths MY Lkw**
1719. **Amblypodia narada (Horsfield,[1828])** (Lycaenidae) Synonym(s): *narada* Horsfield,[1828]; *mohamad* Kalis,1933 **ID Sum Kgn Ja Nia Clb Sbt Mw PH Bas Boh Ceb Ley Luz Mar Mdo Neg Pal Taw Stu Mno MY Lkw Bor MM Tns TH Cbi CMA CDo Rng TAK Nst Ths Pbu Srt VN**
1720. **Ancema blanka (De Nicéville,1894)** (Lycaenidae) Synonym(s): *blanka* De Nicéville,1894 **PH Pal MY TH Chy Cbi CMA CDo Knc Kao Phu IN MM**
1721. **Ancema ctesia (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ctesia* Hewitson,[1865] **NP SI MM TH CMA CDo MY**
1722. **Anthene emolus (Godart,[1824])** (Lycaenidae) Synonym(s): *emolus* Godart,[1824] **IN SI BT Ass MM PH Luz Pal TH Bnk CMA Cuo Cu12 CDo Dsk Hpt Knc Nna Nrt Cbu Rat Pbu Rng Yal Nst Ths Sgk Hya Tnc MY SG Bor ID Sum** (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.3 [adult]).
1723. **Anthene lycaenina (C.Felder & R.Felder,[1867])** (Lycaenidae) Synonym(s): *lycaenina* C.Felder & R.Felder,[1867] **IN SI Ass MM LA CN Hn Adm Sum ID Bor MY TH CMA CDo Cbi Chy Knc Nna Nrt Rat Yal Nst Ths PH Pal Luz Mdo Mno**
1724. **Apporasa atkinsoni (Hewitson,[1869])** (Lycaenidae) Synonym(s): *atkinsoni* Hewitson,[1869] **IN Ass MM TH CMA Nrt Uth**
1725. **Araotes lapithis (Moore,[1858])** (Lycaenidae) Synonym(s): *lapithis* Moore,[1858] **TH Cbi Chy Kbi Rng Phu Tng MY Lkw PH Pal**
1726. **Arhopala aberrans De Nicéville,1888** (Lycaenidae) Synonym(s): *aberrans* De Nicéville,1888; *#aberrans* Pinratana,1981 **SI IN Ass MM CN TH CMA Nrt**

1727. **Arhopala abseus (Hewitson,1862)** (Lycaenidae) Synonym(s): *abseus* Hewitson,1862 **PH Bon Cal Pal Taw Bas Boh CmL Luz Mar Mdo Mno Neg Pao Sam IN Ass MM TH CMa Cuo Cuo1 Cuo9 Cuo10 Cbi Cbu Nrt Rng Tng Yal Tuo Nst Sgk Hya Tnc VN LK**
1728. **Arhopala ace De Nicéville,[1893]** (Lycaenidae) Synonym(s): *ace* De Nicéville,[1893] **IN Mpr MM MY TH Loe ID Sum Bor**
1729. **Arhopala aedias (Hewitson,1862)** (Lycaenidae) Synonym(s): *aedias* Hewitson,1862 **PH Mno ID Ja Mrg MM Krh TH Nst Ths Sya Tng Rng Sgk Hya Tnc MY Sum Nia Bor Bgk Lkw**
1730. **Arhopala aeeta De Nicéville,1893** (Lycaenidae) Synonym(s): *aeeta* De Nicéville,1893 **Mpr IN Ass MM TH Cbi Loe VN Ann**
1731. **Arhopala agaba (Hewitson,1862)** (Lycaenidae) Synonym(s): *agaba* Hewitson,1862 **MM Mrg TH Cbi CMa Khn Nrt Ptt Tng Lkw MY VN ID Sum PH Mno**
1732. **Arhopala agelastus (Hewitson,1862)** (Lycaenidae) Synonym(s): *agelastus* Hewitson,1862 **MM Mrg TH Chy Rng Tng MY SG Lkw**
1733. **Arhopala agesilaus (Staudinger,1889)** (Lycaenidae) Synonym(s): *agesilaus* Staudinger,1889 **PH Boh Ley Mdo Mno Pal TH MY Lkw Mrg MM Bgk Bor**
1734. **Arhopala agrata De Nicéville,1890** (Lycaenidae) Synonym(s): *agrata* De Nicéville,1890 **IN Ass MM Mrg TH Ntt Nst Ths Sya CMa Rng SG MY PH Pal ID Sum Ja Nia Pla Bor**
1735. **Arhopala aida De Nicéville,1889** (Lycaenidae) Synonym(s): *aida* De Nicéville,1889 **IN MM Mrg TH Cbi Kao Rng Ray Lkw VN CN Hn MY**
1736. **Arhopala alaconia (Hewitson,1869)** (Lycaenidae) Synonym(s): *alaconia* Hewitson,1869 **PH Pal MY Bor MM Mrg TH Rng Tng**
1737. **Arhopala alax (Evans,1932)** (Lycaenidae) Synonym(s): *alax* Evans,1932; *#arax* Pinratana,1981 **IN Mpr MM TH CMa CDo**
1738. **Arhopala alesia C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *alesia* C.Felder & R.Felder,[1865] **PH Ley Luz Mar Mdo Mno Taw Neg MM Mpr IN Ass TH VN Adm**
1739. **Arhopala alitaeus (Hewitson,1862)** (Lycaenidae) Synonym(s): *alitaeus* Hewitson,1862 **PH Ley Mno Pao Sam Bab Boh Luz Mar Neg Sib Bas Pal ID Clb Bng MM Mrg TH Cbi Uth Tuo Sgk Hya Tnc Lkw MY SG**
1740. **Arhopala allata (Staudinger,1889)** (Lycaenidae) Synonym(s): *allata* Staudinger,1889 **PH Pal Luz Mno Sam MM Shn TH IN Mpr Bor Sum ID**
1741. **Arhopala amantes (Hewitson,1862)** (Lycaenidae) Synonym(s): *amantes* Hewitson,1862 **LK IN SI Ass MM TH CMa CDo Mae VN?**
1742. **Arhopala ammon (Hewitson,1862)** (Lycaenidae) Synonym(s): *ammon* Hewitson,1862 **Lkw MY SG Swk Bor TH**
1743. **Arhopala ammonides (Doherty,1891)** (Lycaenidae) Synonym(s): *ammonides* Doherty,1891 **MM Mrg IN Ass MY ID Sum Lkw CN Hn Bor TH Cbi Rng Nst**
1744. **Arhopala ammonides ammonides (Doherty,1891)** (Lycaenidae) Synonym(s): *ammonides* Doherty,1891 **MM Mrg TH Cbi Rng Nst**
1745. **Arhopala amphimuta (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *amphimuta* C.Felder & R.Felder,1860; *asia* De Nicéville,[1893] **PH Luz Pal ID Ja MY Sum Bor Bgk TH MM Mrg Lkw**
1746. **Arhopala anarte (Hewitson,1862)** (Lycaenidae) Synonym(s): *anarte* Hewitson,1862; *morphicolor* Corbet,1941 **IN Ass MY MM TH CMa CDo ID Sum Ja Bor PH Pal?**
1747. **Arhopala anthelus Westwood,1851** (Lycaenidae) Synonym(s): *anthelus* Westwood,1851 **MM Mrg TH Tuo Pgg Rng Tng Nst VN Bor MY ID Sum Nia Ja PH Pan Din Mar Pal Mdo Boh Ley Luz Mno Sam**
1748. **Arhopala antimuta (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *antimuta* C.Felder & R.Felder,[1865]; *davidsonii* De Nicéville,1890; *tana* Corbet,1941 **MM Mrg TH Lkw MY SG ID Sum Nia Nat Bor Bgk**
1749. **Arhopala ariana (Evans,1925)** (Lycaenidae) Synonym(s): *ariana* Evans,1925 **TH Cbi MM Mrg MY Lkw**
1750. **Arhopala ariel (Doherty,1891)** (Lycaenidae) Synonym(s): *ariel* Doherty,1891; *antis* Corbet,1941 **IN Ass MY Bor TH Tng**
1751. **Arhopala aroa (Hewitson,[1863])** (Lycaenidae) Synonym(s): *aroa* Hewitson,[1863]; *arops* Corbet,1941 **MM Mrg TH Cbi Rng Sgk Hya Tnc MY Bor ID Sum Ja PH Bas**
1752. **Arhopala arvina (Hewitson,1863)** (Lycaenidae) Synonym(s): *arvina* Hewitson,1863 **IN Ass MM Mrg TH CMa Nrt Rng Tng Sgk Hya Tnc MY Bor ID Sum Ja CN Hn**
1753. **Arhopala asinarus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *asinarus* C.Felder & R.Felder,[1865] **MM TH Tng Cbi CMa Uth Srt Nst VN Coc Krh Rgo Bse**
1754. **Arhopala asopia (Hewitson,1869)** (Lycaenidae) Synonym(s): *asopia* Hewitson,1869 **IN Ass MM TH CMa Cmz Cz11 Phi**
1755. **Arhopala athada (Staudinger,1889)** (Lycaenidae) Synonym(s): *athada* Staudinger,1889; *agamemnon* Corbet,1941 **IN Ass MM Mrg PH Mno SG TH Rng Tng MY ID Sum Bor Bgk Baw**
1756. **Arhopala atosia (Hewitson,[1863])** (Lycaenidae) Synonym(s): *atosia* Hewitson,[1863] **ID Sum Bgk Pla TH Srt Cbi Nst Ths Sgk Hya Tnc CMa CDo SG MY Bor Lkw MM Mrg PH Pal**

1757. **Arhopala atrax (Hewitson,1867)** (Lycaenidae) Synonym(s): *atrax* Hewitson,1867 **IN Ass MM TH CMa Cuo Cuo7 Loe Nrt**
1758. **Arhopala aurelia (Evans,[1925])** (Lycaenidae) Synonym(s): *aurelia* (Evans,[1925]) **IN Ass MY Lkw TH Cbi CMa Cuo Cuo9 Tng Uth Nst**
1759. **Arhopala avatha De Nicéville,[1896]** (Lycaenidae) Synonym(s): *avatha* De Nicéville,[1896] **PH Mno Pan Taw Bor MY TH Nst ID Sum**
1760. **Arhopala avathina Corbet,1941** (Lycaenidae) Synonym(s): *avathina* Corbet,1941 **MY ID Sum Bor Pla TH Ntt SPa Nst Ths Sya**
1761. **Arhopala barami Bethune-Baker,1903** (Lycaenidae) Synonym(s): *barami* Bethune-Baker,1903 **MM Mrg TH Rng Bor MY Pen SG**
1762. **Arhopala bazaloides (Hewitson,1878)** (Lycaenidae) Synonym(s): *bazaloides* (Hewitson,1878) **IN Ass TH Rng Lkw MY LK**
1763. **Arhopala bazalus (Hewitson,1862)** (Lycaenidae) Synonym(s): *bazalus* Hewitson,1862 **ID Sum Ja IN Ass Meg SI MM Mrg TH Tng CN TW MY PH Mno**
1764. **Arhopala birmana (Moore,1883)** (Lycaenidae) Synonym(s): *birmana* Moore,1883 **Mpr IN Ass MM CN TW TH CMa Cuo Cuo6 Loe PH Pal**
1765. **Arhopala buddha Bethune-Baker,1903** (Lycaenidae) Synonym(s): *buddha* Bethune-Baker,1903 **TH Rng Tng Sgk Hya Tnc MY Lkw PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
1766. **Arhopala camdeo (Moore,[1858])** (Lycaenidae) Synonym(s): *camdeo* Moore,[1858] **NP BT SI IN Ass Mpr MM TH Rng TAK VN**
1767. **Arhopala cleander (C.Felder,1860)** (Lycaenidae) Synonym(s): *cleander* C.Felder,1860 **AU PH CmL Ley Luz Mno Neg Stu TH Rng Tuo Sgk Hya Tnc MY Bor Swk ID Sum Lb Ja Clb Sly Bng**
1768. **Arhopala comica De Nicéville,1900** (Lycaenidae) Synonym(s): *comica* De Nicéville,1900 **Mpr IN Ass MM TH**
1769. **Arhopala corinda (Hewitson,1869)** (Lycaenidae) Synonym(s): *corinda* Hewitson,1869 **PH Bas Boh Ley Luz Mar Mas Mdo Mno Neg Sam Sib MM Mrg TH Kao Rng Lkw MY ID Sum Bor**
1770. **Arhopala delta (Evans,1957)** (Lycaenidae) Synonym(s): *delta* Evans,1957 **TH MY ID Sum Bor**
1771. **Arhopala democritus (Fabricius,1793)** (Lycaenidae) Synonym(s): *democritus* Fabricius,1793 **MM Mrg TH Yal CMa Nst Ths Sya Phu Rng Tng Uth Ntt SPa Sgk Hya Tnc VN Lkw MY SG ID Sum Bor**
1772. **Arhopala dispar Riley & Godfrey,1921** (Lycaenidae) Synonym(s): *dispar* Riley & Godfrey,1921 **MM TH Chy IN Ass MY**
1773. **Arhopala elopura Druce,1894** (Lycaenidae) Synonym(s): *elopura* Druce,1894 **Lkw MY MM Mrg TH Cbi Nrt Rng Tng Yal Nst Ths VN Bor ID Sum**
1774. **Arhopala epimete (Staudinger,1889)** (Lycaenidae) Synonym(s): *epimete* Staudinger,1889 **PH Mno Pal MM Mrg Lkw MY Bor TH CMa CDo Rng ID Sum**
1775. **Arhopala epimuta (Moore,[1858])** (Lycaenidae) Synonym(s): *epimuta* Moore,[1858] **MY SG ID Sum Bor MM TH**
1776. **Arhopala eumolphus (Cramer,[1780])** (Lycaenidae) Synonym(s): *eumolphus* Cramer,[1780] **PH Pal SI IN Ass MM TH Kbi Rng Cbi Nrt CMa CDo CN Hn Mrg MY ID Sum Bgk Bor Ja**
1777. **Arhopala evansi Corbet,1941** (Lycaenidae) Synonym(s): *evansi* Corbet,1941 **PH Stu MY TH Yal**
1778. **Arhopala fulla (Hewitson,1862)** (Lycaenidae) Synonym(s): *fulla* Hewitson,1862 **AU PH Luz Mar Mdo Mno MM Mrg TH CMa CDo IN Adm ID Sum Bor**
1779. **Arhopala havilandi Bethune-Baker,1896** (Lycaenidae) Synonym(s): *havilandi* Bethune-Baker,1896 **TH Kbi MY Bor Lkw**
1780. **Arhopala hellenore Doherty,1889** (Lycaenidae) Synonym(s): *hellenore* Doherty,1889 **ID Sum MY IN Ass Mpr MM Mrg TH Cbi CMa Pbu VN CN Hn**
1781. **Arhopala horsfieldi Pagenstecher,1890** (Lycaenidae) Synonym(s): *horsfieldi* Pagenstecher,1890 **PH Pal ID Ja MM Mrg TH CMa Rng Tng Nst Ths Ntt SPa MY Lkw Sum Bgk Bor Nia**
1782. **Arhopala hypomuta (Hewitson,1862)** (Lycaenidae) Synonym(s): *hypomuta* Hewitson,1862 **TH Tuo MY ID Sum Bor Bgk**
1783. **Arhopala ijauensis Bethune-Baker,1897** (Lycaenidae) Synonym(s): *ijauensis* Bethune-Baker,1897 **MM Mrg TH Phu Rng Nst Ths Sya MY Lkw**
1784. **Arhopala inornata (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897 **MY TH Rng Tng Yal Nst ID Sum Bor PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
1785. **Arhopala khamti Doherty,1891** (Lycaenidae) Synonym(s): *khamti* Doherty,1891 **TH**
1786. **Arhopala labuana Bethune-Baker,1896** (Lycaenidae) Synonym(s): *labuana* Bethune-Baker,1896 **MM TH Rng Sgk Hya Tnc MY ID Sum Bor**

1787. **Arhopala lurida** Corbet,1941 (Lycaenidae) Synonym(s): *lurida* Corbet,1941 **TH Srt Sgk Hya Tnc MY Bor Mw SG Lkw ID Sum**
1788. **Arhopala major** (Staudinger,1889) (Lycaenidae) Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903 **PH Luz Pal MM Mrg TH MY Lkw ID Sum Nia Bor**
1789. **Arhopala metamuta** (Hewitson,[1863]) (Lycaenidae) Synonym(s): *metamuta* Hewitson,[1863]; *gunongensis* Bethune-Baker,1897 **TH MY ID Sum Bor**
1790. **Arhopala milleri** Corbet,1941 (Lycaenidae) Synonym(s): *milleri* Corbet,1941 **Lkw MY TH Ntt Tng SG Bor**
1791. **Arhopala moolaiana** (Moore,[1879]) (Lycaenidae) Synonym(s): *moolaiana* Moore,[1879] **MM Tvy Tns Krh Mrg TH Nst Ths Sya Cbi CMa CDo ID Pgi Sum MY Bor Sbt Sip**
1792. **Arhopala moorei** Bethune-Baker,1896 (Lycaenidae) Synonym(s): *moorei* Bethune-Baker; *waterstradti* Bethune-Baker **TH MY Bor**
1793. **Arhopala muta** (Hewitson,1862) (Lycaenidae) Synonym(s): *muta* Hewitson,1862 **ID Ja MM Mrg TH Nia Sum Bor**
1794. **Arhopala myrzala** (Hewitson,1869) (Lycaenidae) Synonym(s): *myrzala* Hewitson,1869 **PH Luz Mno MY Lkw SG Bor TH Sgk**
1795. **Arhopala nicevillei** Bethune-Baker,1903 (Lycaenidae) Synonym(s): *nicevillei* Bethune-Baker,1903 **BT IN Ass Mpr MM TH CMa VN**
1796. **Arhopala norda** (Evans,1957) (Lycaenidae) Synonym(s): *norda* Evans,1957 **TH Nst MY Lkw**
1797. **Arhopala normani** Eliot,1972 (Lycaenidae) Synonym(s): *normani* Eliot,1972 **TH Yal MY ID Sum?**
1798. **Arhopala oenea** (Hewitson,1869) (Lycaenidae) Synonym(s): *oenea* Hewitson,1869 **IN SI Ass MM TH VN CN Hn**
1799. **Arhopala opalina** (Moore,[1884]) (Lycaenidae) Synonym(s): *opalina* Moore,[1884] **IN Ass MM TH Nrt MY ID Sum**
1800. **Arhopala paraganesa** (De Nicéville,1882) (Lycaenidae) Synonym(s): *paraganesa* De Nicéville,1882 **PH Pal IN NP SI Ass MM TH Chy CMa Loe Nrt**
1801. **Arhopala paralea** (Evans,[1925]) (Lycaenidae) Synonym(s): *paralea* Evans,[1925] **IN Ass Mpr MM TH CMa Loe**
1802. **Arhopala paramuta** De Nicéville,1883 (Lycaenidae) Synonym(s): *paramuta* De Nicéville,1883 **TW IN Ass SI MM TH CMa CN**
1803. **Arhopala perimuta** (Moore,[1858]) (Lycaenidae) Synonym(s): *perimuta* Moore,[1858] **MM Mrg TH Nst MY SI IN Ass**
1804. **Arhopala phaenops** C.Felder & R.Felder,[1865] (Lycaenidae) Synonym(s): *phaenops* C.Felder & R.Felder,[1865] **TH Rng PH Pal Boh CmL CmM Luz Mdo Mno Taw Bas**
1805. **Arhopala phanda** Corbet,1941 (Lycaenidae) Synonym(s): *phanda* Corbet,1941 **SG TH Cbi Rng Yal Nst Ths Sya Sgk Hya Tnc MY ID Sum Bor**
1806. **Arhopala pseudocentaurus** Doubleday,1847 (Lycaenidae) Synonym(s): *pseudocentaurus* Doubleday,1847 **PH Bab Cuy Din Dum Hom Ley Luz Mar Mas Mdo Mno Pol Sam Sib Taw MM TH CMa Cuo Cuo7 Rng Tng Bnk Shu Pkk Nst Sgk Hya Tnc VN CN Hn ID Sum IN Ass SI Adm ID Btu Ja MY Lkw P-T**
1807. **Arhopala pseudomuta** (Staudinger,1889) (Lycaenidae) Synonym(s): *pseudomuta* Staudinger,1889; *rafflesii* De Nicéville,1890; *epibata* Corbet,1948 **MY Lkw MM Mrg TH Rng SG ID Sum Bor**
1808. **Arhopala rama** (Kollar,[1844]) (Lycaenidae) Synonym(s): *rama* Kollar,[1844] **Ch PK Mre SI NP IN Ass MM TH CMa CN**
1809. **Arhopala selta** (Hewitson,1869) (Lycaenidae) Synonym(s): *selta* Hewitson,1869 **IN Adm MM Mrg MY TH Rng Tng Yal Nst ID? ?Sum PH Taw**
1810. **Arhopala silhetensis** (Hewitson,1862) (Lycaenidae) Synonym(s): *silhetensis* Hewitson,1862 **PH Ley Luz Mar Mdo Mno Neg MY IN SI Ass Mpr Mrg TH CMa CDo Rng Tuo Tng Yal Nst Lsa Sgk Hya Tnc VN ID Ja SG Sum Bor**
1811. **Arhopala similis** Druce,1895 (Lycaenidae) Synonym(s): *similis* Druce,1895 **TH Yal MY ID Sum Bor Lgg**
1812. **Arhopala singla** De Nicéville,1885 (Lycaenidae) Synonym(s): *singla* De Nicéville,1885 **IN SI MM TH CMa Loe BT NP Ass CN**
1813. **Arhopala sublustris** Bethune-Baker,1904 (Lycaenidae) Synonym(s): *sublustris* Bethune-Baker,1904 **PH Taw MY SG Lkw ID Sum Ja Bor Nat? Mw MM TH Cbi Kbi Tng Nst Ths Sya**
1814. **Arhopala tropaea** Corbet,1941 (Lycaenidae) Synonym(s): *tropaea* Corbet,1941 **MY TH Nst**
1815. **Arhopala vihara** (C.Felder & R.Felder,1860) (Lycaenidae) Synonym(s): *vihara* C.Felder & R.Felder,1860 **TH Rng Tng Ntt SPa MM Mrg MY Lkw ID Sum Nat Bor Nia? Pgi**
1816. **Arhopala wildeyana** Corbet,1941 (Lycaenidae) Synonym(s): *wildeyana* Corbet,1941 **TH Tuo MY Lkw SG**
1817. **Arhopala zambra** Swinhoe,[1911] (Lycaenidae) Synonym(s): *zambra* Swinhoe,[1911] **PH Mdo Ley Mno Neg MY MM TH CMa Nst Rng Tng Yal ID Sum Nia Ja Bor Baw Bgk**

1818. **Artipe eryx (Linnaeus,1771)** (Lycaenidae) Synonym(s): *eryx* Linnaeus,1771 **SI IN MM Adm TH CMa CDo Nrt MY**
1819. **Azanus (s.str.) urios Riley & Godfrey,1921** (Lycaenidae) Synonym(s): *urios* Riley & Godfrey,1921 **MM TH CMa Knc Phr Nth**
1820. **Bindahara phocides (Fabricius,1793)** (Lycaenidae) Synonym(s): *phocides* Fabricius,1793 **SG MY Lkw TH Cbi CMa CDo Nrt Nna Rng Tng SI IN Adm MM PH Cat Ceb CmM Cts Luz Mar Mas Mdo Mno Pan Sam Sib Bal Cal Pal Sga Stu Taw**
1821. **Bothrinia chennelli (De Nicéville,1883)** (Lycaenidae) Synonym(s): *chennelli* De Nicéville,1883 **MM Krh TH CMa**
1822. **Britomartis cleoboides (Elwes,[1893])** (Lycaenidae) Synonym(s): *cleoboides* Elwes,[1893] **MY Lkw TH Bnk Tng Nst**
1823. **Bullis stigmata (Druce,1904)** (Lycaenidae) Synonym(s): *stigmata* Druce,1904 **Bor MY TH Tng**
1824. **Caleta caleta (Hewitson,[1876])** (Lycaenidae) Synonym(s): *caleta* Hewitson,[1876] **ID Clb TH CMa Cuo Cuo6 CDo CD2 Hpt PH Bas CmM Ley Mno Sam Sul**
1825. **Caleta decidia (Hewitson,[1876])** (Lycaenidae) Synonym(s): *decidia* Hewitson,[1876] **IN Ass MM TH CMa Knc Loe Tak Uth**
1826. **Caleta elna (Hewitson,[1876])** (Lycaenidae) Synonym(s): *elna* Hewitson,[1876] **IN Adm MM TH Rng Tng Yal CMa Dst CDo Pbu Nna Nst Nrt Kao VN MY Bor Lkw P-T PH Pal ID Sum Ja**
1827. **Caleta roxus (Godart,[1824])** (Lycaenidae) Synonym(s): *roxus* Godart,[1824] **IN Ass MM TH Nrt Tng Yal Nst Ths Sgk Hya Tnc Knc Nrt Rat CMa CDo CD2 MY Lkw P-T PH Bon Cal Ceb CmM Din Luz Mar Mas Mdo Mno Pal Pan Sga Stu Taw (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.5 [adult]).**
1828. **Castalius rosimon (Fabricius,1775)** (Lycaenidae) Synonym(s): *rosimon* Fabricius,1775 **LK IN MM MY Lkw TH CMa Dst Qs Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cu10 Cu12 CDo CD2 Chy Cbu Rng Rat Atg Nna Nst Chw Sgk Hya Tnc PH Luz Sam**
1829. **Catapaecilma elegans (Druce,1873)** (Lycaenidae) Synonym(s): *elegans* Druce,1873 **MY Lkw TH Tng Nst**
1830. **Catapaecilma major Druce,1895** (Lycaenidae) Synonym(s): *major* Druce,1895 **MM TH CMa CRa Nst MY**
1831. **Catapaecilma subochracea Elwes,[1893]** (Lycaenidae) Synonym(s): *subochracea* Elwes,[1893] **MM TH CMa CDo Chy Tvy IN Nag Ass**
1832. **Catochrysops cnejus (Fabricius,1798)** (Lycaenidae) Synonym(s): *cnejus* Fabricius,1798 **IN LK MM Adm PK Cp Mre Pj MY Lkw TH CMa Cbu Knc Phu Nst Chw Bnk**
1833. **Catochrysops panormus (C.Felder,1860)** (Lycaenidae) Synonym(s): *panormus* C.Felder,1860 **PH Bal Mno Pal Stu Taw IN Ass MM MY Prk Lkw TH CMa Cuo Cuo6 Cuo7 Cu12 Dst Qs Dsk Hpt Chb Loe Nna Rng Tak Nst Chw (Fig.13)**



Fig.13 – *Catochrysops panormus* (Lycaenidae), Thailand, Chiang Dao 465m 12 11 2006, M. Kemal (Cesa)

- 1834. Catochrysops strabo (Fabricius,1793)** (Lycaenidae) Synonym(s): *strabo* Fabricius,1793; *riama* Corbet,1938 IN Nag MM Krh PH Bal Bas Boh Din Dum Jol Ley Luz Mas Mdo Mno Pal Pan Sam MY Lkw TH Chy CMa Knc Lmp Mae Nrt Rat Nst Chw Bnk TAK CN HK
- 1835. Catopyrops ancyra (C.Felder,1860)** (Lycaenidae) Synonym(s): *ancyra* C.Felder,1860 TH Yal PH Ley Luz Mar Mno Pal Stu
- 1836. Cebrella (s.str.) pellecebra (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *pellecebra* Fruhstorfer,1910 MY TH Ntt Nst Lsa
- 1837. Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. He IL Ae AL AM Ao At AT AZ Ba BE BG BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU IE IQ IR IT KG KK Ku LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TN TR UA Ui Uk Vl YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli DsA TrA KuA Ax Sau Ta JP MN KP KR TW Yu PH Luz Vv Sh Buc Mrk US CA MX PA LB Sj AF Als Ssk Mnt Mon Wc Nfl Ti Btn Ats BCo Cf Ut Ne NMx PA GT Us Mc Bry Ok SCa Tx Ge Lou Kan Aks Mss Alb Bn T-S Ab Ak Elb Th Ha Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Meh Mis Mns Mon Mrl Msc NCa NDk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDK Tnn Ut Vi Vr WVi Wc Ws Wy Nsr TH CMa CDo MM NP IN Clc SI Slo Ass VN Ann Cc (2006, Cent. ent. Stud., Priamus Suppl. 4: fig.29 [adult]).
- 1838. Celastrina kollari (Westwood,[1852])** (Lycaenidae) Synonym(s): *coelestina* Kollar,1848 nec Evers.,1843; *kollari* Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919. IN PK Pj Ch AF Ci Mre Nwf Kma TH MM Ass VN NP SI CN Ti
- 1839. Celastrina lavendularis (Moore,1877)** (Lycaenidae) Synonym(s): *lavendularis* Moore,1877; *amitra* Fruhstorfer,1922. TH CMa Pbu Nna PH Ley Luz Mas Mdo Mno Neg ID Flo PG Aro
- 1840. Celatoxia marginata (De Nicéville,1884)** (Lycaenidae) Synonym(s): *marginata* De Nicéville,1884; *marginata* Moore,1884; *victoria* Swinhoe,1893; *marata* Corbet,1936. IN Meg Ass Khs NP MM Krh MY Prk TH CMa CDo Cbi VN Ton TW
- 1841. Charana mandarina (Hewitson,[1863])** (Lycaenidae) Synonym(s): *mandarina* Hewitson,[1863] SI MM TH MY

- 1842. Cheritra freja (Fabricius,1793)** (Lycaenidae) Synonym(s): *freja* Fabricius,1793 **ID TH Chy CMa Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 CDo Loe Ubo Dst Qs Chi Nan Nrt Rng Tng Yal Sbu Nna Sak Nst Chw Sgk Hya Tnc MY MM Mrg IN LA VN** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.8 fig.4 [adult])
- 1843. Cheritrella truncipennis De Nicéville,1887** (Lycaenidae) Synonym(s): *truncipennis* De Nicéville,1887 **SI IN Ass Krh MM TH CMa**
- 1844. Chilades (Freyeria) putli (Kollar,[1844])** (Lycaenidae) Synonym(s): *putli* Kollar,[1844]; *orientalis* Forster,1980 **LK IN Ass MM Ch NP PK Cp Nwf Pes TH CMa Lmp Mae Cbu Knc Nrt Nst Chw MY Lkw ID Clb PH PG AU**
- 1845. Chilades (Freyeria) trochylus trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931. **Ad AE AF AO As BF BH BI BJ BW CF CG Chi CI CM Cr Dh DJ DZ EG EH ER ET GA GH GM GN Bio GR GW Hd Hj IL IN IQ IR JO KE KW LB LR LS LY MA ML MM MR Mu MW MZ NA NE Nf NG Nj OM PK QA Rd RW SA SD SL Sms SN SO ST SY SZ TD TG TN TR ZA Gau Ptc Lpo Tva Spb Mdk Ent TM TZ UG YE ZM ZR ZW AU MY PG PH Luz TH VN Pa Hf He Ci Elb Th Kp Fa Ss Kru Pma Cc** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.8 fig.13 [adult]).
- 1846. Chilades (Luthrodes) pandava (Horsfield,[1829])** (Lycaenidae) Synonym(s): *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe. **IN Ass BD MM VN TH CMa Cuo Cuo1 Cuo7 Cuo9 Cuo10 Cuo12 Cbu CDo CD2 Pap Knc Bnk Nrt Sgk Hya Tnc PSu MY Lkw LK MM Nwf PK Bl Sd Pj PH Luz** (2007, Cent. ent. Stud., Memoirs 3/4: pl.34 fig.7 [larva]).
- 1847. Chilades (s.str.) lajus (Stoll,[1780])** (Lycaenidae) Synonym(s): *lajus* Stoll,[1780] *nec laia* Cr.,[1779]; *cajus* Fabricius,1793; *brahmia* C.Felder & R.Felder,1865; *varunana* Moore,[1866]; *kandura* Moore,[1866] **LK IN Ass MM Tvy TH Chi Cbu Loe Kbi Chy Phu Pkk Sat Ray Rat MY Lkw VN PH Luz Pal**
- 1848. Chliaria kina (Hewitson,1869)** (Lycaenidae) Synonym(s): *kina* Hewitson,1869 **MY TH CMa CDo TAK IN NP MM**
- 1849. Chliaria othona (Hewitson,[1865])** (Lycaenidae) Synonym(s): *othona* Hewitson,[1865] **TH Chi Cbu CMa CDo Knc Nrt Tng Uth MY IN Ass MM Adm**
- 1850. Chrysozephyrus sikkimensis (Howarth,1957)** (Lycaenidae) Synonym(s): *sikkimensis* Howarth,1957 **SI IN TH CMa Int**
- 1851. Cigaritis lohita (Horsfield,[1829])** (Lycaenidae) Synonym(s): *lohita* Horsfield,[1829] **MM VN MY Lkw SG TH Kbi Nrt Tng Chy Kao Nst Rat Ths Chw Pkk CMa CDo ID Sum Bor NP SI IN**
- 1852. Cigaritis maxima (Elwes,1892)** (Lycaenidae) Synonym(s): *maxima* Elwes,1892 **MM Shn TH CMa Chy Nna TAK**
- 1853. Cigaritis seliga (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *seliga* Fruhstorfer,[1912] **MM Tvy TH Chy CMa TAK Nst Chw MY**
- 1854. Cigaritis syama (Horsfield,[1829])** (Lycaenidae) Synonym(s): *syama* Horsfield,[1829] **PH Boh Ceb CmL Cts Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam IN NP SI MM TH CMa CDo CD2 CRa Cmz Cz11 Phr Bnk Srr Knc Loe Sbu Uth Ntt Yal Nst Lsa MY SG** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.8 fig.3 [adult]).
- 1855. Cigaritis vixinga (Hewitson,1875)** (Lycaenidae) Synonym(s): *vixinga* Hewitson,1875 **MY Bor ID Sum TH Phr**
- 1856. Cigaritis vulcanus (Fabricius,1775)** (Lycaenidae) Synonym(s): *vulcanus* Fabricius,1775 **MM Tvy TH CMa Lmp Mae Phr**
- 1857. Creon cleobis (Godart,[1824])** (Lycaenidae) Synonym(s): *cleobis* Godart,[1824] **IN MM TH CMa MY**
- 1858. Cupido (Everes) dipora (Moore,1865)** (Lycaenidae) Synonym(s): *dipora* Moore,1865 **IN Kgr Hp PK Mre TH Loe**
- 1859. Cupido (Everes) diporides Chapman,1908** (Lycaenidae) Synonym(s): *diporides* Chapman,1908 **IN PK MM Wa Djl Sml Mus TH Loe Khn**
- 1860. Cupido (Everes) lacturnus (Godart,[1824])** (Lycaenidae) Synonym(s): *lacturnus* Godart,[1824] **PH Luz Mno Pal Taw TH Bnk CMa Cuo Cuo4 CDo CD2 Knc Loe Lmp Nst Chw Ths Chu MY** (Fig.14)



Fig.14 - *Cupido (Everes) lacturnus* (Lycaenidae), Thailand, Chiang Dao 465m 12 11 2006, M.Kemal (Cesa)

1861. **Curetis bulis** (Westwood,[1851]) (Lycaenidae) Synonym(s): *bulis* Westwood,[1851] **TH CMa**
Cuo Cu10 Cmz Cz01 CDo Nst Ths Sya Lsa Knc Kao Nrt TAK MY Lkw SI IN Ass MM CN Yu Hn VN SG
1862. **Curetis dentata** Moore,1879 (Lycaenidae) Synonym(s): *dentata* Moore,1879 **TH Chy CMa**
Lmp Nrt IN NP SI Ass MM
1863. **Curetis insularis** (Horsfield,[1829]) (Lycaenidae) Synonym(s): *insularis* Horsfield,[1829]
MY Lkw TH Rng Yal ID Sum Bor Ja
1864. **Curetis regula** Evans,1954 (Lycaenidae) Synonym(s): *regula* Evans,1954 **TH Tng Nst Lsa MY**
Bor ID Sum Ja MM
1865. **Curetis santana** (Moore,[1858]) (Lycaenidae) Synonym(s): *santana* Moore,[1858] **MY SG TH**
Rng Tng Yal Sgk Hya Tnc MM Shn Mrg VN ID Sum Bgk Bor Nia
1866. **Curetis saronis** Moore,1877 (Lycaenidae) Synonym(s): *saronis* Moore,1877 **IN Adm TH Knc**
Nst Nrt Ntt Rng Sgk Hya Tnc ID Sum MY VN (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.4 [adult];
2007, Cent. ent. Stud., Memoirs 3/4: Pl.8 fig.5 [adult]).
1867. **Curetis sperthis** (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *sperthis* C.Felder
& R.Felder,[1865] **SG MY Bor Tio Lkw TH Loe Kao Nna Rng Tng Yal MM Krh Mrg ID Sum Ja Bgk Nia**
Sba Sbw Baw
1868. **Curetis tagalica** (C.Felder & R.Felder,1862) (Lycaenidae) Synonym(s): *tagalica* C.Felder &
R.Felder,1862 **PH Stu Bal Dum Pal Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM**
Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga
Sia Sib Siq Sis Tab Taw Tic TH Rng Yal Nst Chw Ths Pbu Bnk MY Lkw ID Sum Bor Ja Bli Nia P-T Nat
1869. **Cyaniriodes libna** (Hewitson,1869) (Lycaenidae) Synonym(s): *libna* Hewitson,1869 **MM TH**
Sgk Hya Tnc Yal PH Pal Sam Taw
1870. **Dacalana burmana** Moore,1884 (Lycaenidae) Synonym(s): *burmana* Moore,1884 **MM TH**
CMa MY Lkw
1871. **Dacalana cotys** (Hewitson,1865) (Lycaenidae) Synonym(s): *cotys* Hewitson,1865 **TH Knc**
1872. **Dacalana penicilligera** De Nicéville,1890 (Lycaenidae) Synonym(s): *penicilligera* De
Nicéville,1890 **IN Ass MM TH Cbi CMa Nna**
1873. **Dacalana sinhara** Fruhstorfer,[1914] (Lycaenidae) Synonym(s): *sinhara* Fruhstorfer,[1914]
MY MM TH Nst Ths Sya ID Sum Bor

1874. **Deramas jasoda (De Nicéville,[1889])** (Lycaenidae) Synonym(s): *jasoda De Nicéville,[1889]*
MM TH Yal MY Lkw Bor ID Sum?
1875. **Deramas livens Distant,1886** (Lycaenidae) Synonym(s): *livens Distant,1886; pharygoides De Nicéville,1890* MM Tns Mrg ID Sum Bgk TH Yal Rng MY Lkw PH Mno
1876. **Deudorix (s.str.) elioti Corbet,1940** (Lycaenidae) Synonym(s): *elioti Corbet,1940* MY SG TH Phu
1877. **Deudorix (s.str.) epijarbas (Moore,[1858])** (Lycaenidae) Synonym(s): *epijarbas Moore,[1858]* SI IN Ass MM Adm Nk VN LK PK Mre Ci Nwf Kma MY P-T Lkw PH Cat Ceb Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Stu Taw TH Ntt Tng Yal Cbi Cma CDo Cbu Knc Tak Trat Nst Srt Pkk
1878. **Deudorix (Virachola) isocrates (Fabricius,1793)** (Lycaenidae) Synonym(s): *isocrates Fabricius,1793; pann Fabricius,1793* IN TH Cma CDo Pkk Nrt Sup Sbu Sak
1879. **Deudorix (Virachola) kessuma (Horsfield,[1829])** (Lycaenidae) Synonym(s): *kessuma Horsfield,[1829]* IN MY Bor Lkw TH Lmp Rng PH Mno Pal ID Nia Ja Sbw
1880. **Deudorix (Virachola) perse Hewitson,[1863]** (Lycaenidae) Synonym(s): *perse Hewitson,[1863]* LK IN Adm MM Ass Kgr TH Cma CDo Lmp MY Bor
1881. **Deudorix (Virachola) rubida (Tytler,1927)** (Lycaenidae) Synonym(s): *rubida Tytler,1927* TH
1882. **Discolampa ethion (Westwood,[1851])** (Lycaenidae) Synonym(s): *ethion Westwood,[1851]* LK IN Ass MM VN PH Ley Luz Mar Mdo Mno Pal Pao Sga Taw Neg MY Lkw TH Cma Cuo Cuo5 Cu12 Chy Cbi Knc Uth Loe Mae Nrt Tng Rng Sat Ntt Nna Nst Ths Sya Sgk Hya Tnc
1883. **Drina donina (Hewitson,[1865])** (Lycaenidae) Synonym(s): *donina Hewitson,[1865]* MY Lkw TH Sgk Cbi Cma Kbi Loe Rng Phu Nst Ths Sya MM VN
1884. **Drina mancia (Hewitson,[1863])** (Lycaenidae) Synonym(s): *mancia Hewitson,[1863]* MY TH Rng MM Mrg
1885. **Drupadia estella (Hewitson,[1863])** (Lycaenidae) Synonym(s): *estella Hewitson,[1863]* MY Lkw MM Tvy TH Rng ID Sum
1886. **Drupadia johorensis (Cowan,1958)** (Lycaenidae) Synonym(s): *johorensis Cowan,1958* MY Joh TH Yal
1887. **Drupadia ravindra (Horsfield,[1829])** (Lycaenidae) Synonym(s): *ravindra Horsfield,[1829]* PH Bal Jol Sga Stu Taw Luz Mdo Pol Mno Pal MY Lkw TH Cma Nna Rng Tng Yal Nst Ths Sya Sgk Hya Tnc MM Krh VN SG
1888. **Drupadia rufotaenia (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *rufotaenia Fruhstorfer,[1912]* MM TH Rng PH Bal Pal Mdo
1889. **Drupadia scaeva (Hewitson,[1863])** (Lycaenidae) Synonym(s): *scaeva Hewitson,[1863]* MY Lkw Krh Ass IN MM TH Yal Cbu Phr Tng Cbi
1890. **Drupadia theda (C.Felder & R.Felder,1862)** (Lycaenidae) Synonym(s): *theda C.Felder & R.Felder,1862* PH Luz Mar Mas Pan Boh Ley Mno Pao Sam Sga Taw Pal Myo Mdo MY Lkw MM TH Rat Ntt Yal Phu Rng Tuo Tng Nst Ths Sya Chw Sgk Hya Tnc
1891. **Eooxylides tharis (Geyer,[1837])** (Lycaenidae) Synonym(s): *tharis Geyer,[1837]* PH Bal Pal MY SG TH Nst Ths Sya Ntt Tng Yal
1892. **Flos adriana De Nicéville,1883** (Lycaenidae) Synonym(s): *adriana De Nicéville,1883* SI IN Ass MM TH Knc
1893. **Flos anniella (Hewitson,1862)** (Lycaenidae) Synonym(s): *anniella Hewitson,1862* PH Ley Luz Mar Mdo Mno Neg Pal MM Mrg MY Lkw Bor SG ID Sum Ja TH Cma Tak Nst Tng Yal
1894. **Flos apidanus (Cramer,[1777])** (Lycaenidae) Synonym(s): *apidanus Cramer,[1777]; dorimond Stoll,1790; antipaxas Fruhstorfer,1914; alter Toxopeus,1929* PH Bal Boh Luz Mdo Pal Pan Sam Mno Taw MM Mrg IN Ass VN TH Bnk Nna Nth Srt Nst Ths MY Bor Lkw ID Sum Bgk Btg Clb Nia Baw Ja Bli Lb Sbw Tan
1895. **Flos areste (Hewitson,1862)** (Lycaenidae) Synonym(s): *aresta Hewitson,1862* CN NP BT SI IN Ass MM TH Cma MY Cma Int
1896. **Flos asoka De Nicéville,1883** (Lycaenidae) Synonym(s): *asoka De Nicéville,1883* CN HK SI IN Ass MM TH Cma Nrt Nst Ths
1897. **Flos diardi (Hewitson,1862)** (Lycaenidae) Synonym(s): *diardi Hewitson,1862* MM Mrg IN SI Ass TH Cbi Cma Kbi Tng Yal MY Bor SG ID Sum Ja PH Ley Luz Mar Mas Mdo Mno Neg Pal Sam Sga Stu Taw
1898. **Flos fulgida (Hewitson,[1863])** (Lycaenidae) Synonym(s): *fulgida Hewitson,[1863]* SI IN Ass MM TH Cma Cuo Cuo6 CDo Nrt Nst Ths PH Bas Boh Mdo Mno MY SG Bor ID Sum Ja
1899. **Heliophorus (Kulua) androcles (Westwood,[1851])** (Lycaenidae) Synonym(s): *androcles Westwood,[1851]* IN Ch Kma Syl Ass Slo TH MM CN Yu
1900. **Heliophorus (s.str.) brahma (Moore,1888)** (Lycaenidae) Synonym(s): *brahma Moore,1888* IN TH Cma MM

1901. **Heliophorus (s.str.) epicles (Godart,[1824])** (Lycaenidae) Synonym(s): *epicles* Godart,[1824] CN Hn HK TW TH CMA Kao Pbu Nst Kna NP SI IN BT Ass MM Adm ID Sum Bli Clb Ja VN Ton (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.11 [adult]).
1902. **Heliophorus (s.str.) hybridus Tytler,1912** (Lycaenidae) Synonym(s): *hybridus* Tytler,1912 TH CMA Int IN Ass Nag MM
1903. **Heliophorus (s.str.) ila (De Nicéville,1896)** (Lycaenidae) Synonym(s): *ila* De Nicéville,1896 TW TH CMA Dst Qs MM Tns
1904. **Heliophorus (s.str.) indicus (Fruhstorfer,1908)** (Lycaenidae) Synonym(s): *indicus* Fruhstorfer,1908 TH CMA Dst Dso8 Pap Mro Loe SI BT IN Ass MM
1905. **Horaga amethystus Druce,1903** (Lycaenidae) Synonym(s): *amethystus* Druce,1903 TH Rng MY Bor PH Stu ID Ja Nia
1906. **Horaga onyx (Moore,[1858])** (Lycaenidae) Synonym(s): *onyx* Moore,[1858] NP MM TH Cbi CMA Cuo Cuo7 Cu10 Lmp MY
1907. **Horaga syrinx (C.Felder,1860)** (Lycaenidae) Synonym(s): *syrinx* C.Felder,1860 MY Lkw PH Boh CmL Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sib Siq CmM Jol Stu Taw Pal Bas MM Mm TH Rng
1908. **Hypochrysops coelisparus (Butler,1883)** (Lycaenidae) Synonym(s): *coelisparus* Butler,1883 TH Kbi MY ID Nia Bor Sum
1909. **Hypolycaena (s.str.) amabilis (De Nicéville,[1895])** (Lycaenidae) Synonym(s): *amabilis* De Nicéville,[1895] MY TH ID Ja
1910. **Hypolycaena (s.str.) erylus (Godart,[1824])** (Lycaenidae) Synonym(s): *erylus* Godart,[1824] PH Cuy Dum Pal Bon Jol Sga Sis Stu Taw Bas CmM Din Ley Mno Sam CmL Luz Mar Mas Mdo Neg Pan Rom Sib MY Lkw TH Nst Ths Chw Rng Tng Chy CMA Cuo Cuo4 Cuo7 Cbi Kao Lmp Nna SG Bor
1911. **Hypolycaena (s.str.) merguia (Doherty,1889)** (Lycaenidae) Synonym(s): *merguia* Doherty,1889 MY Mrg Krh MM TH Yal Tak Tng
1912. **Hypolycaena (s.str.) thecloides (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *thecloides* C.Felder & R.Felder,1860 IN Nk MM Tvy SG MY TH Rng Pgg Nst PH Cal Ceb cmM Luz Mdo Mno Pal Sib Cts Sia
1913. **Ionolyce helicon (C.Felder,1860)** (Lycaenidae) Synonym(s): *helicon* C.Felder,1860 IN LK MM Mrg MY Lkw SG TH Cbi CMA Nna Rng Tng Yal Nst PH Pal Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
1914. **Iraota distanti (Staudinger,1889)** (Lycaenidae) Synonym(s): *nila* Distant,1886 (*praeocc.*); *distanti* Staudinger,1889 MY TH Yal
1915. **Iraota rochana (Horsfield,[1829])** (Lycaenidae) Synonym(s): *rochana* Horsfield,[1829] PH Bal Cal Pal Bon Sga Taw Stu Neg Bab Boh Ceb Din Ley Luz Mar Mdo Mno Pao Sam TH Chy CMA Mae Nna Nst Ths IN Ass MM MY Lkw SG
1916. **Iraota timoleon (Stoll,[1790])** (Lycaenidae) Synonym(s): *timoleon* Stoll,[1790] IN Ass MM TH Bnk CMA CDo Mae Nna Phr Ubo MY
1917. **Jacoona anasuja (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *anasuja* C.Felder & R.Felder,[1865] SG MY TH CMA Rng Tng
1918. **Jamides abdul (Distant,1886)** (Lycaenidae) Synonym(s): *abdul* Distant,1886; *marakata* Doherty,1890 ID Sum MY P-T TH Yal Pbu Loe
1919. **Jamides alecto (C.Felder,1860)** (Lycaenidae) Synonym(s): *alecto* C.Felder,1860 PH Pal Cat Ceb Ley Luz Mar Mas Mdo Mno Neg Pan Sam TH Rng CMA Dst Qs CDo Chy Knc Nna TAK Sgk Hya Tnc PSu Tng Nst Ths Sya MY IN SI Ass MM NP ID Sum
1920. **Jamides bochus (Stoll,[1782])** (Lycaenidae) Synonym(s): *bochus* Stoll,[1782] Sml Hp IN NP LK MM PH Ley Mno Sam Cat Ceb Luz Mas Mdo Neg Pan Sib Bal Cal Pal Taw TH Chy CMA Cuo Cu12 Dst Nna Nst Lsa Loe MY Lkw Rng Sat
1921. **Jamides caeruleus (Druce,1873)** (Lycaenidae) Synonym(s): *caeruleus* Druce,1873 MY TH Cbi Rng Yal Nst
1922. **Jamides celeno (Cramer,[1775])** (Lycaenidae) Synonym(s): *celeno* Cramer,[1775]; *alexis* Stoll,1790 nec Poda,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819]. CN Hn NH AF PK VN NP IN Ass MM PH Jol Luz Mdo Mno Pal TH Cbi CMA Cuo Cuo5 Cuo7 Cuo9 Cu12 Dst CDo Nrt Pgg Phu Tng Bnk Sgk Hya Tnc MY Lkw
1923. **Jamides cunilda (Snellen,1896)** (Lycaenidae) Synonym(s): *cunilda* Snellen,1896 PH Pal TH Ntt SPa Nst
1924. **Jamides cyta (Boisduval,1832)** (Lycaenidae) Synonym(s): *cyta* Boisduval,1832 MM TH Rng MY PH CmL ley Luz Mar Mno Neg Pan Sam Sga Sib Taw Pal Mdo
1925. **Jamides elpis (Godart,[1824])** (Lycaenidae) Synonym(s): *elpis* Godart,[1824] MM SG PH Bas Mno Sam Ley Bal Pal MY Lkw TH Phu Nrt Rng Tng Nna
1926. **Jamides ferrari Evans,1932** (Lycaenidae) Synonym(s): *ferrari* Evans,1932 MY Lkw TH Nst Ths Sya
1927. **Jamides malaccanus (Röber,1886)** (Lycaenidae) Synonym(s): *malaccanus* Röber,1886 MY Lkw P-T TH Phu Rng Sat Tng Sgk Hya Tnc PSu Nst

1928. **Jamides parasaturatus (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *parasaturatus Fruhstorfer,1915* TH Sat Tng MY Lkw
1929. **Jamides philatus (Snellen,1878)** (Lycaenidae) Synonym(s): *philatus Snellen,1878* PH Bas Jol Pal Stu Taw Luz Mar Mdo MY Lkw TH Nrt Rng TAK (2007, Cent. ent. Stud., Memoirs 3/4: pl.40 figs.21-24 [adult]).
1930. **Jamides pura (Moore,1886)** (Lycaenidae) Synonym(s): *pura Moore,1886* MM ID Sum Ja Bor MY TH Phu Rng Sat Tng Sgk Hya Tnc PH Bal Pal Stu Taw
1931. **Jamides talinga (Kheil,1884)** (Lycaenidae) Synonym(s): *talinga Kheil,1884* MY P-T TH Rng Tng Nst Ths Ntt SPa
1932. **Jamides virgulatus Druce,1895** (Lycaenidae) Synonym(s): *virgulatus Druce,1895* PH Pal TH Rng Sat Tng MY Lkw
1933. **Jamides zebra (Druce,1895)** (Lycaenidae) Synonym(s): *zebra Druce,1895* MY TH Yal
1934. **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886* Ae AF AL AM AZ Az Ba BE BG BH B-H BY CH CN Co Cr CY DE DK DZ EG ES FR GG GR HU IL IN IQ IR IT JO Kab Kbb KG KK KW LB Ld LY MA MK MN MT NL OM Pag PK Pnj PT QA Rd RO RU SA Sa Si SK Sm So Sr SW SY TJ TM TN TR UA UE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Ao Mu18 Ci He Ket DsA Tls TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm PG Vu Dmp PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab ZA Tva Lpo Spb Lj Mdk Kru Pma Pf Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa Hf TH CMA Cuo Cuo7 Cu12 Lmp Sgk Hya PSu Nst Chw Ths Sya Bnk Kci MY Lkw IN Ass MM VN Hw SD SD91 SD119 Bgd Cc
1935. **Lampides boeticus boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886* He Ae AF AL AM AZ Az Ba BE BG BH B-H BY CH CN Co Cr CY DE DK DZ EG ES FR GG GR HU IL IN IQ IR IT JO Kab Kbb KG KK KW LB Ld LY MA MK MN MT NL OM Pag PK Pnj PT QA Rd RO RU SA Sa Si SK Sm So Sr SW SY TJ TM TN TR UA UE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Mu18 Ci Ao Ket DsA Tls TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm PG Vu Dmp PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab ZA Tva Lpo Kru Pma Pf Spb Lj Mdk Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa Hf TH CMA Cuo Cuo7 Cu12 Lmp Sgk Hya PSu Nst Chw Ths Sya Bnk Kci MY Lkw IN Ass MM VN Hw SD SD91 SD119 Bgd Cc
1936. **Leptotes plinius (Fabricius,1793)** (Lycaenidae) Synonym(s): *plinius Fabricius,1793* MM Krh PH Ley Luz Mno TH Bnk Chy CMA Cuo Cuo1 Cuo2 Cuo7 Cuo9 Cu10 Cu12 CDo CD2 Cmz Cz11 Dsk Hpt Lmp Tht Cbu Knc Nrt Bnk (Fig.15)




Fig.15 - *Leptotes plinius* (Lycaenidae), Thailand, Chiang Dao 465m 12 11 2006, M.Kemal (Cesa)

1937. **Lestranicus transpectus** (Moore,1879) (Lycaenidae) Synonym(s): *transpectus* Moore,1879; *latimargo* Moore,1884. **IN Ass BD MM TH Cbi Chy CMa CDo Cuo Cuo5 Knc VN CN Yu**
1938. **Liphyra brassolis** Westwood,1864 (Lycaenidae) Synonym(s): *brassolis* Westwood,1864 **SI IN MM MY Bor TH Bnk CMa Rat Sgk Nst Chw PH Hom Luz ID Sum**
1939. **Logania distanti** Semper,1889 (Lycaenidae) Synonym(s): *distanti* Semper,1889; *massalia* Doherty,1891 **IN Ass MM MY Bor? LA TH ID Sum**
1940. **Logania malayica** Distant,1884 (Lycaenidae) Synonym(s): *malayica* Distant,1884 **MY PH Ley Mno Sam TH Tng Yal**
1941. **Logania marmorata** Moore,1884 (Lycaenidae) Synonym(s): *marmorata* Moore,1884 **SG MM Krh Mrg MY Lkw ID Ja Sbw PH Bal Cal Luz Mar Pal Jol Ley Mno Sam Taw Ceb Mdo CagSul TH Cbi Nna Tng Yal**
1942. **Logania massalia** Doherty,1891 (Lycaenidae) Synonym(s): *massalia* Doherty,1891 **IN Ass MM MY TH CMa Dst Qs Cbi Nrt**
1943. **Logania regina** (Druce,1873) (Lycaenidae) Synonym(s): *regina* Druce,1873 **MM MY TH Yal PH Sga Taw ID Sum**
1944. **Loxura athymnus** (Stoll,[1780]) (Lycaenidae) Synonym(s): *athymnus* Stoll,[1780] **IN Ass MM PH Luz TH Cbi CMa Cuo Cuo1 Cuo2 Cuo9 Cuo10 Cuo12 Dst CDo Knc Loe Nna Rat Sbu TAK Ntt Yal Pkk Nst Lsa MY Lkw SG (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.9 [adult]).**
1945. **Loxura cassiopeia** Distant,1884 (Lycaenidae) Synonym(s): *cassiopeia* Distant,1884 **PH Ceb Mno Pal MY TH Yal**
1946. **Lycaenopsis haraldus** (Fabricius,1787) (Lycaenidae) Synonym(s): *haraldus* Fabricius,1787; *ananga* C.Felder & R.Felder,[1865] **TH Tng Kbi Rng Tng MM ID Bor Ja Sum MY Lkw VN Ann**
1947. **Mahathala ameria** (Hewitson,1862) (Lycaenidae) Synonym(s): *ameria* Hewitson,1862; *zistra* Fruhstorfer,1908 **IN MM MY TH CMa Knc Nna Nrt ID Sum Ja CN Hn VN TW**
1948. **Mahathala ariadeva** Fruhstorfer,1908 (Lycaenidae) Synonym(s): *ariadeva* Fruhstorfer,1908 **MM TH CMa Knc Nst Ths Sya MY**
1949. **Manto hypoleuca** (Hewitson,[1865]) (Lycaenidae) Synonym(s): *hypoleuca* Hewitson,[1865] **PH Bal Pal MY TH Tng (2007, Cent. ent. Stud., Memoirs 3/4: pl.40 figs.17-18 [adult]).**
1950. **Mantoides gama** (Distant,1886) (Lycaenidae) Synonym(s): *gama* Distant,1886 **SG MY TH Tng**

1951. **Megisba malaya (Horsfield,1828)** (Lycaenidae) Synonym(s): *malaya* Horsfield,1828 **LK IN**
Adm Oi Bba Ass SI MY Lkw TH Yal Rng Cbi CMA Knc Nna Nst Ths TW JP Ri ID Ja Clb Sla Tuk Wt Dm
Tim Ja Bli Sbw Alo Flo Lb PH Bal Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib Stu Taw
1952. **Miletus ancon (Doherty,1889)** (Lycaenidae) Synonym(s): *ancon* Doherty,1889 **MM Shn Krh**
Tvy TH Cbi CMA CDo Chy Nrt Phr Phe Tng ID Sum MY Bor Sbh KBa Swk
1953. **Miletus biggsii (Distant,1884)** (Lycaenidae) Synonym(s): *biggsii* Distant,1884; *#atomaria*
Fruhstorfer,1913; *xeragis* Fruhstorfer,1915; *hyllus* Fruhstorfer,1915; *sebethus* Fruhstorfer,1915; *extraneus* Toxopeus,1929
Bor ID Sme Sum Nia Nat Btu MM TH Phu Tng MY Lkw SG (Fig.16)
1954. **Miletus chinensis C.Felder,1862** (Lycaenidae) Synonym(s): *chinensis* C.Felder,1862 **IN Ass**
Kma SI Up MM Shn Hpi Krh Chn Tns CN Yu Hn TH Bnk Cbi CMA Cuo Cu07 Knc Nna Loe Nst Ths MY
Prk
1955. **Miletus croton (Doherty,1889)** (Lycaenidae) Synonym(s): *croton* Doherty,1889 **MM Krh Tvy**
Tns Shn TH CMA CDo Chy Knc
1956. **Miletus gallus (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gallus* De Nicéville,1894 **ID**
Sum Ja TH Sat MY
1957. **Miletus gopara (De Nicéville,1890)** (Lycaenidae) Synonym(s): *gopara* De Nicéville,1890;
denticulata Fruhstorfer,1913 **ID Sum Ja MY Prk Bor TH Tng PH Sga Stu Taw**
1958. **Miletus mallus (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *mallus* Fruhstorfer,1913; *gethusus*
Fruhstorfer,1915 **MM Shn MY TH CMA Dst Qs Chy Nna Bnk Loe VN Ton Ann**
1959. **Miletus nymphis (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *nymphis* Fruhstorfer,1913 **ID**
Sum MM Shn Krh TH Tng Yal MY
1960. **Miletus symethus (Cramer,1777)** (Lycaenidae) Synonym(s): *symethus* Cramer,1777; *pandu*
Horsfield,1828 **TH Phu P-T MY Bor BN SG Lkw Prk ID Bor Btu Nia Ja Bli Lb PH Luz Mar Mdo Jol**
Mno Taw Pal



Fig.16 – *Miletus biggsii* (Lycaenidae), Thailand Chiang Mai 25 10 2006, M. Kemal (Cesa)

1961. **Mota massyla (Hewitson,[1869])** (Lycaenidae) Synonym(s): *massyla* Hewitson,[1869] **TH**
CDo CMA BT IN SI Ass Mpr MM

1962. **Nacaduba angusta (Druce,1873)** (Lycaenidae) Synonym(s): *angusta* Druce,1873; *hondai* Hayashi,1977 **MM Krh ID Sum PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MY Lkw TH Chy Cbi Nrt Rag Tng Nst Cma**
1963. **Nacaduba berenice (Herrich-Schäffer,1869)** (Lycaenidae) Synonym(s): *berenice* Herrich-Schäffer,1869 **VN TH Tuo Tng Yal Cbi Cma CDo Knc Nna Nrt MY Lkw PH Bas Ley Luz Mno Neg Pal Taw**
1964. **Nacaduba beroe (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder,[1865] **IN MM TH Cbi Cma CDo CRa Nna Nrt Nst VN MY Lkw PH Ley Luz Mar Mno Neg Pal**
1965. **Nacaduba calauria (C.Felder,1860)** (Lycaenidae) Synonym(s): *calauria* C.Felder,1860 **SG TH Yal Nst MY Lkw**
1966. **Nacaduba hermus (C.Felder,1860)** (Lycaenidae) Synonym(s): *hermus* C.Felder,1860 **IN Ass MM TH Cma Chy Nrt Rng Sgk Yal SG MY Lkw PH Bas Mar Mno**
1967. **Nacaduba kurava (Moore,[1858])** (Lycaenidae) Synonym(s): *kurava* Moore,[1858] **IN SI NP MM Sdm Nk VN TH Cma Dst Qs Cuo Cuo9 Cbi Nrt Nna Phu Rng Tng Tuo MY Lkw PH Luz Mar Mno Neg Pal**
1968. **Nacaduba pactolus (C.Felder,1860)** (Lycaenidae) Synonym(s): *pactolus* C.Felder,1860 **IN SI MM VN TH Cbi Cma Dst Nrt TAK Nst MY PH Bas Boh Luz Mno Pao Pal Sam Taw**
1969. **Nacaduba pavana (Horsfield,[1828])** (Lycaenidae) Synonym(s): *pavana* Horsfield,[1828] **IN SI MM TH Knc Cbi Nst Ths Sya MY Lkw SG**
1970. **Nacaduba sanaya Fruhstorfer,1916** (Lycaenidae) Synonym(s): *sanaya* Fruhstorfer,1916 **IN Ass Nk MM TH Nst Phu Rng Tng SG MY Lkw PH Ceb Ley Luz Mno Taw**
1971. **Nacaduba subperusia (Snellen,1896)** (Lycaenidae) Synonym(s): *subperusia* Snellen,1896 **IN Ass MM Adm ID Sum TH Tng Nst Chw MY Lkw SG PH Jol Ley Luz Mar Mdo Mno Pal Sib Stu**
1972. **Neocheritra amrita (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *amrita* C.Felder & R.Felder,1860; *paulina* Riley **SG MY TH Nst Chw Rng Krh MM**
1973. **Neocheritra fabronia (Hewitson,1878)** (Lycaenidae) Synonym(s): *fabronia* Hewitson,1878 **SI MM TH Cma Loe MY**
1974. **Neomyrina nivea (Godman & Salvin,1878)** (Lycaenidae) Synonym(s): *nivea* Godman & Salvin,1878 **MY Lkw MM TH Cbi Cma Cuo Cuo1 Cuo2 Cuo9 Cuo10 Uth Rng**
1975. **Neopithecops zalmora (Butler,1870)** (Lycaenidae) Synonym(s): *zalmora* Butler,1870; *nihana* Moore,1878; *horsfieldi* Distant,1884; *dolona* Fruhstorfer,1919; *fedora* Fruhstorfer,1919; *colutha* Fruhstorfer,1919; *batuanus* Riley,1944. **LK IN Adm MM TH Cma Chy Nna Rng Sat Tng Nst Chw Ths KH LA VN CN TW MY ID Sum Nia Nag PH Ceb Ley Luz Pal Taw**
1976. **Niphanda asialis (De Nicéville,1895)** (Lycaenidae) Synonym(s): *asialis* De Nicéville,1895 **TH Cma CDo IN Ass MM MY**
1977. **Niphanda cymbia (De Nicéville,1884)** (Lycaenidae) Synonym(s): *cymbia* De Nicéville,1884 **MY TH Cma Chy SI MM**
1978. **Niphanda tessellata Moore,[1875]** (Lycaenidae) Synonym(s): *tessellata* Moore,[1875]; *aethiops* Distant,1886 **PH Luz Mar Mno Sga TH Cma MY MM Shn**
1979. **Orthomiella pontis (Elwes,1887)** (Lycaenidae) Synonym(s): *pontis* Elwes,1887 **SI MM Chn CN Fkn Kwa TH Cma CDo**
1980. **Petrelaea dana (De Nicéville,[1884])** (Lycaenidae) Synonym(s): *dana* De Nicéville,[1884] **TH Cma Knc Mae Yal PH Mno Pal IN MM Adm Bor MY**
1981. **Pithecops corvus correctus Cowan,1966** (Lycaenidae) Synonym(s): *correctus* Cowan,1966 **IN Ass MM VN TH Cma Loe**
1982. **Pithecops corvus Fruhstorfer,[1919]** (Lycaenidae) Synonym(s): *corvus* Fruhstorfer,[1919] **IN Ass MM VN MY Lkw TH Cma Loe Tng Yal PH Bas Boh Ley Luz Mar Mas Mdo Mno Pal Pan Pao Sam Sga Sib**
1983. **Plautella cossaea (De Nicéville,1895)** (Lycaenidae) Synonym(s): *cossaea* De Nicéville,1895 **ID Ja Sum Nia MM TH Tng Sat MY Bor Swk KBa Kcg**
1984. **Poritia erycinoides (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *erycinoides* C.Felder & R.Felder,[1865] **SG MM Shn MY Lkw TH Yal Rng Cma Chy Cbu Knc Khn Loe TAK PH Pal**
1985. **Poritia hewitsoni Moore,[1866]** (Lycaenidae) Synonym(s): *hewitsoni* Moore,[1866] **IN Ass PH Luz MY Lkw TH Cma Cuo Cuo3 Cuo12 Lmp Tht MM Tvy (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.15 [adult]).**
1986. **Poritia phama Druce,1896** (Lycaenidae) Synonym(s): *phama* Druce,1896 **Bor MY Lkw ID Sum Ja PH Pal IN Ass MM Tvy TH Rng Tng Yal Nst Chw**
1987. **Poritia philota Hewitson,1874** (Lycaenidae) Synonym(s): *philota* Hewitson,1874; *#penumbrata* Morrell,1957; *#lugubris* Eliot,1957; *#ornata* Eliot,1957 **MM ID Sum TH Pgg Rng Nst Ths Tng MY PH Boh Din Ley Mno Neg Pao Sam Mdo Luz**
1988. **Poritia plateni Staudinger,1889** (Lycaenidae) Synonym(s): *plateni* Staudinger,1889 **MY Bor ID Sum TH Ntt PH Pal**

1989. **Poritia sumatrae** (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): *sumatrae* C.Felder & R.Felder,[1865] **MM TH Rng Tng Nst ID Sum MY**
1990. **Pratapa deva** (Moore,[1858]) (Lycaenidae) Synonym(s): *deva* Moore,[1858] **IN NP MM TH CMa CRa Nkh MY PH Luz Mno**
1991. **Pratapa icetoides** (Elwes,[1893]) (Lycaenidae) Synonym(s): *icetoides* Elwes,[1893] **PH Dum Pal TH CMa Phu MY SG**
1992. **Prosotas aluta** (Druce,1873) (Lycaenidae) Synonym(s): *aluta* Druce,1873 **MY ID Sum Bor IN MM Adm TH Cbi CMa CDo Cbu Kao Nna PH Bas Mar Mno Pal Sam Sga**
1993. **Prosotas bhutea** (De Nicéville,1884) (Lycaenidae) Synonym(s): *bhutea* De Nicéville,1884 **SI Djl IN TH Nst Ths MY Bor Sbh**
1994. **Prosotas dubiosa** (Semper,[1879]) (Lycaenidae) Synonym(s): *dubiosa* Semper,[1879] **LK IN NP MM Adm TH Bnk Knc Nrt Yal Sgk Hya Tnc CMa Nna Rat Ntt SPa PH Luz Mar Mno Neg Pal MY**
1995. **Prosotas gracilis** (Röber,1886) (Lycaenidae) Synonym(s): *gracilis* Röber,1886 **MY ID Sum TH Cbi CMa Cuo Cuo2 Cuo7 Cuo9 Cuo10 Dsk Hpt Knc Nrt PH Pal Luz Mno** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.14 [adult]).
1996. **Prosotas lutea** (Martin,1895) (Lycaenidae) Synonym(s): *lutea* Martin,1895 **SI IN MM TH CMa Cuo Cuo9 Knc Nna Nrt MY ID Sum**
1997. **Prosotas nora** (C.Felder,1860) (Lycaenidae) Synonym(s): *nora* C.Felder,1860 **ID Sum Ja Bor LK PK IN MM VN TH Cbi CMa Dst Bnk Knc Lmp Nna Yal Nst Ths PH Bas Ley Luz Mar Mdo Mno Neg Sam Pal Stu MY**
1998. **Prosotas noreia** (R.Felder,1868) (Lycaenidae) Synonym(s): *noreia* R.Felder,1868 **IN Ass MM TH CMa CRa Knc Mae Uth**
1999. **Prosotas pia** Toxopeus,1929 (Lycaenidae) Synonym(s): *pia* Toxopeus,1929 **SI IN Ass MM TH CMa Knc Nna Nst MY**
2000. **Pseudotajuria donatana** (De Nicéville,[1889]) (Lycaenidae) Synonym(s): *donatana* De Nicéville,[1889] **MY TH Phi MM SG**
2001. **Purlisa gigantea** (Distant,1881) (Lycaenidae) Synonym(s): *gigantea* Distant,1881 **MY SG Lkw TH Tng**
2002. **Rachana jalindra** (Horsfield,[1829]) (Lycaenidae) Synonym(s): *jalindra* Horsfield,[1829] **IN MY Lkw TH CMa NP SI MM PH Dum Pal Sga Taw Luz Mdo Mno Bal**
2003. **Rapala abnormis** Elwes,[1893] (Lycaenidae) Synonym(s): *abnormis* Elwes,[1893] **MM Krh TH CMa MY ID Ja**
2004. **Rapala damona** Swinhoe,1890 (Lycaenidae) Synonym(s): *damona* Swinhoe,1890 **PH Mdo Pal TH Cbi CMa MY Lkw**
2005. **Rapala dieneces** (Hewitson,1878) (Lycaenidae) Synonym(s): *dieneces* Hewitson,1878 **PH Bas Mno Pal Sga TH CMa CDo Sgk Pgg Phu Nst Chw Nna MY Lkw**
2006. **Rapala domitia** (Hewitson,[1863]) (Lycaenidae) Synonym(s): *domitia* Hewitson,[1863] **MY Lkw TH Tng Bor SG**
2007. **Rapala hades** (De Nicéville,1895) (Lycaenidae) Synonym(s): *hades* De Nicéville,1895 **MM TH MY PH Mno Neg Pan**
2008. **Rapala hypargyria** Elwes,[1893] (Lycaenidae) Synonym(s): *hypargyria* Elwes,[1893] **MM Krh TH CMa MY**
2009. **Rapala iarbus** (Fabricius,1787) (Lycaenidae) Synonym(s): *iarbus* Fabricius,1787; *ocerta* Fruhtsorfer,[1912] **TH CMa Cuo Cuo12 CDo Cbu Kao Knc Kbi Loe Phr Nna Ntt Tak Tng Sgk Hya PSu Bnk Nst Ch PK Mre Kma IN** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.13 [adult]).
2010. **Rapala manea** (Hewitson,[1863]) (Lycaenidae) Synonym(s): *manea* Hewitson,[1863] **TH CMa CDo Cbi Uth Rng SG MY Lkw Bor PH Boh Luz Mar Mdo Mno Neg Pal Stu Taw ID Sum Clb Baw Lb Ja Bli Egg Adm LK IN Ass MM**
2011. **Rapala nissa** (Kollar,[1844]) (Lycaenidae) Synonym(s): *nissa* Kollar,[1844] **Ch PK Mre SI MM IN TH CMa Loe MY**
2012. **Rapala pheretima** (Hewitson,[1863]) (Lycaenidae) Synonym(s): *phetima* Hewitson,[1863] **TH Cbi CMa Cuo Cuo4 Cuo7 CDo Cbu Nna Bnk Cbu Knc Lmp Nrt Nth Tng Sgk Hya PSu Tnc Nst Chw MY Lkw Tio**
2013. **Rapala reactivita** (Moore,[1879]) (Lycaenidae) Synonym(s): *reactivita* Moore,[1879] **IN TH CMa**
2014. **Rapala refulgens** De Nicéville,1891 (Lycaenidae) Synonym(s): *refulgens* De Nicéville,1891 **IN Ass MM TH CMa**
2015. **Rapala rhoecus** De Nicéville,[1895] (Lycaenidae) Synonym(s): *rhoecus* De Nicéville,[1895] **TH CMa Loe Rng Tng MY Lkw PH Pal MM ID Sum Bor**
2016. **Rapala scintilla** De Nicéville,1890 (Lycaenidae) Synonym(s): *scintilla* De Nicéville,1890 **IN SI Ass MM TH Tng Knc CMa Cuo Cuo12 Dst Pkk PH Bab CmM Ley Mar Mno Pal Pao Sam**
2017. **Rapala suffusa** (Moore,[1879]) (Lycaenidae) Synonym(s): *suffusa* Moore,[1879] **IN Ass MM TH CMa CDo Phr Rng TAK VN ID Ja Nia MY Lkw PH Bal Pal**

2018. **Rapala varuna (Horsfield,[1829])** (Lycaenidae) Synonym(s): *varuna* Horsfield,[1829] TW ID
Sum Ja Lb Bli PH Sga Stu Taw Baz Luz Mar Mno Neg Pal TH Chy CMa Nrt Phi Tng Nst Ths MY Lkw
2019. **Remelana jangala (Horsfield,1829)** (Lycaenidae) Synonym(s): *jangala* Horsfield,1829 ID Ja
IN SI Ass MM TH Chy CMa CDo Kao Nna Yal Nst Ths MY SG ID Sum Nia Adm Baw Bor Clb CN HK Hn
PH Cal Dum Pal Bal Bas Boh Bon Ceb CmL Cts Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao
Rom Sam Sga Sib Stu Taw
2020. **Semanga superba (Druce,1873)** (Lycaenidae) Synonym(s): *superba* Druce,1873 SG ID Sum
Ja MM Mrg PH Sga TH Sat Cbi MY Lkw Bor
2021. **Shijimia moorei (Leech,1929)** (Lycaenidae) Synonym(s): *moorei* Leech,1929 TH CMa
2022. **Simiskina pasira (Moulton,1911)** (Lycaenidae) Synonym(s): *pasira* Moulton,1911 MM ID
Sum Bor TH Yal PH Pal CmM MY Lkw
2023. **Simiskina phalena (Hewitson,1874)** (Lycaenidae) Synonym(s): *phalena* Hewitson,1874 IN
Ass MM TH Rng Tng PH Luz Pal Boh Ley Mno
2024. **Simiskina phalia (Hewitson,1874)** (Lycaenidae) Synonym(s): *phalia* Hewitson,1874 MM
Krh TH CMa Cuo Cuo1 Cuo6 Cuo9 Cuo10 Nrt Tak Cbi Cbu PH Pal MY (Fig.17)



Fig.17 - *Simiskina phalia* (Lycaenidae) at rest, Thailand Chiang Mai 360m 31 10 2006, M. Kemal (Cesa)

2025. **Simiskina pharyge (Hewitson,1874)** (Lycaenidae) Synonym(s): *pharyge* Hewitson,1874 MM
ID Sum Bor TH Rng Yal MY Lkw
2026. **Simiskina proxima De Nicéville,1895** (Lycaenidae) Synonym(s): *proxima* De Nicéville,1895
MM TH Nrt Rng Phu MY Lkw
2027. **Sinthusia chandrana (Moore,1882)** (Lycaenidae) Synonym(s): *chandrana* Moore,1882 IN
TH Chy CMa SI MM
2028. **Sinthusia nasaka (Horsfield,[1829])** (Lycaenidae) Synonym(s): *nasaka* Horsfield,[1829] ID
PH Pal MY Prk Lkw TH Chy Knc Tng Nst Ths IN SI MM
2029. **Sithon nedymond (Cramer,[1780])** (Lycaenidae) Synonym(s): *nedymond* Cramer,[1780] MY
Lkw TH Pgg Phu Rng Tng Sgk Hya Tnc
2030. **Spalgis epius (Westwood,[1851])** (Lycaenidae) Synonym(s): *epius* Westwood,[1851]; *strigatus*
Semper,1889; *georgi* Fruhstorfer,1919; *semperi* Fruhstorfer,1923 LK IN Adm MM Mrg Nk SG MY Lkw P-T TH

- CMa Cuo Cuo2 Cuo7 Cuo9 Cuo10 Cbi Chy Nrt PH Boh Ceb Ley Luz Mar Mas Mno Neg Pal Sga Stu Taw TW ID Sum Ja Bli Lb Sbw Sba Clb** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.7 fig.12 [adult]).
- 2031. Suasa lisides (Hewitson,[1863])** (Lycaenidae) Synonym(s): *lisides* Hewitson,[1863] **PH Pal TH CMa Phu Rng Yal Nst MY**
- 2032. Surendra florimel Doherty,1889** (Lycaenidae) Synonym(s): *florimel* Doherty,1889 **MM TH Rng MY ID Sum Ja**
- 2033. Surendra quercetorum (Moore,[1858])** (Lycaenidae) Synonym(s): *quercetorum* Moore,[1858]; *#quercetorum* Lewvanich,2001 **IN MM TH CMa Cuo Cuo9 Knc Kbi Loe Nna Nrt Rng Rat Pgg Sbu Cbu Cph Sak Nst Ths Phb Pkk**
- 2034. Surendra vivarna (Horsfield,[1829])** (Lycaenidae) Synonym(s): *vivarna* Horsfield,[1829] **VN PH Bal Cal Pal MM MY Bor TH Nst Ths Sya Ntt Rng Tng Yal ID Sum Nia Ja Clb Kgn IN Adm LK**
- 2035. Tajuria cippus (Fabricius,1798)** (Lycaenidae) Synonym(s): *cippus* Fabricius,1798 **PK IN MM TH CMa Cuo Cuo3 Cuo7 Bnk Cbu Cbi Phu Yal Sbu Nst Ths Chw MY**
- 2036. Tajuria culta De Nicéville,1896** (Lycaenidae) Synonym(s): *culta* De Nicéville,1896 **TH Bnk CMa IN Ass MM**
- 2037. Tajuria deudorix (Hewitson,1869)** (Lycaenidae) Synonym(s): *deudorix* Hewitson,1869 **PH Boh Cml Luz Mar Mdo Ley Mno Pal MY Lkw TH Yal Phu SG**
- 2038. Tajuria diaeus (Hewitson,[1865])** (Lycaenidae) Synonym(s): *diaeus* Hewitson,[1865] **IN NP Mus MM TH CMa**
- 2039. Tajuria isaeus (Hewitson,[1865])** (Lycaenidae) Synonym(s): *isaeus* Hewitson,[1865] **PH Pal TH Rng Tng Yal MY IN Ass MM**
- 2040. Tajuria maculata (Hewitson,[1865])** (Lycaenidae) Synonym(s): *maculata* Hewitson,[1865] **MY TH CMa TAK SI IN MM**
- 2041. Tajuria mantra (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *mantra* C.Felder & R.Felder,1860 **PH Pal Sga Boh Ley Mno Neg Pao Sam MY TH Phu MM Tvy SG**
- 2042. Tajuria yajna (Doherty,1886)** (Lycaenidae) Synonym(s): *yajna* Doherty,1886 **TH CMa MY MM Shn**
- 2043. Talicada nyseus (Guérin-Ménéville,1843)** (Lycaenidae) Synonym(s): *nyseus* Guérin-Ménéville,1843 **MM Shn TH CMa CDo Pkk TAK Knc Phr VN**
- 2044. Taraka hamada (Druce,1875)** (Lycaenidae) Synonym(s): *hamada* Druce,1875 **SI IN MM TH CMa Atg TAK MY Bor Id Sum Ja Bli Lb**
- 2045. Taraka mahanetra Doherty,1890** (Lycaenidae) Synonym(s): *mahanetra* Doherty,1890; *hantu* Corbet,1938 **ID Sum TH Yal MY**
- 2046. Tarucus (s.str.) callinarus Butler,1886** (Lycaenidae) Synonym(s): *callinara* Butler,1886 **PK Pj IN MM Pes Nwf TH CMa CDo Cbu Knc Lmp Sbu Cbi Rat**
- 2047. Thaduka multicaudata Moore,[1879]** (Lycaenidae) Synonym(s): *multicaudata* Moore,[1879] **MM Tns TH Chy CMa Knc Nna IN Knr**
- 2048. Thamala marciana (Hewitson,[1863])** (Lycaenidae) Synonym(s): *marciana* Hewitson,[1863] **MM Krh TH Tng Rng CMa Nrt Nst Ths Sya MY Lkw VN**
- 2049. Ticherra acte (Moore,[1858])** (Lycaenidae) Synonym(s): *acte* Moore,[1858] **IN MM TH Chy Uth CMa CDo MY**
- 2050. Tongeia potanini (Alpheraky,1889)** (Lycaenidae) Synonym(s): *potanini* Alpheraky,1889 **MM TH Sat Yal CMa CDo Knc Loe Rat MY Lkw Prk**
- 2051. Udara (s.str.) dilecta (Moore,1879)** (Lycaenidae) Synonym(s): *dilectus* Moore,1879; *hermonthis* Fruhstorfer,1909; *hainana* Fruhstorfer,1910. **NP IN CN TW Hnn PK MM TH Cbi CMa Nna Loe Nrt Kao VN MY JP PH**
- 2052. Udara (s.str.) placidula (Druce,1895)** (Lycaenidae) Synonym(s): *placidula* Druce,1895 **IN Ass MM Mpr MY LA PH Luz Mno Pal TH CMa ID Sum Clb Bor Flo Tim Bru Mlc Ja Bli Lb**
- 2053. Udara (Selmanix) selma (Druce,1895)** (Lycaenidae) Synonym(s): *selma* Druce,1895 **IN Ass MM PH Mdo TH MY Bor Swk ID Sum**
- 2054. Una usta (Distant,1886)** (Lycaenidae) Synonym(s): *usta* Distant,1886 **TH CMa Int Nst Rng Yal IN Ass MM MY SG**
- 2055. Yasoda androconifera Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *androconifera* Fruhstorfer,[1912] **VN TH Kao**
- 2056. Yasoda pita (Horsfield,[1829])** (Lycaenidae) Synonym(s): *pita* Horsfield,[1829] **MY Lkw TH Kbi Phu Rng Tng**
- 2057. Yasoda tripunctata (Hewitson,1863)** (Lycaenidae) Synonym(s): *tripunctata* Hewitson,1863 **IN MM Krh TH CMa Cbi Nst Lsa VN**
- 2058. Zeltus amasa (Hewitson,[1865])** (Lycaenidae) Synonym(s): *amasa* Hewitson,[1865] **PH Pal Mno MY Lkw TH CMa Cuo Cuo1 Cui2 CDo Cnz Cz11 Nst Sgk Hya Tnc (Fig.18)**



Fig.18 – *Zeltus amasa* (Lycaenidae), Thailand Chiang Mai 360m 21 12 2006, M. Kemal (Cesa)

- 2059. Zinaspa todara (Moore,[1884])** (Lycaenidae) Synonym(s): *todara* Moore,[1884] CN Ti IN NI
Krh MM MY TH Cbi CMa CDo Phu Uth
- 2060. Zizeeria (Pseudozizeeria) maha (Kollar,[1844])** (Lycaenidae) Synonym(s): *maha* Kollar,[1844]; *chandala* Moore; *diluta* Felder; *squalida* Butler. Ch IN Ass Slo Nag PK Bl Ci MM Krh PH Luz TH
CMa Cuo Cuo1 Cuo5 Cuo6 Cuo7 Cu12 Cnz Cz01 Qs Int JP
- 2061. Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
AF AU BH Cr CY DZ ID IL Pa Hf IN IQ Diw IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Mre QA SA
Si SY TH Nrt Rat CMa Cnz Cuo Cuo1 Nst Chw MY Lkw TN TR UE VN YE PH Jol Luz Mno Pal (2007,
Cent. ent. Stud., Memoirs 3/4: Pl.8 fig.15 [adult]).
- 2062. Zizina otis (Fabricius,1787)** (Lycaenidae) Synonym(s): *otis* Fabricius,1787 CN IN PH Boh Ceb
Jol Ley Luz Mno Pal MY Lkw TH CMa Cuo Cuo2 Cuo7 Cu10 Cu12 Int CDo Nst Chw Dsk Hpt Sgk Hya
PSu (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.2 [adult]).
- 2063. Zizula hylax (Fabricius,1775)** (Lycaenidae) Synonym(s): *hylax* Fabricius,1775; *gaika* Trimen,1862;
mylica Guenée,1863; *cleodora* Walker,1870; *perparva* Saalmüller,1884. Ad AO As AU BD BF BI BJ BW CF CG CI
Clb CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW Hd Hn ID IN Ja KE KH Kmt LK LR LS LY
MA MG ML MM MR MU MW MY MZ NA NE NG OM PH PK Ci RE RW SA SD SL Smt SN SO ST SZ TD
TG TH TN TW TZ UG VN YE ZA Tva Lpo Spb Mdk Ent Nta Kzu Ptb Est Wnn Gau Pre Mpu Brb Kru Pf
ZM ZR ZW PH Ley Luz Mar Pal Stu Taw Bnk Knc Khn Lkw Rng Yal CMa Cuo Cuo1 Cuo2 Cuo7 Cu12
Sgk Hya PSu Tnga Usa Ani (2007, Cent. ent. Stud., Priamus 12 (3): pl.2 fig.1 [adult]).
- 2064. Arctornis cygna (Moore,1879)** (Lymantriidae) Synonym(s): *cygna* Moore,1879; *cymbicornis*
Butler,1881; *nigricilia* Swinhoe,1881; *comma* Hampson,1892; *divisa* Hampson,1892; *#cyena* Strand,1915 JP CN Yu Lik
Adm IN Ben LK SI Djl TH
- 2065. Arctornis rutila (Fabricius,1781)** (Lymantriidae) Synonym(s): *rutila* Fabricius,1781; *ennomoides*
Walker,1862; *urapterides* Walker,1865; *subinanis* Walker,1866; *geometrica* Semper,1899 TH MM IN ID Sum MY Bor
PH
- 2066. Aroa substrigosa Walker,1855** (Lymantriidae) Synonym(s): *substrigosa* Walker,1855 IN Meg
Ass Khs BD Syl VN Ton CN HK ID Ja TH CMa CDo

- 2067. *Calliteara horsfieldii* (Saunders,1851)** (Lymantriidae) Synonym(s): *horsfieldii* Saunders,1851; *arga* Moore,1859; *longipennis* Walker,1862; *nilgirica* Hampson,1891; *farenoides* Lucas,1892; *horsfieldi* Strand,1915 **IN LK MY SG Bor Swk ID Ja AU QAU VN Ton Han TH CMA Cuo Cuo1 Bnk CRA Chy Phe Nkh**
- 2068. *Calliteara strigata* (Moore,1879)** (Lymantriidae) Synonym(s): *strigata* Moore,1879; *niveosparsa* Butler,1881; *cordata* Holloway,1976 **IN SI Djl Hp Sml Ass Meg Khs CN Yu Lik TH MY Bor Sbh KBa BN JP**
- 2069. *Cispia aphраста* Collenette,1932** (Lymantriidae) Synonym(s): *aphраста* Collenette,1932 **TH MY Ked**
- 2070. *Euproctis bipunctapex* (Hampson,1891)** (Lymantriidae) Synonym(s): *bipunctapex* Hampson,1891 **CN TW SG MY IN NI Ch VN Ton Tda TH**
- 2071. *Euproctis flava* (Fabricius,1775)** (Lymantriidae) Synonym(s): *flava* Fabricius,1775 **TH**
- 2072. *Euproctis fraterna* (Moore,1883)** (Lymantriidae) Synonym(s): *fraterna* Moore,1883 **LK TH Bnk CMA CDo Cuo Cu12 Dst**
- 2073. *Euproctis guttata* (Walker,1855)** (Lymantriidae) Synonym(s): *guttata* Walker,1855; *digramma* Moore,1883 nec Guérin-Ménév.,1838; *flava* Kirby,1892 **BD Syl TH**
- 2074. *Euproctis lunata* Walker,1855** (Lymantriidae) Synonym(s): *lunata* Walker,1855 **Ch IN Hp Kgr LK MY Bor TH Cph**
- 2075. *Euproctis magna* (Swinhoe,1891)** (Lymantriidae) Synonym(s): *magna* Swinhoe,1891 **IN Khs Ass Meg TH CMA CDo**
- 2076. *Euproctis plana* Walker,1856** (Lymantriidae) Synonym(s): *atomaria* Walker,1855 nec Wlk.,1855; *plana* Walker,1856; *discinota* Moore,1877; *muelleri* Snellen,1877; *catala* Swinhoe,1903 **MM IN Ass Khs Meg Hp Drm SI Djl Adm ID Ja CN Sz HK TH Cph**
- 2077. *Euproctis scintillans* (Walker,1856)** (Lymantriidae) Synonym(s): *scintillans* Walker,1856; *justiciae* Moore,1859; *moorei* Snellen,1879; *limbata* Butler,1881 **IN Ben SI Djl LK ID Clb Ja SG MY Klu Pen TH Bnk VN Tda Ton**
- 2078. *Euproctis semisignata* (Walker,1865)** (Lymantriidae) Synonym(s): *semisignata* Walker,1865; *citrina* Moore,1877; *leithiana* Moore,1879; *brevivitta* Moore,1879; *erecta* Moore,1879; *illanta* Swinhoe,1891 **IN Poo Bba LK Ben TH Phr**
- 2079. *Euproctis subnotata* (Walker,1865)** (Lymantriidae) Synonym(s): *subnotata* Walker,1865; *polydorus* Schintlmeister,1994 **VN Ton Tda Pha Hlg Han TH CRA Knc CMA CDo MY Bor ID Sum**
- 2080. *Euproctis varians* (Walker,1855)** (Lymantriidae) Synonym(s): *variens* Walker,1855; *pygmaea* Moore,1879; *pusilla* Moore,1883 **LK IN AF Srb VN Tda TH Srr Cbu Phr TW CN MY**
- 2081. *Euproctis virgo* Swinhoe,1903** (Lymantriidae) Synonym(s): *virgo* Swinhoe,1903 **MM Rgo Mdl TH Bnk**
- 2082. *Euproctis virguncula* Walker,1855** (Lymantriidae) Synonym(s): *virguncula* Walker,1855; *marginalis* Walker,1856; *javanica* Strand,1915 **ID Ja Sum TW IN Adm PH VN Pha TH Bnk**
- 2083. *Himala argentea* (Walker,1855)** (Lymantriidae) Synonym(s): *argentea* Walker,1855; *ilita* Moore,1859 **IN Hp Kgr Ddu Ass SI Djl TH CMA CDo**
- 2084. *Ilema vaneeckei* (Collenette,1932)** (Lymantriidae) Synonym(s): *vaneeckei* Collenette,1932; *callima* Collenette,1932; *#vaneeckei* Holloway,1976 **MY Bor ID Sum TH CMA CDo**
- 2085. *Imaus munda* (Walker,1855)** (Lymantriidae) Synonym(s): *munda* Walker,1855; *collenettei* Toxopeus,1948 **SI IN BD Syl MY BN Bor TH CMA Cuo Cuo5 CDo CD2 ID Ja (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.12 [adult]).**
- 2086. *Leucoma riguata* (Snellen,1895)** (Lymantriidae) Synonym(s): *riguata* Snellen,1895 **ID Ja Sum TH**
- 2087. *Lymantria asoetria* Hübner,1826** (Lymantriidae) Synonym(s): *asoetria* Hübner,1826; *antica* Walker,1856; *pramesta* Moore,1859 **MM Mm ID Ja TH Bnk Phr**
- 2088. *Lymantria atemeles* Collenette,1932** (Lymantriidae) Synonym(s): *atemeles* Collenette,1932 **TH CMA Cuo Cuo7 CDo Bnk Sgk MY Pen (Fig.19)**




Fig.19 – *Lymantria atelemes* (Lymantriidae) at night, Thailand Chiang Dao 465m 12 11 2006, M.Kemal (Cesa)

- 2089. *Lymantria beatrix* (Stoll,[1790])** (Lymantriidae) Synonym(s): *beatrix* Stoll,[1790]; *ganaha* Swinhoe,1903 **JP ID Sum Ja MY Bor Sbh KBa TH Bnk**
- 2090. *Lymantria bivittata* (Moore,1879)** (Lymantriidae) Synonym(s): *bivittata* Moore,1879 **SI Djl BD Syl IN TH CMa CDo**
- 2091. *Lymantria concolor* Walker,1855** (Lymantriidae) Synonym(s): *concolor* Walker,1855 **SI IN Hp Drm Kgr TH CMa Fn VN Ton TW CN Sz T-T AF Sfk**
- 2092. *Lymantria ganara* Moore,[1860]** (Lymantriidae) Synonym(s): *ganara* Moore,[1860] **ID Sum Ja MY Bor SG TH MM Tns**
- 2093. *Lymantria lepcha* Moore,1879** (Lymantriidae) Synonym(s): *lepcha* Moore,1879; *carneola* Moore,1879; *galinara* Swinhoe,1903 **SI Djl IN TH CMa Cmz Cz11 PH Luz ID Bli Lb Sum Ja MY Bor** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.11 [adult]).
- 2094. *Lymantria mathura* Moore,1865** (Lymantriidae) Synonym(s): *mathura* Moore,1865; *aurora* Butler,1877; *fusca* Leech,1888 **IN Ch Ben SI Hp Kgr CN Sz Yu Lik JP VN Ton Tda TH CMa Dst CDo Loe Nrt**
- 2095. *Lymantria narindra* Moore,[1860]** (Lymantriidae) Synonym(s): *narindra* Moore,[1860]; *hilaris* Vollenhofen,1863; *#narinda* Swinhoe,1923 **ID Sum Ja MY Bor Bli VN TH**
- 2096. *Lymantria nigra* Moore,1888** (Lymantriidae) Synonym(s): *nigra* Moore,1888 nec Frr.,1833 **IN Hp Kgr TH**
- 2097. *Lymantria orestera* Collenette,1932** (Lymantriidae) Synonym(s): *orestera* Collenette,1932 **MY Pah TH**
- 2098. *Lymantria plumbalis* Hampson,1895** (Lymantriidae) Synonym(s): *plumbalis* Hampson,1895 **MM TH**
- 2099. *Lymantria sapaensis* Kishida,1998** (Lymantriidae) Synonym(s): *sapaensis* Kishida,1998 **TH**
- 2100. *Lymantria semicincta* (Walker,1855)** (Lymantriidae) Synonym(s): *semicincta* Walker,1855 **IN SI Djl Ben Sml Hp TH CMa Cmz Cz10 VN Ton (Fig.20)**



Fig.20 – *Lymantria semicincta* (Lymantriidae) at rest Thailand, Chiang Mai, Doi Suthep lower hills 26 4 2006, M.Kemal (Cesa).

- 2101. *Lymantria serva* (Fabricius,1793)** (Lymantriidae) Synonym(s): *serva* Fabricius,1793 **IN CN**
Yu Lik TH CMa CDo PH
- 2102. *Lymantria singapura* Swinhoe,1906** (Lymantriidae) Synonym(s): *singapura* Swinhoe,1906;
#singapura Strand,1917 **ID Sum Ja Lb SG MY Bor Sbh KBa TH CMa Cuo Cuo6** (2007, Cent. ent. Stud.,
Memoirs 3/4: Pl.15 fig.10 [adult]).
- 2103. *Lymantria umbrina* (Moore,1879)** (Lymantriidae) Synonym(s): *umbrina* Moore,1879 **TH**
CMa Dst Mth
- 2104. *Mardara irrorata* (Moore,1879)** (Lymantriidae) Synonym(s): *irrorata* Moore,1879; *flavimaculata*
Hampson,1892 **SI IN Djl TH CMa**
- 2105. *Numenes patrana* Moore,1859** (Lymantriidae) Synonym(s): *patrana* Moore,1859; *partita*
Walker,1864 **SI Djl IN Ass Khs Meg BT TH CMa Int**
- 2106. *Numenes siletti* Walker,1855** (Lymantriidae) Synonym(s): *siletti* Walker,1855; *quadriplagiata*
Walker,1855; #inclusa Strand,1915; #biinclusa Strand,1915; *silettoides* Strand,1915 **Ch SI IN Syl BD MM Ass Khs**
Meg MY Bor Sbh KBa PH Luz TH Phr CMa CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.45 fig.14
[adult]).
- 2107. *Olene inclusa* (Walker,1856)** (Lymantriidae) Synonym(s): *inclusa* Walker,1856; *invaria*
Walker,1856 **ID Ja Sbw Clb TH MY Bor Swk PH Luz TW**
- 2108. *Olene mendosa* Hübner,[1823]** (Lymantriidae) Synonym(s): *mendosa* Hübner,[1823]; *basalis*
Walker,1855; *lanceolata* Walker,1855; *fusiformis* Walker,1855; *sawanta* Moore,1859; *basigera* Walker,1865; *distinguenda*
Walker,1865; *divisa* Walker,1865; *basivitta* Walker,1869; *invasa* Walker,1869; *tarowanensis* Matsumura,1927 **LK IN BD**
Syl ID Ja CN TW AU PG VN Ton Tda TH Bnk CMa Cuo Cuo5 CDo CD2 CRa Loe Knc Chi MY Bor
(2007, Cent. ent. Stud., Memoirs 3/4: pl.34 fig.14 [larva]).
- 2109. *Orgyia albofasciata* (Schintlmeister,1994)** (Lymantriidae) Synonym(s): *albofasciata*
Schintlmeister,1994 **TH ID Sum**
- 2110. *Orgyia osseata* Walker,1862** (Lymantriidae) Synonym(s): *osseata* Walker,1862; *dimidiata*
Walker,1862; *basivitta* Walker,1865 **IN ID Sum MY Bor TH CMa Nrt Cph PH**
- 2111. *Orgyia postica* (Walker,1855)** (Lymantriidae) Synonym(s): *postica* Walker,1855; *ceylanica*
Nietner,1862; *nebulosa* Walker,1862; *ludekingii* Snellen,1879 **PH Luz TW LK IN MM Mm MY Bor Swk ID Ja Clb**
PG Amb VN Ton Tda Pha TH CMa CDo Cmz Cz11 Cuo Cuo7 Knc Chi
- 2112. *Orgyia turbata* Butler,1879** (Lymantriidae) Synonym(s): *turbata* Butler,1879 **IN Ass Krh Tns**
MM Shn MY Bor TH CMa Cmz Cz11 Cuo Cuo7 Cu12 Bnk Ptn Nkh Sup CN Hn
- 2113. *Pantana bicolor* (Walker,1855)** (Lymantriidae) Synonym(s): *bicolor* Walker,1855; *circumdata*
Walker,1855; *delineata* Walker,1855; *comparata* Walker,1855; *sordida* Walker,1856 **IN Hp Kgr Drm Syl BD Ass Meg**
Khs MM MY Bor Swk SG Pen ID Sum KH TH

- 2114. Pantana visum (Hübner,[1825])** (Lymantriidae) Synonym(s): *visum* Hübner,[1825]; *dispar* Walker,1855 **IN MM Mm Shn VN Ton CN Hn TW HK TH CMa Cuo Cuo1 Cuo6 Cuo7 Cui2 ID Ja MY**
- 2115. Perina nuda (Fabricius,1787)** (Lymantriidae) Synonym(s): *nuda* Fabricius,1787; *basalis* Walker,1855; *subtincta* Walker,1855; *combinata* Walker,1865; *ritsemae* Heylaerts,1881; *biparsa* Matsumura,1911 **CN JP IN LK HK NP TW VN Hlg TH**
- 2116. Pida postalba Wileman,1910** (Lymantriidae) Synonym(s): *postalba* Wileman,1910; *purpurascens* Matsumura,1927 **TW TH CMa**
- 2117. Psalis pennatula (Fabricius,1793)** (Lymantriidae) Synonym(s): *pennatula* Fabricius,1793 **VN Ton Tda TH**
- 2118. Redoa submarginata Walker,1855** (Lymantriidae) Synonym(s): *submarginata* Walker,1855; *transiens* Walker,1862; *acuta* Snellen,1881; *hipparia* Swinhoe,1893; *sikkima* Strand,1915; *keiana* Hulstaert,1923 **CN PG Fg SB ID Aru Amb Sum Ja Kai LK SI Djl IN Ass Khs Meg BD Syl MY Bor Prk Swk LA TH Bnk SG PH Luz**
- 2119. Toxoproctis flavolimbata (Aurivillius,1894)** (Lymantriidae) Synonym(s): *flavolimbata* Aurivillius,1894 **TH CMa ID Ja Sba**
- 2120. Bedellia somnulentella (Zeller,1847)** (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953 **Md PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI LV LT RU MD UA BY DZ KG UK UZ TR CY SA ZA Tva Lpo Hae JP AU NZ TH**
- 2121. Indarbela obliquifasciata Mell,1923** (Metarbelidae) Synonym(s): *obliquifasciata* Mell,1923 **CN TH CMa CDo**
- 2122. Squamura disciplaga (Swinhoe,1901)** (Metarbelidae) Synonym(s): *disciplaga* Swinhoe,1901 **MY Bor TH ID Sum PH**
- 2123. Disca paulum Fibiger,2007** (Micronoctuidae) Synonym(s): *paulum* Fibiger,2007 **TH Knc**
- 2124. Disca thailandi Fibiger,2007** (Micronoctuidae) Synonym(s): *thailandi* Fibiger,2007 **TH Knc CMa Int Dst Phi Phu**
- 2125. Tolpia odor Fibiger,2007** (Micronoctuidae) Synonym(s): *odor* Fibiger,2007 **TH Mae**
- 2126. Tolpia orientis Fibiger,2007** (Micronoctuidae) Synonym(s): *orientis* Fibiger,2007 **TH Cbi**
- 2127. Tolpia unguis Fibiger,2007** (Micronoctuidae) Synonym(s): *unguis* Fibiger,2007 **TH Knc Mae Pgg**
- 2128. Mirina confucius Zolotuhin & Witt,2000** (Mirinidae) Synonym(s): *confucius* Zolotuhin & Witt,2000 **VN Ton Fan Lci TH CMa Php Fn**
- 2129. Enteucha sp.n.** (Nepticulidae) Synonym(s): **TH**
- 2130. Stigmella alicia (Meyrick,1928)** (Nepticulidae) Synonym(s): *alicia* Meyrick,1928 **TH**
- 2131. Abrostola anophioides Moore,1882** (Noctuidae) Synonym(s): *anophioides* Moore,1882; *crinita* Dufay,1957 **TH CMa Php MM VN IN Djl SI NP CN TW**
- 2132. Aburina uniformis (Swinhoe,1919)** (Noctuidae) Synonym(s): *uniformis* Swinhoe,1919 **ID Sum IN TH Nan Dpk**
- 2133. Acantholipes hypenoides Moore,1881** (Noctuidae) Synonym(s): *hypenoides* Moore,1881; *magniplaga* Swinhoe,1905 **IN SI Djl Ass Khs TH CMa Fn Php Nan Dpk**
- 2134. Acantholipes trajecta (Walker,1865)** (Noctuidae) Synonym(s): *trajecta* Walker,1865; *inconspicua* Butler,1880; *trifasciata* Moore,[1885] **ZA TW LK IN CN JP Ri VN TH Nan Dpk**
- 2135. Achaea janata (Linnaeus,1758)** (Noctuidae) Synonym(s): *janata* Linnaeus,1758; *melicerta* Drury,1773; *tigrina* Fabricius,1775; *transversii* Fereday,1877; *ekeikei* Bethune-Baker,1906 **WS PC TO EL NH PG AU MY IN Bba NC NF FJ NZ TH Bnk CMa Cuo Cuo6 Cuo7 CDo Nrt Knc Shu Ray Nth VN NP CN TW JP PH KP KR** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.2 [adult]; pl.46 fig.12 [adult]).
- 2136. Achaea mercatoria (Fabricius,1775)** (Noctuidae) Synonym(s): *mercatoria* Fabricius,1775; *vulpina* Fabricius,1794; *ino* Hübner,[1823]; *accelerans* Walker,1858 **MZ ZA IN LK ID Ja Sum TH? VN MY**
- 2137. Achaea serva (Fabricius,1775)** (Noctuidae) Synonym(s): *serva* Fabricius,1775; *nubifera* Moore,1877; *#fuscossuffusa* Strand,1914 **WS TO LO PG MY IN Adm AU WS NC TH CMa Int MY VN NP CN TW JP YE ID Sum Tim Flo Sbw Clb GU NH**
- 2138. Acharya franconica (Swinhoe,1903)** (Noctuidae) Synonym(s): *franconica* Swinhoe,1903; *#franconia* Kononenko & Pinratana,2005 **ID Ja TH Tng**
- 2139. Acontia marmoralis (Fabricius,1794)** (Noctuidae) Synonym(s): *marmoralis* Fabricius,1794; *bipunctata* Walker,[1858]; *maculosa* Walker,[1858]; *tropica* Guenée,1852. **ZA TH Phc CMa CDo**
- 2140. Acontia nitidula (Fabricius,1787)** (Noctuidae) Synonym(s): *nitidula* Fabricius,1787; *catena* Sowerby,1805; *elegans* Stephens,1829. **IN ZA TH**
- 2141. Acontia olivacea (Hampson,1891)** (Noctuidae) Synonym(s): *olivacea* Hampson,1891 **IN NI CN TH CMa RU Us Vv**
- 2142. Acronicta (Plataplecta) pruinosa (Guenée,1852)** (Noctuidae) Synonym(s): *pruinosa* Guenée,1852; *soluta* Walker,1865; *consanguis* Butler,1878; *asiatica* Poujade,1888; *crenulata* Bethune-Baker,1906; *albior* Hampson,1909 **LK CN IN Up Bhi Ass Ch ID Ja PG JP BD Syl TH Nan MY LA VN MM NP Sum Bor PH TW KP KR JP**

- 2143. Acronicta (Triaena) intermedia (W.Warren,1909)** (Noctuidae) Synonym(s): *incretata* Butler,1878 nec Morr.,1875; *intermedia* W.Warren,1909; *incretata* Hampson,1909; *jezoensis* Matsumura,1925; *formosana* Matsumura,1928 **TH CMA Int VN Tda CN Ti TW JP KP KR RU Us Sh Krl**
- 2144. Acronicta denticulata Moore,1888** (Noctuidae) Synonym(s): *denticulata* Moore,1888 **IN Hp CN Yu TW TH Nan LA VN NP ID Sum**
- 2145. Acronicta lilacina (Hampson,1914)** (Noctuidae) Synonym(s): *lilacina* Hampson,1914 **CN Sz TH CMA Int**
- 2146. Acronicta maxima (Moore,1881)** (Noctuidae) Synonym(s): *maxima* Moore,1881 **IN Pj MM TH CMA Int Pap Mro VN NP CN PK**
- 2147. Adisura marginalis (Walker,1858)** (Noctuidae) Synonym(s): *marginalis* Walker,1858; *delicia* R.Felder & Rogenhofer,1874; *dulcis* Moore,1881; *similis* Moore,1881; *purgata* W.Warren,1913 **IN Up Ddu SI Djl Clc Ass Meg Khs LK ID Amb Tnm Clb Sum Ja Bli MM Kch Kam TH Bnk VN Lei Ton CN PH Luz AU QAU Crn Kda WAU NAU**
- 2148. Adrapsa ablualis Walker,[1859]** (Noctuidae) Synonym(s): *ablualis* Walker,[1859]; *titysusalis* Walker,[1859]; *semicircularis* Lucas,1892 **LK Bor Swk AU Bri QAU TH LA VN CN TW JP ID Sum Clb PG Sda PH NH NC Bsm**
- 2149. Adrapsa abnormalis Swinhoe,1895** (Noctuidae) Synonym(s): *abnormalis* Swinhoe,1895 **IN Ass TH Nrt Kao Pgg**
- 2150. Adrapsa albirenalis (Moore,1867)** (Noctuidae) Synonym(s): *albirenalis* Moore,1867 **IN SI Djl TH Nrt Kao CN**
- 2151. Adrapsa ochracea Leech,1900** (Noctuidae) Synonym(s): *ochracea* Leech,1900 **TH Knc CN TW Mou**
- 2152. Adrapsa quarilinealis Wileman,1914** (Noctuidae) Synonym(s): *quarilinealis* Wileman,1914 **TH CMA Fn Php TW**
- 2153. Adrapsa sp.** (Noctuidae) Synonym(s): **TH CMA Fn Php**
- 2154. Aedia acronyctoides (Guenée,1852)** (Noctuidae) Synonym(s): *acronyctoides* Guenée,1852 **WS AU TH Knc CMA Int LA KH VN MM NP TW PH ID Sum Tim Flo Sbw Clb PG**
- 2155. Aedia leucomelas (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburii* Boisdual,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989 **ZA MA DZ TN PT ES Mu FR Co Sa Si IT MT CH AT HU RO YU AL BG GR TR GG AZ AM Cc RU Kr CY LB IR Mz Elb Clu Th KP KR JP IN NP TW CN PH ID Ja Sum Bor Clb NC FJ GU NH WS TH LA KH VN MM (2007, Cesa Publ. Afr. Lepid. 1: fig.1 [adult]).**
- 2156. Aegilia describens Walker,[1858]** (Noctuidae) Synonym(s): *describens* Walker,[1858]; *anisoptera* Snellen,1880; *xylinata* Walker,1865 **IN LK ID Clb TH VN Ass PG PH JP NH FJ NC Bsm AU**
- 2157. Agrapha aeneofusa (Hampson,1894)** (Noctuidae) Synonym(s): *aeneofusa* Hampson,1894 **IN SI Ass Meg Khs TH VN Ton Tda NP ID Sum TW**
- 2158. Agrapha albostrata (Bremer & Grey,1853)** (Noctuidae) Synonym(s): *albostrata* Bremer & Grey,1853; *subchalybaea* Walker,1865; *nubila* Moore,1887; *oxygramma* Hampson,1894; *transfixa* auct. **TH CMA Int VN Ton Tda IN NP PK LK CN TW JP KP KR RU Us PH ID Sum Ja Tim Flo PG NH NC NF RA FJ AU NZ CL**
- 2159. Agrapha furcifera (Walker,1857)** (Noctuidae) Synonym(s): *furcifera* Walker,1857; *babooni* Bethune-Baker,1906; *polisha* Strand,1920; *yunnanensis* Chou & Lu,1978 **CN Yu TH Nan Dpk VN IN NP PK AF TW ID Sum Clb PG? AU**
- 2160. Agrapha kosemponensis (Strand,1920)** (Noctuidae) Synonym(s): *kosemponensis* Strand,1920 **TH Nan Dpk IN TW**
- 2161. Agrapha tarassota (Hampson,1913)** (Noctuidae) Synonym(s): *confusa* Moore,1882 nec Stph.,1850; *tarassota* Hampson,1913 **IN Ben SI Djl VN Ton Tda TH NP CN**
- 2162. Agrochola albirena (Boursin,1956)** (Noctuidae) Synonym(s): *albirena* Boursin,1956 **VN Ann TH CMA Int**
- 2163. Agrochola attila Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *attila* Hreblay & L.Ronkay,1999 **TH Nan Pua Dpk**
- 2164. Agrochola siamica Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *siamica* Hreblay & L.Ronkay,1999 **TH CMA Php Fn Int**
- 2165. Agrochola zita Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *zita* Hreblay & L.Ronkay,1999 **TH Nan Pua**
- 2166. Agrotis (s.str.) biconicus Kollar,[1844]** (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]. **Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu Est Ec ZW Har ER ET ET24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Elb Gh Mz Ss Th Pa DJ DJ44**
- 2167. Alelimma apicalis (Hampson,1895)** (Noctuidae) Synonym(s): *apicalis* Hampson,1895 **MM Peg TH Nan Dpk VN**
- 2168. Amilaga sp.** (Noctuidae) Synonym(s): **TH CMA Int**
- 2169. Amphigonina hepatizans Guenée,1852** (Noctuidae) Synonym(s): *hepatizans* Guenée,1852 **TH Knc KH MY IN LK Adm ID Sum Ja Bor Sbw Clb PG PH**

- 2170. Amphigonia motisigna A.E.Prout,1928** (Noctuidae) **Synonym(s):** *motisigna* A.E.Prout,1928
ID Sum PH MY TH Tng
- 2171. Anacronycta albargentea Speidel & Kononenko,1998** (Noctuidae) **Synonym(s):** *albargentea* Speidel & Kononenko,1998 **VN Lci Ton Fan TH CMA Fn Php Int CN**
- 2172. Anacronycta infausta (Walker,1856)** (Noctuidae) **Synonym(s):** *infausta* Walker,1856; *nigra* W.Warren,1912 **BD Syl IN Meg Ass Khs CN Ti TH CMA Php NP**
- 2173. Anadevidia hebetata (Butler,1889)** (Noctuidae) **Synonym(s):** *hebetata* Butler,1889 **IN TH NP PK CN JP KP KR RU Us**
- 2174. Anadevidia peponis (Fabricius,1775)** (Noctuidae) **Synonym(s):** *peponis* Fabricius,1775; *agramma* Guenée,1852; *inchoata* Walker,1865; *fumifera* Graeser,[1890] **ID Sum Ja PG AU RU Us TH VN CN TW NP LK Adm KP KR JP NC**
- 2175. Anagnia subfascia Walker,1854** (Noctuidae) **Synonym(s):** *subfascia* Walker,1854; *subfasciata* Moore,1886 **TH CMA CDo**
- 2176. Analetia (Anapoma) chapa Hreblay & Yoshimatsu,1999** (Noctuidae) **Synonym(s):** *chapa* Hreblay & Yoshimatsu,1999 **TH CMA Php Fn Sop Int VN Ton Lci Fan**
- 2177. Analetia (Anapoma) replicata Hreblay & Yoshimatsu,1999** (Noctuidae) **Synonym(s):** *replicata* Hreblay & Yoshimatsu,1999 **TH CMA Php Fn Int Hnd Phu VN Lci Fan Ton**
- 2178. Ananepa doda (Swinhoe,1902)** (Noctuidae) **Synonym(s):** *doda* Swinhoe,1902; *bhagha* Swinhoe,1917 **TH Knc MY Prk IN TW ID Tim**
- 2179. Anepholcia pygaria (W.Warren,1912)** (Noctuidae) **Synonym(s):** *pygaria* W.Warren,1912 **TH CMA Int CDo MY ID Sum Bor PH (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.1 [adult]).**
- 2180. Anepholcia talboti A.E.Prout,1924** (Noctuidae) **Synonym(s):** *talboti* A.E.Prout,1924 **ID Sum TH VN**
- 2181. Anereuthina renosa Hübner,1813** (Noctuidae) **Synonym(s):** *renosa* Hübner,1813; *lilach* Guenée,1852; *occularia* Swinhoe,1890 **ID Ja IN MM Bse TH Knc Tng CMA Dst Dso9 PH Tim Flo**
- 2182. Anigraea albomaculata (Hampson,1894)** (Noctuidae) **Synonym(s):** *albomaculata* Hampson,1894; *albibasis* Wileman & West,1928 **IN SI PH Luz TH CMA CDo MAI LA CN NP Adm Bor MY JP**
- 2183. Anigraea cinctipalpis (Walker,1865)** (Noctuidae) **Synonym(s):** *cinctipalpis* Walker,1865; *angulata* Moore,1882; *deletoides* Bethune-Baker,1906; *ovilata* W.Warren,1914 **TH CMA Php MY BT LK IN SI Djl ID Bor Flo PG Ij FJ PH AU QAU**
- 2184. Anigraea rubida Walker,1862** (Noctuidae) **Synonym(s):** *rubida* Walker,1862; *diffundens* Walker,1864; *obscura* Moore,1882 **MY Bor Swk IN SI Djl TH CMA Php VN NP BT ID Sum Clb TW PH**
- 2185. Anisoneura aluco (Fabricius,1775)** (Noctuidae) **Synonym(s):** *aluco* Fabricius,1775; *hypocyana* Guenée,1852 **TH CMA Cnz Cz10 Int Dst Dso8 MY VN MM NP IN BD CN TW JP PH ID Sum Bor Ja Bru Tim Flo AU**
- 2186. Anisoneura inermis Tams,1924** (Noctuidae) **Synonym(s):** *inermis* Tams,1924 **TH Cbi CMA Int**
- 2187. Anisoneura salebrosa Guenée,1852** (Noctuidae) **Synonym(s):** *salebrosa* Guenée,1852; *obscurata* Pagenstecher,1895 **BD Syl ID Sba Sum Clb TH CMA Dst Dso7 Nan Dpk Nrt Kao MY VN NP IN CN TW JP PH**
- 2188. Anoba pectinata (Hampson,1896)** (Noctuidae) **Synonym(s):** *pectinata* Hampson,1896; *javensis* W.Warren,1912 **IN Meg Ass Khs TH CMA Cuo Cuo5 Phy Haf PH ID Ja**
- 2189. Anoba tessellata (Moore,1867)** (Noctuidae) **Synonym(s):** *tessellata* Moore,1867 **PK IN TH CMA Php**
- 2190. Anomis combinans (Walker,1858)** (Noctuidae) **Synonym(s):** *combinans* Walker,1858; *revocans* Walker,1858; *busama* Swinhoe,1920 **AU QAU MY ID Bor TH Knc Nrt Kao VN NP LK IN Sbw Tim Flo Clb Mlc Crm PG SB FJ Bsm NC PH**
- 2191. Anomis figlina Butler,1889** (Noctuidae) **Synonym(s):** *figlina* Butler,1889; *sinensis* Berio,1977 **CN Hun IN Hp Drm TH LA VN MM NP JP LK PH ID PG SB NH FJ**
- 2192. Anomis flava (Fabricius,1775)** (Noctuidae) **Synonym(s):** *flava* Fabricius,1775; *stigmatizans* Fabricius,1775; *fimbriago* Stephens,1829; *xanthindyma* Boisduval,1833; *auragoides* Guenée,1852; *indica* Guenée,1852; *variolosa* Walker,1857; *edentata* Walker,1857; *aurantiaca* Prittwitz,1867; *serrata* Barnes & McDunnough,1913 **ET ET24 ZA IN RE MU AU US FI TH CMA Cuo Cuo7 Int Nrt Kao VN NP PK CN TW JP KP KR RU Us PH ID WS NH NC NZ SB Cn SA OM MA DZ TN MG MA Hw (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.4 [adult]).**
- 2193. Anomis fructusterebrans Bänziger,1986** (Noctuidae) **Synonym(s):** *fructusterebrans* Bänziger,1986 **TH CMA Fn Agk**
- 2194. Anomis fulvida Guenée,1852** (Noctuidae) **Synonym(s):** *fulvida* Guenée,1852; *inducens* Walker,1858; *cuprina* Walker,1865; *privata* Walker,1865; *albipuncta* Snellen,1880; *nagaloa* Mabilie & Vuillot,1890 **ZA TH MY MM LA VN IN LK CN TW PH ID Bor Ja Bli Tim Flo Amb Clb Sbw Ij PG WS FJ NH AU**
- 2195. Anomis guttanivis (Walker,[1858])** (Noctuidae) **Synonym(s):** *guttanivis* Walker,[1858] **LK TH Knc CMA Pap Mro (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.3 [adult]).**
- 2196. Anomis involuta (Walker,[1858])** (Noctuidae) **Synonym(s):** *involuta* Walker,[1858]; *basalis* Walker,[1858]; *colligata* Walker,1865; *vitiensis* Butler,1886; *dona* Swinhoe,1919; *brima* Swinhoe,1920 **ET ET24 TH CMA Pph Nan VN IN LK NP AF PK CN TW JP KP KR RU Us ID NZ AU QAU FJ**

- 2197. *Anomis leucolopha* A.E.Prout,1928** (Noctuidae) Synonym(s): *leucolopha* A.E.Prout,1928 **ID**
Sum TH Knc CMa Dst
- 2198. *Anomis lyona* (Swinhoe,1919)** (Noctuidae) Synonym(s): *lyona* Swinhoe,1919 **ID Mlc Clb PG**
NC NF WS TW PH TH Nrt Kao MY MM
- 2199. *Anomis mesogona* (Walker,1858)** (Noctuidae) Synonym(s): *mesogona* Walker,1858 **LK CN**
TW JP KP KR RU Us TH VN NP PK IN ID PH
- 2200. *Anomis nigratarsis* (Walker,1858)** (Noctuidae) Synonym(s): *nigratarsis* Walker,1858; *xanthochroa* Butler,1886 **TH Nan Dpk LK TW ID Amb Mlc SB NH NC WS FJ TO**
- 2201. *Anomis privata* (Walker,1865)** (Noctuidae) Synonym(s): *privata* Walker,1865; *commoda* Butler,1878; *subfulvida* W.Warren,1913; *griseolineata* W.Warren,1913 **TH VN IN LK CN TW JP KP KR RU Us AU**
US
- 2202. *Anomis scitipennis* (Walker,1864)** (Noctuidae) Synonym(s): *scitipennis* Walker,1864; *milva* Swinhoe,1919; *ochreifusa* Swinhoe,1906 **ID Sum Mlc Bor Swk Clb TH Knc MY PG**
- 2203. *Anomis* sp.1** (Noctuidae) Synonym(s): **TH Nan Dpk**
- 2204. *Anomis trilineata* (Moore,1883)** (Noctuidae) Synonym(s): *trilineata* Moore,1883 **TH Nan**
Dpk IN Bba Mh
- 2205. *Anoratha costalis* Moore,1867** (Noctuidae) Synonym(s): *costalis* Moore,1867 **IN SI Djl TH**
CMa Int VN NP CN JP
- 2206. *Anticarsia irrorata* (Fabricius,1781)** (Noctuidae) Synonym(s): *irrorata* Fabricius,1781; *sordida* Fabricius,1794 *nec* Denis & Schiff.,1775; *jocosa* Hübner,[1823]; *transducta* Walker,1865; *consueta* Walker,1869; *loxigramma* Hampson,1902; *#irrorata* Hacker & Fibiger,2001 **SA YE SC KE CM SL ZR SD ET MW Zom ZA Nta Kzu Dbn Ec**
MG WS PC FJ TO NH SB PG MY OW JP MM Bor ID Ja Nia Sum Amb Clb Mlc Crm SB NC TH CMa Int
LA VN NP IN LK TW NF Ms GU AU
- 2207. *Antitrisuloides catocalina* (Moore,1882)** (Noctuidae) Synonym(s): *catocalina* Moore,1882
IN SI Djl NP CN TH Knc LA
- 2208. *Anuga constricta* Guenée,1852** (Noctuidae) Synonym(s): *constricta* Guenée,1852; *complexa* Walker,1858; *glaucopoides* Walker,1864; *macrocera* Snellen,1880 **IN MY SG Bor Swk ID Clb Sum Ja Bli TH Pgg**
VN MM LK Adm PH
- 2209. *Anuga fida* Swinhoe,1902** (Noctuidae) Synonym(s): *fida* Swinhoe,1902 **MY Prk TH Ntt Hba**
ID Sum Bor
- 2210. *Anuga insuffusa* W.Warren,1914** (Noctuidae) Synonym(s): *insuffusa* W.Warren,1914 **MY Bor**
Sbh Sdk TH Knc LA VN MM ID Sum PH
- 2211. *Anuga kobesi* Holloway,1985** (Noctuidae) Synonym(s): *kobesi* Holloway,1985 **MY Bor Sbh**
KBa ID Sda TH Ntt Hba
- 2212. *Anuga lunulata* Moore,1867** (Noctuidae) Synonym(s): *lunulata* Moore,1867 **BD IN NP TH**
CMa Int VN CN TW
- 2213. *Anuga multiplicans* (Walker,1858)** (Noctuidae) Synonym(s): *multiplicans* Walker,1858 **TH**
Knc VN MM MY IN NP LK PH CN TW KP KR
- 2214. *Aplotelia nubilosa* W.Warren,1914** (Noctuidae) Synonym(s): *nubilosa* W.Warren,1914;
griseoapicata Wileman & West,1928 **PH Luz MY TH Ntt Hba ID Sum Bor**
- 2215. *Apsarasa radians* (Westwood,1848)** (Noctuidae) Synonym(s): *radians* Westwood,1848 **IN**
SI Ass CN MY TH CMa
- 2216. *Arcte coerula* (Guenée,1852)** (Noctuidae) Synonym(s): *coerula* Guenée,1852 **WS FJ NH LO**
NC PG MY IN TH CMa Int VN NP LK TW CN ID JP KP KR RU Us
- 2217. *Arcte modesta* (Hoeven,1840)** (Noctuidae) Synonym(s): *modesta* Hoeven,1840; *immodesta* Guenée,1852 **TH CMa Int MY ID Ja Bli Sum Tim Flo Bor PH**
- 2218. *Arcte taprobana* Moore,1885** (Noctuidae) Synonym(s): *taprobana* Moore,1885; *nigrescens* Butler,1888 **IN SI TH Knc CMa CDo NP**
- 2219. *Arcyophora sylvatica* Büttiker,1959** (Noctuidae) Synonym(s): *sylvatica* Büttiker,1959 **KH**
TH CMa CDo
- 2220. *Argyrogramma signata* (Fabricius,1775)** (Noctuidae) Synonym(s): *signata* Fabricius,1775;
diminuta Walker,1865; *hainanensis* Chou & Lu,1979 **ZA SL Nta Kzu Dbn CN Hn IN LK ID Ja Nia Sbw Flo Tim**
FJ TH VN NP TW Bor Sum Nia Tim Flo Sbw TO Bsm PG Nlr Bsm NC YE Cn MG KM MU SC AU PH
Luz
- 2221. *Armana nigraericta* Swinhoe,1890** (Noctuidae) Synonym(s): *nigraericta* Swinhoe,1890 **MM**
Bse TH Tng
- 2222. *Aroana cingalensis* (Walker,1866)** (Noctuidae) Synonym(s): *cingalensis* Walker,1866 **LK VN**
TH Ntt Hba
- 2223. *Aroana* sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2224. *Artena certior* (Walker,1858)** (Noctuidae) Synonym(s): *certior* Walker,1858; *contenta* Walker,1858;
siamica Walker,1865; *rectilinea* Snellen,1887 **ID Sum Ja TH KH VN MM IN**
- 2225. *Artena convergens* (Gaede,1917)** (Noctuidae) Synonym(s): *#ochrobrunnea* Strand,1914;
convergens Gaede,1917; *ochrobrunnea* A.E.Prout,1919 **TH CMa Int MY ID Sum PG PH Pal**

2226. **Artena dotata (Fabricius,1794)** (Noctuidae) Synonym(s): *dotata* Fabricius,1794 **TH CMa**
Cuo1 Dst CDo MY VN KH NP PK IN LK CN TW JP KP KR RU Us ID Sum Bor PH
2227. **Artena lacteicincta (Hampson,1912)** (Noctuidae) Synonym(s): *lacteicincta* Hampson,1912 **IN**
Slo TH Nrt Kao Tng
2228. **Artena rubida (Walker,1864)** (Noctuidae) Synonym(s): *rubida* Walker,1864 **MY Bor Swk TH**
Nrt Kao CMa Int CN IN Adm ID Sum Bor PG PH
2229. **Artena submira (Walker,1858)** (Noctuidae) Synonym(s): *submira* Walker,1858 **TH Phr MY**
VN MM IN
2230. **Arthisma scissuralis Moore,1883** (Noctuidae) Synonym(s): *scissuralis* Moore,1883; *albitarsata*
Pagenstecher,1888 **ID Amb SG MY TH Ntt Hba MM Clb**
2231. **Arthisma sp.1** (Noctuidae) Synonym(s): **TH Ntt Hba**
2232. **Arytrurides inornata (Walker,1865)** (Noctuidae) Synonym(s): *inornata* Walker,1865 **TH**
Cma Int
2233. **Asiccia lithosiana Hampson,1926** (Noctuidae) Synonym(s): *lithosiana* Hampson,1926;
#lithoisiana Kononenko & Pinratana,2005 **TH Nan Dpk IN Meg Ass Khs**
2234. **Atacira affinis (Hampson,1918)** (Noctuidae) Synonym(s): *affinis* Hampson,1918 **TW TH Knc**
JP Ri
2235. **Atacira brunneata Holloway,1985** (Noctuidae) Synonym(s): *brunneata* Holloway,1985 **MY**
ID Sum TH Knc
2236. **Atacira caesia (Roepke,1938)** (Noctuidae) Synonym(s): *caesia* Roepke,1938 **ID Clb Bor MY**
TH Cma Dst
2237. **Atacira diehli (Kobes,1982)** (Noctuidae) Synonym(s): *diehli* Kobes,1982 **MY Bor TH Ntt Hba**
ID Sum
2238. **Atacira dimidiata (Walker,1863)** (Noctuidae) Synonym(s): *dimidiata* Walker,1863; *triangulatrix*
Wileman & West,1928 **PH Luz Bor Swk MY TH Tng ID Sum Clb Sda**
2239. **Atacira glauca (A.E.Prout,1928)** (Noctuidae) Synonym(s): *glauca* A.E.Prout,1928 **ID Sum**
MY TH Ntt Hba
2240. **Atacira grabczewskii (Püngeler,1903)** (Noctuidae) Synonym(s): *grabczewskii* Püngeler,1903
CN JP KP KR TH Nan Dpk
2241. **Atacira hupopalialia (Rothschild,1920)** (Noctuidae) Synonym(s): *hupopalialia* Rothschild,1920
ID Sum TH Ntt Hba
2242. **Atacira josephinae (Holloway,1976)** (Noctuidae) Synonym(s): *josephinae* Holloway,1976 **MY**
Bor Sbh Kba TH Cma Dst Dso9 CDo **(Fig.21)**
2243. **Atacira melanephra (Hampson,1912)** (Noctuidae) Synonym(s): *melanephra* Hampson,1912
IN SI LK JP Ri TH Cma Php
2244. **Atacira sp.** (Noctuidae) Synonym(s): **TH Knc**
2245. **Athetis delecta (Moore,1881)** (Noctuidae) Synonym(s): *delecta* Moore,1881 **SI IN Djl TH**
2246. **Athetis pellicea (Swinhoe,1903)** (Noctuidae) Synonym(s): *pellicea* Swinhoe,1903 **TH**
2247. **Athetis thoracica (Moore,[1884])** (Noctuidae) Synonym(s): *thoracica* Moore,[1884]; *ceres*
Butler,1886; *euthusa* Hampson,1891; *heliarcha* Meyrick,1897; *unipunctata* Bethune-Baker,1906; *#nigripuncta* W.Warren,1913
MY Bor TH Cma CDo



Fig.21 – *Atacira josephinae* (Noctuidae, Euteliinae) at night, Thailand, Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

2248. *Attatha nio* ? (Noctuidae) Synonym(s): **TH CMa Cmz Cz10**
2249. *Attatha regalis* (Moore,1872) (Noctuidae) Synonym(s): *regalis* Moore,1872 **IN NP TH CMa**
Int Cmz Cz10 VN CN PH (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.2 [adult]).
2250. *Attonda adspersa* (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonym(s): *adspersa*
R.Felder & Rogenhofer,[1875] **ID Clb Adm IN Clc SG TH Ntt Hba MG PG NP TW SB FJ AU**
2251. *Autoba abrupta* (Walker,1865) (Noctuidae) Synonym(s): *abrupta* Walker,1865; *wallengreni*
Snellen,1880; *lurida* Pagesstecher,1900 **IN TH ID Clb PG**
2252. *Autoba brachygonia* (Hampson,1910) (Noctuidae) Synonym(s): *brachygonia* Hampson,1910
LK TH ZA
2253. *Avatha bubo* (Geyer,1832) (Noctuidae) Synonym(s): *bubo* Geyer,1832; *perficiens* Walker,1858;
condita Walker,1858; *leksawasdi* Koçak & Kemal,2006 **ID Ja Sum Bor Clb Ij PG CN LK IN VN KH TH CMa Int**
Knc Cbi Ray SG
2254. *Avatha complens* (Walker,1858) (Noctuidae) Synonym(s): *complens* Walker,1858; *glaucofascia*
Walker,1858; *onerata* Walker,1864; *ruinosa* Swinhoe,1905 **ID Sum Bor Swk MY SG TH? VN ID Adm Ij PG PH**
2255. *Avatha discolor* (Fabricius,1794) (Noctuidae) Synonym(s): *discolor* Fabricius,1794; *includens*
Walker,1858; *trigonifera* Walker,1858; *curvifera* Walker,1858; *complacens* Walker,1858; *frontalis* Walker,1858; *expectans*
Walker,1858 **IN LK TW TH Nrt Kao Knc CMa Int LA JP PH ID Sum Tnm PG NH NC Ms FJ CK AU**
2256. *Avatha heterographa* (Hampson,1912) (Noctuidae) Synonym(s): *heterographa* Hampson,1912
MM Tns TH CMa Php Int Nan Dpk VN CN NP TW ID Bor Sum MY
2257. *Avatha noctuoides* (Guenée,1852) (Noctuidae) Synonym(s): *noctuoides* Guenée,1852 **ID Ja**
CN TH?
2258. *Avatha perficiens* (Walker,1858) (Noctuidae) Synonym(s): *perficiens* Walker,1858; *condita*
Walker,1858 **LK IN TH ID Crm**
2259. *Avatha pulcherrima* (Butler,1892) (Noctuidae) Synonym(s): *pulcherrima* Butler,1892 **TH**
Ntt Hba MY VN Adm ID Bor Ja Sum Ij PG PH
2260. *Avatha rufiscripta* (Hampson,1926) (Noctuidae) Synonym(s): *rufiscripta* Hampson,1926 **MY**
SG TH CMa Dst ID Sum Bor
2261. *Avatha uloptera* (A.E.Prout,1925) (Noctuidae) Synonym(s): *uloptera* A.E.Prout,1925 **MY TH**
Int CMa Php VN ID Sum PH

- 2262. *Avitta bracteola* Holloway,1976** (Noctuidae) Synonym(s): *bracteola* Holloway,1976 **TH Ntt Hba MY Bor Shb KBa**
- 2263. *Avitta discipuncta* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *discipuncta* R.Felder & Rogenhofer,1874; *pastea* Hampson,1902; *dinawa* Bethune-Baker,1906 **ID Amb IN SI Ass PG TH Knc**
- 2264. *Avitta fasciosa* (Moore,1882)** (Noctuidae) Synonym(s): *fasciosa* Moore,1882 **IN Ass Meg Khs TH Rng VN IN Bor TW JP**
- 2265. *Avitta guttulosa* (Swinhoe,1900)** (Noctuidae) Synonym(s): *guttulosa* Swinhoe,1900 **MY Bor Swk TH Ntt Hba**
- 2266. *Avitta ophiusalis* (Walker,1858)** (Noctuidae) Synonym(s): *ophiusalis* Walker,1858 **TH LA VN CN IN LK JP PG SB NH NC FJ AU**
- 2267. *Avitta quadrilinea* (Walker,[1863])** (Noctuidae) Synonym(s): *quadrilinea* Walker,[1863]; *quadrilinealis* Moore,1867; *completa* Rothschild,1915 **MY Bor Swk IN SI Djl PG TH CMA CDo NP LA LK MY PH Bor ID Sum Ja Amb Tim Clb Flo PG SB**
- 2268. *Avitta rufifrons* Moore,[1887]** (Noctuidae) Synonym(s): *rufifrons* Moore,[1887] **IN NP LK VN MY TH Php Fn MAI Agk Nan Dpk ID Ja Tim Flo Bor Amb PG**
- 2269. *Avitta* sp.** (Noctuidae) Synonym(s): **TH Nrt Kao**
- 2270. *Avitta subsignans* Walker,1858** (Noctuidae) Synonym(s): *subsignans* Walker,1858; *surrigens* Walker,1864; *leitimorensis* Pagenstecher,1884 **MY Bor Swk IN ID Amb Sum PH TH**
- 2271. *Axylia putris* (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912 **MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Gh Mz Enz DK NO SE FI EE LV LT RU Cc Ro Kr St Kc Kb Nt Ing Da Sb Am MD UA BY KG Tk CN KP KR IN Hp Drm Up Nnt Mhh JP ID Sum TH CMA CDo**
- 2272. *Badiza cauxa* (Swinhoe,1902)** (Noctuidae) Synonym(s): *cauxa* Swinhoe,1902 **MY Bor Shb TH Knc**
- 2273. *Bamra albicola* Walker,1858** (Noctuidae) Synonym(s): *albicola* Walker,1858; *discalis* Moore,1867; *diplostigma* Hampson,1893 **LK IN BD TH Nrt Kao MY VN ID Sum Bor Clb TW PH JP**
- 2274. *Baorisa hieroglyphica* Moore,1882** (Noctuidae) Synonym(s): *hieroglyphica* Moore,1882 **NP Kma Hp Ass Meg IN SI Djl Ben MM Up Khs TH CMA Ssi Knc Nan Pua Dpk VN ID Sum Bor KBa Ja MY**
- 2275. *Barasa lunisigna* (Hampson,1898)** (Noctuidae) Synonym(s): *lunisigna* Hampson,1898 **IN MM TH VN MY Bor Swk**
- 2276. *Bastilla absentimacula* (Guenée,1852)** (Noctuidae) Synonym(s): *absentimacula* Guenée,1852; *silvestris* Strand,1920 **TW ID Ja Sum TH CMA Int Nan Bnk Cph Nst Smu IN CN KP KR**
- 2277. *Bastilla acuta* (Moore,1887)** (Noctuidae) Synonym(s): *acuta* Moore,1887 **IN Ass Meg Khs TH Nan Dpk MY TW PH ID Ja**
- 2278. *Bastilla amygdalis* Moore,[1885]** (Noctuidae) Synonym(s): *amygdalis* Moore,[1885] **LK IN NP TH Knc CMA Dst ID Sum Clb**
- 2279. *Bastilla analis* (Guenée,1852)** (Noctuidae) Synonym(s): *analis* Guenée,1852 **TH CMA MAI Wia Pfa Nan Dpk VN MM IN LK CN TW ID Ja**
- 2280. *Bastilla arcuata* (Moore,1887)** (Noctuidae) Synonym(s): *arcuata* Moore,1887; *guenei* Snellen,1880; *curvata* Leech,1889 **TH VN Ton ID Clb Ja Sum PG KP KR MY KH MM NP IN Adm LK CN TW JP**
- 2281. *Bastilla crameri* (Moore,[1885])** (Noctuidae) Synonym(s): *achatina* Cramer,1780 *nec* Sulz.,1776; *crameri* Moore,[1885]; *discalis* Moore,[1885] **ZA LK IN TH Knc CMA Dst KH VN MM NP PK CN Adm ID Sum**
- 2282. *Bastilla feneratrix* (Guenée,1852)** (Noctuidae) Synonym(s): *feneratrix* Guenée,1852; *melanochrous* Rothschild,1920 **ID Sum TH CMA Pfa MAI Nan Dpk Bor Ja PH**
- 2283. *Bastilla fulvotaenia* (Guenée,1852)** (Noctuidae) Synonym(s): *fulvotaenia* Guenée,1852 **BD Syl IN LK TH CRa VN CN TW JP PH Pal ID Sum Bor Nia Tim Flo Clb Lb Bru Mlc Amb**
- 2284. *Bastilla joviana* (Stoll,1782)** (Noctuidae) Synonym(s): *sinuata* Fabricius,1781 *nec* Fabr.,1775; *joviana* Stoll,1782; *jovis* Hübner,[1823] **ZA ID Ja IN TH CMA Int Knc LA VN NP LK CN TW JP PH Sum Bor Tim Flo Shw Clb Mlc PG FJ AU**
- 2285. *Bastilla maturata* (Walker,1858)** (Noctuidae) Synonym(s): *maturata* Walker,1858; *falcata* Moore,1882 **IN Khs Meg Ass MY TH CMA Php VN IN NP ID Sum Ja Bor CN TW JP KP KR RU Us**
- 2286. *Bastilla maturescens* (Walker,1858)** (Noctuidae) Synonym(s): *maturescens* Walker,1858 **BD Syl IN TH Knc VN ID Sum Bor Ja PH**
- 2287. *Bastilla praetermissa* (W.Warren,1913)** (Noctuidae) Synonym(s): *praetermissa* W.Warren,1913 **IN CN TW TH CMA Php Agk MAI Int Nan Dpk NP PH**
- 2288. *Bastilla properata* (Walker,1858)** (Noctuidae) Synonym(s): *properata* Walker,1858 **IN TH CMA Int ID Clb PG**
- 2289. *Bastilla senex* (Walker,1858)** (Noctuidae) Synonym(s): *senex* Walker,1858; *acutissima* Bethune-Baker,1906 **AU PG TH CN LK PH ID**
- 2290. *Bastilla simillima* (Guenée,1852)** (Noctuidae) Synonym(s): *simillima* Guenée,1852; *mima* Strand,1920 **TW ID Ja BD Syl TH VN NP CN PH ID Sum AU**
- 2291. *Batracharta albistrigosata* W.Warren,1915** (Noctuidae) Synonym(s): *albistrigosata* W.Warren,1915 **IN Ass Meg Khs TH CMA Dst**

2292. **Batracharta cossoides (Walker,[1863])** (Noctuidae) Synonym(s): *cossoides* Walker,[1863]
MY Bor Swk CN TH Nan Dpk
2293. **Batracharta divisa Wileman,1914** (Noctuidae) Synonym(s): *divisa* Wileman,1914 TW TH
Knc
2294. **Batracharta lempkei Kobes,1989** (Noctuidae) Synonym(s): *lempkei* Kobes,1989 ID Sum TH
Cma Dst
2295. **Batracharta obliqua (Walker,1862)** (Noctuidae) Synonym(s): *obliqua* Walker,1862; *apicalis*
Moore,1882; *tincta* Hampson,1893 TH Cma Dst MM MY KH LK IN Clc Bor Swk PG PH
2296. **Batracharta proutae Holloway,2005** (Noctuidae) Synonym(s): *proutae* Holloway,2005 TH
Knc ID Sum Clb MY Bor Swk
2297. **Batracharta sp.2** (Noctuidae) Synonym(s): TH Knc
2298. **Belciades sugii Kononenko,1997** (Noctuidae) Synonym(s): *sugii* Kononenko,1997 TH Cma
Agk Knc Pap Mro MM VN Ton Lci Fan LA
2299. **Belciana biformis (Walker,1858)** (Noctuidae) Synonym(s): *biformis* Walker,1858; *hemodi*
R.Felder & Rogenhofer,1874 MY Bor Swk IN TH Tng Cma Dst Ds10 VN PH ID Sum Ja PG
2300. **Belciana kala (A.E.Prout,1924)** (Noctuidae) Synonym(s): *kala* A.E.Prout,1924 ID Sum Kor
TH Knc MY Bor
2301. **Belciana sobieczkyi Kobes,1989** (Noctuidae) Synonym(s): *sobieczkyi* Kobes,1989 ID Sum TH
Cma Fn VN
2302. **Belciana striatovirens (Moore,1882)** (Noctuidae) Synonym(s): *striatovirens* Moore,1882 IN
Meg Ass Khs TH Phy Nan Dpk CN
2303. **Bematha extensa Walker,1865** (Noctuidae) Synonym(s): *extensa* Walker,1865 IN TH Tng
Nrt Kao VN MY BT ID Sum Bor Ja Clb Ij PG PH
2304. **Bertula abjudicalis Walker,[1859]** (Noctuidae) Synonym(s): *abjudicalis* Walker,[1859]; *thrisalis*
Walker,1859; *tumidalis* Walker,1859; *#abducalis* Kononenko & Pinratana,2005 TH Ntt Hba Nan Dpk LA VN IN LK
TW AU Syd NSW
2305. **Bertula sp.1** (Noctuidae) Synonym(s): TH Fn Php
2306. **Bertula sp.2** (Noctuidae) Synonym(s): TH Nan Dpk
2307. **Blasticorhinus enervis (Swinhoe,1890)** (Noctuidae) Synonym(s): *enervis* Swinhoe,1890
TH Nan Dpk MM Rng TW
2308. **Blasticorhinus otophora (Hampson,1894)** (Noctuidae) Synonym(s): *otophora* Hampson,1894
IN Nag TH
2309. **Blasticorhinus rivulosa (Walker,1865)** (Noctuidae) Synonym(s): *rivulosa* Walker,1865;
quadripuncta Swinhoe,1902 PH Pal IN KP KR ID Sum Bor Tnm JP CN TW NP MM VN LA MY TH Knc
2310. **Blasticorhinus sp.1** (Noctuidae) Synonym(s): TH Cma Int
2311. **Blasticorhinus sp.2** (Noctuidae) Synonym(s): TH Cma Int
2312. **Blasticorhinus varius Yoshimoto,1993** (Noctuidae) Synonym(s): *varius* Yoshimoto,1993 NP
God TH Nan Dpk Cma Dst LA IN
2313. **Bocana incompleta A.E.Prout,1928** (Noctuidae) Synonym(s): *incompleta* A.E.Prout,1928 TH
Nan Dpk MY Bor Swk
2314. **Bocana umbrina Tams,1924** (Noctuidae) Synonym(s): *umbrina* Tams,1924 TH
2315. **Bocula brunneata W.Warren,1912** (Noctuidae) Synonym(s): *brunneata* W.Warren,1912 IN
TH Cma Fn Php
2316. **Bocula caradrinoides Guenée,1852** (Noctuidae) Synonym(s): *caradrinoides* Guenée,1852 ID
Ja TH TW PH JP
2317. **Bocula divergens A.E.Prout,1926** (Noctuidae) Synonym(s): *divergens* A.E.Prout,1926 MY
Bor Swk TH Cma Int Cnz Cz10 (Fig.22)
2318. **Bocula marginata Moore,1882** (Noctuidae) Synonym(s): *marginata* Moore,1882 IN SI Djl TH
Knc Cma Cnz Cz11 Int LA NP CN TW
2319. **Bocula xanthostola Hampson,1926** (Noctuidae) Synonym(s): *marginata* Moore,[1884] *nec*
Mr.1882; *xanthostola* Hampson,1926 TH Nan Dpk Cma Fn Php MY LK ID Bor Tim Flo Sbw TW
2320. **Brana cara Yoshimoto,2001** (Noctuidae) Synonym(s): *cara* Yoshimoto,2001 TH Cma Int Dst
Cnz Cz10 LA
2321. **Brithys crini (Fabricius,1775)** (Noctuidae) Synonym(s): *crini* Fabricius,1775; *dominica* Cramer,1872;
nipponica Matsumura,1931 MA DZ TN PT ES FR Sa Si IT GB AL GR ZA Tva Gau Pre Nta Kzu Dbn Ec Grh
ZW Har MU IN LK Pj MM SG ID Ja JP TH Bnk Cma Nan Phe Rat Nth
2322. **Buzara luteipalpis (Walker,1865)** (Noctuidae) Synonym(s): *luteipalpis* Walker,1865 LK IN
NP TH Tng Nan Dpk ID Sum PH
2323. **Buzara onelia (Guenée,1852)** (Noctuidae) Synonym(s): *onelia* Guenée,1852; *umbrosa* Walker,1865;
obumbrata Walker,1865 IN BD Syl CN TH LA VN MY NP LK TW JP Ri PH ID Bor Sum Clb Sda



Fig.22 – *Bocula divergens* (Noctuidae) at night, Thailand Chiang Mai Doi Suthep 480m 22 11 2006, M. Kemal (Cesa)

- 2324. *Cacyparis tenuipalpis* (Snellen,1880)** (Noctuidae) Synonym(s): *tenuipalpis* Snellen,1880 **ID**
Sum Klt Clb MY Bor TH
- 2325. *Caduca albopunctata* (Walker,[1858])** (Noctuidae) Synonym(s): *albopunctata* Walker,[1858];
meleagris R.Felder & Rogenhofer,1874; *nasea* Swinhoe,1918 **LK IN Bor Swk MY TH CMa Dst KH NP TW JP ID**
Sum Bor Ja
- 2326. *Caduca phronimus* Rothschild,1920** (Noctuidae) Synonym(s): *phronimus* Rothschild,1920
TH Ntt Hba ID Sum
- 2327. *Calesia dasyptera* (Kollar,[1844])** (Noctuidae) Synonym(s): *dasyptera* Kollar,[1844]; *leucostigma*
Kollar,[1844]; *comosa* Guenée,1852; *stigmaleuca* Guenée,1852 **IN BD Syl TH CMa Dst CDo LA VN NP CN TW**
- 2328. *Calesia flabellifera* Moore,1878** (Noctuidae) Synonym(s): *flabellifera* Moore,1878 **TH CMa**
CDo MM Tns
- 2329. *Calesia haemorrhoea* Guenée,1852** (Noctuidae) Synonym(s): *haemorrhoea* Guenée,1852; *patna*
R.Felder & Rogenhofer,1874 **IN TH Knc LA BD NP**
- 2330. *Calesia proxantha* Hampson,1895** (Noctuidae) Synonym(s): *proxantha* Hampson,1895 **TH**
MM
- 2331. *Calesia rhodotela* Hampson,1926** (Noctuidae) Synonym(s): *rhodotela* Hampson,1926 **TH**
Khn Knc MM
- 2332. *Calesia stillifera* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *stillifera* R.Felder &
Rogenhofer,1874; *satellitica* Moore,[1885] **TH CMa Int Cmz Cz11 Sbu KH VN IN LK CN PH** (2007, Cent.
ent. Stud., Memoirs 3/4: pl.35 fig.12 [larva]).
- 2333. *Callopietria maillardi* (Guenée,1862)** (Noctuidae) Synonym(s): *maillardi* Guenée,1862;
recurvata Moore,1882; *nauticorum* Tams,1935; *pseudintermissa* Viette,1965. **SL RE ZR Sk MU IN SI Pj Djl Clc LK**
TH Bnk CMa ID Ja NH AU NC WS ZA Nta Kzu Uma ZW FJ RA
- 2334. *Callopietria placodoides* (Guenée,1852)** (Noctuidae) Synonym(s): *placodoides* Guenée,1852;
doleschalli R.Felder & Rogenhofer,1874 **TH ID Ja Amb**
- 2335. *Callyna jugaria* (Walker,1858)** (Noctuidae) Synonym(s): *jugaria* Walker,1858 **IN Up Bhi TH**
CMa CDo Pki
- 2336. *Calyptra bicolor* (Moore,1883)** (Noctuidae) Synonym(s): *bicolor* Moore,1883 **IN Pj NP Kdu**
TH CMa VN CN

2337. **Calyptra eustrigata Hampson,1926** (Noctuidae) Synonym(s): *eustrigata* Hampson,1926 **LK MY TH CMa Cph LA ID Sum**
2338. **Calyptra fasciata (Moore,1882)** (Noctuidae) Synonym(s): *fasciata* Moore,1882; *labilis* Berio,1970 **IN SI Djl TH CMa CDo Nan Dpk MM VN NP CN**
2339. **Calyptra minuticornis (Guenée,1852)** (Noctuidae) Synonym(s): *minuticornis* Guenée,1852 **ID Ja Tim Flo Sbw PH CN JP NBr PG AU TH CMa CDo Knc NP IN LK MY Prk**
2340. **Calyptra orthograptia (Butler,1886)** (Noctuidae) Synonym(s): *orthograptia* Butler,1886; *striata* Poujade,1887 **CN Mou IN SI Djl TH CMa CDo Phr LA NP TW**
2341. **Calyptra parva Bänziger,1979** (Noctuidae) Synonym(s): *parva* Bänziger,1979 **IN Nag TH Cbi CMa**
2342. **Calyptra pseudobicolor Bänziger,1979** (Noctuidae) Synonym(s): *pseudobicolor* Bänziger,1979 **IN SI TH CMa CDo**
2343. **Camptoloma carum Kishida,1996** (Noctuidae) Synonym(s): *carum* Kishida,1996 **TH**
2344. **Carea angulata (Fabricius,1793)** (Noctuidae) Synonym(s): *angulata* Fabricius,1793; *subtilis* Walker,[1857]; *innocens* Swinhoe,1918; *intermedia* Swinhoe,1918 **IN Bba LK TH CMa CDo Mae Nna Cbi Lmp**
2345. **Carsina bendioides (Walker,1864)** (Noctuidae) Synonym(s): *bendioides* Walker,1864 **MY Bor Swk TH Nan Dpk Knc CMa Dst**
2346. **Carsina flavibrunnea (Hampson,1895)** (Noctuidae) Synonym(s): *flavibrunnea* Hampson,1895 **MM Peg TH**
2347. **Carsina kanshireiensis (Wileman,1914)** (Noctuidae) Synonym(s): *kanshireiensis* Wileman,1914 **TW TH Nan Dpk**
2348. **Catada picta (Moore,1882)** (Noctuidae) Synonym(s): *picta* Moore,1882 **IN Ass Meg Khs TH Ntt Hba Knc MY CN ID Sum Ja Bor PH**
2349. **Catada sp.1** (Noctuidae) Synonym(s): **TH Ntt Hba**
2350. **Catada sp.2** (Noctuidae) Synonym(s): **TH Ntt Hba**
2351. **Catada sp.3** (Noctuidae) Synonym(s): **TH Ntt Hba**
2352. **Catephia kumamotonis (Matsumura,1926)** (Noctuidae) Synonym(s): *kumamotonis* Matsumura,1926 **JP TH Nan Dpk**
2353. **Catocala (s.str.) macula (Hampson,1891)** (Noctuidae) Synonym(s): *macula* Hampson,1891 **IN NI TH CMa Int VN NP LK CN TW JP ID Ja Bor Sum Tim Flo Clb PH** (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.10 [adult]).
2354. **Cephena costata Moore,1882** (Noctuidae) Synonym(s): *costata* Moore,1882 **IN Khs Meg Ass SI Djl TH Ntt Hba LA ID Sum Bor Ja CN TW**
2355. **Cetola naumanni Speidel,2005** (Noctuidae) Synonym(s): *naumanni* Speidel,2005 **TH Nan Bou**
2356. **Chabuata perirorata W.Warren** (Noctuidae) Synonym(s): **TH CMa CDo**
2357. **Chalciope mygdon (Cramer,[1777])** (Noctuidae) Synonym(s): *mygdon* Cramer,[1777]; *triangulum* Fabricius,1787; *mygdoniae* Hübner,[1823] **TH Tng CMa Cuo Cuo1 Sgk Hya PSu MY LA KH VN NP IN LK CN TW JP PH ID Sum Ja Bor** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.3 [adult]).
2358. **Chandata maminti Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *maminti* Hreblay, Peregovits & L.Ronkay,1999 **TH CMa VN Lei**
2359. **Chandica quadripennis Moore,1888** (Noctuidae) Synonym(s): *quadripennis* Moore,1888; *gertae* Kobes,1997 **MY Bor ID Sum TH CMa Cmz Cz10 Dst Dso9**
2360. **Chasmina fasciculosa (Walker,1858)** (Noctuidae) Synonym(s): *fasciculosa* Walker,1858 **LK TH CMa**
2361. **Chasmina tibiopunctata Bethune-Baker,1908** (Noctuidae) Synonym(s): *tibiopunctata* Bethune-Baker,1908; *nigropunctata* Bethune-Baker,1908; *multipunctata* W.Warren,1913 **TH CMa CDo**
2362. **Chilkasa falcata Swinhoe,1885** (Noctuidae) Synonym(s): *falcata* Swinhoe,1885; *perhamata* Hampson,1894; *difformis* Roepke,1948 **ID Sum IN Bba Mh TH Tng CMa Dst Int MY LA VN MM LK CN Clb Bor PH**
2363. **Chloriola gratissima (Walker,[1863])** (Noctuidae) Synonym(s): *gratissima* Walker,[1863] **TH ID Sum MY Bor BN PH Pal**
2364. **Chlorognesia viridipicta (Hampson,1902)** (Noctuidae) Synonym(s): *viridipicta* Hampson,1902 **IN Ass TH CMa Int VN NP TW**
2365. **Chloroplaga sp.** (Noctuidae) Synonym(s): **TH CMa Dst Dso9**
2366. **Chlumetia transversa (Walker,1863)** (Noctuidae) Synonym(s): *transversa* Walker,1863; *guangxiensis* Wu & Zhu,1981 **IN LK CN TH MM MY VN ID Sum Bor Clb SB PH**
2367. **Chrysodeixis acuta (Walker,1858)** (Noctuidae) Synonym(s): *acuta* Walker,1858; *furihatai* Okano,1963; *nigribursa* Chou & Lu,1974 **ZA Lpo Tva Spb Mdk GB TH CMa Dst VN Ton Tda IN LK NP PK CN TW JP PH ID Sum Bor Bli Flo PG AU ET ET29 ET204 KE MG AF NP JP**
2368. **Chrysodeixis eriosoma (Doubleday,1843)** (Noctuidae) Synonym(s): *eriosoma* Doubleday,1843; *verticillata* Guenée,1852 **NZ ID Ja Sum Tim Flo Sbw Bor PG TH Cbi CMa CDo Cuo Cuo1**

- Cuo6 Cuo7 Nrt Bnk Nst VN MY KH MM IN NP PK CN TW JP KP KR PH NF Nlr NC FJ AU OM SY EG** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.6 [adult]).
- 2369. Chrysodeixis goergneri Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *goergneri* Behounek & L.Ronkay,1999 **TH Tng MY Prk**
- 2370. Chrysodeixis illuminata (G.S.Robinson,1968)** (Noctuidae) Synonym(s): *illuminata* G.S.Robinson,1968; *nesiotes* Dufay,1974; *albescens* Chou & Lu,1979 **CN TH CMa Php VN Ton Tda TW PH ID Sum Bor Tim Flo Shw Clb PG Nlr Bsm SB NH NC FJ TO WS Bsm**
- 2371. Chrysodeixis keili Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *keili* Behounek & L.Ronkay,1999 **TH Phu**
- 2372. Chrysodeixis politus Dufay,1970** (Noctuidae) Synonym(s): *politus* Dufay,1970 **ID Sum Ja Bli TH**
- 2373. Chrysodeixis taiwani Dufay,1974** (Noctuidae) Synonym(s): *taiwani* Dufay,1974; *omeiensis* Chou & Lu,1978; *omiensis* Poole,1989 **TW CN VN TH CMa Php NP JP**
- 2374. Chrysograptia igneola (Swinhoe,1890)** (Noctuidae) Synonym(s): *igneola* Swinhoe,1890 **MM Rng CN TH CMa Dst**
- 2375. Chrysopera combinans (Walker,1858)** (Noctuidae) Synonym(s): *combinans* Walker,1858; *quadrilunata* Pagenstecher,1890 **LK ID Ja Clb TH CMa Int MY IN NP CN FJ SB PH AU**
- 2376. Claterna cydonia (Cramer,1775)** (Noctuidae) Synonym(s): *cydonia* Cramer,1775; *exagans* Walker,1858; *submemorans* Walker,1858; *affinis* Rothschild,1915 **TH Nrt Kao Pgg MY VN MM CN IN LK ID Tim Ja Clb Amb PG PH**
- 2377. Clethrora pilcheri (Hampson,1896)** (Noctuidae) Synonym(s): *pilcheri* Hampson,1896 **TH CMa Dst Ds10 ID Sum MY Bor**
- 2378. Coarica fasciata Moore,1882** (Noctuidae) Synonym(s): *fasciata* Moore,1882 **IN SI Djl NP TH Nan Dpk CMa Dst ID Sum PH**
- 2379. Condote angulina (Guenée,1852)** (Noctuidae) Synonym(s): *angulina* Guenée,1852; *arenacea* Walker,1865; *consocia* Walker,1865; *retrahens* Walker,1865 **TH Ntt Hba NP BD Syl IN SI VN TW**
- 2380. Condote purpurea (Hampson,1902)** (Noctuidae) Synonym(s): *purpurea* Hampson,1902 **LA TH VN NP IN Ass Meg Khs TW**
- 2381. Condote pustulifera** (Noctuidae) Synonym(s): **TH CMa Dst Dso8**
- 2382. Condote sp.** (Noctuidae) Synonym(s): **TH Nan Dpk**
- 2383. Condica capensis (Guenée,1852)** (Noctuidae) Synonym(s): *capensis* Guenée,1852; *afra* Guenée,1852; *proditia* Walker,1862; *canorufa* Walker,1865; *funesta* Walker,1865; *spargens* Walker,1865. **GB DK ZA Wca Ec Fs Nta Kzu Srn Umk Nkw Nha Blo Mpu Brb Tst Wv Gau Pre Wv Tva Lpo ZW Vf ZR SL SH Sk EG ET ET24 YE Ad MU MG IN CN MM TH TW LK PG SB AU QAU**
- 2384. Corcobara angulipennis Moore,1882** (Noctuidae) Synonym(s): *angulipennis* Moore,1882; *thwaitesi* Moore,[1885] **LK SI IN TH KH MY**
- 2385. Corgatha dictaria (Walker,1861)** (Noctuidae) Synonym(s): *dictaria* Walker,1861; *liberata* Walker,1861; *metalligera* Butler,1881; *tana* Swinhoe,1900; *sasaki* Matsumura,1920 **JP TH CMa**
- 2386. Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005 **Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMa Php MM GG AM AZ Cc Skh Kd Snj Lo Kaz Mia Bu Dlk B-A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44** (2007, Cesa Publ. Afr. Lepid. 1: fig.5 [adult] [erroneously labelled as circumscripta!]).
- 2387. Corsa orbifera (Walker,1862)** (Noctuidae) Synonym(s): *orbifera* Walker,1862 **MY Bor Swk TH Knc**
- 2388. Craniophora fasciata (Moore,[1884])** (Noctuidae) Synonym(s): *fasciata* Moore,[1884]; *nigrostriata* Pagenstecher,1888; *divisa* Moore,1888 **IR Hz B-A IN SI MY Bor ID Sum Ja Clb Bli Kai Amb Crm AU QAU NSw PG Bsm NC LK VN Fan Lei Ton MM TH Ch NP PK OM TW KP KR JP**
- 2389. Craniophora harmandi (Poujade,1898)** (Noctuidae) Synonym(s): *harmandi* Poujade,1898; *nigromaculata* W.Warren,1912; *picata* Wileman,1914 **TW CN JP IN SI Ass Up Bhi TH Nan MY NP**
- 2390. Crithote horridipes Walker,1864** (Noctuidae) Synonym(s): *horridipes* Walker,1864; *crinipes* Snellen,1880 **ID Clb Bor Swk MY TH VN CN IN PH**
- 2391. Crithote pallivaga Holloway,2005** (Noctuidae) Synonym(s): *pallivaga* Holloway,2005 **MY Bor Swk TH Tng ID Sum CN IN**
- 2392. Cruriopsis albomaculata Kishida,1993** (Noctuidae) Synonym(s): *albomaculata* Kishida,1993 **TH CMa Dst Fn**
- 2393. Cruriopsis funebris (Moore,1872)** (Noctuidae) Synonym(s): *funebris* Moore,1872 **IN SI Djl TH VN CN Sz TW**
- 2394. Cryptastria fuscomarginata (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *fuscomarginata* Bethune-Baker,1906; *#fuscomaculata* Kononenko & Pinratana,2005 **PG Bsm Bor Clb ID MY TH Knc IN**

- 2395. Csorbatype thailandica Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *thailandica* Hreblay & L.Ronkay,1999 **TH CMA Int Php Fn**
- 2396. Cucullia (s.str.) mediogrisea W.Warren,1911** (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1911 **IN Ass Meg Khs TH CMA CDo**
- 2397. Cultripalpa lunulifera Hampson,1926** (Noctuidae) Synonym(s): *lunulifera* Hampson,1926 **SG MY TH Ntt Hba**
- 2398. Cyclodes omma (Hoeven,1840)** (Noctuidae) Synonym(s): *omma* Hoeven,1840; *replenens* Walker,1858 **ID Ja Sum Tim Flo Clb LK BD Syl TH Knc CMA Int MY MM KH VN NP IN CN TW PH**
- 2399. Cymatophoropsis sinuata (Moore,1879)** (Noctuidae) Synonym(s): *sinuata* Moore,1879; *confluens* Moore,1882 **IN Up Bhi BD SI Dj TH CMA Int CN NP**
- 2400. Cymatophoropsis trimaculata (Bremer,1861)** (Noctuidae) Synonym(s): *trimaculata* Bremer,1861; *formosana* Matsumura,1927; *tripunctata* O.Bang-Haas,1927 **RU Us TW CN TH Knc CMA**
- 2401. Dactyloplusia mutans (Walker,1865)** (Noctuidae) Synonym(s): *mutans* Walker,1865; *hedysma* De Joannis,1929; *celionis* Chou & Lu,1979 **LK VN Ton CN TH CMA Php LA IN TW ID Sum Ja Bli Clb Tim Flo**
- 2402. Daddala brevicauda (Wileman & South,1921)** (Noctuidae) Synonym(s): *brevicauda* Wileman & South,1921 **PH Luz Bor ID Sum Tim Flo Clb Mlc Crm Ij PG TH CMA Dst Dso8 Int Kao Nrt Knc MY LA VN BT NP IN**
- 2403. Daddala lucilla (Butler,1881)** (Noctuidae) Synonym(s): *lucilla* Butler,1881; *obscurata* Butler,1881 **IN SI Djl Slo TH CMA Int Knc Nan Dpk VN NP ID PG PH CN TW JP KP KR RU Us**
- 2404. Daddala microdesma (A.E.Prout,1928)** (Noctuidae) Synonym(s): *microdesma* A.E.Prout,1928; *microdesma* Berio,1958 **TH Nan Dpk MY ID Sum PH**
- 2405. Daddala quadrisignata Walker,1865** (Noctuidae) Synonym(s): *quadrisignata* Walker,1865; *replicata* R.Felder & Rogenhofer,1874; *apicalis* Butler,1881; *floccosa* Moore,1882; *plana* Moore,1882 **IN SI Djl TH Knc MY LA BT ID Bor Sum**
- 2406. Daseochaeta mckeanae Cockerell,1930** (Noctuidae) Synonym(s): *mckeanae* Cockerell,1930 **TH CMA Dst**
- 2407. Dialithoptera gemmata (Hampson,1896)** (Noctuidae) Synonym(s): *gemmata* Hampson,1896 **IN SI NP MM VN MY Bor TH CMA CDo Cgr ID Sum**
- 2408. Dialithoptera margarita Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *margarita* Laszlo, G.Ronkay & Witt,2007 **TH Mae VN**
- 2409. Diascia hayesi Holloway,1976** (Noctuidae) Synonym(s): *hayesi* Holloway,1976 **TH Pgg MY Bor SG**
- 2410. Dichromia triplicalis Walker,1859** (Noctuidae) Synonym(s): *triplicalis* Walker,1859; *mollis* Swinhoe,1891 **IN Ass Meg Khs TH CMA CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.3 [adult]).**
- 2411. Dierna strigata (Moore,1867)** (Noctuidae) Synonym(s): *strigata* Moore,1867 **IN BD NP TH CMA Dst LA KH VN CN TW**
- 2412. Dinumma deponens Walker,1858** (Noctuidae) Synonym(s): *deponens* Walker,1858; *bipunctata* Motschulsky,[1861]; *largeteau* Oberthür,1884 **TH CMA Dst IN NP CN TW KP KR JP**
- 2413. Dinumma placens Walker,1858** (Noctuidae) Synonym(s): *placens* Walker,1858; *varians* Butler,1889 **TH Nan Dpk VN NP IN Hp Drm LK ID Sum Bor TW PH**
- 2414. Diomea eupsema Swinhoe,1902** (Noctuidae) Synonym(s): *eupsema* Swinhoe,1902 **MY Prk TH Tng Knc**
- 2415. Diomea fasciata (Leech,1900)** (Noctuidae) Synonym(s): *fasciata* Leech,1900 **CN TH Knc**
- 2416. Diomea hirdi Holloway,2005** (Noctuidae) Synonym(s): *hirdi* Holloway,2005 **MY Bor Sbh Swk TH Knc ID Ja**
- 2417. Diomea lignicolora Walker,[1858]** (Noctuidae) Synonym(s): *lignicolora* Walker,[1858]; *suvarnavadvipae* Kobes,1983 **ID Sum LK TH Ntt Hba CN**
- 2418. Diomea rotundata Walker,[1858]** (Noctuidae) Synonym(s): *rotundata* Walker,[1858] **LK IN NP TH KH LA TW CN ID Bor Clb PG**
- 2419. Diphtherocome discibrunnea (Moore,1867)** (Noctuidae) Synonym(s): *discibrunnea* Moore,1867; *mckeanae* Cockerell,1930; *#mckeanae* Hreblay & L.Ronkay,1999; *#mckeanae* Hreblay & Kononenko,1999 **IN Up Nnt BD VN Fan Ton Lci NP TH Nan Dpk Pua CN**
- 2420. Diphtherocome impectinata Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *impectinata* Hreblay, Peregovits & L.Ronkay,1999 **VN Lci Fan Ton TH CMA Int NP**
- 2421. Diphtherocome thainympha Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *thainympha* Hreblay & L.Ronkay,1999 **TH CMA Int Fn Php**
- 2422. Disepholcia caerulea (Butler,1889)** (Noctuidae) Synonym(s): *caerulea* Butler,1889 **IN Hp Drm MY TH CMA Int NP TW**
- 2423. Donda eurychlora (Walker,1858)** (Noctuidae) Synonym(s): *eurychlora* Walker,1858 **TH Nrt Kao IN NP ID Tim Flo Sum Sbw**
- 2424. Dordura aliena (Walker,1864)** (Noctuidae) Synonym(s): *aliena* Walker,1864 **TH CMA Int MY KH MM IN LK ID Bor PG PH**

- 2425. Dyrzela plagiata Walker, 1858** (Noctuidae) Synonym(s): *plagiata* Walker, 1858; *costipannosa* Swinhoe, 1890; *costiplaga* Swinhoe, 1891; *perampla* W. Warren, 1913 **IN MM Rgo Bha Mm TH CMa Dst Dso8 CDo MY**
- 2426. Eclipsea sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2427. Ecpatia longiquua (Swinhoe, 1890)** (Noctuidae) Synonym(s): *longiquua* Swinhoe, 1890; *#longiquuava* Kononenko & Pinratana, 2005; *#longiquuva* Kononenko & Pinratana, 2005 **MM Rng TH Ntt Hba LA MM CN NP IN JP ID Bor PH**
- 2428. Edessena gentiusalis Walker, [1859]** (Noctuidae) Synonym(s): *gentiusalis* Walker, [1859]; *formosensis* Strand, 1920 **TH Nrt Kao CN TW JP KP KR**
- 2429. Egira draudti (Hacker, 1993)** (Noctuidae) Synonym(s): *draudti* Hacker, 1993 **TH Mae Pai CMa Int Php Fn Wia Pfa Dsk Nan Pua**
- 2430. Egira ornata Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *ornata* Hreblay & L. Ronkay, 1999 **TH CMa Int Mae Pai Wia Php Fn Dsk Pfa Pua Nan**
- 2431. Egira papae Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *papae* Hreblay & L. Ronkay, 1999 **TH CMa Pap**
- 2432. Egira perigraphoides Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *perigraphoides* Hreblay & L. Ronkay, 1999 **TH Mae CMa CDo Wia Php Fn Bhn**
- 2433. Egira phahompoki Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *phahompoki* Hreblay & L. Ronkay, 1999 **TH CMa Php Fn**
- 2434. Egnasia bomboschi Kobes, 1989** (Noctuidae) Synonym(s): *bomboschi* Kobes, 1989 **ID Sum TH Nrt Kao**
- 2435. Egnasia conifer Hampson, 1926** (Noctuidae) Synonym(s): *conifer* Hampson, 1926 **TH Ntt Hba PH Luz**
- 2436. Egnasia mopsa (Swinhoe, 1890)** (Noctuidae) Synonym(s): *mopsa* Swinhoe, 1890 **MM Rng TH Nan Dpk TW**
- 2437. Egnasia rectilineata Swinhoe, 1895** (Noctuidae) Synonym(s): *rectilineata* Swinhoe, 1895 **IN Slo TH**
- 2438. Egnasia sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2439. Egnasia sundana Kobes, 1985** (Noctuidae) Synonym(s): *sundana* Kobes, 1985 **ID Sum TH Ntt Hba**
- 2440. Egnasia tripuncta Swinhoe, 1895** (Noctuidae) Synonym(s): *tripuncta* Swinhoe, 1895 **IN Slo NP TH Nan Dpk**
- 2441. Eligma narcissus (Cramer, 1775)** (Noctuidae) Synonym(s): *narcissus* Cramer, 1775; *indica* Rothschild, 1896; *javanica* Rothschild, 1896; *philippinensis* Rothschild, 1896; *celebensis* Tams, 1935 **CN IN TH CMa Cuo1 ID Ja Clb PH**
- 2442. Elwesia vuquangconi Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *vuquangconi* Hreblay, Peregovits & L. Ronkay, 1999 **VN Lci TH CMa**
- 2443. Entomogramma fautrix Guenée, 1852** (Noctuidae) Synonym(s): *fautrix* Guenée, 1852 **BD Syl IN TH Tng CMa Int MY KH VN NP CN TW ID AU**
- 2444. Entomogramma torsa Guenée, 1852** (Noctuidae) Synonym(s): *torsa* Guenée, 1852; *squammicornis* R. Felder & Rogenhofer, 1874; *vanua* R. Felder & Rogenhofer, 1874 **TH CMa Int Dst KH VN NP IN ID PH FJ AU**
- 2445. Episparina tortuosalis (Moore, 1867)** (Noctuidae) Synonym(s): *tortuosalis* Moore, 1867 **IN TH CMa Int Dst Cmz Cz10 LA KH VN NP LK CN**
- 2446. Episparis exprimens Walker, 1862** (Noctuidae) Synonym(s): *exprimens* Walker, 1862; *sejunctata* Walker, 1866; *sejunctalis* Moore, 1867; *ennomocoides* Moore, 1867 **TH Cbi Nrt Kao MY LA MM IN ID Bor Ja Clb Sum Shw Bli Tim**
- 2447. Episparis sp.** (Noctuidae) Synonym(s): **TH CMa Lmp Phr Chy Cbu**
- 2448. Episparis varialis (Walker, 1858)** (Noctuidae) Synonym(s): *litrata* Fabricius, 1787 nec Linn., 1761; *varialis* Walker, 1858; *signata* Walker, 1865; *davallia* R. Felder & Rogenhofer, 1874 **IN LK TH Knc CMa Dst Dso7 CDo LA KH VN MM NP BD Adm PH**
- 2449. Episteme adulatrix (Kollar, [1844])** (Noctuidae) Synonym(s): *adulatrix* Kollar, [1844]; *bellatrix* Westwood, 1848; *afflicta* Butler, 1875; *contracta* Butler, 1875; *sectionotis* Butler, 1875; *simplex* Butler, 1875; *spilosa* Jordan, 1912 **Ch IN Poo Bba Nl Knr Mhw Mh CN Hn NP TH Phr CMa**
- 2450. Episteme maculatrix (Duncan & Westwood, [1841])** (Noctuidae) Synonym(s): *maculatrix* Duncan & Westwood, [1841]; *distincta* Butler, 1875 **IN SI Djl Ass BD Syl NP TH CMa Int Lmp Cuo Cuo9**
- 2451. Episteme nipalensis (Butler, 1875)** (Noctuidae) Synonym(s): *nipalensis* Butler, 1875; *dives* Butler, 1881; *westwoodi* Kirby, 1897; *schana* Jordan, 1912; *expansa* Jordan, 1912 **NP IN SI Djl MM Tns VN CN TH CMa Dst**
- 2452. Episteme vetula (Geyer, 1832)** (Noctuidae) Synonym(s): *vetula* Geyer, 1832; *fasciatrix* Westwood, 1848; *bijugata* Walker, 1862; *irenea* Boisduval, 1874; *communis* Butler, 1875; *solicita* Swinhoe, 1902; *palavanica* Jordan, 1912 **ID Nia Sum Ja Bor Swk Tim BD Syl Shb KBa Sdk PH Pal TH CRa CMa Dst MM MY Pen Bor KH VN**

2453. **Ercheia cyllaria (Cramer,1782)** (Noctuidae) Synonym(s): *cyllaria* Cramer,1782 **IN TH CMa Dst Int Cmz Cz11 Nan Dpk Ntt Hba Pgg Knc Cbi MY LA VN MM NP BD LK CN TW PH ID Sum Bor Tim Flo Sbw Clb Ij Mlc Crm Amb PG AU**
2454. **Ercheia diversipennis Walker,[1858]** (Noctuidae) Synonym(s): *diversipennis* Walker,[1858]; *ambidens* R.Felder & Rogenhofer,1874; *zura* Swinhoe,1885; *zygia* Swinhoe,1885 **LK IN PK Poo TH LA**
2455. **Ercheia kebea Bethune-Baker,1906** (Noctuidae) Synonym(s): *kebea* Bethune-Baker,1906; *cebea* Hampson,1913; *designata* W.Warren,1914; *#nigristriata* W.Warren,1914; *albirenata* Gaede,1917 **PG TH Knc ID Sum Crm NH FJ AU**
2456. **Ercheia multilinea Swinhoe,1902** (Noctuidae) Synonym(s): *multilinea* Swinhoe,1902; *abnormis* Swinhoe,1904 **MY Prk TH CMa Int Dst VN CN ID Sum Bor Clb PH**
2457. **Ercheia pulchrivena (Walker,1864)** (Noctuidae) Synonym(s): *pulchrivena* Walker,1864 **MY Bor Swk TH CMa Dpst Php ID Sum**
2458. **Erebus albicincta Kollar,[1844]** (Noctuidae) Synonym(s): *albicincta* Kollar,[1844] **IN Ch TH CMa NP ID Sum CN TW**
2459. **Erebus caprimulgus (Fabricius,1775)** (Noctuidae) Synonym(s): *caprimulgus* Fabricius,1775; *exterior* Walker,1858; *obliterans* Walker,1858; *truncata* Moore,1877; *#rupicapra* Candeze,1927 **TH CMa CDo Dst Mth Knc Rng MY VN MM NP IN BD Syl Adm CN TW ID Sum Bor**
2460. **Erebus ephesperis (Hübner,[1823])** (Noctuidae) Synonym(s): *ephesperis* Hübner,[1823]; *laetitia* Butler,1878; *niasana* Swinhoe,1918; *malanga* Swinhoe,1918 **TH CMa Int MY VN NP IN LK CN TW JP KP KR ID Sum Ja Nia Bor PG**
2461. **Erebus gemmans (Guenée,1852)** (Noctuidae) Synonym(s): *gemmans* Guenée,1852; *ophrestigmatis* Hampson,1895 **BT BD Syl TH CMa CDo Dst Int Php MM NP IN CN TW ID Bor**
2462. **Erebus glaucopis (Walker,1858)** (Noctuidae) Synonym(s): *glaucopis* Walker,1858; *prunosa* Moore,1883 **TH Phr IN NP BD Syl CN**
2463. **Erebus hieroglyphica (Drury,1773)** (Noctuidae) Synonym(s): *hieroglyphica* Drury,1773; *ulula* Fabricius,1775; *mygdonia* Cramer,1777; *hermonia* Cramer,1777; *lunaris* Walker,1866; *celebensis* Hopffer,1874; *tenebrata* A.E.Prout,1919 **TH CMa Cuo Cuo7 Cuo9 MY KH VN MM IN CN ID PG PH Bor Clb Sum Ja (Fig.23)**



Fig.23 - *Erebus hieroglyphica* (Noctuidae), Thailand Chiang Mai 360m 7 11 2006, M. Kemal (Cesa)

- 2464. Erebus macrops (Linnaeus,1768)** (Noctuidae) Synonym(s): *macrops* Linnaeus,1768; *bubo* Fabricius,1775; *boopis* Guenée,1852; *walkeri* Butler,1875. **ZA Tva Mpu Brb Nta Kzu Mv Dbn ZW Har MG IN LK MM KE TZ CI NG TH Phr CMa Cuo Cuo1 MY VN CN NP BD TW ID Sum Ja Bor PH JP KP KR RU Us** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.11 [adult]).
- 2465. Erebus mirans A.E.Prout,1932** (Noctuidae) Synonym(s): *mirans* A.E.Prout,1932 **TH**
- 2466. Ericeia eriophora (Guenée,1852)** (Noctuidae) Synonym(s): *eriophora* Guenée,1852; *perfidiosa* Walker,1858; *deficiens* Walker,1858; *apicalis* Walker,[1863] **BD Syl Bor Swk IN LK MM TH Knc CMa Fn Php MY IN LA VN ID Sum Bor Ja Clb PG CN TW PH**
- 2467. Ericeia inangulata (Guenée,1852)** (Noctuidae) Synonym(s): *inangulata* Guenée,1852; *optativa* Walker,1858; *optatura* Walker,1858; *zeta* Walker,1864; *intracta* Walker,1864; *comitata* Walker,1865; *umbrosa* Walker,1869; *subcinerea* Snellen,1880; *intextilia* Schultze,1908; *levuensis* A.E.Prout,1929; *certilinea* A.E.Prout,1929 **ZA WS PG MY Bor Swk IN TH Nrt Kao CMa CDo Fn Php LA KH VN BD LK PK JP CN TW ID PH MG RE**
- 2468. Ericeia pertendens (Walker,[1858])** (Noctuidae) Synonym(s): *pertendens* Walker,[1858]; *gonioptila* A.E.Prout,1922; *eurytaenia* A.E.Prout,1929; *occidua* A.E.Prout,1929; *iopolia* D.S.Fletcher,1957 **TH CMa Knc MY LA VN NP IN LK TW CN JP ID SB PG PH KP KR**
- 2469. Erizada lichenaria Walker,1865** (Noctuidae) Synonym(s): *lichenaria* Walker,1865; *metarhoda* Walker,1865; *hyperythrum* Hampson,1894 **IN MY Bor PH Pal TH Cbi Cph**
- 2470. Erygia apicalis Guenée,1852** (Noctuidae) Synonym(s): *apicalis* Guenée,1852; *exempta* Walker,1858; *squamiplena* Walker,1858; *geometroides* Walker,1865; *usta* Walker,1865; *watanabii* Holland,1889; *tamsi* Hulstaert,1924 **ID Kai Ja Tim Flo AU QAU TH CMa CDo Pgg MM IN NP CN TW JP KP KR PH**
- 2471. Erygia reflectifascia Hampson,1891** (Noctuidae) Synonym(s): *reflectifascia* Hampson,1891 **IN NI TH?**
- 2472. Erythroplusia pyropia (Butler,1879)** (Noctuidae) Synonym(s): *pyropia* Butler,1879; *pseudopyropia* Chou & Lu,1978 **JP CN Yu TH Mae VN NP IN PK TW JP KP KR RU Us**
- 2473. Etanna basalis Walker,1862** (Noctuidae) Synonym(s): *basalis* Walker,1862; *atrifasciata* Hampson,1896; *mackwoodi* Hampson,1902 **MY Bor BN LK MM TH PG AU QAU FJ**
- 2474. Etanna breviscula (Walker,1863)** (Noctuidae) Synonym(s): *breviscula* Walker,1863; *valida* Walker,1863; *rudis* Walker,1865; *xyloglypta* Lucas,1890; *nigridisca* Hampson,1891; *floccifera* Hampson,1894 **TH MY Bor AU QAU FJ**
- 2475. Eublemma (cochylioides-gr.) anachoresis (Wallengren,1863)** (Noctuidae) Synonym(s): *anachoresis* Wallengren,1863; *accedens* R.Felder & Rogenhofer,[1875]; *divisa* Moore,1881; *leonata* Butler,1886. **ZA YE Ad OM LK IN ID Ja TH CMa Cuo Cuo1 Cuo7 PH PG AU NC SB NH FJ**
- 2476. Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. **MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr CY TR DK RU MD UA IL Pa Hf SY IQ Brs Ry Rwz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID ZA AU Snj Mia Km Kz Yas Hz B-A Cc St Da** (2007, Cesa Publ. Afr. Lepid. 1: fig.6 [adult]).
- 2477. Eublemma comoda Walker** (Noctuidae) Synonym(s): **TH**
- 2478. Eublemma versicolor Walker** (Noctuidae) Synonym(s): **TH**
- 2479. Eubryopterella sp.** (Noctuidae) Synonym(s): **MY Bor TH Ntt Hba**
- 2480. Eudocima aurantia (Moore,1877)** (Noctuidae) Synonym(s): *aurantia* Moore,1877; *rutilus* Moore,1881 **IN Adm LK TH Knc MY VN NP ID Sum Ja Bli Bor Clb Crm PG AU QAU**
- 2481. Eudocima cajeta (Cramer,1779)** (Noctuidae) Synonym(s): *cajeta* Cramer,1779; *multiscripta* Walker,[1858]; *talboti* A.E.Prout,1922 **IN LK TH CMa Int Knc Hgd VN ID Sum Ja Bor MY Clb Mlc Crm PH ZA**
- 2482. Eudocima discrepans (Walker,1858)** (Noctuidae) Synonym(s): *discrepans* Walker,1858 **SG MY TH CMa Dst Mta Hnd VN IN NP CN PH ID Sum Ja Sbw Bor PG**
- 2483. Eudocima homaena (Hübner,[1823])** (Noctuidae) Synonym(s): *ancilla* Cramer,1777 *nec* Linn.,1767; *strigata* Donovan,1804; *homaena* Hübner,[1823]; *bilineosa* Walker,[1858]; *formosana* Okano,1964 **TH Phr Wgc CMa Int MY VN NP LK IN ID Bor Tim Flo PH CN JP TW**
- 2484. Eudocima hypermnestra (Stoll,1780)** (Noctuidae) Synonym(s): *hypermnestra* Stoll,1780 **TH Lmp Phr VN IN NP CN ID Ja PG PH**
- 2485. Eudocima okurai Okano,1964** (Noctuidae) Synonym(s): *okurai* Okano,1964; *suthepensis* Bänziger & Honey,1984 **TH CMa Dst NP TW**
- 2486. Eudocima phalonia (Linnaeus,1763)** (Noctuidae) Synonym(s): *phalonia* Linnaeus,1763; *fullonia* Clerck,[1764]; *dioscoreae* Fabricius,1775; *pomona* Cramer,1776; *princeps* Guenée,1852; *obliterans* Walker,1858 **ZA ZR GA AU NZ ID PH RU Us KP KR JP TW CN VN NP IN TH Nrt Kao Bnk CMa Cuo Cuo5 Phr Loe Knc Nna Nth Cbi Cph Srt Udo MM** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.12 [adult]).
- 2487. Eudocima salaminia (Cramer,1777)** (Noctuidae) Synonym(s): *salaminia* Cramer,1777 **TH VN IN NP CN TW KP KR JP PH ID Ja Sum PG AU**
- 2488. Eudocima sikhimensis (Butler,1895)** (Noctuidae) Synonym(s): *sikhimensis* Butler,1895; *sikkimensis* A.E.Prout,1928; *abathglypta* A.E.Prout,1928 **ID Sum IN SI MM TH CMa Int MY NP BT Bor Bli**
- 2489. Euplexidia noctuiformis Hampson,1896** (Noctuidae) Synonym(s): *noctuiformis* Hampson,1896 **IN Ass Meg Khs TH CMa CDo**

- 2490. Euplexidia ornata Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *ornata* Hreblay & L.Ronkay,1999 **TH CMa Php Fn**
- 2491. Euplexidia thailandica Yoshimoto,1987** (Noctuidae) Synonym(s): *thailandica* Yoshimoto,1987 **TH**
- 2492. Eutelia adulatricoides (Mell,1943)** (Noctuidae) Synonym(s): *blandiatrrix* Hampson,1912 *nec* Gn.,1852; *adulatricoides* Mell,1943; *indica* Mell,1943 *nec* Mre,1867; *cantonensis* Chu & Chen,1962 **IN Ch Gl CN Kwa She TH CMa Dst VN JP KP KR RU Us**
- 2493. Eutelia favillatrioides Poole,1989** (Noctuidae) Synonym(s): *favillatrix* Walker,1858 *nec* Gn.,1852; *favillatrioides* Poole,1989 **LK IN CN NP VN TH Nrt Kao**
- 2494. Eutelia geyeri (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *geyeri* R.Felder & Rogenhofer,1874; *inextricata* Moore,1882 **TH CMa Int IN SI Djl VN MM NP CN TW JP KP KR RU Us**
- 2495. Evonima aperta Walker,1865** (Noctuidae) Synonym(s): *aperta* Walker,1865 **ID Sum Ja TH TW MY Bor**
- 2496. Exsula dentatrix (Westwood,1848)** (Noctuidae) Synonym(s): *dentatrix* Westwood,1848; *albomaculata* Miyake,1907; *nigridorsa* Candeze,1927 **KH TW IN Ass NP TH CMa Dst**
- 2497. Exsula victrix (Westwood,1848)** (Noctuidae) Synonym(s): *victrix* Westwood,1848; *silhetensis* Butler,1875; *tyrianthina* Butler,1875; *burmaensis* Strand,1912 **MM BD Syl IN TH CMa Int VN NP**
- 2498. Extremoplusia megaloba (Hampson,1912)** (Noctuidae) Synonym(s): *megaloba* Hampson,1912 **IN Meg Ass Khs TH MY VN IN TW ID Bor Sum**
- 2499. Facidia venosa (Hübner)** (Noctuidae) Synonym(s): **TH Bnk Sso**
- 2500. Falana sordida Moore,1882** (Noctuidae) Synonym(s): *sordida* Moore,1882 **IN Ass Meg Cpj TH Knc CMa Dst VN NP PH**
- 2501. Felinia spissa Guenée,1852** (Noctuidae) Synonym(s): *spissa* Guenée,1852; *spissata* Guenée,1852; *decens* Walker,[1858] **IN BD Syl TH Ntt Hba VN LK MY ID Sum Bor Tim Flo Clb PG PH**
- 2502. Fodina contigua Wileman,1914** (Noctuidae) Synonym(s): *contigua* Wileman,1914 **TW TH CMa**
- 2503. Fodina cuneigera (Butler,1889)** (Noctuidae) Synonym(s): *cuneigera* Butler,1889 **IN Hp Kgr TH Mae PH**
- 2504. Fodina oriola Guenée,1852** (Noctuidae) Synonym(s): *oriolus* Guenée,1852 **BD Syl IN NP TH Knc CN ID**
- 2505. Fodina pallula Guenée,1852** (Noctuidae) Synonym(s): *pallula* Guenée,1852 **BD Syl IN TH NP CN**
- 2506. Fodina stola Guenée,1852** (Noctuidae) Synonym(s): *stola* Guenée,1852; *postmaculata* Hampson,1893; *#formosensis* Strand,1914 **TH CMa Int Lmp Knc Sbu Cbi Rat Phe LK IN CN ID AU TW**
- 2507. Foveades crucialis (R.Felder & Rogenhofer,[1874])** (Noctuidae) Synonym(s): *crucialis* R.Felder & Rogenhofer,[1874] **ID Ja Sum Mlc PH TH CMa Fn Php Nan Dpk**
- 2508. Gadirtha pulchra Butler,1886** (Noctuidae) Synonym(s): *pulchra* Butler,1886; *distincta* Lucas,1892 **IN Adm JP Ri TH SG MY Bor Swk PG AU Qau**
- 2509. Genus sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2510. Gesonia obeditalis Walker,[1859]** (Noctuidae) Synonym(s): *obeditalis* Walker,[1859]; *pansalis* Walker,[1859]; *secundalis* Walker,[1859]; *crambisata* Walker,1862; *evulsalis* Walker,[1866]; *binotata* Walker,1866; *concors* Walker,1866; *terrosa* Snellen,1872; *rubicundula* Swinhoe,1885; *nigrofusca* Swinhoe,1885; *festina* Swinhoe,1885. **TH CMa MY NP IN LK CN TW JP ID Ja Mlc Bor PG SC MG AU**
- 2511. Gespanna pectoralis (Walker,1864)** (Noctuidae) Synonym(s): *pectoralis* Walker,1864 **MY Bor Swk TH Ntt Hba ID Sum Ja**
- 2512. Gloriana ornata (Moore,1882)** (Noctuidae) Synonym(s): *ornata* Moore,1882 **IN SI Djl TH CMa Int NP CN**
- 2513. Goenecta niveiguttata (Hampson,1902)** (Noctuidae) Synonym(s): *niveiguttata* Hampson,1902 **IN SI TH CMa Int LA VN CN TW**
- 2514. Goniophila excavata (Swinhoe,1905)** (Noctuidae) Synonym(s): *excavata* Swinhoe,1905 **MY Bor TH Knc Tng ID Sum Ja**
- 2515. Goniophila niphosticha Hampson,1926** (Noctuidae) Synonym(s): *niphosticha* Hampson,1926 **MM TH CMa Dst Dso9**
- 2516. Goniophila polymima De Joannis,1929** (Noctuidae) Synonym(s): *polymima* De Joannis,1929 **VN Ton NP CN TW TH Mae**
- 2517. Gonoglasa camptogramma Hampson,1924** (Noctuidae) Synonym(s): *camptogramma* Hampson,1924; *#camptogramma* Kononenko & Pinratana,2005 **TH MY Bor**
- 2518. Gonoglasa nigripalpis (Walker,[1863])** (Noctuidae) Synonym(s): *nigripalpis* Walker,[1863] **MY Bor TH Tng Ntt Hba**
- 2519. Gracillina prosthena Hampson,1924** (Noctuidae) Synonym(s): *prosthena* Hampson,1924 **SG MY TH Nrt Kao Bor**
- 2520. Grammodes geometrica (Fabricius,1775)** (Noctuidae) Synonym(s): *geometrica* Fabricius,1775; *ammonia* Cramer,1780 *nec* Esp.,[1794]; *orientalis* W.Warren,1913 **TH Knc LA KH VN MM IN NP PK CN TW JP PH ID Sum Bor Clb AU GH MG**

- 2521. *Hadennia jutalis* (Walker,[1859])** (Noctuidae) Synonym(s): *jutalis* Walker,[1859] **TH Ntt Hba MY MM LA VN IN LK**
- 2522. *Hadennia mysalis* (Walker,[1859])** (Noctuidae) Synonym(s): *mysalis* Walker,[1859]; *albinotalis* Moore,1877; *purnosa* Moore,1885; *ignicomma* Swinhoe,1890; *palpiplumalis* Owada,1987; *#brunosa* Poole,1989 **TH Nrt Kao MM Adm LK TW JP**
- 2523. *Hadennia* sp.1** (Noctuidae) Synonym(s): **TH Knc**
- 2524. *Hadennia* sp.2** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2525. *Hadennia umbrina* Tams,1924** (Noctuidae) Synonym(s): *umbrina* Tams,1924 **TH Bnk ID Sum Bor MY**
- 2526. *Hamodes lutea* (Walker,[1863])** (Noctuidae) Synonym(s): *lutea* Walker,[1863]; *amabilis* Walker,1869; *ochracea* Swinhoe,1891 **MY Bor Swk TH Pgg CMA Int CDo IN Ass Meg Khs**
- 2527. *Hamodes pendleburyi* A.E.Prout,1932** (Noctuidae) Synonym(s): *pendleburyi* A.E.Prout,1932 **MY TH CMA Dst IN ID Sum Bor PG TW**
- 2528. *Hamodes propitia* (Boisduval,1832)** (Noctuidae) Synonym(s): *propitia* Boisduval,1832 **PG Nlr Bsm TH CMA Int Dst MY LA MM IN NP BD CN TW ID PH**
- 2529. *Haritalopha biparticolor* Hampson,1895** (Noctuidae) Synonym(s): *biparticolor* Hampson,1895 **BT TH Nan Dpk Knc**
- 2530. *Harutaeographa adusta* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *adusta* Hreblay & L.Ronkay,1999 **TH CMA Int Fn Php**
- 2531. *Harutaeographa yangzisherpani* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *yangzisherpani* Hreblay & L.Ronkay,1999 **TH CMA Int Nan Bou VN Ton Lei Fan**
- 2532. *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAU QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMA CDo Cu07 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24** (2007, Cesa Publ. Afr. Lepid. 1: fig.10 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.13 [adult]).
- 2533. *Helicoverpa armigera armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAU QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMA CDo Cu07 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24** (2007, Cesa Publ. Afr. Lepid. 1: fig.10 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.13 [adult]).
- 2534. *Helicoverpa assulta* (Guenée,1852)** (Noctuidae) Synonym(s): *assulta* Guenée,1852; *separata* Walker,1857; *temperata* Walker,1857; *succinea* Moore,1881; *afra* Hardwick,1965. **JP KP KR CN Kgs TW IN Pj Kul BT Bba LK MM TH CMA Phr Utt Nsa Knc MY ID Ja AU WAU NAU QAU NSw WS PF CI ZR ZA NC WS PC NF FJ OW**
- 2535. *Hemipsectra plumipars* Hampson,1891** (Noctuidae) Synonym(s): *plumipars* Hampson,1891; *sasaphila* Sugi,1982 **TH Ntt Hba Nan Dpk IN JP**
- 2536. *Heoeugorna flavicincta* Hampson,1926** (Noctuidae) Synonym(s): *flavicincta* Hampson,1926 **MY Bor Swk TH Ntt Hba**
- 2537. *Heoeugorna ochrovittata* (Pagenstecher,1894)** (Noctuidae) Synonym(s): *ochrovittata* Pagenstecher,1894 **ID Ja TH**
- 2538. *Hepatica* sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2539. *Hermonassa doiinthanon* Owada,1985** (Noctuidae) Synonym(s): *doiinthanon* Owada,1985 **TH CMA Int**
- 2540. *Hermonassa siamensis* Owada,1985** (Noctuidae) Synonym(s): *siamensis* Owada,1985 **TH CMA Int**
- 2541. *Hermonassa sobeyi* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *sobeyi* Hreblay, Peregovits & L.Ronkay,1999 **VN Lei TH CMA**
- 2542. *Hermonassa thailandica* Owada,1985** (Noctuidae) Synonym(s): *thailandica* Owada,1985 **TH CMA Int**
- 2543. *Heterospila fulgurea* Guenée,1852** (Noctuidae) Synonym(s): *fulgurea* Guenée,1852; *decisa* Walker,1865; *simplex* Walker,1865; *monogramma* Hampson,1926 **MY Bor Swk ID Sum Ja TH Nrt Kao LA IN PH**

- 2544. *Heterospila nigripalpis* (Walker,1869)** (Noctuidae) Synonym(s): *nigripalpis* Walker,1869
BD IN TH Knc CMa Int Pgg
- 2545. *Hiaspis closteroides* Walker,[1866]** (Noctuidae) Synonym(s): *closteroides* Walker,[1866] MY
Bor Swk TH Knc
- 2546. *Hiemopolia* (*Pectinipolia*) *distincta* (Hreblay & L.Ronkay,1999)** (Noctuidae)
Synonym(s): *distincta* Hreblay & L.Ronkay,1999 TH CMa Int
- 2547. *Hiemopolia* (s.str.) *csaba* (Hreblay & L.Ronkay,1999)** (Noctuidae) Synonym(s): *csaba*
Hreblay & L.Ronkay,1999 TH CMa Php Fn VN Ton Lci Fan
- 2548. *Hiemopolia* (s.str.) *pua* (Hreblay & L.Ronkay,1999)** (Noctuidae) Synonym(s): *pua*
Hreblay & L.Ronkay,1999 TH Nan Pua CMa Php Fn MAI Nan Dpk
- 2549. *Hiemopolia* (*Thaipolia*) *inversa* (Hreblay & L.Ronkay,1999)** (Noctuidae)
Synonym(s): *inversa* Hreblay & L.Ronkay,1999 TH CMa Php Fn
- 2550. *Hipoepa biasalis* (Walker,[1859])** (Noctuidae) Synonym(s): *biasalis* Walker,[1859]; *lapsalis*
Walker,[1859]; *obenbergeri* Strand,1920 TW TH CMa Dst ID Sum Clb Bor MY LK IN
- 2551. *Hipoepa fractalis* (Guenée,1854)** (Noctuidae) Synonym(s): *fractalis* Guenée,1854; *raptatalis*
Walker,1859; *invenusta* Swinhoe,1890; *#feminina* Strand,1919; *castanea* Rothschild,1920; *plebejus* Rothschild,1920 MM
Rng TH CMa Int NP IN LK ID Sum PH CN JP KP KR SA CM
- 2552. *Homodes bracteigutta* (Walker,1862)** (Noctuidae) Synonym(s): *bracteigutta* Walker,1862;
erizesta Turner,1902; *chalcocosma* Turner,1945 AU QAU Bor Swk MY TH
- 2553. *Homodes crocea* Guenée,1852** (Noctuidae) Synonym(s): *crocea* Guenée,1852 ID Ja Adm IN
MY TH Ntt Hba CMa Fn Php Sum Bor Clb PH
- 2554. *Homodes iomolybda* Meyrick,1889** (Noctuidae) Synonym(s): *iomolybda* Meyrick,1889; *irretita*
Swinhoe,1905; *punctistriga* Bethune_Baker,1906; *molybdosticha* Turner,1945 AU QAU IN Khs Meg Ass PG TH Knc
Pgg
- 2555. *Homodes perilitha* Hampson,1926** (Noctuidae) Synonym(s): *perilitha* Hampson,1926 Bor
MY TH Cph Srt
- 2556. *Hulodes caranea* (Cramer,[1780])** (Noctuidae) Synonym(s): *caranea* Cramer,[1780]; *carenea*
Poole,1989 TH CMa Cuo Cuo7 MY MM IN NP CN TW JP ID Sum Bor Ja Tim Flo Kai PG PH
- 2557. *Hulodes drylla* Guenée,1852** (Noctuidae) Synonym(s): *drylla* Guenée,1852; *saturnioides*
Guenée,1852; *restorans* Walker,1858; *fusifascia* Walker,1869; *donata* Schultze,1907 TH CMa Int IN BD Syl MY MM
VN CN ID Sum Bor Ja PG PH Mno
- 2558. *Hyalobole subtropica* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae)
Synonym(s): *subtropica* Hreblay, Peregovits & L.Ronkay,1999 TH CMa
- 2559. *Hydrillodes abavialis* (Walker,[1859])** (Noctuidae) Synonym(s): *abavialis* Walker,[1859];
#abavalis Kononenko & Pinratana,2005 LK MY Bor TH Nan Dpk VN LA ID Sum CN TW
- 2560. *Hydrillodes hemusalis* (Walker,[1859])** (Noctuidae) Synonym(s): *hemusalis* Walker,[1859];
latifascialis Walker,[1866]; *subbasalis* Moore,1877; *nilgirialis* Hampson,1895 MY Bor ID Clb Sum Adm IN NI TH
Knc Nan Dpk VN NP IN PH TW
- 2561. *Hydrillodes lentalis* Guenée,1854** (Noctuidae) Synonym(s): *lentalis* Guenée,1854; *hemusalis*
Walker,[1859]; *latifascialis* Walker,[1859]; *metisalis* Walker,[1859]; *moloalis* Walker,[1859]; *momusalis* Walker,[1859]; *basalis*
Moore,1867; *submorosa* Strand,1920 ZA Tva Gau Pre IN KR JP TW TH LA VN MM BD LK Adm CN ID Sum
Bor Clb
- 2562. *Hypena* (*Jussalypena*) *laceratalis* Walker,[1859]** (Noctuidae) Synonym(s): *laceratalis*
Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabilie,1880; *acrocompsa* Turner,1932. IN LK MG YE SA OM
IQ Bsr Sk SL CI SD ET KE UG TZ MW MZ ZW BW NA ZA Gau Pre Nta Kzu Dbn Tva CN FJ RE AU NSw
TH Nan Dpk VN ID Sum Bli HK TW
- 2563. *Hypena* (s.str.) *obacerralis* Walker,[1859]** (Noctuidae) Synonym(s): *obacerralis*
Walker,[1859]; *longipalpalis* Guenée,1852; *sordida* Rothschild,1921. SN GA GO Bio GN ML SL CI GH CM CF ZR
ER ET SD UG BI SA YE Sk TZ MW MZ ZM ZW MG ZA Nta Kzu KM IN Adm MM MY AU QAU Bsm RE
LK PG ID Sum TH
- 2564. *Hypena* (s.str.) *strigata* (Fabricius,1798)** (Noctuidae) Synonym(s): *strigatus* Fabricius,1798;
commixtalis Zeller,1852; *fumidalis* Zeller,1852; *jussalis* Walker,[1859]; *rectivittalis* Moore,1867; *beatalis* R.Felder &
Rogenhofer,[1874]; *minna* Butler,1879; *speculalis* Swinhoe,1885; *vecordialis* Swinhoe,1885; *haplochrosta* Hulsart,1924 ZA
Nta Kzu ZR TH VN IN Mh Bba BD CN TW KP KR JP ID Ja Sum Tnm SC
- 2565. *Hypena assimilis* Hampson,1891** (Noctuidae) Synonym(s): *assimilis* Hampson,1891 AF IN NI
TH Ntt Hba LK TW
- 2566. *Hypena cidarioides* Moore,1882** (Noctuidae) Synonym(s): *cidarioides* Moore,1882 IN Khs
Ass Meg TH Knc Nan Dpk
- 2567. *Hypena iconicalis* Walker,[1859]** (Noctuidae) Synonym(s): *iconicalis* Walker,[1859]; *subnotalis*
Walker,[1866]; *sulalis* Walker,[1866]; *similata* Moore,1882; *herpa* Swinhoe,1901; *apicipuncta* Strand,1920; *belindana*
Strand,1920; *chosokeiana* Strand,1922 LK IN MY TH Nan Dpk LA MM CN Adm ID Sum Ja Bli Bor Amb Cib
PG TW PH
- 2568. *Hypena inconspicua* Snellen,1880** (Noctuidae) Synonym(s): *inconspicua* Snellen,1880 ID
Clb TH Nan Dpk

- 2569. *Hypena indicatalis* Walker,[1859]** (Noctuidae) Synonym(s): *indicatalis* Walker,[1859]; *indicatalis* Walker,[1859]; *semiclusalis* Walker,[1866]; *tortuosa* Moore,1882; *persimilis* Hampson,1891; *caliginosa* Wileman,1911 **PK IQ Bor Swk TH CMa CDo MY IN Djl SI Khs Ass Meg NI Ch Snm JP ID Ja Sum TW KP KR**
- 2570. *Hypena labatalis* Walker,[1859]** (Noctuidae) Synonym(s): *labatalis* Walker,[1859] **IN LK TH Nan Dpk CN AU**
- 2571. *Hypena lignealis* Walker,1866** (Noctuidae) Synonym(s): *lignealis* Walker,1866 **LK TH Nan Dpk TW JP**
- 2572. *Hypena longipennis* Walker,1865** (Noctuidae) Synonym(s): *longipennis* Walker,1865 **IN SI Djl TH Nan Dpk**
- 2573. *Hypena obfuscalis* Hampson,1893** (Noctuidae) Synonym(s): *obfuscalis* Hampson,1893 **LK TH Nan Dpk**
- 2574. *Hypena perspicua* Leech,1900** (Noctuidae) Synonym(s): *perspicua* Leech,1900 **CN Mou Ome JP TH CMa Fn Php**
- 2575. *Hypena phecomalis* Swinhoe,1905** (Noctuidae) Synonym(s): *phecomalis* Swinhoe,1905 **IN Ass Meg Khs TH Nan Dpk**
- 2576. *Hypena quadralis* (Walker,[1859])** (Noctuidae) Synonym(s): *quadralis* Walker,[1859]; *mollis* Swinhoe,1891 **IN Ass Meg Khs AF TH CMa Dst Dso7 Nan Dpk MY LA KH VN NP Adm CN ID Sum Bor Nk PH**
- 2577. *Hypena robustalis* Snellen,1880** (Noctuidae) Synonym(s): *robustalis* Snellen,1880; *allochroalis* Tams,1924 **TH Bnk VN ID Sum Clb PG FJ TW**
- 2578. *Hypena sagitta* (Fabricius,1775)** (Noctuidae) Synonym(s): *sagitta* Fabricius,1775; *orosia* Cramer,1780 **PK IN TH Cbu VN CN TW KP KR JP**
- 2579. *Hypena sinuosa* Wileman,1911** (Noctuidae) Synonym(s): *sinuosa* Wileman,1911 **TH CMa Int TW JP**
- 2580. *Hypena* sp.1** (Noctuidae) Synonym(s): **TH Nan Dpk CMa CDo CD2**
- 2581. *Hypena* sp.2** (Noctuidae) Synonym(s): **TH CMa Fn Php**
- 2582. *Hypena* sp.3** (Noctuidae) Synonym(s): **TH Knc**
- 2583. *Hypena* sp.4** (Noctuidae) Synonym(s): **TH CMa Dst**
- 2584. *Hypena* sp.5** (Noctuidae) Synonym(s): **TH Nan Dpk**
- 2585. *Hypena strigifascia* Moore,1882** (Noctuidae) Synonym(s): *strigifascia* Moore,1882 **IN SI Djl NP TH Nan Dpk**
- 2586. *Hypena trigonalis* (Guenée,1854)** (Noctuidae) Synonym(s): *trigonalis* Guenée,1854; *sextalis* Walker,[1859] **IN CN TH CMa Int LA VN PK TW KP KR JP**
- 2587. *Hypena umbripennis* Moore,1882** (Noctuidae) Synonym(s): *umbripennis* Moore,1882 **IN Ass Meg Khs TH Nan Dpk**
- 2588. *Hyperlopha cristifera* (Walker,1865)** (Noctuidae) Synonym(s): *cristifera* Walker,1865; *epops* R.Felder & Rogenhofer,1874; *irrorata* Hampson,1893 **LK IN TH Ntt Hba VN KH TW ID Sum Bor Clb MY WS FJ NH NC**
- 2589. *Hyperlopha* sp. aff. *flavipennis* Holloway,1976** (Noctuidae) Synonym(s): *flavipennis* Holloway,1976 **TH MY**
- 2590. *Hypersynpoides ochreicilia* (Hampson,1891)** (Noctuidae) Synonym(s): *ochreicilia* Hampson,1891 **IN NI TH CMa Php CDo MAI Nan Dpk ID Sum Bli PH**
- 2591. *Hypersynpoides punctosa* (Walker,1865)** (Noctuidae) Synonym(s): *punctosa* Walker,1865; *albigistigma* Leech,1900; *ochreimarginalis* Strand,1919 **TH Nan Dpk CMa Dst CN Sz VN IN TW PH Luz**
- 2592. *Hypersynpoides umbrosa* (Butler,1881)** (Noctuidae) Synonym(s): *umbrosa* Butler,1881 **IN Ass Slo TH CMa Php NP CN TW**
- 2593. *Hypocala andamana* Wileman,1924** (Noctuidae) Synonym(s): *lativitta* Moore,1877 *nec* Wlk.,1865; *andamana* Wileman,1924 **TH Cbi Phr Nrt Knc Sbu IN Adm PG**
- 2594. *Hypocala biarcuata* Walker,1858** (Noctuidae) Synonym(s): *biarcuata* Walker,1858 **IN TH CMa Int MY TW JP ID Clb Sbw PG**
- 2595. *Hypocala deflorata* (Fabricius,1794)** (Noctuidae) Synonym(s): *deflorata* Fabricius,1794; *australasiae* Butler,1892; *moorei* Butler,1892. **ZA Lpo Tva Spb Mdk WS FJ AU LK IN NI TH CMa Int CDo VN NP ID CN TW JP KP KR RU Us NZ Hw MG ET ET24**
- 2596. *Hypocala guttiventris* Walker,1858** (Noctuidae) Synonym(s): *guttiventris* Walker,1858; *lativitta* Walker,1865; *triphaenina* R.Felder & Rogenhofer,1874 **WS AU QAU TH MY LA VN IN LK TW PH ID Sum Bor Ja Clb Tim Flo**
- 2597. *Hypocala rostrata* (Fabricius,1794)** (Noctuidae) Synonym(s): *rostrata* Fabricius,1794; *angulipalpis* Guenée,1852; *efflorescens* Guenée,1852; *plumicornis* Guenée,1852; *genuina* Wallengren,1856; *bohemani* Wallengren,1856. **ZA Nta Kzu Est Dbn ZW Har BW Nga YE? TH Phu CMa Cuo Cuo5 Int CDo VN IN NP PK AF CN TW JP KP KR PH ID (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.4 [adult]).**
- 2598. *Hypocala subsatura* Guenée,1852** (Noctuidae) Synonym(s): *subsatura* Guenée,1852; *aspersa* Butler,1883; *limbata* Butler,1889; *tungusa* Graeser,1890 **RU Am Us IN BD Syl Hp Drm TH CMa Dst Int CDo MY VN NP PK ID Ja Bor CN TW JP KP KR (Fig.24)**




Fig.24 - *Hypocala subsatura* (Noctuidae) at night, Thailand Chiang Dao 465m 12 11 2006, M.Kemal (Cesa)

- 2599. *Hypocala violacea* Butler,1879** (Noctuidae) Synonym(s): *violacea* Butler,1879; *clarissima* Butler,1892; *kebaea* Bethune-Baker,1906 **IN LK PG TH Knc CMa Cu07 Int MY VN NP ID Tim Flo PH TW JP KP KR**
- 2600. *Hypopyra fenisea* Guenée,1852** (Noctuidae) Synonym(s): *fenisea* Guenée,1852 **TH Agk CMa VN NP CN**
- 2601. *Hypopyra ossigera* Guenée,1852** (Noctuidae) Synonym(s): *ossigera* Guenée,1852 **TH Pgg CMa Int MY VN IN TW ID Sum Bor Clb**
- 2602. *Hypopyra pudens* (Walker,1858)** (Noctuidae) Synonym(s): *pudens* Walker,1858; *grandaeva* R.Felder & Rogenhofer,1874; *persimilis* Moore,1877 **In Adm MY TH CMa Int VN ID Sum Bor TW**
- 2603. *Hypopyra vespertilio* (Fabricius,1787)** (Noctuidae) Synonym(s): *vespertilio* Fabricius,1787; *shiva* Guenée,1852; *extricans* Walker,1858; *hypopyroides* Walker,1858; *hypopyroides* Walker,1869 *nec* Wlk.,1858; *signata* Walker,1869; *dulcina* R.Felder & Rogenhofer,1874; *pandia* R.Felder & Rogenhofer,1874; *distans* Moore,1882; *pallida* Moore,1883 **LK IN Bba CN JP TH Bnk Nrt CMa CDo MY KH VN NP Adm TW KP KR ID Ja Bor Sum PH**
- 2604. *Hyposemansis albipuncta* (Wileman,1914)** (Noctuidae) Synonym(s): *albipuncta* Wileman,1914 **TH Nan Dpk TW NP CN KP KR**
- 2605. *Hyposemansis singha* (Guenée,1852)** (Noctuidae) Synonym(s): *singha* Guenée,1852; *amynoides* Moore,1882; *subornata* Wileman,1914 **TH Nrt Kao MM IN Clc NP BD Syl ID Sum Bor MY TW JP**
- 2606. *Hypospila bolinoides* Guenée,1852** (Noctuidae) Synonym(s): *bolinoides* Guenée,1852; *signipalpis* Walker,1858; *thermesiana* Guenée,1862; *concisa* Walker,1865; *orientalis* Leech,1900; *andamana* Swinhoe,1919; *dochmotoma* Turner,1939 **AU QAU KP KR JP CN TW ID Mlc Crm Adm Nk Ja IN RE NP KH VN TH CMa CDo Pki Fn Php**
- 2607. *Idia fulvipicta* (Butler,1889)** (Noctuidae) Synonym(s): *fulvipicta* Butler,1889; *modesta* Swinhoe,1890 **MM Rgo TH Nan IN Hp Drm JP TW**
- 2608. *Iontha umbrina* Doubleday,1842** (Noctuidae) Synonym(s): *umbrina* Doubleday,1842 **TH Nrt Kao CMa Int MY LA VN CN IN BD Syl ID Bor Sum Ja Clb Sda**
- 2609. *Ischyja ferrifracta* (Walker,[1863])** (Noctuidae) Synonym(s): *ferrifracta* Walker,[1863]; *schlegeli* Snellen,1884; *glaucoperteron* Hampson,1891 **IN NI Bor Swk MY TH Rng ID Ja MM LK TW JP PH**

- 2610. Ischyja hagenii (Snellen,1885)** (Noctuidae) Synonym(s): *hagenii* Snellen,1885 **ID Sum Lb Ja Bor TH Tng PH Pal**
- 2611. Ischyja hemiphaea (Hampson,1926)** (Noctuidae) Synonym(s): *hemiphaea* Hampson,1926 **MY SG TH CMa Cuo Cuo1 Nrt Kao Bor**
- 2612. Ischyja inferna Swinhoe,1902** (Noctuidae) Synonym(s): *inferna* Swinhoe,1902; *achysis* A.E.Prout,1928 **Bor Sbh KBa MY TH Tng CMa Int ID Sum IN**
- 2613. Ischyja manlia (Cramer,1776)** (Noctuidae) Synonym(s): *manlia* Cramer,1776; *squalida* Fabricius,1787; *amboinensis* C.Felder,1862 **IN Amb ID TH Nrt Kao CMa Int Phr Knc Pkk Nna Bnk Cbi Tng MY KH VN NP IN CN LK TW JP Sum Bor Ja Tim Flo Clb Mlc Crm PH**
- 2614. Ischyja marapok Holloway,2005** (Noctuidae) Synonym(s): *marapok* Holloway,2005 **MY TH Knc Bor Sbh BN IN Adm PH**
- 2615. Isolasia caovansungi Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *caovansungi* Hreblay, Peregovits & L.Ronkay,1999 **VN Lci TH CMa**
- 2616. Isolasia chlorata Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *chlorata* Hreblay & L.Ronkay,1999 **TH CMa Php Fn Int**
- 2617. Isolasia jacktordoffi Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *jacktordoffi* Hreblay, Peregovits & L.Ronkay,1999 **VN Lci TH CMa**
- 2618. Itmaharela basalis (Moore,1882)** (Noctuidae) Synonym(s): *basalis* Moore,1882 **IN Ass TH Nan Dpk VN NP CN TW KP KR**
- 2619. Kisegira ebria Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *ebria* Hreblay & L.Ronkay,1999 **TH CMa Kob Php Fn Int Sop Nan Pua**
- 2620. Kisegira nani Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *nani* Hreblay & L.Ronkay,1999 **TH Nan Pua**
- 2621. Kisegira pallida Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *pallida* Hreblay & L.Ronkay,1999 **TH CMa Pap Nan Pua Int Sop MAI Wia Php Fn Mae Pai**
- 2622. Kisegira penicillata Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *penicillata* Hreblay & L.Ronkay,1999 **TH CMa MAI Pap Nan Pua Kob Php Fn VN**
- 2623. Kisegira regina Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *regina* Hreblay & L.Ronkay,1999 **TH Nan Bnl Pua CMa Pap Wia Php Fn Mae Pai**
- 2624. Kobestelia rosea Holloway,1985** (Noctuidae) Synonym(s): *rosea* Holloway,1985 **Bor BN MY TH Ntt Hba ID Sum**
- 2625. Lacera noctilio (Fabricius,1794)** (Noctuidae) Synonym(s): *noctilio* Fabricius,1794; *capella* Guenée,1852 **ID Ja Tim Flo Sbw Clb IN LK TH Knc CMa Dst MY LA VN TW JP PG FJ TO SB NH NC GM WS**
- 2626. Lacera procellosa Butler,1879** (Noctuidae) Synonym(s): *procellosa* Butler,1879 **JP TH CMa Dst VN KH NP IN ID Bor Sum PG Tnm Sbw PH CN TW KP KR**
- 2627. Leucania erecta Hreblay,1999** (Noctuidae) Synonym(s): *erecta* Hreblay,1999 **TH CMa Fn**
- 2628. Leucania nigristriga Hreblay & Legrain & Yoshimatsu,1998** (Noctuidae) Synonym(s): *nigristriga* Hreblay & Legrain & Yoshimatsu,1998 **TH Nan Bou Pua CMa Sop Kop Php Fn Nor Dst IN Ass Meg Khs VN Ton Tda**
- 2629. Leucania yu Guenée,1852** (Noctuidae) Synonym(s): *yu* Guenée,1852; *exempta* Walker,1857; *costalis* Moore,1877 **NP IN TH Nan CMa Cuo Cuo6 CDo CD2 MY ID Sum PH Mno Luz Neg**
- 2630. Leucopardus semiflavum (Kishida,1997)** (Noctuidae) Synonym(s): *semiflavum* Kishida,1997 **TH MM Tns**
- 2631. Leucopardus stueningi Zolotuhin,2000** (Noctuidae) Synonym(s): *stueningi* Zolotuhin,2000 **TH Nan**
- 2632. Lignicida grisechana Holloway,2005** (Noctuidae) Synonym(s): *grisechana* Holloway,2005 **TH MY Bor BN Swk SG ID Sum**
- 2633. Lineopalpa horsfieldi Guenée,1852** (Noctuidae) Synonym(s): *horsfieldi* Guenée,1852; *strigocrenulata* Bethune-Baker,1906; *varians* Moore,1867 **PG IN BD NP BT TH CMa Int Fn Php ID Sum Ja Bor Crm PH Luz**
- 2634. Lithosiopsis sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2635. Loboplusia vanderweelei Roepke,1941** (Noctuidae) Synonym(s): *vanderweelei* Roepke,1941; *pokhara* Dufay,1973 **NP ID Ja Sum TH Nan CMa Php MM IN**
- 2636. Longicella mollis (Walker,1856)** (Noctuidae) Synonym(s): *mollis* Walker,1856; *decipiens* Butler,1884 **MY Pen TH Knc ID Nia Sum Bor**
- 2637. Lopharthrum comprimens (Walker,1858)** (Noctuidae) Synonym(s): *comprimens* Walker,1858; *cluysenaeri* Heylaerts,1888 **ID Sum BD Syl TH Knc CMa Dst Dso7 Cnz Mth Cnz Cz11 CDo LA VN IN CN PG PH**
- 2638. Lophoptera acuda (Swinhoe,1906)** (Noctuidae) Synonym(s): *acuda* Swinhoe,1906; *hyalophaea* De Joannis,1928 **ID Sum VN Ton TH Ntt Hba MM MY Bor JP**
- 2639. Lophoptera apirtha Swinhoe,1900** (Noctuidae) Synonym(s): *chalybea* Butler,1883 *nec* Wlk.; *apirtha* Swinhoe,1900; *plumbeola* Hampson,1912 **TH CMa CDo**

- 2640. *Lophoptera ferrinalis* (Walker,1863)** (Noctuidae) Synonym(s): *ferrinalis* Walker,1863 **MY**
Bor Swk TH Ntt Hba MY ID Sum
- 2641. *Lophoptera hemithyris* (Hampson,1905)** (Noctuidae) Synonym(s): *hemithyris* Hampson,1905
ID Clb Kai PG NH NC FJ TH Knc MY VN LK TW Sum Bor AU
- 2642. *Lophoptera huma* (Swinhoe,1903)** (Noctuidae) Synonym(s): *huma* Swinhoe,1903 **TH MY**
VN Bor ID Clb Crm PG
- 2643. *Lophoptera hypenistis* (Hampson,1905)** (Noctuidae) Synonym(s): *hypenistis* Hampson,1905
MM TH CMa Dst VN LA KH
- 2644. *Lophoptera illucida* (Walker,1865)** (Noctuidae) Synonym(s): *illucida* Walker,1865; *abortiva* Herrich-Schaffer,[1869] **IN BD TH Ntt Hba CMa CDo MY LA VN MM LA Bor Sum NP PH TW AU**
- 2645. *Lophoptera longipennis* (Moore,1882)** (Noctuidae) Synonym(s): *longipennis* Moore,1882
IN SI Djl TH Ntt Hba CMa CDo VN NP IN CN TW ID Sum Bor Ja
- 2646. *Lophoptera olivascens* (Moore,1882)** (Noctuidae) Synonym(s): *olivascens* Moore,1882 **IN**
Ass Meg Khs TH Knc VN MM NP IN Bor PH
- 2647. *Lophoptera purpurascens* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *purpurascens* Bethune-Baker,1906; *occidentalis* Holloway,1985 **MY Bor Swk TH Ntt Hba ID Sum PG Clb SB Bsm**
- 2648. *Lophoptera purpuridis* Holloway,1985** (Noctuidae) Synonym(s): *purpuridis* Holloway,1985
TH Ntt Hba Bor Swk
- 2649. *Lophoptera quadrinotata* (Walker,1864)** (Noctuidae) Synonym(s): *quadrinotata* Walker,1864; *aequilinea* Walker,1864 **MY Bor Swk TH CMa Dst MY IN ID Ja**
- 2650. *Lophoptera squammigera* Guenée,1852** (Noctuidae) Synonym(s): *squammigera* Guenée,1852; *costata* Moore,[1885] **IN ID Clb Mlc PH AU QAU NSw PG Bsm SB NH NC LO TH CMa Int MM LA VN NP LK PK CN KR TW JP PH Sum Bli Ja Cib Tim Mlc Bsm**
- 2651. *Lophoptera tripartita* (Swinhoe,1902)** (Noctuidae) Synonym(s): *tripartita* Swinhoe,1902
MY Prk Bor TH Knc ID Sum Ja Clb Sda Bru PG
- 2652. *Loxioda similis* (Moore,1882)** (Noctuidae) Synonym(s): *similis* Moore,1882; *ochreifascia* Hampson,1891; *lutealis* Snellen,1894 **IN NI SI Djl ID Ja TH Nan Dpk CN**
- 2653. *Lycimna polymesata* Walker,1860** (Noctuidae) Synonym(s): *polymesata* Walker,1860 **BD**
Syl TH CMa Fn Php MM LA CN NP IN
- 2654. *Lygephila dorsigera* (Walker,1865)** (Noctuidae) Synonym(s): *dorsigera* Walker,1865; *cucullata* Moore,1882; *orientalis* Butler,1886 **AF PK Mre LK IN NP TH Nan**
- 2655. *Lygniodes ciliata* (Moore,1867)** (Noctuidae) Synonym(s): *ciliata* Moore,1867; *fuscescens* Leech,1900
TH Knc CMa Dst VN IN BD CN ID Sum
- 2656. *Lygniodes endoleucus* (Guérin-Ménéville,[1844])** (Noctuidae) Synonym(s): *endoleucus* Guérin-Ménéville,[1844] **TH Rng Nrt Kao MY MM IN CN ID Ja Sum Clb**
- 2657. *Lygniodes hypoleuca* Guenée,1852** (Noctuidae) Synonym(s): *hypoleuca* Guenée,1852 **TH**
CMa Cmz Cz10 Nan Dpk Knc KH VN NP IN BD Syl CN TW
- 2658. *Lygniodes vampyrus* (Fabricius,1794)** (Noctuidae) Synonym(s): *vampyrus* Fabricius,1794; *reducens* Walker,[1858]; *disparans* Walker,1858; *e-antiqua* Hampson,1891 **LK IN NI TH CMa CDo**
- 2659. *Lysimelia* sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2660. *Macaldenia palumba* (Guenée,1852)** (Noctuidae) Synonym(s): *palumba* Guenée,1852; *colligens* Walker,1865 **TH CMa Int MY MM VN IN NP CN TW PH ID Sum Ja Bor Clb AU**
- 2661. *Macdunnoughia* (Purplusia) *tetragona* (Walker,1857)** (Noctuidae) Synonym(s): *tetragona* Walker,1857; *zayuensis* Chou & Lu,1982 **IN CN Ti TH CMa Php Mae Pai Agk VN NP TW**
- 2662. *Malagonia acypera* (Hampson,1902)** (Noctuidae) Synonym(s): *acypera* Hampson,1902 **IN**
Ass TH Nan Dpk
- 2663. *Maliattha phaeozona* (Hampson,1910)** (Noctuidae) Synonym(s): *signifera* Hampson,1900 *nec* Wlk.; *phaeozona* Hampson,1910 **CX TH CMa Cuo** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.8 [adult]).
- 2664. *Maliattha separata* Walker,1863** (Noctuidae) Synonym(s): *separata* Walker,1863; *renalis* Moore,1882 **TH CMa MY Bor Swk IN Clc Hp Drm**
- 2665. *Manoba suffusata* (Wileman & West,1929)** (Noctuidae) Synonym(s): *suffusata* Wileman & West,1929 **TW MY Bor Sbh VN MM TH ID Sum**
- 2666. *Marapana pulverata* (Guenée,1852)** (Noctuidae) Synonym(s): *pulverata* Guenée,1852; *raralis* Walker,[1859]; *truncatalis* Walker,[1866] **IN LK ID Ja TH CMa Int VN MM CN MY Clb PG**
- 2667. *Marcillada rubricosa* Walker,1865** (Noctuidae) Synonym(s): *rubricosa* Walker,1865; *hepatica* Moore,1882 **KH IN SI Djl TH CMa Fn Php**
- 2668. *Masca abactalis* Walker,[1859]** (Noctuidae) Synonym(s): *abactalis* Walker,[1859]; *leucogastralis* Walker,[1866]; *platypoda* R.Felder & Rogenhofer,1874 **SG MY TH Knc ID Sum Ja Amb Tim Flo Clb Mlc Crm Wg Ij PG PH JP MM VN**
- 2669. *Maurilia iconica* (Walker,1857)** (Noctuidae) Synonym(s): *iconica* Walker,1857; *cervina* Walker,1866; *instabilis* Butler,1889; *bifascia* Gaede,1915; *tunicata* Swinhoe,1918; *undaira* Swinhoe,1918; *fortis* Swinhoe,1918; *dalama* Swinhoe,1919; *gilva* Swinhoe,1919; *elima* Swinhoe,1919; *iconicoides* Gaede,1938; *subiconica* Kobes,1997 **WS PG AU**
MY Bor BN LK IN MM TO NC TH CMa CDo ID Sum Crm

2670. **Mecistoptera sp.** (Noctuidae) Synonym(s): **TH Knc**
2671. **Mecodina albodentata (Swinhoe,1895)** (Noctuidae) Synonym(s): *albodentata Swinhoe,1895*
IN Khs Ass Meg TH Knc Nrt Kao MY VN NP ID Clb PH CN TW JP
2672. **Mecodina cyanodonta Hampson,1902** (Noctuidae) Synonym(s): *cyanodonta Hampson,1902*
IN Ass Meg Khs TH CMA Fn Php
2673. **Mecodina hybrida A.E.Prout,1926** (Noctuidae) Synonym(s): *hybrida A.E.Prout,1926* **MY Bor TH Ntt Hba**
2674. **Mecodina odontophora (Swinhoe,1895)** (Noctuidae) Synonym(s): *odontophora Swinhoe,1895*
IN TH Cbi Nrt Kao KH PH
2675. **Mecodina poaphiloides Walker,1864** (Noctuidae) Synonym(s): *poaphiloides Walker,1864*
MY Bor TH Cbi
2676. **Mecodina praecipua (Walker,1865)** (Noctuidae) Synonym(s): *praecipua Walker,1865; nara R.Felder & Rogenhofer,1874; amboinica Pagenstecher,1884* **IN LK ID Amb Ja Tim Ij TH Cbi Nrt Kao PG PH JP**
2677. **Mecodina sp.** (Noctuidae) Synonym(s): **TH**
2678. **Mecodina subcostalis (Walker,1865)** (Noctuidae) Synonym(s): *subcostalis Walker,1865* **CN TH Nrt Kao NP IN TW KP KR**
2679. **Meganola ascripta (Hampson,1894)** (Noctuidae) Synonym(s): *ascripta Hampson,1894* **IN Ker Ass Nag TH CMA Kob Nan Bou Pua VN Far TW MY Bor**
2680. **Meganola calligrapha Laszlo, G.Ronkay & Witt,2005** (Noctuidae) Synonym(s): *calligrapha Laszlo, G.Ronkay & Witt,2005* **NP TH CMA Sop CDo Nan Bou Mae Pai Fn Php TW MY Bor Swk**
2681. **Meganola cuneifera (Walker,1862)** (Noctuidae) Synonym(s): *cuneifera Walker,1862; ruficostata Hampson,1896* **MY Bor Swk Sbh IN SI VN TH CMA CDo Nan Bou**
2682. **Meganola implicata Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *implicata Laszlo, G.Ronkay & Witt,2007* **TH Mae Nan Pua CMA Fn Int Sop**
2683. **Meganola ruficostata (Hampson,1896)** (Noctuidae) Synonym(s): *ruficostata Hampson,1896*
BT NP TH CMA CDo
2684. **Meganola scripta (Moore,1888)** (Noctuidae) Synonym(s): *scripta Moore,1888* **IN Hp Drm PK Ch Mre NP TH CMA Kob Fn Nan Pua VN Fan Ton CN**
2685. **Meganola scriptoides Holloway,2003** (Noctuidae) Synonym(s): *scriptoides Holloway,2003*
MY Bor Swk TH CMA Nan Pua Bou Pfa
2686. **Meganola subnitida Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *subnitida Laszlo, G.Ronkay & Witt,2007* **TH CMA CDo Nan MY**
2687. **Metaphoenia plagifera (Walker,1864)** (Noctuidae) Synonym(s): *plagifera Walker,1864* **MY Bor Swk TH Nan Dpk VN ID TW**
2688. **Miaromima pangolina (Holloway,1982)** (Noctuidae) Synonym(s): *pangolina Holloway,1982*
MY Bor Swk ID Sum Clb Bru IN Adm? TH CMA Cmz Cz10
2689. **Mimeugoa bifasciata (Hampson,1894)** (Noctuidae) Synonym(s): *bifasciata Hampson,1894; edentifascia Hampson,1895* **SI IN Hp Sml PK Mre TH LA**
2690. **Mimeusemia accurata (Swinhoe,1890)** (Noctuidae) Synonym(s): *accurata Swinhoe,1890*
MM TH Knc
2691. **Mimeusemia amanda Kishida,1993** (Noctuidae) Synonym(s): *amanda Kishida,1993* **TH**
2692. **Mimeusemia basalis (Walker,1854)** (Noctuidae) Synonym(s): *basalis Walker,1854; #siccima Strand,1912* **TH Knc LA MM IN SI NP BD**
2693. **Mimeusemia postica (Walker,1862)** (Noctuidae) Synonym(s): *postica Walker,1862; tara Swinhoe,1892* **MY Bor Swk SG TH Nrt Kao VN ID Sum PH Neg Ley**
2694. **Mixomelia sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
2695. **Mniotype inthanoni Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *inthanoni Hreblay & L.Ronkay,1999* **TH CMA Int**
2696. **Mniotype mucronata (Moore,1882)** (Noctuidae) Synonym(s): *mucronata Moore,1882* **NP TH CMA Php Fn**
2697. **Mocis frugalis (Fabricius,1775)** (Noctuidae) Synonym(s): *frugalis Fabricius,1775; lycopodia Geyer,1837; translata Walker,1865.* **PC NC ZA Nta Kzu Dbn NG ZR MG ET ET24 YE Ad IN LK MM TW Bor Ja ID AU WS FJ TO EL NH PG MY TH CMA Dst Cmz Cuo Cuo1 LA KH PK PH (Fig.25)**
2698. **Mocis undata (Fabricius,1775)** (Noctuidae) Synonym(s): *undata Fabricius,1775; archesia Cramer,1780; vibria Cramer,1780; gregalis Guenée,1852; velata Walker,[1863]; bifasciata Walker,1865.* **SL CM ZR KE ZW Har MU RU Sb Us CN TW JP IN LK MM Adm Nk ID Ja Bor Swk Sda Sum Tim Flo Sbw PG PC ZA Nta Kzu Dbn TH CMA Cuo Cuo1 Knc Rng KH VN NP PH (Fig.26)**



Fig.25 – *Mocis frugalis* (Noctuidae) at night, Thailand Chiang Mai 360m 24 11 2006, M.Kemal (Cesa)



Fig.26 – *Mocis undata* (Noctuidae) at night, Thailand Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

- 2699. Moma burmana (Berio,1973)** (Noctuidae) Synonym(s): *burmana* Berio,1973 **MM Kch Kam TH Cma Php**
- 2700. Mosopia eudoxusalis (Walker,[1858])** (Noctuidae) Synonym(s): *eudoxusalis* Walker,[1858]; *assiusalis* Walker,[1859] **MY Swk MY TH Cma Dst ID Sum**
- 2701. Mosopia sp.1** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2702. Mosopia sp.2** (Noctuidae) Synonym(s): **TH Pgg**
- 2703. Mudaria luteiprosa Holloway** (Noctuidae) Synonym(s): **TH Ray Cbi Yal**
- 2704. Mudaria major W.Warren** (Noctuidae) Synonym(s): **TH Cma CDo**
- 2705. Mudaria variabilis Roepke,1916** (Noctuidae) Synonym(s): *variabilis* Roepke,1916 **ID Ja TH Ubo**
- 2706. Mythimna (Aletia) fraterna (Moore,1888)** (Noctuidae) Synonym(s): *fraterna* Moore,1888 **IN Up Bhi Hp Kgr TH**
- 2707. Mythimna (Aletia) lineatissima (W.Warren,1912)** (Noctuidae) Synonym(s): *lineatissima* W.Warren,1912 **TH Cma**
- 2708. Mythimna (Aletia) obscura (Moore,1882)** (Noctuidae) Synonym(s): *rudis* Moore,1881; *obscura* Moore,1882; ? *corrugata* Hampson,1894; *nepos* Leech,1900; ? *undina* Draudt,1950 **IN SI Dj Up Bhi Nnt Kil Mhh TH**
- 2709. Mythimna (Hyphilare) argentea Yoshimatsu,1994** (Noctuidae) Synonym(s): *fasciata* Leech,1889 nec *Mre.*,1881; *argentea* Yoshimatsu,1994 **CN Tkg VN TH Cma Fn Php**
- 2710. Mythimna (Hyphilare) consimilis (Moore,1882)** (Noctuidae) Synonym(s): *consimilis* Moore,1882; *lineatissima* W.Warren,1912 **TH Cma Fn Php Kob**
- 2711. Mythimna (Hyphilare) dharma (Moore,1881)** (Noctuidae) Synonym(s): *dharma* Moore,1881 **IN SI DjL TH Cma Fn Php MAL Sop Kop Mae Pai Nan Pua Bou VN Lci Ton Fan ID Sum**
- 2712. Mythimna (Hyphilare) ignifera Hreblay,1998** (Noctuidae) Synonym(s): *ignifera* Hreblay,1998 **TH Cma Php Fn Nan Pua Kob Nor IN Meg Ass Khs VN Ton Lci**
- 2713. Mythimna (Hyphilare) ignita (Hampson,1905)** (Noctuidae) Synonym(s): *ignita* Hampson,1905 **IN Ass Meg Khs IN Hp VN Ton TH Cma Kob Nor Fn Php Nan Pua Agk**
- 2714. Mythimna (Hyphilare) ignorata Hreblay & Yoshimatsu,1998** (Noctuidae) Synonym(s): *ignorata* Hreblay & Yoshimatsu,1998 **TH Cma Php Fn Nan Pua Bou CN Kwa**
- 2715. Mythimna (Hyphilare) ignota Hreblay,1998** (Noctuidae) Synonym(s): *ignota* Hreblay,1998 **TH Cma Php Fn**
- 2716. Mythimna (Hyphilare) manopi Hreblay,1998** (Noctuidae) Synonym(s): *manopi* Hreblay,1998 **TH Cma Php Fn Mae Nan Bou Pua Sop Kob Wia Nor NP**
- 2717. Mythimna (Hyphilare) moorei (Swinhoe,1902)** (Noctuidae) Synonym(s): *moorei* Swinhoe,1902 **PK Kag NP TH Cma Phu ID Sum**
- 2718. Mythimna (Hyphilare) nepos (Leech,1900)** (Noctuidae) Synonym(s): *nepos* Leech,1900; *major* Draudt,1950; *pseudaleitana* Berio,1973 **TH**
- 2719. Mythimna (Hyphilare) obscurographa Hreblay,1999** (Noctuidae) Synonym(s): *obscurographa* Hreblay,1999 **TH Cma Kob Php Fn Nor**
- 2720. Mythimna (Hyphilare) reversa (Moore,1884)** (Noctuidae) Synonym(s): *reversa* Moore,1884 **IN Hp Sml TH VN ID Sum Ij PH Luz Mno Neg Ceb PG AU QAU**
- 2721. Mythimna (Hyphilare) siamensis Hreblay,1998** (Noctuidae) Synonym(s): *siamensis* Hreblay,1998 **TH Cma Fn Php Phu VN Ton Lci Fan**
- 2722. Mythimna (Hyphilare) simplex (Leech,1889)** (Noctuidae) Synonym(s): *simplex* Leech,1889 **JP CN TH Cma Wia Nan Bou Pua ID Sum TW IN NI NP PH Mno Luz PG**
- 2723. Mythimna (Hyphilare) tricorna Hreblay, Legrain & Yoshimatsu,1998** (Noctuidae) Synonym(s): *tricorna* Hreblay, Legrain & Yoshimatsu,1998 **MM TH Nan Cma Fn Php Kob Sop MAL Bou Smn Pua Dpk Agk IN Meg Khs Ass Nag ID Ja Sum PH Luz VN Ton Lci HK**
- 2724. Mythimna (Morphopoliana) thailandica Hreblay,1998** (Noctuidae) Synonym(s): *thailandica* Hreblay,1998 **TH Cma Sop Kop Php Fn MAL Nan Pua**
- 2725. Mythimna (s.str.) albomarginata (Wileman & South,1920)** (Noctuidae) Synonym(s): *albomarginata* Wileman & South,1920 **PH Luz ID Sum TH Cma Fn Php Nan Pua NP TW**
- 2726. Mythimna (s.str.) aurotrigoni Hreblay,1998** (Noctuidae) Synonym(s): *aurotrigoni* Hreblay,1998 **TH Cma Fn Php Kob**
- 2727. Mythimna (s.str.) bicolorata (Plante,1992)** (Noctuidae) Synonym(s): *bicolorata* Plante,1992 **TH Cma Php Fn Kob Nor Nan Pua CN Kwa**
- 2728. Mythimna (s.str.) Chiangmai Hreblay & Yoshimatsu,1998** (Noctuidae) Synonym(s): *Chiangmai* Hreblay & Yoshimatsu,1998 **TH Cma Mae Sop Kob Php Fn Nor Nan Pua MAL Dst Bkm Pki VN**
- 2729. Mythimna (s.str.) decisissima (Walker,1865)** (Noctuidae) Synonym(s): *decisissima* Walker,1865 **TH**
- 2730. Mythimna (s.str.) legraini (Plante,1992)** (Noctuidae) Synonym(s): *legraini* Plante,1992 **TH Cma Fn Php VN Lci Fan Ton**

2731. **Mythimna (s.str.) suavina Hreblay,1998** (Noctuidae) Synonym(s): *suavina* Hreblay,1998
MM TH CMa Fn Php
2732. **Nacna prasinaria (Walker,1865)** (Noctuidae) Synonym(s): *prasinaria* Walker,1865 IN SI DjI
NP CN TH VN
2733. **Nacna splendens (Moore,1888)** (Noctuidae) Synonym(s): *splendens* Moore,1888 IN Hp Drm
Up Nnt Bhi NP TH Knc CMa CDo Pki Dst Dso8 VN CN TW (2007, Cent. ent. Stud., Memoirs 3/4:
pl.46 fig.8 [adult]).
2734. **Naganoella timandra (Alpheraky,1897)** (Noctuidae) Synonym(s): *timandra* Alpheraky,1897;
pvilcherina Nagano,1918 JP KP KR CN RU Us TH CMa Dst
2735. **Nagia godfreyi Tams,1924** (Noctuidae) Synonym(s): *godfreyi* Tams,1924 TH CMa Int
2736. **Nagia linteola (Guenée,1852)** (Noctuidae) Synonym(s): *lineteola* Guenée,1852; *pilipes* Guenée,1852;
syba Guenée,1852; *ecclesiastica* Butler,1874; *leucocelis* Mabilie,1879; *accolytis* Hampson,1926; *hieratica* Hampson,1926;
monastica Hampson,1926; *proseltytis* Hampson,1926; *magaruna* De Joannis,1932; *homotica* Tams,1935 ZA WS MU PG
TO MG AU ET MH CC TH CMa Dst Mth MM VN IN NP LK ID Bor YE RE
2737. **Nanaguna breviscula Walker,1863** (Noctuidae) Synonym(s): *breviscula* Walker,1863; *valida*
Walker,1863; *rudis* Walker,1864; *xyloglypta* Lucas,1890; *nigridisca* Hampson,1891; *floccifera* Hampson,1894 TH CMa
CDo MY Bor Swk AU QAU IN NI Nag Ass MM Tns
2738. **Narangodes haemorrhanta Hampson,1910** (Noctuidae) Synonym(s): *haemorrhanta*
Hampson,1910 TH CMa CDo Pki (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.7 [adult]).
2739. **Negritothripa orbifera (Hampson,1894)** (Noctuidae) Synonym(s): *orbifera* Hampson,1894;
confluens Mell,1943 CN TH CMa CDo
2740. **Nicevillea epiplemoides Hampson,1895** (Noctuidae) Synonym(s): *epiplemoides* Hampson,1895
TH Ntt Hba MM Tns
2741. **Nyctycia attila Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *attila* Hreblay &
L.Ronkay,1999 TH CMa Sop Fn Php
2742. **Nyctycia dissimilis Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s):
dissimilis Hreblay, Peregovits & L.Ronkay,1999 TH CMa Int
2743. **Nyctycia endoi (Owada,1983)** (Noctuidae) Synonym(s): *endoi* Owada,1983 VN Lci TH CMa
2744. **Nyctycia flavipicta (Hampson,1894)** (Noctuidae) Synonym(s): *flavipicta* Hampson,1894 TH
CMa Int
2745. **Nyctycia ionochlora Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s):
ionochlora Hreblay, Peregovits & L.Ronkay,1999 VN Lci TH CMa
2746. **Nyctycia niveifera Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s):
niveifera Hreblay, Peregovits & L.Ronkay,1999 TH CMa
2747. **Nyctycia szabokyi Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s):
szabokyi Hreblay, Peregovits & L.Ronkay,1999 TH Mae CMa
2748. **Ochrotrigona triangulifera (Hampson,1895)** (Noctuidae) Synonym(s): *triangulifera*
Hampson,1895 TH Knc MY VN BT IN SI Ass CN
2749. **Odontodes aleuca Guenée,1852** (Noctuidae) Synonym(s): *aleuca* Guenée,1852; *bolinoides*
Walker,1858; *subfasciata* Walker,1865; *quadristrigata* Walker,1865; *ferruginea* Walker,1869; *edemoides* Walker,1869 IN
PK Mre TH CMa Int CDo MY LA VN MM NP CN ID Sum Bor
2750. **Odontodes pallidifimbria W.Warren,1916** (Noctuidae) Synonym(s): *pallidifimbria*
W.Warren,1916; *eugramma* A.E.Prout,1928 ID Sum TH Ntt Hba MY Bor Pen
2751. **Odontodes seranensis A.E.Prout,1922** (Noctuidae) Synonym(s): *seranensis* A.E.Prout,1922;
subfusca A.E.Prout,1928 ID Crm Sum TH MM MY ID Bru PH
2752. **Oglasa consanguis (Leech,1900)** (Noctuidae) Synonym(s): *consanguis* Leech,1900 TH CMa
CDo
2753. **Oglasa costimacula Wileman,1915** (Noctuidae) Synonym(s): *costimacula* Wileman,1915; *typica*
Strand,1920 TW TH Knc Nan Dpk IN
2754. **Oglasa defixa (Walker,1862)** (Noctuidae) Synonym(s): *defixa* Walker,1862 MY Bor Swk TH
CMa Dst
2755. **Oglasa hypenoides (Moore,1881)** (Noctuidae) Synonym(s): *hypenoides* Moore,1881; *cosmiodes*
Hampson,1895; *sambawana* Swinhoe,1916 ID Sba IN LK TH VN NP BT
2756. **Oglasa obliquisigna Hampson,1926** (Noctuidae) Synonym(s): *obliquisigna* Hampson,1926
MM TH Knc Nan Dpk
2757. **Olulis megalopis Hampson,1926** (Noctuidae) Synonym(s): *megalopis* Hampson,1926 SG TH
Ntt Hba MY
2758. **Ommatophora fulvastra Guenée,1852** (Noctuidae) Synonym(s): *fulvastra* Guenée,1852 PH
Luz TH MY ID Bor Clb Ij PG
2759. **Ommatophora luminosa (Cramer,1780)** (Noctuidae) Synonym(s): *luminosa* Cramer,1780
ID Ja TH Tng CMa Int CN IN Ass MM KH VN TW LK MY PH Bor Sum Ja Bli Flo Clb PG
2760. **Ophisma pallescens (Walker,[1863])** (Noctuidae) Synonym(s): *pallescens* Walker,[1863];
violetta Pagenstecher,1896 ID Clb Bor Swk Crm Clb Flo Tim MY TH Tng PH PG

2761. **Ophiusa discriminans (Walker,1858)** (Noctuidae) Synonym(s): *discriminans* Walker,1858; *pygospila* Snellen,1880; *sublutea* Bethune-Baker,1906; *intacta* Hampson,1913 **AU ID Kai Mlc Sum Ja Clb PG Bsm NH NC LK IN PH LK TH? VN**
2762. **Ophiusa disjungens (Walker,1858)** (Noctuidae) Synonym(s): *disjungens* Walker,1858 **AU LO LK TH Bnk CMa Dst CDo VN TW CN JP KP KR PH ID Ja Sum Tim Flo PG TO FJ WS NH NC**
2763. **Ophiusa indistincta (Moore,1882)** (Noctuidae) Synonym(s): *indistincta* Moore,1882; *fervida* Butler,1883 **IN Khs Ass Meg LA TH Nan Dpk**
2764. **Ophiusa olista (Swinhoe,1893)** (Noctuidae) Synonym(s): *olista* Swinhoe,1893 **CN IN NP TH CMa CDo Php MAI Wia Nan Dpk VN TW JP KP KR PH**
2765. **Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978 **Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc CMa Int CDo MY TW Sum PH IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo** (2007, Cesa Publ. Afr. Lepid. 1: fig.12 [adult]; 2007, Cesa Publ. Afr. Lepid. 16: pl.8 fig.4 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: pl.43 fig.21 [adult]).
2766. **Ophiusa trapezium (Guenée,1852)** (Noctuidae) Synonym(s): *trapezium* Guenée,1852; *circumferens* Walker,1865; *cognata* Walker,1865; *adusta* Moore,1882; *prunicolor* Moore,[1885]; *kebea* Bethune-Baker,1906 **IN Aaa Meg Cpj BD Syl LK ID Sum Ja Tim Flo Bsm PG Bsm AU QAU NC TH CMa LA VN NP CN TW JP PH**
2767. **Ophiusa triphaenoides (Walker,1858)** (Noctuidae) Synonym(s): *triphaenoides* Walker,1858; *cuprea* Moore,1867 **TH CMa Int CDo VN NP IN BD CN TW JP KP KR ID Sum** (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.9 [adult]).
2768. **Ophiusa tumidilinea Walker,1858** (Noctuidae) Synonym(s): *tumidilinea* Walker,1858 **IN TH**
2769. **Oporophylla ustulata Westwood,1848** (Noctuidae) Synonym(s): *ustulata* Westwood,1848; *despicillator* Guenée,1852 **BD Syl IN TH Nan Dpk CMa Mta Hnd**
2770. **Oraesia emarginata (Fabricius,1794)** (Noctuidae) Synonym(s): *emarginata* Fabricius,1794; *metallescens* Guenée,1852; *tentans* Walker,[1858]; *alliciens* Walker,[1858] **ZA OM IN TH VN MY LK NP PK CN TW KP KR JP RU Us PG ID PH**
2771. **Oraesia excavata (Butler,1878)** (Noctuidae) Synonym(s): *excavata* Butler,1878 **JP TH PH TW CN KP KR JP**
2772. **Oraesia rectistria Guenée,1852** (Noctuidae) Synonym(s): *rectistria* Guenée,1852 **IN NP CN LA TH Nan Dpk CMa Fn Php** **(Fig.27)**



Fig.27 – Oresia rectistria (Noctuidae) at night, Thailand Chiang Mai, Doi Suthep 480m 22 11 2006, M. Kemal (Cesa)

2773. **Orthosia (Euchoristea) limbata (Butler,1879)** (Noctuidae) Synonym(s): *limbata* Butler,1879
NP TH CMa Int
2774. **Orthosia (s.l.) albiceps (Hampson,1894)** (Noctuidae) Synonym(s): *albiceps* Hampson,1894
SI IN TH CMa Int Php Fn VN Lci Ton Fan
2775. **Orthosia (s.str.) malickyi Hacker,1992** (Noctuidae) Synonym(s): *malickyi* Hacker,1992 TH
CMa Int
2776. **Orthosia malickyi Hacker,1993** (Noctuidae) Synonym(s): *malickyi* Hacker,1993 TH CMa Int
VN Lci Ton Fan
2777. **Orthosia mediofusca Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *mediofusca*
Hreblay & L.Ronkay,1999 TH CMa Php Fn
2778. **Ortopla iarbasalis Walker,[1859]** (Noctuidae) Synonym(s): *iarbasalis* Walker,[1859] MY Bor
Swk ID Sum VN TH Phr
2779. **Ortopla relinquenda (Walker,[1858])** (Noctuidae) Synonym(s): *relinquenda* Walker,[1858]
IN VN TH Knc
2780. **Owadaglaea elongata Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *elongata*
Hreblay & L.Ronkay,1998 TH CMa Int VN Lci Fan Ton
2781. **Oxaeanus brontesalis (Walker,[1859])** (Noctuidae) Synonym(s): *brontesalis* Walker,[1859];
sumatrensis Walker,[1866]; *scopigeralis* Moore,1867 TH Nrt Kao CMa Int LA CN IN BD ID Sum Bor Swk MY
2782. **Oxaeanus picticilia (Hampson,1896)** (Noctuidae) Synonym(s): *picticilia* Hampson,1896 TH
Nan Dpk IN Mgh Ass Meg Khs ID Sum
2783. **Oxyodes billeti De Joannis,1900** (Noctuidae) Synonym(s): *billeti* De Joannis,1900 TH MY
VN Ton NP IN CN CMa Int Knc ID Sum Ja Bor
2784. **Oxyodes scrobiculata (Fabricius,1775)** (Noctuidae) Synonym(s): *scrobiculata* Fabricius,1775;
clytia Stoll,[1782]; *vittata* Fabricius,1794; *ochreate* Rothschild,1915; *samoana* Tams,1935; *tanymekes* Tams,1935;
novaehebridensis Viette,1951; *obscurior* Holloway,1979 TH CMa Cuo Cuo1 Cuo7 Cz10 Cnz CDo Dst Dso9 Int
Phr Nrt Knc Sbu Bnk Cph Cbi Pht Cbu MY VN LK IN NP CN TW JP KP KR ID Sum Sba Tim Flo PG WS
NH NC FJ PH (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.6 [adult]).
2785. **Paectes cristatrix (Guenée,1852)** (Noctuidae) Synonym(s): *cristatrix* Guenée,1852 TH CMa
Dst VN IN LK CN TW PH Pal ID
2786. **Paectes roseovincta (W.Warren,1914)** (Noctuidae) Synonym(s): *roseovincta* W.Warren,1914;
euphiles A.E.Prout,1928 ID Sum SG Bor Swk MY TH Ntt Hba
2787. **Paectes subapicalis (Walker,1857)** (Noctuidae) Synonym(s): *subapicalis* Walker,1857; *recurrens*
Walker,1858 IN TH CMa Int VN MM NP AF PK MY Bor
2788. **Pandesma anysa Guenée,1852** (Noctuidae) Synonym(s): *anysa* Guenée,1852 IN MM TH CMa
Int CDo VN NP PK JP ID
2789. **Pandesma quenavadi Guenée,1852** (Noctuidae) Synonym(s): *quenavadi* Guenée,1852; *jubra*
Swinhoe,1889 LK MM Rng BD Syl TH
2790. **Pangrapta albiseriata Hampson,1926** (Noctuidae) Synonym(s): *albiseriata* Hampson,1926
Bor Klt ID TH Ntt Hba
2791. **Pangrapta albistigma (Hampson,1898)** (Noctuidae) Synonym(s): *albistigma* Hampson,1898
IN Ass Meg Khs NP TW TH Nan Dpk
2792. **Pangrapta griseola Staudinger,1892** (Noctuidae) Synonym(s): *griseola* Staudinger,1892 TH
Php Fn CN KP KR RU Us
2793. **Pangrapta metagona (Walker,1864)** (Noctuidae) Synonym(s): *metagona* Walker,1864 TH
Nan Dpk MY Bor Swk
2794. **Pangrapta pannosa (Moore,1882)** (Noctuidae) Synonym(s): *pannosa* Moore,1882; *duplicilinea*
Hampson,1895; *griseistriga* Bethune-Baker,1906 TH Nan Dpk CMa Dst MY VN IN NP SI Dj1 Ass Nag ID Bor
Ja Sum Clb TW PG
2795. **Pangrapta paragona Holloway,2005** (Noctuidae) Synonym(s): *paragona* Holloway,2005
TH Ntt Hba MY BN Bor Swk PH
2796. **Pangrapta shivula (Guenée,1852)** (Noctuidae) Synonym(s): *shivula* Guenée,1852; *xylochroma*
Walker,1858; *grisangula* Hampson,1893 BD Syl IN NI TH VN PH
2797. **Pangrapta sp.1** (Noctuidae) Synonym(s): TH CMa Dst MY
2798. **Pangrapta sp.2** (Noctuidae) Synonym(s): TH CMa Dst
2799. **Pangrapta sp.4** (Noctuidae) Synonym(s): TH CMa Int
2800. **Pangrapta talusalis (Walker,[1859])** (Noctuidae) Synonym(s): *talusalis* Walker,[1859] IN
TH
2801. **Pantylidia metaspila (Walker,1858)** (Noctuidae) Synonym(s): *metaspila* Walker,1858; *pallidilinea*
Walker,1858; *moolla* Swinhoe,1885; *sordida* Butler,1886 TH IN Poo LK ID PG NC NH FJ SB PH CN TW JP AU
2802. **Parallelia arctotaenia (Guenée,1852)** (Noctuidae) Synonym(s): *arctotaenia* Guenée,1852 BD
Syl TH CMa Cuo Cuo9 KH VN MM NP IN LK CN TW JP KP KR RU Us PH Neg ID Ja Sbw PG FJ NH
AU
2803. **Parallelia properata Walker,1858** (Noctuidae) Synonym(s): *properata* Walker,1858 TH CMa
CDo

- 2804. *Parallelia rigidistria* (Guenée,1852)** (Noctuidae) Synonym(s): *rigidistria* Guenée,1852; *calefasciens* Walker,1858; *correctata* Walker,1865 **IN BD Syl LK TH MY KH VN TW PH ID Sum Bor Clb Mlc Sda PG SB**
- 2805. *Parallelia stuposa* (Fabricius,1794)** (Noctuidae) Synonym(s): *stuposa* Fabricius,1794; *festinata* Walker,1858; *japonibia* Bryk,1948; *sinica* Bryk,1948 **TH VN KH NP IN LK CN TW JP Ri KP KR RU Us PH ID Sum Tim**
- 2806. *Paranyctycia minima* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *minima* Hreblay & L.Ronkay,1999 **TH CMA Sop MAL Fn**
- 2807. *Paranyctycia rubiculosa* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *rubiculosa* Hreblay & L.Ronkay,1999 **TH CMA Int Fn Php Sop**
- 2808. *Parolulis olivescens* (Hampson,1907)** (Noctuidae) Synonym(s): *olivescens* Hampson,1907 **LK IN TH Ntt Hba**
- 2809. *Parolulis* sp.** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2810. *Penicillaria maculata* Butler,1869** (Noctuidae) Synonym(s): *maculata* Butler,1869 **IN Hp Drm TH CMA Int Dst VN CN TW JP NC NH**
- 2811. *Penicillaria nugatrix* Guenée,1852** (Noctuidae) Synonym(s): *nugatrix* Guenée,1852; *jacosatrix* Guenée,1852 **IN ID Ja Sum Bor Clb TH Tng CMA CDo Bnk Knc Srt Npt KH VN CN TW NP LK Adm AU NH NC TO FJ PH JP Hw**
- 2812. *Penicillaria simplex* (Walker,1865)** (Noctuidae) Synonym(s): *simplex* Walker,1865 **TH CMA Php MY VN IN CN NP ID Sum Bor Clb Crm PG TW**
- 2813. *Perciana* sp.** (Noctuidae) Synonym(s): **TH Nan Dpk**
- 2814. *Pericyma cruegeri* (Butler,1886)** (Noctuidae) Synonym(s): *cruegeri* Butler,1886 **AU TH Cbi Knc CMA Cuo Cuo6 Cmz Cz10 Php Dst Utt Nna Sso MY LA VN MM NP IN CN TW JP PH ID Sum Bor PG**
- 2815. *Pericyma glaucinans* (Guenée,1852)** (Noctuidae) Synonym(s): *glaucinans* Guenée,1852; *ligilla* Guenée,1852; *infligens* Walker,[1858]; *solita* Walker,[1858]; *antica* Walker,1865; *validula* Walker,1865 **ID Ja Clb BD Syl TH VN MM NP IN OM MY PH TW**
- 2816. *Pericyma umbrina* (Guenée,1852)** (Noctuidae) Synonym(s): *umbrina* Guenée,1852; *albicincta* Guenée,1852; *hypophaea* Guenée,1852; *plumipes* Walker,1865; *continua* Walker,1865. **ZA AF Nu Bsg Srb PK IN Up Ddu SI TH Knc LA NP ID Sum Ja**
- 2817. *Perigrapha* (Harutaeographa) *caerulea* (Yoshimoto,1993)** (Noctuidae) Synonym(s): *caerulea* Yoshimoto,1993 **TH CMA Php Fn VN Lci Fan Ton NP SI IN Djl**
- 2818. *Perigrapha* (Opacographa (s.str.)) *draudti* Hacker,1992** (Noctuidae) Synonym(s): *draudti* Hacker,1992 **TH CMA Int**
- 2819. *Phalga sinuosa* Moore,1881** (Noctuidae) Synonym(s): *sinuosa* Moore,1881; *viridinota* Swinhoe,1895 **IN SI Djl Meg Ass Khs TH VN CN ID Bor MY Sda Clb PH**
- 2820. *Phlogophora indica* Moore** (Noctuidae) Synonym(s): **IN TH CMA CDo Pki**
- 2821. *Phlogophora szecsenyii* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *szecsenyii* Hreblay & L.Ronkay,1998 **NP VN Ton TH Nan Pua**
- 2822. *Phyllodes consobrina* Westwood,1848** (Noctuidae) Synonym(s): *consobrina* Westwood,1848; *perspicillator* Guenée,1852 **IN SI Ass BD Syl TH Phr MY ID Ja Bor Sum CN Ti JP VN PH**
- 2823. *Phyllodes eyndhovii* (Vollenhoven,1858)** (Noctuidae) Synonym(s): *eyndhovii* Vollenhoven,1858; *semilinea* Walker,[1863]; *fasciata* Moore,1867 **IN BD ID Ja Bor Swk MY TH CMA Int VN BT CN TW Sum PH Pal**
- 2824. *Pindara illibata* (Fabricius,1775)** (Noctuidae) Synonym(s): *illibata* Fabricius,1775; *peropaca* Hübner,[1831]; *laetabilis* Guenée,1852 **TH CMA Int MY LA KH VN NP IN LK CN TW JP PH ID Sum Bor Tim Flo Clb Mlc Crm Bia PG AU**
- 2825. *Platyja minutipuncta* (Swinhoe,1901)** (Noctuidae) Synonym(s): *minutipuncta* Swinhoe,1901 **IN MY SG TH ID PH**
- 2826. *Platyja suffumata* (Guenée,1852)** (Noctuidae) Synonym(s): *suffumata* Guenée,1852 **ID Ja Sda Bor MY TH**
- 2827. *Platyja umminia* (Cramer,1780)** (Noctuidae) Synonym(s): *umminia* Cramer,1780; *subunita* Guenée,1852; *drepanoides* Walker,1858; *trajeta* Walker,1869; *falcata* R.Felder & Rogenhofer,1874 **ID Clb Ja MY CN HK TH Knc Nrt Kao VN LA MM IN BD LK Hn TW Bor Sbw Adm Mlc PG PH AU QAU**
- 2828. *Platyjonia mediorufa* (Hampson,1894)** (Noctuidae) Synonym(s): *mediorufa* Hampson,1894 **IN TH CMA Int Dst Knc MY Bor**
- 2829. *Plecoptera bilinealis* (Leech,1889)** (Noctuidae) Synonym(s): *bilinealis* Leech,1889 **TH CMA Dst Dso9 IN NP CN**
- 2830. *Plecoptera flava* (Bremer & Grey,1853)** (Noctuidae) Synonym(s): *flava* Bremer & Grey,1853 **CN Pkn TH CMA Int**
- 2831. *Plecoptera oculata* (Moore,1882)** (Noctuidae) Synonym(s): *oculata* Moore,1882; *junceae* Swinhoe,1884 **IN BD Bba TH CMA Fn Php Nan LA NP PK**
- 2832. *Plecoptera pallidimargo* Hampson,1926** (Noctuidae) Synonym(s): *pallidimargo* Hampson,1926 **TH CMA Int LK**

- 2833. Plecoptera recta (Pagenstecher,1886)** (Noctuidae) Synonym(s): *recta* Pagenstecher,1886; *erica* Swinhoe,1891 **ID Crm TH Knc MY IN VN Bor**
- 2834. Plecoptera reflexa Guenée,1852** (Noctuidae) Synonym(s): *reflexa* Guenée,1852; *gammoides* Walker,1858; *simplex* Walker,1858; *hamifera* Walker,1865 **IR Ke Fa Mia Kaz Kz Yas Skh IQ Bsr Agh AF Srb AE IL Pa TH CMa CDo IN**
- 2835. Plecoptera sp.** (Noctuidae) Synonym(s): **TH CMa Dst**
- 2836. Plecoptera stigmatica (W.Warren,1912)** (Noctuidae) Synonym(s): *stigmatica* W.Warren,1912 **IN Ass Meg Khs TH CMa Dst**
- 2837. Pleurona falcata Walker,1866** (Noctuidae) Synonym(s): *falcata* Walker,1866 **IN TH CMa Int LA NP ID PH**
- 2838. Plusiodonta auripicta (Moore,1882)** (Noctuidae) Synonym(s): *auripicta* Moore,1882 **IN SI Djl BT CN TH Nan Dpk ID**
- 2839. Plusiodonta coelonota (Kollar,[1844])** (Noctuidae) Synonym(s): *coelonota* Kollar,[1844]; *chalytoides* Guenée,1852; *conducens* Walker,1858 **IN ID Ja LK MY VN NP Sum Tim Flo CN TH CMa Fn Php JP KP KR**
- 2840. Plusioparpa adrasta (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *adrasta* R.Felder & Rogenhofer,1874; *crassipalpus* Hampson,1894; *shisa* Strand,1920 **TH CMa Dst MY IN NP TW ID Sum Ja Bor Tim Flo Sbw Clb Bli PG Bsm Nlr PH Luz KP KR JP**
- 2841. Poeta quadrinotata (Walker,1865)** (Noctuidae) Synonym(s): *quadrinotata* Walker,1865 **IN TH Knc**
- 2842. Poliofoca gebenna (Swinhoe,1903)** (Noctuidae) Synonym(s): *gebenna* Swinhoe,1903 **TH Ntt Hba MY PH**
- 2843. Polydesma boarmoides Guenée,1852** (Noctuidae) Synonym(s): *boarmoides* Guenée,1852; *mastrucata* R.Felder & Rogenhofer,1874 **ZA IN Ch ID Ja Nk TH CMa Int Cuo Cuo7 VN MM NP CN TW JP KP KR PH NC NH WS FJ Tw AU**
- 2844. Porcellanola chakri Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *chakri* Laszlo, G.Ronkay & Witt,2006 **TH CMa Fn Mae Nan Pua**
- 2845. Porcellanola lanna Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *lanna* Laszlo, G.Ronkay & Witt,2006 **TH CMa Fn Php MAL**
- 2846. Porcellanola minna Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *minna* Laszlo, G.Ronkay & Witt,2006 **TH Nan Pua CMa Php Fn**
- 2847. Porcellanola sukhothai Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *sukhothai* Laszlo, G.Ronkay & Witt,2006 **TH CMa Php Fn Nan Pua**
- 2848. Porcellanola thai Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *thai* Laszlo, G.Ronkay & Witt,2006 **TH Mae CMa**
- 2849. Premusia intrahens Walker,1858** (Noctuidae) Synonym(s): *intrahens* Walker,1858; *zibellina* R.Felder & Rogenhofer,1874; *smaragdina* Walker,1858 **MY Bor Swk TH Nan Dpk VN ID Sum**
- 2850. Prospalta spicea (Guenée,1852)** (Noctuidae) Synonym(s): *spicea* Guenée,1852; *pyrochroma* Walker,1858; *firina* Swinhoe,1885 **TH CMa**
- 2851. Pseudogyrtina hemicyclops Hampson,1926** (Noctuidae) Synonym(s): *hemicyclops* Hampson,1926 **Bor Swk MY TH Nan Dpk**
- 2852. Pseudosphetta fisisigna Hampson,1926** (Noctuidae) Synonym(s): *fisisigna* Hampson,1926 **SG MY TH Ntt Hba ID Sum Bor**
- 2853. Psimada quadripennis Walker,1858** (Noctuidae) Synonym(s): *quadripennis* Walker,1858 **IN MM TH Knc CMa Cmz Cz10 Dst VN LK Adm ID Ja Clb PH TW CN**
- 2854. Pterocyclophora ridleyi Hampson,1893** (Noctuidae) Synonym(s): *ridleyi* Hampson,1893 **MY SG TH Ntt Hba ID Bor Ja Mlc Crm**
- 2855. Pterogonia aurigutta (Walker,1858)** (Noctuidae) Synonym(s): *aurigutta* Walker,1858; *striatura* Moore,1887; *irrorata* Dudgeon,1905 **IN Adm LK MY Bor Swk TH CMa CDo**
- 2856. Ptyorhyncha argyrestis Hampson,1895** (Noctuidae) Synonym(s): *argyrestis* Hampson,1895 **BT TH CMa Int MM IN**
- 2857. Ramadasa pavo (Walker,1856)** (Noctuidae) Synonym(s): *pavo* Walker,1856 **MY TH CMa Dst Dso8**
- 2858. Raparna horciusalis (Walker,1859)** (Noctuidae) Synonym(s): *horciusalis* Walker,1859; *tantilla* Swinhoe,1885; *unicoloris* Swinhoe,1886 **IN Mhw TH Nan Dpk**
- 2859. Rema costumacula (Guenée,1852)** (Noctuidae) Synonym(s): *costumacula* Guenée,1852; *triangulata* Walker,1865; *arvisignata* A.E.Prout,1924 **BD Syl IN ID Sum TH Tng CMa Dst Cuo Cuo1 MY LA CN TW**
- 2860. Rema tetraspila Walker,1865** (Noctuidae) Synonym(s): *tetraspila* Walker,1865 **IN SI Djl NP TH Knc**
- 2861. Rhesala sp.1** (Noctuidae) Synonym(s): **TH Ntt Hba**
- 2862. Rhesala sp.2** (Noctuidae) Synonym(s): **TH CMa Int**
- 2863. Rhesala sp.3** (Noctuidae) Synonym(s): **TH Knc**
- 2864. Rhesala sp.4** (Noctuidae) Synonym(s): **TH Nan Dpk**

- 2865. Rhynchaglaea discoidea Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae)
Synonym(s): *discoidea* Hreblay, Peregovits & L.Ronkay,1999 **VN Lci TH CMa**
- 2866. Rhynchina martonhreblayi Lödl,1999** (Noctuidae) Synonym(s): *martonhreblayi* Lödl,1999 **TH**
- 2867. Rhynchina rivuligera Butler,1889** (Noctuidae) Synonym(s): *rivuligera* Butler,1889; *angustata* Butler,1889 **TH**
- 2868. Risoba obstructa Moore,1881** (Noctuidae) Synonym(s): *obstructa* Moore,1881 **ZA BW Nga KE CN IN LK MM MY Bor ID Ja TH CMa CDo**
- 2869. Rivula basalis Hampson,1891** (Noctuidae) Synonym(s): *basalis* Hampson,1891 **IN NI TH Nan Dpk VN MM IN LK JP Oki**
- 2870. Rivula leucanoides (Walker,[1863])** (Noctuidae) Synonym(s): *leucanoides* Walker,[1863]; *biatomea* Moore,1883 **MY Bor Swk TH Knc Nan Dpk LK CN TW JP KP KR**
- 2871. Rivula striatura Swinhoe,1895** (Noctuidae) Synonym(s): *striatura* Swinhoe,1895 **IN Ass Meg Khs TH Nan Dpk VN NP TW**
- 2872. Ruttenstorferia bipartita (Moore,1882)** (Noctuidae) Synonym(s): *bipartita* Moore,1882 **IN Meg Ass Khs TH Nan Dpk**
- 2873. Sarbanissa albifascia (Walker,1865)** (Noctuidae) Synonym(s): *albifascia* Walker,1865 **MM Mm ID Sum Bor IN Bba SI Adm CN TH Pgg Rng**
- 2874. Sarbanissa bala (Moore,1865)** (Noctuidae) Synonym(s): *bala* Moore,1865 **IN SI TH CMa CDo MM NP**
- 2875. Sarbanissa catacoloides (Walker,1862)** (Noctuidae) Synonym(s): *catacoloides* Walker,1862 **MY Bor Swk TH CMa Cuo Cuo7 CDo CD2 Knc Pap Mro LA VN MM IN NP ID Sum Ja Bli**
- 2876. Sarbanissa dissimilis (Swinhoe,1890)** (Noctuidae) Synonym(s): *dissimilis* Swinhoe,1890 **MM TH VN NP IN**
- 2877. Sarbanissa insocia Walker,1865** (Noctuidae) Synonym(s): *insocia* Walker,1865; *catocalina* Walker,1866; *exiguifascia* Swinhoe,1892 **IN SI Djl NP TH**
- 2878. Sarbanissa longipennis (Walker,1865)** (Noctuidae) Synonym(s): *longipennis* Walker,1865 **TH Nan Dpk VN MM BD Syl IN SI Ass**
- 2879. Sarbanissa subalba (Leech,1890)** (Noctuidae) Synonym(s): *subalba* Leech,1890 **TH CMa CDo CN VN MM NP**
- 2880. Sarbanissa transiens (Walker,1856)** (Noctuidae) Synonym(s): *transiens* Walker,1856; *aegoceroidea* R.Felder,1874 **IN MM ID Sum Ja Bli TH Knc Nan Dpk CMa CDo VN MY NP Bor (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.5 [adult]).**
- 2881. Sarbanissa tricycla Sugi,1993** (Noctuidae) Synonym(s): *tricycla* Sugi,1993 **NP TH CMa CDo**
- 2882. Sarbanissa venosa (Moore,1879)** (Noctuidae) Synonym(s): *venosa* Moore,1879 **IN Pj SI Djl TH Knc**
- 2883. Sarbanissa vitalis (Jordan,1926)** (Noctuidae) Synonym(s): *vitalis* Jordan,1926 **VN Ann TH Phr**
- 2884. Sarbena hollowayi Laszlo, Ronkay, Witt,2004** (Noctuidae) Synonym(s): *hollowayi* Laszlo, Ronkay, Witt,2004 **VN Fan IN Ass SI TH Nna Kao PH Pal ID Sum Clb Cm Ij MY PG SB**
- 2885. Sarbena lignifera Walker,1862** (Noctuidae) Synonym(s): *lignifera* Walker,1862 **MY Bor Swk PH Bal TH CMa CDo CD1 Nan Bnl**
- 2886. Sarbena ustipennis (Hampson,1895)** (Noctuidae) Synonym(s): *ustipennis* Hampson,1895 **BT TH CMa Pfa Nan Bnl TW JP**
- 2887. Saroba finipalpis (Walker,1858)** (Noctuidae) Synonym(s): *finipalpis* Walker,1858 **TH Ntt Hba VN MY LK ID Sum Ja Bor PH**
- 2888. Saroba pansa Swinhoe,1902** (Noctuidae) Synonym(s): *pansa* Swinhoe,1902 **MY TH Sgk Hya PSu (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.7 [adult]).**
- 2889. Saroba pustulifera Walker,1865** (Noctuidae) Synonym(s): *pustulifera* Walker,1865 **TH Knc CMa Dst Dso7 VN IN LK Sum PH**
- 2890. Sarobela litterata (Pagenstecher,1888)** (Noctuidae) Synonym(s): *litterata* Pagenstecher,1888; *biplagiata* Butler,1889; *aurotincta* Hampson,1893; *spectabilis* Turner,1936 **AU QAU LK IN Hp ID Amb Sum TH LA PH TW**
- 2891. Sarobides antedecens Walker,1864** (Noctuidae) Synonym(s): *antedecens* Walker,1864 **TH Nrt Kao Bor Swk MY**
- 2892. Sarobides inconclusa Walker,[1863]** (Noctuidae) Synonym(s): *inconclusa* Walker,[1863] **TH CMa Ntt Hba Nrt Kao MM VN CN MY IN ID Bor Swk Clb SB PG PH**
- 2893. Sasunaga tenebrosa (Moore,1867)** (Noctuidae) Synonym(s): *tenebrosa* Moore,1867; *albigata* W.Warren,1913; *bistriga* W.Warren,1913; *interstrigata* W.Warren,1913; *longistriata* W.Warren,1913; *dura* Strand,1916; *kala* Strand,1916 **AU PG NC SB NH FJ TH CMa CDo**
- 2894. Savara contraria Walker,1862** (Noctuidae) Synonym(s): *contraria* Walker,1862 **MY Bor Swk TH Tng MY VN BT IN ID Sum Ja Clb PG Bsm SB**
- 2895. Schistorhynchus lobata A.E.Prout,1925** (Noctuidae) Synonym(s): *lobata* A.E.Prout,1925 **MY Bor Swk TH Nan Dpk ID Sum Bli PG**

- 2896. *Sclerogenia jessica* (Butler,1878)** (Noctuidae) Synonym(s): *jessica* Butler,1878; *serena* Butler,1879
JP TH CMA Php Agk MAI VN MM IN Pj Ass NP PK CN TW JP RU Us
- 2897. *Scriptoplusia nigriluna* (Walker,1858)** (Noctuidae) Synonym(s): *nigriluna* Walker,1858;
hokowensis Chou & Lu,1979; *kuznetsovi* Kljutschko,1993 VN CN LK IN TH NP TW JP
- 2898. *Scriptoplusia pulchristigma* Behounek & Ronkay,1994** (Noctuidae) Synonym(s):
pulchristigma Behounek & Ronkay,1994 NP IN TH Nan Dpk
- 2899. *Scrobigeria albomarginata* (Moore,1872)** (Noctuidae) Synonym(s): *albomarginata*
Moore,1872; *fimbriata* Boisduval,1874; *flavicincta* Boisduval,1874; *opheltes* Druce,1885; *candidemarginata* Poujade,1891
TH Cbi Phr CMA Int LA MM NP IN Adm CN VN Ann PH
- 2900. *Scrobigeria amatrix* (Westwood,1848)** (Noctuidae) Synonym(s): *amatrix* Westwood,1848;
aruna Moore,1858; *chinensis* Jordan,1907; *media* Jordan,1912 VN Ton IN Ass SI Djl CN NP TH Phr
- 2901. *Scrobigeria proxima* (Walker,1854)** (Noctuidae) Synonym(s): *proxima* Walker,1854; *hesperioides*
Walker,1862; *clymene* Boisduval,1874; *pulchra* Butler,1875; *tricolor* Butler,1875; *staudingeri* Oberthür,1894 IN MY Bor
Swk Ass ID Sum TH CMA
- 2902. *Scrobigeria vulcanica* (Butler,1875)** (Noctuidae) Synonym(s): *vulcanica* Butler,1875; *glossatrix*
Westwood,1881; *melania* De Joannis,1900 TH CMA Int VN Ton MM
- 2903. *Selenoperas caustiplaga* (Hampson,1896)** (Noctuidae) Synonym(s): *caustiplaga*
Hampson,1896; *fulviplaga* W.Warren,1913 MY BT IN TH Knc ID Bor Ja Clb PH
- 2904. *Selepa celtis* Moore,1858** (Noctuidae) Synonym(s): *celtis* Moore,1858 TH CMA Sbu Bnk Cbi
Chc MY Bor
- 2905. *Semiothisops macariata* (Hampson,1902)** (Noctuidae) Synonym(s): *macariata*
Hampson,1902 IN SI NP Adm ID Sum Clb PH TW TH Knc Pgg CMA Dst Dso9
- 2906. *Serrodes partita* (Fabricius,1775)** (Noctuidae) Synonym(s): *partita* Fabricius,1775; *inara*
Cramer,[1780]; *basinigrum* Walker,1858; *korana* R.Felder & Rogenhofer,1874. WS IN ZA SL ZR KE Nta Kzu Est Ec
Tra IN LK MM TH Bor Ja ID MY AU LO MG
- 2907. *Setoctena bothrophora* (Hampson,1907)** (Noctuidae) Synonym(s): *bothrophora*
Hampson,1907 LK TH CMA CDo
- 2908. *Siglophora sanguinolenta* (Moore,1888)** (Noctuidae) Synonym(s): *sanguinolenta* Moore,1888
TH CMA Cnz Cz10
- 2909. *Sigmuncus arcuata* (Hampson,1897)** (Noctuidae) Synonym(s): *arcuata* Hampson,1897;
camptobasis Hampson,1897 IN SI Ass Meg Khs TH CMA Dst MY LK ID Sum Sda Bor PH
- 2910. *Simplicia bimarginata* (Walker,[1863])** (Noctuidae) Synonym(s): *bimarginata* Walker,[1863];
infausta R.Felder & Rogenhofer,1874; *moorei* Swinhoe,1919 TH CMA Dst Dso8 Pap Mro Nan Dpk MY LK ID
Sum Bor Clb PG PH TW
- 2911. *Simplicia butesalis* Walker,[1859]** (Noctuidae) Synonym(s): *butesalis* Walker,[1859]; *cinerealis*
Walker,[1866] AU TH ID Sum PG Bsm SB NC MY Bor Swk
- 2912. *Simplicia caeneusalis* (Walker,[1859])** (Noctuidae) Synonym(s): *caeneusalis* Walker,[1859];
robustalis Walker,1866 nec Gn.,1854; *simulata* Moore,1882; *obiana* Swinhoe,1919; *lautokiensis* A.E.Prout,1933; *ryukyuensis*
Sugi,1965; *buffetti* Holloway,1977 TH Nan CMA Dst LA VN CN JP Ri KP KR ID Bor PG NF SB NH NC Ob
WS Hw PF Ms RA FJ AU
- 2913. *Simplicia marginata* (Moore,1882)** (Noctuidae) Synonym(s): *marginata* Moore,1882 IN SI
Djl TH CMA Int MY LA VN TW
- 2914. *Simplicia mistacalis* (Guenée,1854)** (Noctuidae) Synonym(s): *mistacalis* Guenée,1854; *marginata*
Moore,1882; *subterminalis* Draeseke,1928 IN SI Djl TH MY VN IN LK ID Sum PG CN Kwa TW JP
- 2915. *Simplicia* sp.1** (Noctuidae) Synonym(s): TH CMA Fn Php
- 2916. *Simplicia* sp.2** (Noctuidae) Synonym(s): TH CMA Php
- 2917. *Simplicia xanthoma* A.E.Prout,1928** (Noctuidae) Synonym(s): *xanthoma* A.E.Prout,1928;
pseudoniphona Sugi,1965 MY Bor JP TH Nan Dpk ID Sba CN TW Ri KP KR
- 2918. *Simyra conspersa* (Moore,1881)** (Noctuidae) Synonym(s): *conspersa* Moore,1881 IN Clc Mpr
Mp BD SI TH Phi
- 2919. *Sinarella discisigna* (Moore,1883)** (Noctuidae) Synonym(s): *discisigna* Moore,1883 IN SI
Djl TH CMA Int NP
- 2920. *Sinarella interrupta* (Wileman,1915)** (Noctuidae) Synonym(s): *interrupta* Wileman,1915
TW TH CMA Int
- 2921. *Singara diversalis* Walker,1865** (Noctuidae) Synonym(s): *diversalis* Walker,1865 BD Syl TH
CMA Int Dst VN IN CN ID Bor PG
- 2922. *Sinna floralis* Hampson,1905** (Noctuidae) Synonym(s): *floralis* Hampson,1905 MY Bor Sbh
ID Sum TH CMA Cuo
- 2923. *Spectronissa parallela* Sugi,1996** (Noctuidae) Synonym(s): *parallela* Sugi,1996 TH IN
- 2924. *Speiredonia mutabilis* (Fabricius,1794)** (Noctuidae) Synonym(s): *mutabilis* Fabricius,1794;
anops Guenée,1852 TH Bnk VN IN TW PH ID Sum Tim Flo Clb SB NH NC TO FJ AU
- 2925. *Speiredonia zamis* (Stoll,1790)** (Noctuidae) Synonym(s): *zamis* Stoll,1790; *diops* Walker,1858;
retrahens Walker,1858; *albifascia* Walker,1865; *conspicua* R.Felder & Rogenhofer,1874; *sumbana* Swinhoe,1918; *layardi*
Hampson,1926 IN Adm Sba LK AU NC TH KH VN TW BD ID Sum Ja Mlc Clb Sda Flo Tim PH Luz Pal

- 2926. *Sphingomorpha chlorea* (Cramer,1779)** (Noctuidae) Synonym(s): *chlorea* Cramer,1779; *rapta* Fabricius,1787; *sipyla* Guenée,1852; *monteironis* Butler,1875 **ZA Tva Lpo Spb Mdk Lj Nta Kzu Ec Ans YE Ad ET ET6o ET2o4 SL NG ZR AO SD ER KE MW ZW Har UG IN LK NP AE OM SA MM TH CMa Dst Qs Qso2 Cbi EG Sn** (2007, Cesa Publ. Afr. Lepid. 16: pl.8 fig.5 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.9 [adult]; pl.43 figs.22-23 [adult]).
- 2927. *Sphragifera rejecta* (Fabricius,1775)** (Noctuidae) Synonym(s): *rejecta* Fabricius,1775; *bimacula* Walker,1857; *stigmata* Hampson,1891; *obsolescens* W.Warren,1913 **CN HK IN TH CMa CDo**
- 2928. *Spirama helicina* (Hübner,1831)** (Noctuidae) Synonym(s): *helicina* Hübner,1831; *japonica* Guenée,1852; *aegrota* Butler,1881 **JP TH Nrt Kao CMa Int Cuo Cuo7 VN IN NP ID Ja Sum CN TW KP KR RU Us** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.10 [adult]).
- 2929. *Spirama retorta* (Clerk,1759)** (Noctuidae) Synonym(s): *retorta* Clerk,1759; *spiralis* Fabricius,1775; *chimista* Kollar,[1844]; *suffumosa* Guenée,1852; *isabella* Guenée,1852; *cohaerens* Walker,1858; *martha* Butler,1878; *simplicior* Butler,1881; *jinchuena* Butler,1883; *inaequalis* Butler,1883 **TH CMa Cnz Cz1o Cz11 Int CDo Php MM VN KH NP IN BD LK ID CN TW JP KP KR PH Luz Ch BD Syl**
- 2930. *Spodoptera cilium* Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *impervia* Walker,1865; *retrahens* Walker,1870. **PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Qu AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk**
- 2931. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985. **TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24**
- 2932. *Spodoptera liturum* (Fabricius,1775)** (Noctuidae) Synonym(s): *litura* Fabricius,1775 **OM IR Fa Hz Ss IQ Agh Bgd Amr Bsr Qr EG NC WS PC FJ TO NH SB PG AU MY IN Cn JP TH CMa Cuo Cuo1 Cuo7** (2007, Cent. ent. Stud., Memoirs 3/4: pl.35 fig.15 [larva]).
- 2933. *Spodoptera mauritium* (Boisduval,1833)** (Noctuidae) Synonym(s): *mauritica* Boisduval,1833 **WS PC FJ TO NH SB PG AU MY TH CMa CDo IN NC IR Hz B-A ET ET24**
- 2934. *Spodoptera pectens* Guenée,1852** (Noctuidae) Synonym(s): *pectens* Guenée,1852 **TH ET ET24**
- 2935. *Spodoptera pectinicornis* (Hampson,1895)** (Noctuidae) Synonym(s): *pectinicornis* Hampson,1895 **LK TH**
- 2936. *Stictoptera columba* (Walker,1856)** (Noctuidae) Synonym(s): *columba* Walker,1856 **TH CMa Dst KH MY IN ID Sum Bor Clb Sda PG PH**
- 2937. *Stictoptera cucullioides* Guenée,1852** (Noctuidae) Synonym(s): *cucullioides* Guenée,1852; *subobliqua* Walker,[1858]; *variabilis* Moore,1882; *timesia* Swinhoe,1893 **TH CMa Dst CDo MY SG KH VN MM IN LK CN JP ID Sum Ja Bor Clb Crm Mlc PG Amb Bsm PH AU Hw**
- 2938. *Stictoptera ferrifera* (Walker,[1863])** (Noctuidae) Synonym(s): *ferrifera* Walker,[1863]; *poliata* Swinhoe,1917; *melancholica* A.E.Prout,1922 **MY Swk SG TH Ntt Hba PH Luz Crm ID LA VN CN Bor Tim Flo Sda Clb Mlc**
- 2939. *Stictoptera grisea* Moore,1867** (Noctuidae) Synonym(s): *grisea* Moore,1867; *variegata* Hampson,1912; *fascimargo* A.E.Prout,1922 **IN SI Djl Bor Swk MY TH CMa MAI Int Php Nan Dpk SG LA VN CN NP ID Tim Flo Clb Sda Crm Mlc**
- 2940. *Stictoptera macromma* Snellen,1880** (Noctuidae) Synonym(s): *macromma* Snellen,1880; *striata* Hampson,1894; *ochrota* Hampson,1912; *atrifera* Hampson,1912; *polysticta* A.E.Prout,1924 **ID Clb IN SI Hp Sml SG PG TH CMa Int MY VN NP Tim Flo PH**
- 2941. *Stictoptera signifera* (Walker,[1858])** (Noctuidae) Synonym(s): *signifera* Walker,[1858]; *ferromixta* Walker,[1863]; *humeralis* Walker,[1863]; *nigrianea* Walker,[1863]; *transversa* Snellen,1877; *griseata* Hampson,1912; *poiensis* A.E.Prout,1926 **MY Bor Swk ID Ja TH CMa Int VN CN ID Sum Clb Flo PG PH**
- 2942. *Stictoptera trajiciens* (Walker,[1858])** (Noctuidae) Synonym(s): *trajiciens* Walker,[1858] **LK IN TH LA VN PH ID Sda Sum Clb PG**
- 2943. *Sundwarda dohertyi* (Druce,1901)** (Noctuidae) Synonym(s): *dohertyi* Druce,1901; *efulgida* Swinhoe,1901 **TH CMa Int Dst Mth Cnz Cz11 Bor Swk MY**
- 2944. *Sympis rufibasis* Guenée,1852** (Noctuidae) Synonym(s): *rufibasis* Guenée,1852 **TH Knc Kph CMa CDo CD2 Cnz Cz1o Pap Mro Nrt Sbu Nna Chc Cbi Phc Trat Cph Tng LA KH VN MM NP IN LK CN TW PH ID Ja Bor Sum Bli Tim Flo Sbw Clb Amb Mlc Crm** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.15 [adult]).
- 2945. *Synpoides albilinea* Walker,1858** (Noctuidae) Synonym(s): *albilinea* Walker,1858 **TH IN NP ID Sum**
- 2946. *Synpoides chinensis* Berio,1958** (Noctuidae) Synonym(s): *chinensis* Berio,1958 **CN TH Nan**
- 2947. *Synpoides kirby* (Butler,1881)** (Noctuidae) Synonym(s): *kirby* Butler,1881 **TH Nan Dpk SI Djl IN CN**

2948. **Sypnoides martina** R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): *martina* R.Felder & Rogenhofer,1874 **TH CMa Int MM ID Sum Bor PH**
2949. **Sypnoides pannosa** (Moore,1882) (Noctuidae) Synonym(s): *pannosa* Moore,1882 **IN Ass**
Meg Khs TH CMa Int Nan Dpk NP CN TW ID Sum Bor
2950. **Sypnoides rholatinum** A.E.Prout,1926 (Noctuidae) Synonym(s): *rholatinum* A.E.Prout,1926 **TH Bor Swk MY**
2951. **Tamba apicata** (Hampson,1902) (Noctuidae) Synonym(s): *apicata* Hampson,1902 **IN TH**
TW MY Bor
2952. **Tamba bartelsi** Kobes,1977 (Noctuidae) Synonym(s): *bartelsi* Kobes,1977 **ID Sum TH Ntt Hba**
2953. **Tamba basiscripta** (Walker,1864) (Noctuidae) Synonym(s): *basiscripta* Walker,1864; *mindoro* R.Felder & Rogenhofer,1874 **TH CMa Dst Bor Swk MY**
2954. **Tamba cosmoloma** A.E.Prout,1926 (Noctuidae) Synonym(s): *cosmoloma* A.E.Prout,1926 **MY**
Bor Swk ID Sum TH Knc
2955. **Tamba decolor** (Walker,1865) (Noctuidae) Synonym(s): *decolor* Walker,1865; *submicacea* Walker,1869 **Up IN LK TH Ntt Hba ID Ja Clb**
2956. **Tamba diaphora** A.E.Prout,1932 (Noctuidae) Synonym(s): *diaphora* A.E.Prout,1932 **VN Ton**
TH Ntt Hba MY
2957. **Tamba dichroma** A.E.Prout,1932 (Noctuidae) Synonym(s): *dichroma* A.E.Prout,1932 **MY TH**
Ntt Hba
2958. **Tamba euryodia** A.E.Prout,1932 (Noctuidae) Synonym(s): *euryodia* A.E.Prout,1932 **MY TH**
Hba Ntt CMa Dst
2959. **Tamba griseipars** Hampson,1926 (Noctuidae) Synonym(s): *griseipars* Hampson,1926 **BT TH**
CMa Int
2960. **Tamba ionomera** Hampson,1926 (Noctuidae) Synonym(s): *ionomera* Hampson,1926 **PH Luz**
TH Tng MY ID Sum Bli Bor
2961. **Tamba lahara** Swinhoe,1897 (Noctuidae) Synonym(s): *lahara* Swinhoe,1897 **TH Ntt Hba MY**
SG
2962. **Tamba lala** (Swinhoe,1900) (Noctuidae) Synonym(s): *lala* Swinhoe,1900 **SG MY TH Nan**
Dpk VN MY ID Bor Clb
2963. **Tamba mnionomera** Hampson,1926 (Noctuidae) Synonym(s): *mnionomera* Hampson,1926 **TH Ntt Hba ID Bli**
2964. **Tamba multiplaga** (Swinhoe,1901) (Noctuidae) Synonym(s): *multiplaga* Swinhoe,1901 **IN**
TH Pgg LA
2965. **Tamba nigrilineata** (Wileman,1915) (Noctuidae) Synonym(s): *nigrilineata* Wileman,1915 **TW TH**
2966. **Tamba occidinawa** Holloway,2005 (Noctuidae) Synonym(s): *occidinawa* Holloway,2005 **MY**
Bor TH Ntt Hba ID Sum
2967. **Tamba ochra** A.E.Prout,1932 (Noctuidae) Synonym(s): *ochra* A.E.Prout,1932 **AQu Bor MY**
TH Ntt Hba
2968. **Tamba pallidiplaga** (Swinhoe,1905) (Noctuidae) Synonym(s): *pallidiplaga* Swinhoe,1905 **MY TH Ntt Hba**
2969. **Tamba reduplicalis** Walker,[1866] (Noctuidae) Synonym(s): *reduplicalis* Walker,[1866] **IN**
SI TH?
2970. **Tamba sidonalis** (Swinhoe,1917) (Noctuidae) Synonym(s): *sidonalis* Swinhoe,1917 **TH Pgg**
Ntt Hba MY
2971. **Tamba submicacea** Walker,1869 (Noctuidae) Synonym(s): *submicacea* Walker,1869; *punctistigma* Hampson,1895 **IN TH MY Bor ID Sum**
2972. **Tamba usurpatalis** (Walker,1858) (Noctuidae) Synonym(s): *usurpatalis* Walker,1858 **TH**
Tng ID
2973. **Tamba vinolia** (Hampson,1895) (Noctuidae) Synonym(s): *vinolia* Hampson,1895 **IN SI TH**
CMa Dst
2974. **Tambana albiplaga** (W.Warren,1912) (Noctuidae) Synonym(s): *albiplaga* W.Warren,1912 **IN Meg Ass Khs TH CMa Int VN**
2975. **Tambana behouneki** Speidel & Kononenko,1998 (Noctuidae) Synonym(s): *behouneki* Speidel & Kononenko,1998 **VN Lci Fan Ton Tda CN TH CMa Php**
2976. **Tambana endoxantha** (Hampson,1894) (Noctuidae) Synonym(s): *endoxantha* Hampson,1894; *#entoxantha* Speidel & Kononenko,1998 **IN Ass Pj SI NP Hp Sml TH CMa Int LA VN**
2977. **Tambana sp.** (Noctuidae) Synonym(s): **TH Knc CMa Php**
2978. **Tambana subflava** (Wileman,1911) (Noctuidae) Synonym(s): *subflava* Wileman,1911; *albitesellata* Hampson,1913 **IN Meg TH CMa Fn Php Nan NP VN Ton Lci Fan TW CN Fkn**
2979. **Tambana succinta** Berio,1973 (Noctuidae) Synonym(s): *succinta* Berio,1973 **MM Kch Kam**
TH? VN Lci Fan Ton

- 2980. Tamsia hieroglyphica (Swinhoe,1902)** (Noctuidae) Synonym(s): *hieroglyphica* Swinhoe,1902
TH
- 2981. Targalla albiceps (Hampson,1894)** (Noctuidae) Synonym(s): *albiceps* Hampson,1894; *picticolor* Hampson,1896; *ioda* Swinhoe,1899 IN NI LK MM Tns MY TH Pgg Bor TW
- 2982. Targalla apicifascia (Hampson,1894)** (Noctuidae) Synonym(s): *apicifascia* Hampson,1894; *mediofusca* Bethune-Baker,1906; *dinawa* Bethune-Baker,1906 IN Bba PG TH CMa Php MY VN LK ID Bor Sum PG SB PH
- 2983. Targalla atripars (Hampson,1912)** (Noctuidae) Synonym(s): *atripars* Hampson,1912 ID Ja Sda TH Ntt Hba MY SB
- 2984. Targalla delatrix (Guenée,1852)** (Noctuidae) Synonym(s): *delatrix* Guenée,1852; *infida* Walker,[1858]; *plusioides* Walker,1865; *impleta* Walker,1865; *praetexta* R.Felder & Rogenhofer,1874; *#intda* Kononenko & Pinratana,2005 LK IN TH LA VN MM MY ID Sum Bli Ja Sbw FJ PG WS NH Ms GO Nia NC RA TW PH JP AU Hw
- 2985. Targalla subocellata (Walker,[1863])** (Noctuidae) Synonym(s): *subocellata* Walker,[1863] MY Bor Swk TH CMa Dst LA VN MM IN LK ID Sum Bli Ja Sbw Tim Flo Sda Mlc PG PH TW
- 2986. Targalla sugii Holloway,1985** (Noctuidae) Synonym(s): *sugii* Holloway,1985 IN NP SI TH CMa Int
- 2987. Taviodes fulvescens Hampson,1926** (Noctuidae) Synonym(s): *fulvescens* Hampson,1926 BT TH CMa Int NP
- 2988. Tephriopsis divulsa (Walker,1865)** (Noctuidae) Synonym(s): *divulsa* Walker,1865 BD Syl IN NP TH Ntt Hba Nan Dpk
- 2989. Thalatha sinens (Walker,1857)** (Noctuidae) Synonym(s): *sinens* Walker,1857; *accreta* W.Warren,1913 IN TH Cbi LA MM CN ID Sum Bor PG PH
- 2990. Thalathoides conjecturalis (Swinhoe,1890)** (Noctuidae) Synonym(s): *conjecturalis* Swinhoe,1890 MM Rgo TH CMa Cmz Cz10 Knc VN IN LK ID Bor Sum Clb PH Luz MY
- 2991. Thecobathra lambda Moriuti,1963** (Noctuidae) Synonym(s): *lambda* Moriuti,1963 TH TW
- 2992. Throana sp.** (Noctuidae) Synonym(s): TH Ntt Hba
- 2993. Thyas coronata (Fabricius,1775)** (Noctuidae) Synonym(s): *coronata* Fabricius,1775; *leonina* Fabricius,1775; *ancilla* Fabricius,1794; *magica* Hübner,[1831]; *ponderosa* Mabille,1879 MG IN CN MY VN MM NP BD LK TH CMa Cuo1 Cuo7 Int Fn Phr Lmp TAK Knc Nna Bnk Chc Rat Sbu TW JP ID Sum Ja Bor Clb Ij PG NC NH WS FJ PH Glb GU AU PF PC (2007, Cent. ent. Stud., Memoirs 3/4: Pl.14 fig.1 [adult]).
- 2994. Thyas honesta Hübner,1824** (Noctuidae) Synonym(s): *honesta* Hübner,1824 TH Nrt Kao CMa Cuo Cu7 Int MY SG KH VN MM NP IN Adm LK ID Sum Bor Ja Tim Flo Crm PH TW CN JP
- 2995. Thyas juno (Dalman,1823)** (Noctuidae) Synonym(s): *juno* Dalman,1823; *elegans* Hoeven,1840; *multicolor* Guenée,1852; *bella* Bremer & Grey,1853; *#renalis* Bryk,1948 TH Nrt Kao CMa Int Dst Dso8 MY VN LA KH IN NP CN KP KR JP ID PH TW RU Us (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 fig.11 [adult]).
- 2996. Thyrostipa sphaeriophora (Moore,1867)** (Noctuidae) Synonym(s): *sphaeriophora* Moore,1867; *#sphaeriphora* Kononenko & Pinratana,2005 IN BT NP TH Nan Dpk MY CN ID Sum Ja Bor
- 2997. Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858] MA DZ TN LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY LB CY IR Fa Ss Hz B-A IQ Bgd Agh Bsr PK SI Gg IN NP CN JP TW TH CMa Php
- 2998. Thysanoplusia (Daubeiplusia) lectula (Walker,1858)** (Noctuidae) Synonym(s): *lectula* Walker,1858; *calitura* R.Felder & Rogenhofer,1874; *longisigna* Chou & Lu,1979 TH VN Ton Tda IN NP CN JP LK PG
- 2999. Thysanoplusia (s.str.) intermixta (W.Warren,1913)** (Noctuidae) Synonym(s): *intermixta* W.Warren,1913; *brachycalcea* Hampson,1913 CN Sz IN NI TH CMa Php VN Ton Tda NP LK MY ID Sum Bor Ja PH TW JP KP KR RU Us AU
- 3000. Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. Az Md MA DZ Cn PT ES Mu FR Sa Si IT MT IE GB NL DE CH YU BG GR Cr TR CY IL Pa LB IN Ch KG AF Nu Bsg Srb Hr Kab Gbh ZA Tva Lpo Spb Mdk Gau Pre Jh SH KE ZW Har Nta Kzu Dbn Mv Ec Grh MU SA JP CN TW IN LK NC NZ TH Nrt Kao VN LA MY ID PG PH NP PK SA YE AU Cc Cn AZ Kir DJ DJ44 ET KE
- 3001. Thysanoplusia (s.str.) reticulata (Moore,1882)** (Noctuidae) Synonym(s): *reticulata* Moore,1882; *brevistriata* Chou & Lu,1979 CN IN SI TH Knc MY VN Ton Tda NP TW PH ID Sum Clb
- 3002. Tinolius eburneiguttus Walker,1855** (Noctuidae) Synonym(s): *eburneigutta* Walker,1855 BD Syl TH Cbi CMa Cuo Cuo6 Lmp Phr Chy Knc Pkk Cbu Cbi Phe MY MM VN CN NP IN LK
- 3003. Tinolius hypsanus Swinhoe,1889** (Noctuidae) Synonym(s): *hypsana* Swinhoe,1889 IN SI TH CMa Int CDo LA VN NP
- 3004. Tinolius quadrimaculatus Walker,[1865]** (Noctuidae) Synonym(s): *quadrimaculata* Walker,[1865]; *zingha* Swinhoe,1890 TH CMa CDo Pgg Pap Mro MM KH VN CN
- 3005. Tipasa sp.** (Noctuidae) Synonym(s): TH Ntt Hba
- 3006. Tiracola aureata Holloway,1989** (Noctuidae) Synonym(s): *aureata* Holloway,1989 MY Bor TH CMa CDo
- 3007. Tiracola plagiata (Walker,1857)** (Noctuidae) Synonym(s): *plagiata* Walker,1857; *#nigrilathrata* W.Warren,1915 WS PC TO PG AU MY TH CMa Cuo Cuo6 IN Ass Meg Khs NC

- 3008. Tiruvaca subcostalis (Walker,1865)** (Noctuidae) Synonym(s): *subcostalis* Walker,1865 **PG MY IN TH Tng CMa Int MM ID Sum Ja Bor Clb SB PH**
- 3009. Titulcia confictella Walker,1864** (Noctuidae) Synonym(s): *confictella* Walker,1864; *quensta Swinhoe,1903* **MY Bor IN TW TH CMa Dst Dso9 MM ID Sum PH Pal**
- 3010. Tochara creberrima (Walker,1858)** (Noctuidae) Synonym(s): *creberrima* Walker,1858; *pyralina Moore,1877*; *obliqua Moore,1882*; *salea Swinhoe,1919*; *gilloloensis Swinhoe,1919* **BD Syl Adm IN Ass Meg Khs PG Mlc Ja Sum Bor Clb Fg TW TH CMa Int**
- 3011. Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. **MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA IQ Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc AF Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BY CV Wca Cto JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Skh Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44** (2007, Cesa Publ. Afr. Lepid. 1: fig.14 [adult]).
- 3012. Trichosea champa (Moore,1879)** (Noctuidae) Synonym(s): *champa* Moore,1879 **IN Hp Drm TH VN Ton Fan Lci NP CN TW JP KP KR RU Us**
- 3013. Trichosea diffusa Sugi,1986** (Noctuidae) Synonym(s): *#diffusa* W.Warren,1909; *diffusa* Sugi,1986 **IN Ass SI NP TH CMa Php TW**
- 3014. Trichosea mjobergi (A.E.Prout,1926)** (Noctuidae) Synonym(s): *mjobergi* A.E.Prout,1926 **MY Bor Swk TH CMa**
- 3015. Trigonodes cephise (Cramer,1780)** (Noctuidae) Synonym(s): *cephise* Cramer,1780; *maxima Guenée,1852*; *saina Swinhoe,1918* **IN ID Nia Sum Ja Clb AU WS NC TH VN KH PG SB NH TO FJ**
- 3016. Trigonodes hyppasia (Cramer,1779)** (Noctuidae) Synonym(s): *hyppasia* Cramer,1779; *deliana Stoll,1791*; *anfractuosa Boisduval,1834*; *acutata Guenée,1852*; *inacuta Guenée,1852*; *compar* Walker,[1858] **ZA Tva Lpo Spb Mdk Ec AU NSw Lhw TO NF NC SD ET ET204 KE MZ Del MG MU YE Ad CN TW IN LK MM ID Ja Tnm Sum Bor Sbw TH Tng CMa Int Cuo Cuo7 KH VN NP PK IR NF SC**
- 3017. Trisuloides luteifascia Hampson,1894** (Noctuidae) Synonym(s): *luteifascia* Hampson,1894 **IN Meg Ass Khs NP CN TH CMa Int**
- 3018. Trisuloides sericea Butler,1881** (Noctuidae) Synonym(s): *sericea* Butler,1881; *catocalina Moore,1883*; *pallidimacula* W.Warren,1912; *trigonoleuca* A.E.Prout,1922; *hawkeri* A.E.Prout & Talbot,1924 **TH CMa CDo Knc VN MM IN Ben Meg SI Djl PK NP CN TW JP SI Djl ID Crm Bru**
- 3019. Tropiditamba lepraota (Hampson,1898)** (Noctuidae) Synonym(s): *lepraota* Hampson,1898; *pallidiplaga Swinhoe,1905*; *grandis* Turner,1933 **AU QAu Kda MY TH Cbi SG IN Meg Ass Khs LK ID Sum Clb Bor Mlc Crm PG**
- 3020. Tyana pustulifera Walker,1866** (Noctuidae) Synonym(s): *pustulifera* Walker,1866 **TH CMa CDo**
- 3021. Tycracona obliqua Moore,1882** (Noctuidae) Synonym(s): *obliqua* Moore,1882 **IN Ass SI Djl TH Nan LA VN NP CN TW ID Sum**
- 3022. Tympanistes rufimacula W.Warren,1916** (Noctuidae) Synonym(s): *rufimacula* W.Warren,1916 **IN Ass TH CMa CDo**
- 3023. Ugia disjungens Walker,1858** (Noctuidae) Synonym(s): *disjungens* Walker,1858; *insuspecta Glasworthy,1997* **SG CN HK MY TH Rng**
- 3024. Ugia eugrapha (Swinhoe,1907)** (Noctuidae) Synonym(s): *eugrapha* Swinhoe,1907 **ID Sum Ja Ged TH Ntt Hba**
- 3025. Ugia serrilinea Hampson,1926** (Noctuidae) Synonym(s): *serrilinea* Hampson,1926 **MY Bor Swk ID Sum Ij PG TH Cbi**
- 3026. Ugia sundana Hampson,1924** (Noctuidae) Synonym(s): *sundana* Hampson,1924; *albertii Kobes,1989* **ID Sum Ja TH Tng**
- 3027. Veia homopteroides Walker,[1863]** (Noctuidae) Synonym(s): *homopteroides* Walker,[1863] **MY Bor Swk TH Ntt Hba**
- 3028. Vestura minereusalis (Walker,1859)** (Noctuidae) Synonym(s): *minereusalis* Walker,1859; *adeba Swinhoe,1904* **MY Bor Swk SG TH Ntt Hba Nrt Kao CN ID Sum**
- 3029. Westermannia superba Hübner,1823** (Noctuidae) Synonym(s): *superba* Hübner,1823; *westermanni* Guenée,1852; *gloriosa* Hampson,1912 **ZA MY Bor Swk SG ID Klt Sum TH CMa CDo CD2 Dst Dso9 IN PH Pal** (Fig.28)



Fig.28 – *Westermannia superba* (Noctuidae) at night, Thailand Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

- 3030. Wittstrotia nunta** Kemal, Leksawasdi & Koçak,2006 (Noctuidae) Synonym(s): *nunta* Kemal, Leksawasdi & Koçak,2006 **TH CMa CDo Int Fn Php**
- 3031. Xanthanomys** sp. (Noctuidae) Synonym(s): **TH Tng MY Bor**
- 3032. Xanthia glaucozona** Hreblay, Peregovits & L.Ronkay,1999 (Noctuidae) Synonym(s): *glaucozona* Hreblay, Peregovits & L.Ronkay,1999 **VN Lci TH CMa**
- 3033. Xanthodes intersepta** Guenée,1852 (Noctuidae) Synonym(s): *intersepta* Guenée,1852 **TH**
- 3034. Xanthodes transversa** (Guenée,1852) (Noctuidae) Synonym(s): *transversa* Guenée,1852 **TH**
Chc Bnk Sbi Roi Sak
- 3035. Xanthomanthus cornelia** (Staudinger,1888) (Noctuidae) Synonym(s): *cornelia* Staudinger,1888; *honrathii* Graeser,[1889] **RU Am CN TH CMa MAI Php KP KR**
- 3036. Xylena minima** Hacker,1992 (Noctuidae) Synonym(s): *minima* Hacker,1992 **TH CMa Int**
- 3037. Yepcalphis dilectissima** (Walker,1858) (Noctuidae) Synonym(s): *dilectissima* Walker,1858 **PH Neg TH CMa Dst Cz10 Cmz**
- 3038. Zanclognatha reticulatis** (Leech,1900) (Noctuidae) Synonym(s): *reticulatis* Leech,1900 **CN**
TH CMa Int VN TW JP RU Us Sh
- 3039. Zethesides hesperioides** (Guenée,1852) (Noctuidae) Synonym(s): *hesperioides* Guenée,1852 **AU ID Ja TH CMa Php**
- 3040. Zonoplusia ochreata** (Walker,1865) (Noctuidae) Synonym(s): *ochreata* Walker,1865; *cornucopiae* Snellen,1880 **LK ID Clb TH CMa CDo CD2 Php MY KH VN NP IN CN TW JP KP KR PH Sum**
Tim Flo Sda AU (Fig.29)



Fig.29 - *Zonoplusia ochreatea* (Noctuidae) at night, Thailand, Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

- 3041. *Acmeshachia gigantea* (Elwes,1890)** (Notodontidae) Synonym(s): *gigantea* Elwes,1890; ?
takamukui Matsumura,1929 **IN Ass SI TH VN Ton Fan TW**
- 3042. *Allata* (Celeia) *violaceus* Schintlmeister,1997** (Notodontidae) Synonym(s): *violaceus*
Schintlmeister,1997 **VN Ton M-c N-I Ann Bao TH Srt**
- 3043. *Allata* (s.str.) *argentifera* Walker,1862** (Notodontidae) Synonym(s): *argentifera* Walker,1862
SI NP LK TH VN Ton Tda N-I MY ID Sum Bor PH Pal Mno Clb
- 3044. *Allata* (s.str.) *benderi* Dierl,1976** (Notodontidae) Synonym(s): *benderi* Dierl,1976 **MY Bor**
ID Sum PH Pal TH VN Ton M-c B-e Bao Ann Tgi Cuc Fan
- 3045. *Armiana ochracea* (Moore,1879)** (Notodontidae) Synonym(s): *ochracea* Moore,1879 **NP SI**
Djl IN TH VN Ton Tda CN
- 3046. *Armiana* sp.** (Notodontidae) Synonym(s): **TH CMa**
- 3047. *Baradesa omissa* Rothschild,1917** (Notodontidae) Synonym(s): *omissa* Rothschild,1917 **SI IN**
ID Sum MY TH VN Bao Ton Fan M-c CN Yu Tkg Kwa
- 3048. *Benbowia camilla* Schintlmeister,1997** (Notodontidae) Synonym(s): *camilla*
Schintlmeister,1997 **CN Sz SI NP IN VN Ton Fan M-c TH CMa Int Djl**



Fig.30 - Studying at night, Thailand Chiang Dao 465m 13 11 2006, A.Koçak (Cesa)

- 3049. Besaia (s.str.) goddricka (Schaus,1928)** (Notodontidae) Synonym(s): *goddricka* Schaus,1928; *simplicior* Gaede,1930 **CN TH VN Ton Tda Fan**
- 3050. Besida xylinata Walker,1865** (Notodontidae) Synonym(s): *xylinata* Walker,1865; *#albiplaga* Gaede,1930 **TH ID Sum Ja Clb PH Pal VN Ton Bac N-l**
- 3051. Betashachia angustipennis Matsumura,1925** (Notodontidae) Synonym(s): *angustipennis* Matsumura,1925; *cineraria* Kiriakoff,1963 **TW CN VN M-c Tda Fan Ton TH ID Sum**
- 3052. Bireta longivitta Walker,1856** (Notodontidae) Synonym(s): *longivitta* Walker,1856; *xanthophila* Walker,1865 **IN NP MM Rgo SI TH CN VN Ton Fan M-c**
- 3053. Cerura (Neocerura) liturata (Walker,1855)** (Notodontidae) Synonym(s): *liturata* Walker,1855 **IN NP MM TH VN CN TW PH Luz ID Sum Ja Bli Bor Ton Tda Tgi Cuc Fan N-l M-c**
- 3054. Chadisra bipars Walker,1862** (Notodontidae) Synonym(s): *bipars* Walker,1862 **IN NP LK MY ID Sum Ja Bor TW TH VN Ton Fan M-c Tda B-e N-l Cuc**
- 3055. Chadisra bipartita (Matsumura,1925)** (Notodontidae) Synonym(s): *bipartita* Matsumura,1925 **TW ID Ja Sum JP CN NP SI TH IN VN Ton Fan Tda B-e Tgi Cuc N-l M-c**
- 3056. Clostera fulgurita (Walker,1865)** (Notodontidae) Synonym(s): *fulgurita* Walker,1865 **IN NP MM TH VN Ton Fan Cuc M-c Tda Tgi M-c B-e MY Bor ID Sum Ja Clb CN Yu Hn**
- 3057. Clostera pallida (Walker,1855)** (Notodontidae) Synonym(s): *pallida* Walker,1855; *rufa* Luh,1947 **IN NP TH MM VN Ton Fan CN**
- 3058. Dudusa intermedia Sugi,1987** (Notodontidae) Synonym(s): *intermedia* Sugi,1987; *#intermediata* Hutacharern & Tubtim,1995 **TH VN Ton Tda**
- 3059. Dudusa nobilis Walker,1865** (Notodontidae) Synonym(s): *nobilis* Walker,1865; *baibarana* Matsumura,1929; *distincta* Mell,1930. **TH VN Ton Tda Cuc CN Kwa TW**
- 3060. Dudusa synopla Swinhoe,1907** (Notodontidae) Synonym(s): *synopla* Swinhoe,1907; *rufobrunnea* Mell,1930; *fumosa* Matsumura,1925; *horishana* Matsumura,1929. **IN SI MM TH CN Kwa Fkn Tkg MY VN Tda Ton Fan Bor Pal PH TW ID Sum**
- 3061. Egoria auritracta Moore,1865** (Notodontidae) Synonym(s): *auritracta* Moore,1865; *auritractata* Hampson,1892 **TH CMA CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.1 [adult])**
- 3062. Euhampsonia serratifera Sugi,1994** (Notodontidae) Synonym(s): *serratifera* Sugi,1994 **TH MM VN Ton Fan M-c CN**

- 3063. Fentonia baibarana Matsumura,1929** (Notodontidae) Synonym(s): *baibarana* Matsumura,1929 **TW TH VN Ton Fan Tda CN**
- 3064. Fentonia subnigrescens Kiriakoff,1963** (Notodontidae) Synonym(s): *subnigrescens* Kiriakoff,1963 **CN VN Ton Fan Tda TH**
- 3065. Formofentonia orbifer (Hampson,1893)** (Notodontidae) Synonym(s): *orbifer* Hampson,1893; *#orbivifera* Hutacharern & Tubtim,1995 **IN TW ID Clb Ja Sum Bor PH Mno Pal CN Sz TH CMa CDo**
- 3066. Gangarides dharma Moore,1865** (Notodontidae) Synonym(s): *dharma* Moore,1865; *puerariae* Mell,1922 **IN MM CN Fkn Kwa Hpe Hph Mou T-T Kgs Kig Lng She Sz Yu Tkg TH CMa CDo VN Cuc Tda Ton Fan B-e M-c Bao Tgi KR**
- 3067. Gangarides flavescens Schintlmeister,1997** (Notodontidae) Synonym(s): *flavescens* Schintlmeister,1997 **VN Tda M-c Ton Fan TH CMa MM**
- 3068. Gangarides rufinus Schintlmeister,1997** (Notodontidae) Synonym(s): *rufinus* Schintlmeister,1997 **TH CMa Dst Cmz Cz10 Nan VN Ton Fan MM Tns**
- 3069. Gangarides vardenia (Swinhoe,1882)** (Notodontidae) Synonym(s): *vardenia* Swinhoe,1882 **ID Sum MY Bor TH VN Bao Bac**
- 3070. Gangarides vittipalpis (Walker,1869)** (Notodontidae) Synonym(s): *vittipalpis* Walker,1869; *irregularis* Schintlmeister,1994 **IN VN Ton Tda Cuc M-c Tgi B-e MY TH SI**
- 3071. Gargetta costigera Walker,1865** (Notodontidae) Synonym(s): *costigera* Walker,1865 **TH CMa CDo VN Ton Bac N-I (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.3 [adult]).**
- 3072. Gargetta hampsoni Schintlmeister,1981** (Notodontidae) Synonym(s): *hampsoni* Schintlmeister,1981 **ID Sum TH CMa CDo**
- 3073. Ginshachia bronacha (Schaus,1928)** (Notodontidae) Synonym(s): *bronacha* Schaus,1928 **ID Ja MY TH CMa Dst Dso9**
- 3074. Gonoclostera argentata (Oberthür,1914)** (Notodontidae) Synonym(s): *argentata* Oberthür,1914 **CN TH VN Ton Fan Bao Ann Tda**
- 3075. Harpyia longipennis (Walker,1855)** (Notodontidae) Synonym(s): *longipennis* Walker,1855; *formosicola* Matsumura,1929 **TW IN NP CN MM TH VN Ton Tda Fan**
- 3076. Hexafrenum apicalis (Kiriakoff,1974)** (Notodontidae) Synonym(s): *apicalis* Kiriakoff,1974 **ID Sum ?TH CMa Dst Ds10 (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.4 [adult]).**
- 3077. Hexafrenum pseudosikkima Sugi,1992** (Notodontidae) Synonym(s): *pseudosikkima* Sugi,1992 **NP SI TH VN Ton Fan Tda**
- 3078. Hyperaeschra pallida Butler,1880** (Notodontidae) Synonym(s): *pallida* Butler,1880 **SI IN Djl TH CMa CDo CN Fkn Kig Yu VN Ton Fan M-c Tgi Tda N-I**
- 3079. Kamalia malaysiana (Holloway,1982)** (Notodontidae) Synonym(s): *malaysiana* Holloway,1982 **ID Nia ID Sum Ja Bli Sbw TH MM PH Pal MY Pah Bor Sbh KBa BN Swk**
- 3080. Kamalia priapus (Schintlmeister,1997)** (Notodontidae) Synonym(s): *priapus* Schintlmeister,1997 **VN Ton Tda Cuc Tgi Fan N-I M-c MM KH TH CMa Lam Knc CN KwT Hun TW Hn**
- 3081. Khasidonta picta (Hampson,1900)** (Notodontidae) Synonym(s): *picta* Hampson,1900 **IN Meg Ass Khs TH**
- 3082. Medanella subterminalis Kiriakoff,1974** (Notodontidae) Synonym(s): *subterminalis* Kiriakoff,1974 **ID Sum PH Pal MY Bor TH VN Ton M-c Tda**
- 3083. Megashachia brunnea Cai,1985** (Notodontidae) Synonym(s): *brunnea* Cai,1985 **CN Fkn Kwa Hn Yu Kgs TH CMa Fn Agk Loe VN Ton Fan**
- 3084. Mesophalera bruno Schintlmeister,1997** (Notodontidae) Synonym(s): *bruno* Schintlmeister,1997 **VN Ton Fan N-I Tda CN Fkn TW TH CMa Dst**
- 3085. Metaschalis disrupta (Moore,1879)** (Notodontidae) Synonym(s): *disrupta* Moore,1879 **SI IN ID Sum MY TH CN VN Ton Tda N-I M-c Fan**
- 3086. Neodrymonia (Polystictina) maculata (Moore,1879)** (Notodontidae) Synonym(s): *maculata* Moore,1879 **SI NP TH VN Ton Fan M-c Tgi Far TW CN**
- 3087. Neodrymonia (s.str.) elisabethae Holloway & Bender,1985** (Notodontidae) Synonym(s): *elisabethae* Holloway & Bender,1985 **ID Sum MY CN IN TH VN Ton Tda Fan M-c**
- 3088. Neodrymonia (s.str.) seriatopunctata (Matsumura,1925)** (Notodontidae) Synonym(s): *seriatopunctata* Matsumura,1925 **TW CN VN Ton Fan Tda TH NP SI**
- 3089. Neopheosia fasciata (Moore,1888)** (Notodontidae) Synonym(s): *fasciata* Moore,1888; *formosana* Okano,1959 **PH Mno Pan IN Hp Drm SI ID Bru Clb Sum Bor MY Luz Pal MM TH CMa Qs Qs15 VN Ton Fan Tda TW JP CN**
- 3090. Nerice dispar (Cai,1979)** (Notodontidae) Synonym(s): *dispar* Cai,1979 **CN VN Ton Fan TH**
- 3091. Netria livornis Schintlmeister,2006** (Notodontidae) Synonym(s): *livornis* Schintlmeister,2006 **TH Lam MAI Fn Php Int Nan Dst CN Yu VN Fan Ton**
- 3092. Netria multispinae Schintlmeister,2006** (Notodontidae) Synonym(s): *multispinae* Schintlmeister,2006 **IN Ben SI Djl Meg Ass Khs Slo NP MM Cnh Tns VN Ton LA TH CMa Int Bou Php Wia Fn Pfa Dst Pai Kao Rng Knc Phy CN Yu Sz Fkn Hun Hbe Hn TW ID Sum MY Cmh SG Bor Sbh KBa**

- 3093. Netria speideli Schintlmeister, 2006** (Notodontidae) Synonym(s): *speideli Schintlmeister, 2006*
VN B-e Ton Tda M-c TH CMa Agk Kao Nan Rng LA MM Tns
- 3094. Netria viridescens Walker, 1855** (Notodontidae) Synonym(s): *viridescens Walker, 1855* ID
Mlk Clb Ja Sum MY Sgo SG Bor IN SI Up Ben Djl Ass Meg Slo Khs NP PH Pal Luz TH Mae CMa Int Fn
CDo Nan Agk Bnl Bou Dst Kao Knc MAL Pap Pfa Rng MM VN Bao B-e Ton Tda M-c CN Kwa Fkn Kig
Kgs Tkg Yu
- 3095. Niganda radialis (Gaede, 1930)** (Notodontidae) Synonym(s): *radialis Gaede, 1930*; *#radialisi Schintlmeister, 1997* IN NP TH VN M-c MY
- 3096. Omichlis rufotincta Hampson, 1895** (Notodontidae) Synonym(s): *rufotincta Hampson, 1895*
NP SI MM TH VN Ton Fan Far B-e M-c
- 3097. Peridea moorei Hampson, [1893]** (Notodontidae) Synonym(s): *sikkima Moore, 1879 nec Mr., 1865*;
moorei Hampson, [1893]; *ochreipennis Nakamura, 1973* IN SI NP MY TW CN VN Ton Fan M-c TH
- 3098. Periphallera albicauda (Bryk, 1949)** (Notodontidae) Synonym(s): *albicauda Bryk, 1949* MM
TH CN VN Ton Fan M-c
- 3099. Phalera argenteolepis Schintlmeister, 1997** (Notodontidae) Synonym(s): *argenteolepis Schintlmeister, 1997* VN Ton Fan N-l TH Dst CMa Knc
- 3100. Phalera cossioides Walker, 1863** (Notodontidae) Synonym(s): *cossioides Walker, 1863* IN TH
LA CN VN Ton Tda M-c Bao Ann
- 3101. Phalera eminens Schintlmeister, 1997** (Notodontidae) Synonym(s): *eminens Schintlmeister, 1997* CN Yu MM TH CMa VN Ton Fan
- 3102. Phalera goniophora Hampson, 1910** (Notodontidae) Synonym(s): *goniophora Hampson, 1910*
IN NP CN TH VN Ton Tda M-c Fan
- 3103. Phalera grotei Moore, 1859** (Notodontidae) Synonym(s): *grotei Moore, 1859* IN NP MM MY
Bor ID Sum VN Ton M-c Fan Tda Bao Ann KP KR CN TH
- 3104. Phalera parivala Moore, 1859** (Notodontidae) Synonym(s): *parivala Moore, 1859* IN NP TH
CMa CDo Dst Dso7 VN Ton Fan M-c CN
- 3105. Phalera torpida Walker, 1865** (Notodontidae) Synonym(s): *torpida Walker, 1865* IN TH VN
Ton Tda M-c Cuc CN
- 3106. Pheosiopsis (s.str.) dierli Sugi, 1992** (Notodontidae) Synonym(s): *diehli Dierl, 1977 nec Kiriak., 1974*; *dierli Sugi, 1992* TH CMa Dst Mth CDo NP SI VN Ton Fan Tda (2007, Cent. ent. Stud.,
Memoirs 3/4: pl.47 fig.2 [adult]).
- 3107. Pheosiopsis (s.str.) gilda Schintlmeister, 1997** (Notodontidae) Synonym(s): *gilda Schintlmeister, 1997* VN Ton Fan TH Nan CMa Int
- 3108. Pseudallata laticostalis (Hampson, 1900)** (Notodontidae) Synonym(s): *laticostalis Hampson, 1900* IN Meg Ass Khs TH
- 3109. Pseudofentonia (Calyptronotum) singapura Gaede, 1930** (Notodontidae)
Synonym(s): *singapura Gaede, 1930* TH MM PH Neg Luz MY SG ID Sum Bor VN Ton B-e Tgi
- 3110. Pseudofentonia (Disparia) diluta (Hampson, 1910)** (Notodontidae) Synonym(s): *diluta Hampson, 1910* IN Ass MM NP SI TH ID MY Bor Sum Ja TW JP CN VN Ton Tda Fan B-e Tgi M-c
- 3111. Pseudofentonia (Disparia) mediopallens (Sugi, 1989)** (Notodontidae) Synonym(s):
mediopallens Sugi, 1989 MM TH VN Ton Fan Tda
- 3112. Pseudofentonia (Lanna) obliquiplaga (Moore, 1879)** (Notodontidae) Synonym(s):
obliquiplaga Moore, 1879 SI MM TH CMa CDo VN Ton Fan Tda
- 3113. Pseudofentonia (Viridifentonia) plagiviridis (Moore, 1879)** (Notodontidae)
Synonym(s): *plagiviridis Moore, 1879*; *#plagifera Schintlmeister, 1997* SI NP MM CN VN Ton Fan TH CRa CMa
- 3114. Pseudosomera inexpecta Schintlmeister, 1989** (Notodontidae) Synonym(s): *inexpecta Schintlmeister, 1989* TH VN Ton Tda Fan
- 3115. Pseudoteleclita centristicta (Hampson, 1898)** (Notodontidae) Synonym(s): *centristicta Hampson, 1898* SI LK TH VN Ton Fan Tgi M-c MM NP
- 3116. Pydnella rosacea (Hampson, 1896)** (Notodontidae) Synonym(s): *rosacea Hampson, 1896*;
monticola Roepke, 1943 IN MM CN VN Ton Fan Cuc Tgi ID Ja Sum TH CMa Dst Dso8 CDo
- 3117. Quadricalcarifera comatus (Leech, 1898)** (Notodontidae) Synonym(s): *comatus Leech, 1898*;
viridimacula Matsumura, 1922; *consentrica Matsumura, 1927*. CN ID Sum MY Bor PH Luz Mno IN MM TH VN
Ton Fan Tda Cuc M-c N-l TW
- 3118. Quadricalcarifera doloka Kiriakoff, 1967** (Notodontidae) Synonym(s): *doloka Kiriakoff, 1967*
ID Sum TH CMa CDo
- 3119. Quadricalcarifera scensus Schintlmeister, 1997** (Notodontidae) Synonym(s): *scensus Schintlmeister, 1997* VN Ton M-c Tgi Fan TH CMa
- 3120. Quadricalcarifera viridipicta (Wileman, 1910)** (Notodontidae) Synonym(s): *viridipicta Wileman, 1910*; *marginalis Matsumura, 1920*; *kusukusuana Matsumura, 1929*; *lineata Okano, 1960*; *meridioviridis Kiriakoff, 1963*;
viridigutta Kiriakoff, 1963; *doloka Kiriakoff, 1967*; *eusebia Kiriakoff, 1974*. TW IN SI Djl TH ID Bor MY Sum MM VN
Ton Fan Tda M-c Tgi Bao CN
- 3121. Quadricalcarifera wunna Schintlmeister, 1997** (Notodontidae) Synonym(s): *wunna Schintlmeister, 1997* VN Ton M-c Fan TH CMa

- 3122. *Rachia cryptocephala* (Bryk,1949)** (Notodontidae) Synonym(s): *cryptocephala* Bryk,1949
MM TH VN Ton Fan
- 3123. *Rachia striata* Hampson,1892** (Notodontidae) Synonym(s): *striata* Hampson,1892 SI NP TH
VN Ton Fan
- 3124. *Rachiades siamensis* Sugi,1993** (Notodontidae) Synonym(s): *siamensis* Sugi,1993 TH
- 3125. *Ramesa albistriga* Moore,1879** (Notodontidae) Synonym(s): *albistriga* Moore,1879 BT IN SI
TW TH CMa CDo
- 3126. *Ramesa bovocolosugens* (Bänziger,1988)** (Notodontidae) Synonym(s): *bovocolosugens*
Bänziger,1988 TH CMa Dst Cmz Knc VN Ton Tda
- 3127. *Ramesa doisuthepica* (Bänziger,1988)** (Notodontidae) Synonym(s): *doisuthepica*
Bänziger,1988 TH CMa Dst
- 3128. *Ramesa huaykaeoensis* (Bänziger,1988)** (Notodontidae) Synonym(s): *huaykaeoensis*
Bänziger,1988 TH CMa Dst CDo VN Ton Tda
- 3129. *Ramesa lacrimisaddicta* (Bänziger,1989)** (Notodontidae) Synonym(s): *lacrimisaddicta*
Bänziger,1989 TH CMa CDo
- 3130. *Ramesa siamica* (Bänziger,1988)** (Notodontidae) Synonym(s): *siamica* Bänziger,1988 TH
CMa CDo Fn Agk Dst VN Ton Fan
- 3131. *Semidonta basalis* (Moore,1865)** (Notodontidae) Synonym(s): *basalis* Moore,1865; *bidens*
Oberthür,1911 IN NP TH TW CN Ti VN Ton Fan Tda
- 3132. *Somera virens* Dierl,1976** (Notodontidae) Synonym(s): *virens* Dierl,1976 IN Meg Ass Khs SI
Djl BT VN Ton Fan M-c Bao Tda Cuc N-l TH CMa Int ID Sum MM Tns MY Bor
- 3133. *Somera viridifusca* Walker,1855** (Notodontidae) Synonym(s): *viridifusca* Walker,1855 IN LK
TW ID Clb PH Luz Pal Mno Bor MY Sum Ja NP TH TW VN Ton Fan Tgi Cuc M-c Tda N-l
- 3134. *Spatalina ferruginosa* (Moore,1879)** (Notodontidae) Synonym(s): *ferruginosa* Moore,1879
SI NP MM CN VN Ton Fan TH CMa CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.5 [adult]).
- 3135. *Spatalina umbrosa* (Leech,1898)** (Notodontidae) Synonym(s): *umbrosa* Leech,1898; *desiccata*
Kiriakoff,1963 NP SI MM TH CN VN Ton Fan Ann Bao Tda Tgi M-c Cuc
- 3136. *Stauropus alternus* Walker,1855** (Notodontidae) Synonym(s): *alternus* Walker,1855 PH Ceb
Luz Mdo Mno Pal Pan IN Ja Clb Sum Bor MY TW VN CN MM ID TH
- 3137. *Stauropus major* Van Eecke,1929** (Notodontidae) Synonym(s): *major* Van Eecke,1929 ID
Sum PH Pal MY Bor Bli MM TH VN Ton Tda Bao
- 3138. *Stauropus sikkimensis* Moore,1865** (Notodontidae) Synonym(s): *sikkimensis* Moore,1865
TW IN SI Djl CN Yu NP MM VN Ton Fan TH
- 3139. *Stenadonta radialis* Gaede,1930** (Notodontidae) Synonym(s): *radialis* Gaede,1930 IN TH
CMa CDo (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.8 [adult]).
- 3140. *Syntypistis fasciata* (Moore,1879)** (Notodontidae) Synonym(s): *fasciata* Moore,1879; *comatus*
Leech,1898 CN Sz IN TH CMa Dst Dso8 MY TW
- 3141. *Syntypistis jupiter* (Schintlmeister,1997)** (Notodontidae) Synonym(s): *jupiter*
Schintlmeister,1997 CN Hn Yu VN Ton Tda Fan TH Nan IN Ass
- 3142. *Syntypistis nigribasalis* (Wileman,1910)** (Notodontidae) Synonym(s): *nigribasalis*
Wileman,1910; *saitonis* Matsumura,1927; *notoprocta* Yang,1995 MY Bor ID Sum PH Luz Pal Mno Clb TW VN
Ton Fan M-c Tda TH
- 3143. *Syntypistis perdix* (Moore,1879)** (Notodontidae) Synonym(s): *perdix* Moore,1879 IN NP TH
VN Ton Fan Tda TW CN Yu
- 3144. *Syntypistis spitzeri* (Schintlmeister,1987)** (Notodontidae) Synonym(s): *spitzeri*
Schintlmeister,1987 VN Ton Fan Cuc Tda CN Kig TH
- 3145. *Syntypistis witoldi* (Schintlmeister,1997)** (Notodontidae) Synonym(s): *witoldi*
Schintlmeister,1997 CN Yu VN Ton Fan TH MM
- 3146. *Tarsolepsis elephantorum* Bänziger,1986** (Notodontidae) Synonym(s): *elephantorum*
Bänziger,1986 TH CMa Dst Cmz VN M-c
- 3147. *Tarsolepsis malayana* Nakamura,1976** (Notodontidae) Synonym(s): *malayana*
Nakamura,1976 ID Sum Bor MY VN Ton Tda M-c TH MM
- 3148. *Tarsolepsis remicauda* Butler,1872** (Notodontidae) Synonym(s): *remicauda* Butler,1872 ID
Ja VN Ton Tda CN Yu TH Knc NP Pal PH Bor Bru MY Sum Clb PG MM
- 3149. *Tarsolepsis sommeri* (Hübner,1821)** (Notodontidae) Synonym(s): *sommeri* Hübner,1821
TH PH MY Bor
- 3150. *Teinophalera elongata* (Rothschild,1917)** (Notodontidae) Synonym(s): *elongata*
Rothschild,1917 IN Ass TH VN Ton Fan
- 3151. *Teleclita strigata* (Moore,1879)** (Notodontidae) Synonym(s): *strigata* Moore,1879 SI NP TH
VN Bao
- 3152. *Thaila cinerascens* Kiriakoff,1974** (Notodontidae) Synonym(s): *cinerascens* Kiriakoff,1974
TH

- 3153. Togarishachia albistriga (Moore,1879)** (Notodontidae) Synonym(s): *albistriga* Moore,1879; *kanshireiensis* Wileman,1914; *argentopicta* Matsumura,1925; *sphingoides* Van Eecke,1929. **IN SI ID Sum Ja VN Ton Fan Tda Cuc TW CN Fkn Yu Ti Sz Kig Kwa TH CMa Fn Agk CDo**
- 3154. Vaneekia pallidifascia (Hampson,1893)** (Notodontidae) Synonym(s): *pallidifascia* Hampson,1893; *centrobrunnea* Matsumura,1927; *concentrica* Matsumura,1927 **JP IN PG ID Clb Bor MY Sum PH Luz Mno VN TH TW CN Ton Tda Cuc B-e Fan**
- 3155. Agonopterix Chiangmaiensis Saito,1987** (Oecophoridae) Synonym(s): *Chiangmaiensis* Saito,1987 **TH CMa Int Pki**
- 3156. Agonopterix siamensis Saito,1987** (Oecophoridae) Synonym(s): *siamensis* Saito,1987 **TH Nna Kao CMa**
- 3157. Ashinaga longimana Matsumura,1929** (Oecophoridae) Synonym(s): *longimana* Matsumura,1929 **TW TH CMa**
- 3158. Caenorycta anholochrysa Diakonoff,1966** (Oecophoridae) Synonym(s): *anholochrysa* Diakonoff,1966 **ID Clb TH**
- 3159. Casmara exculta (Meyrick,1914)** (Oecophoridae) Synonym(s): *exculta* Meyrick,1914 **IN Ass TH MY BN Bor Sbh**
- 3160. Deuterogonia angoonae Saito,1987** (Oecophoridae) Synonym(s): *angoonae* Saito,1987 **TH CMa**
- 3161. Erotis sp.:** (Oecophoridae) Synonym(s): **MY BN Bor Sbh TH**
- 3162. Idioglossa thailandica Sugisima,2004** (Oecophoridae) Synonym(s): *thailandica* Sugisima,2004 **TH**
- 3163. Irepacma lannathaiensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *lannathaiensis* Moriuti, Saito & Lewvanich,1985 **TH CMa**
- 3164. Irepacma meksongseei Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *meksongseei* Moriuti, Saito & Lewvanich,1985 **TH Nna Kao**
- 3165. Irepacma pakiensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *pakiensis* Moriuti, Saito & Lewvanich,1985 **TH CM Hnd Int Nna Kao**
- 3166. Irepacma pingensis Moriuti, Saito & Lewvanich,1989** (Oecophoridae) Synonym(s): *pingensis* Moriuti, Saito & Lewvanich,1989 **TH CMa Dst Hnd Pki Int**
- 3167. Irepacma torrida (Meyrick,1894)** (Oecophoridae) Synonym(s): *torrida* Meyrick,1894 **MM Kni TH CMa Pki Dst Int Loe Rng**
- 3168. Linoclostis gonatias Meyrick,1908** (Oecophoridae) Synonym(s): *gonatias* Meyrick,1908 **IN TH**
- 3169. Martyringa xeraula (Meyrick,1910)** (Oecophoridae) Synonym(s): *xeraula* Meyrick,1910; *kuwanii* Heinrich,1920; *ravicapitis* Hodges,1960 **IN CN KP KR JP US TH CMa CDo**
- 3170. Paradeuterogonia siamica Saito,1989** (Oecophoridae) Synonym(s): *siamica* Saito,1989 **TH Loe**
- 3171. Paralecta antistola Meyrick,1930** (Oecophoridae) Synonym(s): *antistola* Meyrick,1930 **MY TH**
- 3172. Periacma angkhangensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *angkhangensis* Moriuti, Saito & Lewvanich,1985 **TH CMa Agk**
- 3173. Periacma changkhanensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *changkhanensis* Moriuti, Saito & Lewvanich,1985 **TH CMa**
- 3174. Periacma chlorodesma Meyrick,1894** (Oecophoridae) Synonym(s): *chlorodesma* Meyrick,1894 **MM Kni TH CMa Msv Loe**
- 3175. Periacma erewanensis Moriuti, Saito & Lewvanich,1987** (Oecophoridae) Synonym(s): *erewanensis* Moriuti, Saito & Lewvanich,1987 **TH Knc**
- 3176. Periacma isanensis Moriuti, Saito & Lewvanich,1989** (Oecophoridae) Synonym(s): *isanensis* Moriuti, Saito & Lewvanich,1989 **TH Loe**
- 3177. Periacma kanchaburiensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *kanchaburiensis* Moriuti, Saito & Lewvanich,1985 **TH Knc**
- 3178. Periacma kunai Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *kunai* Moriuti, Saito & Lewvanich,1985 **TH**
- 3179. Periacma maekhongensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *maekhongensis* Moriuti, Saito & Lewvanich,1985 **TH**
- 3180. Periacma nakhonnayokensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *nakhonnayokensis* Moriuti, Saito & Lewvanich,1985 **TH Nna Loe**
- 3181. Periacma nualsriae Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *nualsriae* Moriuti, Saito & Lewvanich,1985 **TH Knc**
- 3182. Periacma orthiodes Meyrick,1894** (Oecophoridae) Synonym(s): *orthiodes* Meyrick,1894 **MM Kni TH CMa Agk Pki Int Loe Msv**
- 3183. Periacma phrohmi Moriuti, Saito & Lewvanich,1987** (Oecophoridae) Synonym(s): *phrohmi* Moriuti, Saito & Lewvanich,1987 **TH CMa Fn**

- 3184. Periacma rumakomi Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *rumakomi Moriuti, Saito & Lewvanich, 1985* **TH Knc Loe**
- 3185. Periacma siamensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *siamensis Moriuti, Saito & Lewvanich, 1985* **TH Nna Kao**
- 3186. Periacma thamthanlotensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *thamthanlotensis Moriuti, Saito & Lewvanich, 1985* **TH Pkk Cbi Knc Cbi**
- 3187. Periacma turbulenta Meyrick, 1910** (Oecophoridae) Synonym(s): *turbulenta Meyrick, 1910* **TH CMA Int IN Ass**
- 3188. Periacma wongsirii Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *wongsirii Moriuti, Saito & Lewvanich, 1985* **TH Knc Cbi**
- 3189. Promalactis sp.:** (Oecophoridae) Synonym(s): **MY TH**
- 3190. Ripeacma chandratati Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *chandratati Moriuti, Saito & Lewvanich, 1985* **TH CMA**
- 3191. Ripeacma Chiangmaiensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *Chiangmaiensis Moriuti, Saito & Lewvanich, 1985* **TH CMA Agk**
- 3192. Ripeacma nangae Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *nangae Moriuti, Saito & Lewvanich, 1985* **TH CMA Dst Int Agk Pki Hnd**
- 3193. Ripeacma oini Moriuti, Saito & Lewvanich, 1987** (Oecophoridae) Synonym(s): *oini Moriuti, Saito & Lewvanich, 1987* **TH Pgg**
- 3194. Ripeacma phaulkonae Moriuti, Saito & Lewvanich, 1987** (Oecophoridae) Synonym(s): *phaulkonae Moriuti, Saito & Lewvanich, 1987* **TH Nna Kao CMA Dst**
- 3195. Ripeacma ruae Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *ruae Moriuti, Saito & Lewvanich, 1985* **TH**
- 3196. Ripeacma tirawati Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *tirawati Moriuti, Saito & Lewvanich, 1985* **TH Nna Kao CMA Pki Cbi**
- 3197. Ripeacma yaiensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *yaiensis Moriuti, Saito & Lewvanich, 1985* **TH Nna Kao Cbi Phu Rng**
- 3198. Ripeacma Yamadai Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *Yamadai Moriuti, Saito & Lewvanich, 1985* **TH Nna Kao CMA Dst Cbi**
- 3199. Tonica barrowi Bingham, 1907** (Oecophoridae) Synonym(s): *barrowi Bingham, 1907* **MM IN Adm TH MY**
- 3200. Tonica terasella Walker, 1864** (Oecophoridae) Synonym(s): *terasella Walker, 1864* **IN MY Bor TH**
- 3201. Opostegidae sp.:** (Opostegidae) Synonym(s): **TH**
- 3202. Opostegoides auriptera Puplesis & G.S.Robinson, 1999** (Opostegidae) Synonym(s): *auriptera Puplesis & G.S.Robinson, 1999* **TH Kao Nna**
- 3203. Opostegoides thailandica Puplesis & G.S.Robinson, 1999** (Opostegidae) Synonym(s): *thailandica Puplesis & G.S.Robinson, 1999* **TH Loe**
- 3204. Pseudopostega alleni Puplesis & G.S.Robinson, 1999** (Opostegidae) Synonym(s): *alleni Puplesis & G.S.Robinson, 1999* **TH Utt**
- 3205. Pseudopostega frigida (Meyrick, 1906)** (Opostegidae) Synonym(s): *frigida Meyrick, 1906* **LK NP TH CMA ID Sba**
- 3206. Pseudopostega machaerias (Meyrick, 1907)** (Opostegidae) Synonym(s): *machaerias Meyrick, 1907* **LK TH Knc**
- 3207. Pseudopostega nigrimaculella Puplesis & G.S.Robinson, 1999** (Opostegidae) Synonym(s): *nigrimaculella Puplesis & G.S.Robinson, 1999* **TH Loe**
- 3208. Pseudopostega saturella Puplesis & G.S.Robinson, 1999** (Opostegidae) Synonym(s): *saturella Puplesis & G.S.Robinson, 1999* **ID Flo Ja Sba TH Nna Kao**
- 3209. Pseudopostega zelopa (Meyrick, 1905)** (Opostegidae) Synonym(s): *zelopa Meyrick, 1905* **LK IN Meg Ass Khs NP TH Utt ID Tim Sba**
- 3210. Ogygiodes luangensis Kristensen, 1995** (Palaeosetidae) Synonym(s): *luangensis Kristensen, 1995* **TH**
- 3211. Atrophaneura (s.str. (Byasa)) adamsoni (Grose-Smith, 1886)** (Papilionidae) Synonym(s): *adamsoni Grose-Smith, 1886; minereoides Elwes & De Nicéville, 1887; takakoe Uehara, 2006.* **MM TH Shn Cbi Chu Rat CMA Dst Cuo Cuo8 CDo Nan Pht Nst Sgk Hya Tnc Lsa LA L39 L13 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.1 fig.11 [adult]).**
- 3212. Atrophaneura (s.str. (Byasa)) crassipes (Oberthür, 1893)** (Papilionidae) Synonym(s): *crassipes Oberthür, 1893* **VN Ton MM Shn TH Doi LA L16 L37**
- 3213. Atrophaneura (s.str. (Byasa)) dasarada (Moore, 1857)** (Papilionidae) Synonym(s): *dasarada Moore, 1857* **Ass MM Nag SI NP BT CN Yu Hn Mrg Tns Sz Ch Hp IN Kma Mus Up Dj Kul Slo TH CMA Dst Dso9 Qs Chy TAK CDo CRa Nan LA L41 L42 VN Ton**
- 3214. Atrophaneura (s.str. (Byasa)) laos Riley & Godfrey, 1921** (Papilionidae) Synonym(s): *laos Riley & Godfrey, 1921* **TH Nkh LA Lo7 L40**

- 3215. Atrophaneura (s.str. (Byasa)) polyeuctes (Doubleday,1842)** (Papilionidae) Synonym(s): *philoxenus* Gray,1831 nec Esp.,[1780]; *polyeuctes* Doubleday,1842; *hostilius* Fruhstorfer,1908 (homonym); *polymitis* Tytler,1912; *nepenthes* Ehrmann,1920 **SI IN TH CMa CDo MY MM CN NP TW Ass Slo LA VN Ton CN Yu**
- 3216. Atrophaneura (s.str. (Losaria)) coon (Fabricius,1793)** (Papilionidae) Synonym(s): *coon* Fabricius,1793; *hypenor* Godart,1819. **MM Mrg Mm Tns ID Ja Sum IN Nk TH Cbi Rng Phr Tng Nst Ths Sgk Hya Tnc MY Lkw VN LA CN Hn**
- 3217. Atrophaneura (s.str. (Losaria)) neptunus (Guérin-Ménéville,[1840])** (Papilionidae) Synonym(s): *neptunus* Guérin-Ménéville,[1840]; *thetys* Guenée,1878. **MY Lkw MM TH Rng Tng Yal Nst Ths Sya PH Pal Taw Sum Bor ID Nia**
- 3218. Atrophaneura (s.str. (Pachliopta)) aristolochiae (Fabricius,1775)** (Papilionidae) Synonym(s): *aristolochiae* Fabricius,1775; *diphilus* Esper,[1793]; *thoas* Swainson,1833. **AF IN Ass Slo PK ID Sbw TW PH Bat TH Bnk CMa Cuo Cuo7 Cuo9 Cu10 Cu12 CDo CD2 Nrt Cbi Knc Lop Sbu Rat Rng Yal Tng Pap Mro Mae Dst Kao Ntt SPa Sgk Hya Tnc PSu MY Lkw P-T SG VN Ton Tda LA L13 L25 L39 L28 L31 (2007, Cent. ent. Stud., Memoirs 3/4: pl.32 fig.5 [larva]).**
- 3219. Atrophaneura (s.str. (Pangerana)) aidoneus (Doubleday,1845)** (Papilionidae) Synonym(s): *aidoneus* Doubleday,1845 **CN Hn IN Ass Slo MM Shn VN TH CMa CDo LA**
- 3220. Atrophaneura (s.str. (Pangerana)) sycorax (Grose-Smith,1885)** (Papilionidae) Synonym(s): *sycorax* Grose-Smith,1885 **ID Sum Ja MM MY TH Rng Srt Pht**
- 3221. Atrophaneura (s.str. (Pangerana)) varuna (White,1842)** (Papilionidae) Synonym(s): *varuna* White,1842 **IN MM Tvy Tns MY SI TH Pht CMa CDo Ptt Yal Tng Nst Kma Syl Ass Ton Tda VN LA L38**
- 3222. Atrophaneura (s.str. (Pangerana)) zaleucus (Hewitson,1865)** (Papilionidae) Synonym(s): *zaleucus* Hewitson,1865; *liziensis* Zhao,1997 **CN Ti MM VN Ton Tns Shn TH CMa CDo Cbi Rat Chy Cbu**
- 3223. Bhutanitis lidderdalii Atkinson,1873** (Papilionidae) Synonym(s): *lidderdalii* Atkinson,1873 **BT IN Nag TH CMa CDo**
- 3224. Chilasa (s.str. (Cadugoides)) agestor (Gray,1831)** (Papilionidae) Synonym(s): *agestor* Gray,1831 **IN Ch Ass Pu Hp Kma Mus CN MM VN Ton TH Chy CMa Int Dst CDo LA L10 L32 L38 BT TW NP Kdu Lal Bhp SI Ass MY Shn**
- 3225. Chilasa (s.str. (Cadugoides)) epycides (Hewitson,1864)** (Papilionidae) Synonym(s): *epycides* Hewitson,1864 **CN Sz IN SI MM Kch Shn TW TH CMa CRa Mae CDo Dst Nan VN Ton Ldo LA L32 L38**
- 3226. Chilasa (s.str. (Cadugoides)) slateri (Hewitson,[1859])** (Papilionidae) Synonym(s): *slateri* Hewitson,[1859] **IN SI Djl MM Tns Tvy MY Prk ID Sum TH Cbi CMa CDo Chy Phi Srt Rng Dst Nna Utt Pht Yal LA L31 L10 L34 L38 VN Ton CN**
- 3227. Chilasa (s.str. (s.str.)) clytia (Linnaeus,1758)** (Papilionidae) Synonym(s): *clytia* Linnaeus,1758; *dissimilis* Linnaeus,1758. **Ch IN Ass Slo Kma Mus Hn NP Ctw Ctw1 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7 TW MY PH Cuy Cal Pal CmL Cat Luz Mar Mdo Rom Sib Bas Boh Ceb Jol Ley Mno Neg Pan Sam Siq ID Flo Tim TH Chy Knc Nrt Rat Phi Tng Cbu Ray CMa Cuo Cuo7 CDo CD2 Nna Nan Sbu Cbi Cph Nst CN Hn VN Ton Tda Chw Lsa Ths Cuo5 Adm LK MM Tns SG LA (2007, Cent. ent. Stud., Memoirs 3/4: pl.32 fig.6 [larva]).**
- 3228. Chilasa (s.str. (s.str.)) paradoxa (Zincken,1831)** (Papilionidae) Synonym(s): *paradoxa* Zincken,1831 **PH Pal ID Nia Ja TH Chy Rng Yal Tng CMa LA**
- 3229. Graphium (Pathysa (Paranticopsis)) delesserti (Guérin-Ménéville,1839)** (Papilionidae) Synonym(s): *delesserti* Guérin-Ménéville,1839; *laodocus* De Haan,1840; *dehaani* Wallace,1865 nec Felder,1864; *catoris* Grose-Smith,1892. **PH Pal MY ID Sum Ja Bgk Nia Bor Nat TH Sat Yal Tng Nst Chw Sgk Hya Tnc**
- 3230. Graphium (Pathysa (Paranticopsis)) macareus (Godart,[1819])** (Papilionidae) Synonym(s): *macareus* Godart,[1819] **ID Sum Ja Bli MM Tns MY Prk Sh IN SI Pal PH TH Chy Pht Phi CMa CDo Cbi Nna Cbu Nrt Cph Tng Rng Yal Nst Ths Sya CN Hn**
- 3231. Graphium (Pathysa (Paranticopsis)) megarus (Westwood,1841)** (Papilionidae) Synonym(s): *megarus* Westwood,1841 **SI IN Ass MM ID Bgu Bor P-T Ja Sum VN Ton Ann MY TH Chy Pht Tng Cbi Sgk Hya Tnc Nst Chw Srt CN Hn**
- 3232. Graphium (Pathysa (Paranticopsis)) ramaceus (Westwood,1872)** (Papilionidae) Synonym(s): *ramaceus* Westwood,1872 **MY TH Nst Yal ID Sum Bor**
- 3233. Graphium (Pathysa (Paranticopsis)) xenocles Doubleday,1842** (Papilionidae) Synonym(s): *xenocles* Doubleday,1842 **TH Rng Chy Cbi Nna CMa CDo Knc Nrt MM IN Ass SI CN Hn VN Ton Tda**
- 3234. Graphium (Pathysa (s.str.)) agetes (Westwood,1843)** (Papilionidae) Synonym(s): *ages* Westwood,1843 **CN Hn IN MM TH Rng Cbi Nna CMa CDo Nst Lsa Chw MY Bor Sum ID**
- 3235. Graphium (Pathysa (s.str.)) antiphates (Cramer,[1775])** (Papilionidae) Synonym(s): *antiphates* Cramer,[1775] **ID Ja Bli P-T IN Ass Slo LK MY Ann CN Hn MM SI TH CMa CDo Cuo Cuo10**

- CMz Cz03 Bnk Nna Rng Yal Sgk Hya Tnc Tng Nst** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.1 fig.10 [adult]).
- 3236. Graphium (Pathysa (s.str.)) aristeus (Cramer,[1782])** (Papilionidae) Synonym(s): *aristeus* Cramer,[1782]; *timocrates* C.Felder & R.Felder,[1865]. **MM TH MY SG Sum Bor Tns Tim Wt IN Ass SI NP ID Btj Hm Crm Amb AU QAU PG Wg Aru Nlr NBr PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Cbi Nrt Yal Sgk Hya Tnc Cbu Pht CMA Cuo Cu10**
- 3237. Graphium (Pathysa (s.str.)) nomius (Esper,1798)** (Papilionidae) Synonym(s): *nomius* Esper,1798 **IN NP Ctw Ctw1 Ctw2 Ctw4 Ctw5 SI MM LK TH CMA CDo Srt Nst Loe Knc Nna Phi Pht Rat VN Ton CN Hn**
- 3238. Graphium (Pazala (s.str.)) eurous (Leech,1893)** (Papilionidae) Synonym(s): *eurous* Leech,1893 **CN TW Ch Hp IN Kma NP Kdu Lal BT Ass TH CMA Int Doi Nan Dpk LA L42 VN Ann**
- 3239. Graphium (Pazala (s.str.)) mandarinus (Oberthür,1879)** (Papilionidae) Synonym(s): *mandarinus* Oberthür,1879 **CN NP IN SI TH Nan**
- 3240. Graphium (Pazala (s.str.)) paphus (De Nicéville,1886)** (Papilionidae) Synonym(s): *glycerion* Gray,1831 nec Borkh.,1788; *paphus* De Nicéville,1886 **SI NP Kdu Lal IN Ch MM CN TH CMA Int**
- 3241. Graphium (s.str. (Eurypyleana)) arycales (Boisduval,1836)** (Papilionidae) Synonym(s): *arycales* Boisduval,1836; *rama* C.Felder,1860. **KH Pal PH TH Rng Yal Sat Nst LA L10 L31 L34 TH Cbi Nna Kao Cbu Nrt Ubo VN**
- 3242. Graphium (s.str. (Eurypyleana)) bathycles (Zincken,1831)** (Papilionidae) Synonym(s): *bathycles* Zincken,1831 **NP MM VN KH LA ID CN Hn PH Pal TH Rng Yal Tng Nst Sya Ths MY**
- 3243. Graphium (s.str. (Eurypyleana)) chironides (Honrath,1884)** (Papilionidae) Synonym(s): *chiron* Wallace,1865 nec Rott.,1775; *chironides* Honrath,1884; *chironicum* Eliot,1982 **NP Kdu Lal MM VN KH LA MY TH Cbi Knc CMA Cuo Cuo2 CDo Pht** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.1 fig.9 [adult]).
- 3244. Graphium (s.str. (Eurypyleana)) doson (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *doson* C.Felder & R.Felder,1864 **TW CN ID IN NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 JP LK MM MY PH TH CMA CMz Cuo Cuo2 Cuo5 Cuo7 Cu10 Nna Knc Loe Shu Bnk Rng Tng Yal VN Kyu Ann Hn Kma Mus Sbw Bal Sga Stu Taw Cal Pal Boh Ceb Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sam Sia Sib Siq Tab Tic Bat Nia CDo CD2 Nst Nrt Kao Ton Tda Mlb Baw** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.1 fig.9 [adult]).
- 3245. Graphium (s.str. (Eurypyleana)) eurypylus (Linnaeus,1758)** (Papilionidae) Synonym(s): *eurypylus* Linnaeus,1758. **MY ID Sgh Ja Sum Bor Bal Pal PH Alo Sla IN MM TH CN Hn KH LA Ben Mpr Tns Nia Bgk Btg AU QAU NSw ID Amb Crm Bru Btj Hm Trn PG Nlr NBr Wg Aru Ij Eca Sbw Wt Tan Kla Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Vu Rng Tng Chy Nrt Cbu CMA Dst Qs Nst Ths Adm**
- 3246. Graphium (s.str. (Eurypyleana)) evemon (Boisduval,1836)** (Papilionidae) Synonym(s): *evemon* Boisduval,1836 **IN Ass CN MM Shn TH Rng MY ID Sum Ja Nia VN Ton**
- 3247. Graphium (s.str. (Macfarlaneana)) agamemnon (Linnaeus,1758)** (Papilionidae) Synonym(s): *agamemnon* Linnaeus,1758; *aegisthus* Linnaeus,1763; *dorylas* Sulzer,1776 nec [Denis & Schiffermüller],1775. **IN Kma TH VN KH CN MM MY SG NP PH TW LK ID Baw AU PG Adl SB Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Adm Egg Clb Bli Sla Sgr Hm Nk Aru Mi Slw Wg Ij QAU Eca NBr Manu CMA Cuo Cuo1 Cuo5 Cuo7 Cuo10 Cuo12 Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Chw Nst Sgk Hya Tnc Ctw Ctw1 Ctw2 Ctw3 Ctw5 Ctw6 Kdu Lal Bhp Ton Tda Ugi Rs Tnm Wt Flo Sba Sbw** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.1 fig.7 [adult]).
- 3248. Graphium (s.str. (Zetides)) cloanthus (Westwood,1841)** (Papilionidae) Synonym(s): *cloanthus* Westwood,1841 **TW CN IN Ass Mus Ch SI NP Kdu Lal Bhp MM Kma Kul Djl Shn TH CMA CDo ID Sum**
- 3249. Graphium (s.str. (Zetides)) sarpedon (Linnaeus,1758)** (Papilionidae) Synonym(s): *sarpedon* Linnaeus,1758; *helenia* Swainson,1851; *parsedon* Westwood,1872. **IN Ass SI NP LK Ch CN Sz TW JP ID KH Kma Lb MM Mus MY SG PH SI VN AU PG NBr NHa Nlr SB NGe Sum Nia Ja Bor Wd Wg QAU NSw ID Aru Clb Sla Tal Amb Bru Crm Hm Tim Ob Sba Sbw Kai Hn Lb Tns Ann Ton Tbr Ado Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Slo TH CMA Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Dst Qs Ctw Ctw1 Kdu Lal Bhp Cuo Cuo2 Dsk Hpt Sgk Hya Tnc Ton Tda Nia**
- 3250. Lamproptera curius (Fabricius,1787)** (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823]. **Ja ID Nia PH Pal TH CMA Cuo Cuo1 Pap Mro Cbi Nna Knc Rng Yal Pht Rat Nst Ths CN VN Ton Tda Hn IN Ass**
- 3251. Lamproptera meges (Zincken,1831)** (Papilionidae) Synonym(s): *meges* Zincken,1831 **ID Nia VN Ton Tda PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din**

**Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic
Bal Dum Pal Taw TH Cbi Cbu Phi Yal CMa Cuo Cuo1 CDo Knc TAK**

- 3252. Meandrusa lachinus (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *gyas* Westwood,1841 *nec* Cr.,[1775]; *lachinus* Fruhstorfer,1901. **SI MM IN Ass TH Nan LA**
- 3253. Meandrusa payeni (Boisduval,[1836])** (Papilionidae) Synonym(s): *payeni* Boisduval,[1836] **TH Rng Chy CMa LA CN Hn ID MY Bor Sum SI IN Ass MM VN Ton Tda**
- 3254. Meandrusa sciron (Leech,1890)** (Papilionidae) Synonym(s): *hercules* Blanchard,1871 *nec* Dalm.,1823; *sciron* Leech,1890. **CN TH CMa Rng LA VN Ton Tda**
- 3255. Princeps (Menelaides (Charus)) helenus (Linnaeus,1758)** (Papilionidae) Synonym(s): *helenus* Linnaeus,1758 **IN Ass Slo MM Mus MY TH Chy CMa Cuo Cuo2 Dst Qs CDo CD2 Pap Mro Knc Rat Cbi Cbu Nna Rng Nst Ths Sgk Hya Tnc VN KH Pno LA CN Hn Ann Ton Tda SG PH Bon Sga Stu Taw Bal Pal ID Nia Egg Sum Ja Lb Bor Tim TW JP** (2007, Cent. ent. Stud., Memoirs 3/4: pl.36 figs.6-7 [adult]).
- 3256. Princeps (Menelaides (Charus)) iswara (White,1842)** (Papilionidae) Synonym(s): *iswara* White,1842 **MY Lkw ID Bor Sum Clb Bgk Btg Nat TH Rng Tng Sgk Hya Tnc MM SG**
- 3257. Princeps (Menelaides (Charus)) noblei (De Nicéville,1888)** (Papilionidae) Synonym(s): *noblei* De Nicéville,1888; *henricus* Oberthür,1893; *haynei* Tytler,1926; *hoa* Gabriel,1945 **MM Krh TH Nan Phr VN Ton LA L10 L03 L34 L38**
- 3258. Princeps (Menelaides (fuscus-gr)) pitmani (Elwes & De Nicéville,1886)** (Papilionidae) Synonym(s): *pitmani* Elwes & De Nicéville,1886; *siamensis* Godfrey,1916 **MM Tns TH Cbi Nna Knc Nrt CMa CDo LA**
- 3259. Princeps (Menelaides (fuscus-gr)) prexaspes (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *prexaspes* C.Felder & R.Felder,1865 **TH Rng Yal Srt VN Ann IN Adm**
- 3260. Princeps (Menelaides (Iliades)) alcmenor (C.Felder & R.Felder,[1865])** (Papilionidae) Synonym(s): *rhetenor* Westwood,1841 *nec* Cr.,1775; *icarius* Westwood,1848 *nec* Esp.,1793; *alcmenor* C.Felder & R.Felder,[1865]; *alcmenor* Pinratana & Eliot,1992 **Ti Hn TW IN Kma SI MM TH CMa CRa CDo Dst Int Lmp Nan BT Ass Shn Mrg CN LA L10 L38 VN**
- 3261. Princeps (Menelaides (Iliades)) memnon (Linnaeus,1758)** (Papilionidae) Synonym(s): *memnon* Linnaeus,1758; *achates* Sulzer,1776; *atrovenatus* Goeze,1779; *laomedon* Cramer,1776; *achatiades* Esper,1786; *javanus* Haase,1893; *erebinus* Haase,1893; *aphrodite* Röber,1927 *nec* Fabr.,1787. **ID Sum Nia Btu Sba Sbw Flo Ado Egg Lb IN Ass SI Nag MM TH CMa Dst Qs Cm1 Cuo Cuo9 Cu10 Cu12 CDo CD2 CRa Bnk Nna Tng Rng Cbi Knc Rat Yal Dst Nst Ths Sgk Hya Tnc PSu MY SG TW CN Hn JP Bon Sga PH LA VN Ton Tda P-T Lkw NP Ctw Ctw2 Ctw3 Ctw4 Ctw5**
- 3262. Princeps (Menelaides (s.str.)) polytes (Linnaeus,1758)** (Papilionidae) Synonym(s): *polytes* Linnaeus,1758; *pammon* Linnaeus,1758; *gronovii* Scopoli,1772; *astyanax* Fabricius,1793 (*homonym*); *stichius* Hübner,1806; *hector* De Haan,1840 (*homonym*); *borealis* C.Felder & R.Felder,1861; *horsfieldii* Reakirt,[1865]; *walkeri* Janson,1879; *thibetanus* Oberthür,1886; *depicta* Fruhstorfer,1908; *ocha* Fruhstorfer,1908; *#chrysos* Boullet & Le Cerf,1912; *chalceas* [Fabricius],1938 (*homonym*); *abdulasizia* Tung,1982; *flavolineatus* Chou, Yuan & Wang,2000; *obscuras* Chou, Yuan & Wang,2000 **TW CN Ti Yu Ndd Naq Sz Kgs ID Ja IN Nk MM TH CMa Cm1 Cuo Cuo1 Cuo9 Cu10 Cu12 Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Nst Ntt SPa Ths Sgk Hya Tnc PSu VN Ass Slo LK Mus Nag SI Syl PH Bat Ton Tda KH Pno MY Prk SG LA**
- 3263. Princeps (Menelaides (Sainia)) demolion (Cramer,[1775])** (Papilionidae) Synonym(s): *demolion* Cramer,[1775]. **ID Nia Bor Sum Ja MY MM Tns TH Chy CMa Dst Qs Rng Yal Cbi Cbu Tng Nst Chw IN PH Pal LA L10 VN**
- 3264. Princeps (Menelaides (Sainia)) protenor (Cramer,[1782])** (Papilionidae) Synonym(s): *protenor* Cramer,[1782] **Ch Kma IN Hp Ass Slo TW TH CMa Knc Uth Pht Cbi Mae LA L10 L13 L32 VN Ton Tda MM CN Hn**
- 3265. Princeps (Menelaides (Tamera)) chaon (Westwood,1845)** (Papilionidae) Synonym(s): *chaon* Westwood,1845; *dispensator* Fruhstorfer,1908; *duketius* Fruhstorfer,1908 **IN Ass Slo TH Cbi Phi Nna CMa Knc Rng MM LA VN CN KH Pno**
- 3266. Princeps (Menelaides (Tamera)) mahadeva (Moore,[1879])** (Papilionidae) Synonym(s): *mahadeva* Moore,[1879] **MY Lkw MM Shn Tns VN Ton Hgi TH Chy Knc Nna Rng Cbi Nrt Rat Yal Nst Rph Pht Phr Sgk Hya Tnc LA L10 L28**
- 3267. Princeps (Menelaides (Tamera)) nephelus (Boisduval,1836)** (Papilionidae) Synonym(s): *nephelus* Boisduval,1836 **IN NP MM Tns ID Nia Btu Sum Sip Ja TW TH Tng Ntt Yal Nst Ths Chw Cbi Rng Phr Sgk Hya Tnc MY Bor Lkw CN VN Ton Ann Tda LA**
- 3268. Princeps (s.str. (Achillides)) arcturus (Westwood,1842)** (Papilionidae) Synonym(s): *arcturus* Westwood,1842 **Ch CN IN SI MM NP TH CMa CDo LA**
- 3269. Princeps (s.str. (Achillides)) bianor (Cramer,[1777])** (Papilionidae) Synonym(s): *bianor* Cramer,[1777]; *connectens* Mell,1938 *nec* Fruhst.,1906; *elegans* Chou et al.,2000; *pulcher* Chou et al.,2000; *longimacula* Wang & Niu,2002 **AF Ci PK SI IN Ass Slo Kma Meg NP BT MM Tns Shn VN Ton LA CN T-T Ti JP RU Sh Krl KP TH CMa CDo CRa Nan Cbi Tak TW**
- 3270. Princeps (s.str. (Achillides)) dialis (Leech,1893)** (Papilionidae) Synonym(s): *dialis* Leech,1893 **MM Shn LA CN Hn TW TH CMa? Dst?**

- 3271. Princeps (s.str. (Achillides)) paris (Linnaeus,1758)** (Papilionidae) Synonym(s): *paris* Linnaeus,1758 CN HK VN Ton Tda TW IN Kma MM SI LA TH Cbi Knc CMa Cuo Cu10 CDo Pkk MY ID Sum Ja
- 3272. Princeps (s.str. (palinurus-gr)) palinurus (Fabricius,1787)** (Papilionidae) Synonym(s): *palinurus* Fabricius,1787 MM MY Bor ID Sme Sum Nia TH Knc Sat Yal Ptt Tng Nst Ths
- 3273. Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boulet & Le Cerf,1912; *flavosignatus* Heydemann,1954 SY TR AF AU BH Ch CN ID IN IQ IR Th KW LK MM MY TW PH Nf Nj OM PG PK QA SA TH CMa UE VN YE Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Alo Sbw Grm Sba Ass Slo Cm1 Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Dst Qs Cuo Cuo5 Cuo7 Cu10 Cu12 Phi Pno Ton Ann KH LA NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7 Fa Kz Es Hz Ke Ss Yz Bu By Hil Sum Ja Bor Hn Flo Alo Bli CDo CD2 Tnc Hya Sgk Tda Pmy Bgd
- 3274. Teinopalpus imperialis Hope,1843** (Papilionidae) Synonym(s): *imperialis* Hope,1843 TH CMa Nan NP Kdu Lal Bhp MM VN LA CN Sz Kwa
- 3275. Trogonoptera brookiana (Wallace,1855)** (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abrera, Doggett & Parker,1976 PH Bal MY Joh Prk TH Yal MM ID Sum Nat Bor Tgk Sbt
- 3276. Troides (s.str. (amphrysus-gr)) amphrysus (Cramer,[1782])** (Papilionidae) Synonym(s): *amphrysus* Cramer,[1782]. MY Bor ID Ja Nia TH Rng Sat Yal Tng Ntt SPa Nst Kna
- 3277. Troides (s.str. (s.str.)) aeacus (C.Felder & R.Felder,1860)** (Papilionidae) Synonym(s): *aeacus* C.Felder & R.Felder,1860 MY SG TW ID Sum IN NP Ti CN MM TH Bnk CMa Dst Cuo Cuo1 Cuo5 Cuo8 Cuo9 Cu10 CDo CD2 Dsk Hpt Qs Knc Khn Rat Cbi Ptt Sat Tng Nna Kao Nan Lop Chu Cph VN Ton Tda LA (2007, Cent. ent. Stud., Memoirs 3/4: Pl.1 fig.8 [adult]).
- 3278. Troides (s.str. (s.str.)) astenous (Fabricius,1775)** (Papilionidae) Synonym(s): *helenus* Linnaeus,1758 *nec helenus* Linn.,1758; *astenous* Fabricius,1775; *pompeus* Cramer,[1775]. Egg Bli ID IN Ass Slo SI MM TH CMa Dst Qs Nna Kao Rng TAK Cbi Ptt Sat Tng Mae Phr Nst Ths MY Sbw Sum Nia Bor Adm Clb Sly LA L10 L32 L13 VN Ton Tda
- 3279. Aporia (Metaporia (s.str.)) agathon (Gray,1831)** (Pieridae) Synonym(s): *agathon* Gray,1831 Ch IN Ass Slo NP MM TH Ubo
- 3280. Appias (Catophaga) albina (Boisduval,1836)** (Pieridae) Synonym(s): *albina* Boisduval,1836 NC NH NP IN PG Wau PH Bal Bon Pal Sga Stu Taw Mno Pal Bab Boh Ceb Dum Gui Luz Mar Mdo Neg ID Amb Tim Mlc Bia Bru Aru Kai AU QAU PG Dwn TH Cbi Chy Cbu Khn Nan Nna Nrt Nst Ths Nth Pkk Sat Yal CMa Dst Qs Cuo Cuo7 Knc Loe Nth Pht Sbu Tng Sgk Hya Tnc VN Ton Tda CN Hn IN SI Ass MM VN Ton Ann Nk Adm
- 3281. Appias (Catophaga) lyncida (Cramer,1777)** (Pieridae) Synonym(s): *lyncida* Cramer,1777 NP IN Ass Slo LK PH Sga Taw Gui Neg Pan Rom Sib Cuy Dum Luz Mar Mdo Mno Bal Cal Pal TH Cbi Chu Cph CMa Dst Qs CDo CD2 Cuo Cuo6 Cu12 Knc Nna Nth Chy Nan Loe Nrt Uth Nst Ths Bnk Srt Sat Ntt Rng Sgk Tng VN Ton Tda (2007, Cent. ent. Stud., Misc. Pap. 134: figs.16-18 [larva,adult]).
- 3282. Appias (Catophaga) paulina (Cramer,[1777])** (Pieridae) Synonym(s): *paulina* Cramer,[1777]; *ega* Boisduval,1836; *#capparidis* Swainson,1851 AU NAU KY PG Wau PH Mdo Cal Pal Din Hom Ley Luz Mar Mno Neg Pao Sam Bal Bas Bon Sga Stu Taw ID Wt Tim Mic Bia Ij Bru Beh Ob TH Bnk Nst Ths
- 3283. Appias (Lade) indra (Moore,1857)** (Pieridae) Synonym(s): *indra* Moore,1857 NP IN LK TH CMa CDo TW PH Mno Pal
- 3284. Appias (Lade) lalage (Doubleday,1842)** (Pieridae) Synonym(s): *lalage* Doubleday,1842 CN Hn IN MM MY PK SI TH Loe CMa Int Nst Chw VN Ton Tda NP Ass
- 3285. Appias (Lade) pandione Geyer,1832** (Pieridae) Synonym(s): *pandione* Geyer,1832 TH Cbi
- 3286. Appias (Phrissura) cynis (Hewitson,1866)** (Pieridae) Synonym(s): *cynis* Hewitson,1866 TH Ntt MY ID Sum PH Bon Sga Taw
- 3287. Appias (s.str.) cardena Hewitson,1861** (Pieridae) Synonym(s): *cardena* Hewitson,1861 TH
- 3288. Appias (s.str.) lalassis Grose-Smith,1887** (Pieridae) Synonym(s): *lalassis* Grose-Smith,1887 TH CMa CDo
- 3289. Appias (s.str.) libythea (Fabricius,1775)** (Pieridae) Synonym(s): *libythea* Fabricius,1775; *zelmira* Stoll,[1780] CN Hn IN LK MM MY PH Pj PK TH CMa Cuo Cuo1 Cuo2 Cuo3 Cuo5 Cuo7 Cuo9 Cu10 Cu12 VN NP (2007, Cent. ent. Stud., Memoirs 3/4: Pl.3 fig.3 [adult]; pl.32 fig.15 [larva]).
- 3290. Appias (s.str.) olferna (Swinhoe,1890)** (Pieridae) Synonym(s): *olferna* Swinhoe,1890 NP TH Bnk CMa Cph Loe Nkh Nrt Nth Cbu Knc Nna Pht Rat Ntt SPa Nst Ths Sbu Tng Phr Sgk Hya PSu Uth PH Boh Ceb Jol Luz Mar Mdo Mno Neg Pal
- 3291. Appias (Tachyris) nero (Fabricius,1793)** (Pieridae) Synonym(s): *nero* Fabricius,1793 SI IN MM SG MY PH Boh Din Ley Mno Pao Sam Bas Ceb Neg Pan Sib Bon Sga Stu Luz Mar Mas Mdo Bal Pal TH Pgg Nst Ths Rng Tng Yal Sgk Hya Tnc Phu Chy Cbi CMa CDo Phr VN Ton Tda ID Ja Sum Bor Nia Clb (2007, Cent. ent. Stud., Memoirs 3/4: pl.41 fig.9 [adult]).
- 3292. Catopsilia pomona (Fabricius,1775)** (Pieridae) Synonym(s): *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lalage* Herbst,1792; *alcmeone* Fabricius,1793;

titania Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisdual,1832; *phlegeus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930

PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic LK IN Ass Slo MM Adm Nk AF PK Ci TH CMA Dst Qs Lmp Tht Cm1 Cuo Cuo1 Cuo2 Cuo8 Cuo9 Cuo10 CDo CD2 Dsk Hpt Nst Lsa Ths Knc Sbu Bnk Nrt Pbu Rat Sgk Hya Tnc VN Ton Tda (2007, Cent. ent. Stud., Memoirs 3/4: pl.41 figs.14,15 [adult]).

3293. Catopsilia pyranthe (Linnaeus,1758) (Pieridae) **Synonym(s):** *pyranthe* Linnaeus,1758 **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK IN Ass Slo NP SI MM TH Nst Chw CMA CDo MY LK VN ID Cmz Cz11 Cuo Cu12**

3294. Catopsilia scylla (Linnaeus,1763) (Pieridae) **Synonym(s):** *scylla* Linnaeus,1763; *etesia* Hewitson,1867 **AU NAu KY Tw PH Boh Ceb Din Gui Ley Mas Mno Neg Pan Pao Sam Bal Bon Luz Mar Mdo Pal Sga Stu Taw TH CMA Cuo Cuo1 Cuo3 Cuo5 Cu11 Cu12 CDo CD2 Nst Ths** (2007, Cent. ent. Stud., Memoirs 3/4: pl.41 figs.12,13 [adult]).

3295. Cepora iudith (Fabricius,1787) (Pieridae) **Synonym(s):** *iudith* Fabricius,1787; *aspasia* Stoll,[1790] *nec Fabr.*,1787 **TH Cbi Chy Nna Nrt Pht Cbu Uth Pkk Sbu Nst Phu Yal Ptt Rng Sgk Hya Tnc MM Mm ID Sum Bgk Nia P-T Ja Flo Alo Nat Egg Lb Sbw Sba MY Bor Swk Lkw SG PH Luz Mno Boh Neg Pal Bas Bal Jol Ceb**

3296. Cepora nadina Lucas,1852 (Pieridae) **Synonym(s):** *nadina* Lucas,1852 **TH Cbi Chy CMA CDo Knc Nrt Sbu Nna Loe Srt Nst Uth Sgk Hya Tnc SI IN MM VN Ton Tda**

3297. Cepora nerissa (Fabricius,1775) (Pieridae) **Synonym(s):** *nerissa* Fabricius,1775 **IN Ass MM MY TH Chy CMA Cmz Cz05 Cuo Cuo5 Cuo7 Cu12 CDo Bnk Knc Nrt Pht Pkk TAK Cbi Cbu Loe Nth Phe Sbu Tng Uth VN Ton Tda**

3298. Delias (belisama-gr.) descombesi (Boisdual,1836) (Pieridae) **Synonym(s):** *descombesi* Boisdual,1836 **IN Ass Slo SI NP VN TH Tng Bnk Mae Nna Phe Ray Chy CMA Dst Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo7 Cu12 Qs Qs08 CDo CD2 Pap Mro Cbi Nth Nrt Pkk Sbu Uth Nst Ths LA MM CN Yu MY** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.3 fig.7 [adult]).

3299. Delias (belladonna-gr.) belladonna (Fabricius,1793) (Pieridae) **Synonym(s):** *belladonna* Fabricius,1793 **Ch CN Hun Fkn Kig Sz Yu VN Ton Ann Meg Ass IN Slo Nag BT Khs Shn MM Tns NP SI LA Kma Kul Hp Sml AF TH CMA Dst Dso9 MY ID Clb Sum Dp**

3300. Delias (belladonna-gr.) berinda Moore,1872 (Pieridae) **Synonym(s):** *berinda* Moore,1872 **IN Ass NP CN Yu TH CMA MM**

3301. Delias (belladonna-gr.) lativitta Leech,1893 (Pieridae) **Synonym(s):** *lativitta* Leech,1893; *shaanxiensis* Chou,2001 **MM TH CMA CN Kwa Fkn CMA Yu TW BT Ass Nag IN**

3302. Delias (belladonna-gr.) patrua Leech,1890 (Pieridae) **Synonym(s):** *patrua* Leech,1890 **MM Shn TH CMA CN Yu**

3303. Delias (belladonna-gr.) sanaca Moore,1857 (Pieridae) **Synonym(s):** *sanaca* Moore,1857; *flavalba* Marshall,1882; *confusa* Talbot,1928 **IN NP MM TH CMA CN Yu SI BT**

3304. Delias (dorimene-gr.) agostina (Hewitson,1852) (Pieridae) **Synonym(s):** *agostina* Hewitson,1852 **IN SI Ass MM TH CMA Phr CN Yu Sz MY VN Ann Ton Tda**

3305. Delias (hyparete-gr.) hyparete (Linnaeus,1758) (Pieridae) **Synonym(s):** *hyparete* Linnaeus,1758 **MY Bor Adm IN Ass Slo NP MM TH Cph Phu Nst Sgk Hya PSu Tng CMA Cuo Cuo1 Cuo7 Pap Mro Nth Non Nrt Nan Pht Pkk TAK Mhs Sbu Cbi Bnk LA VN CN Hn Yu ID Sum Btu Btg Nia Bgk Ja Bli Sip Sme Lb Kgn Baw PH Bal Dum Cal Pal Cag Sul Jol Boh Ceb Ley Luz Mar Mdo Neg Pan Pao Pol Sam Sib Din Mno Cu12 CDo CD2 Ths Ton Tda** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.3 fig.9 [adult]).

3306. Delias (pasithoe-gr.) acalis (Godart,[1819]) (Pieridae) **Synonym(s):** *thysbe* Cramer,[1779] (*homonym*); *acalis* Godart,[1819]; *flavivestis* Choe et al.,2001. **TH CMA Dst CDo LA IN Ass Slo NP CN MY Prk VN Ton Tda**

3307. Delias (pasithoe-gr.) ninus (Wallace,1867) (Pieridae) **Synonym(s):** *ninus* Wallace,1867 **MY Klt ID Nia Sum Bor MM Tns TH Nst**

3308. Delias (pasithoe-gr.) pasithoe (Linnaeus,1758) (Pieridae) **Synonym(s):** *pasithoe* Linnaeus,1758; *aglaia* Linnaeus,1758 *nec Linn.*,1758; *lucina* Butler,1869; *basialba* Chou,2001. **TW TH CMA Cuo Cuo1 Cuo7 Cu12 Dst Qs CDo CD2 Pap Mro Knc Phe Loe Rat Tng Yal Nst VN Ton Tda Ann PH Luz Mno Pal Bal MY Bor MM CN Yu Kwt IN Ass Slo NP CN Hn ID Ja Nia Baw Sum Sip Sme Btg Bgk** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.3 fig.8 [adult]).

3309. Delias (singhapura-gr.) agoranis Grose-Smith,1887 (Pieridae) **Synonym(s):** *agoranis* Grose-Smith,1887 **TH Uth CMA MM Tns LA**

3310. Delias (singhapura-gr.) singhapura Wallace,1867 (Pieridae) **Synonym(s):** *singhapura* Wallace,1867 **SG MY PH Pal ID Sum Bor Sme TH Rng**

3311. Dercas verhuelli (Hoeven,1839) (Pieridae) **Synonym(s):** *verhuelli* Hoeven,1839 **IN Ass Nag SI BT CN Hn VN Ton Tda MM Shn Tns TH CMA CDo Loe**

- 3312. *Eurema (s.str.) brigitta* (Stoll,[1780])** (Pieridae) **Synonym(s):** *brigitta* Stoll,[1780]; *libythea* Fabricius,1798 AU AO BF BI BJ BW CF CG CI CM DJ DZ EG EH ER ET GA GH GM GN GO Bio GW KE KM LR LS LY MA MG ML MR MU MW MZ NA NE NG RW SA SD SL SN SO SC ST SZ TD TG TN TZ UG YE ZA Ya Spb Lj Mdk Ent Kru Pma Pf Nta Kzu Ptb ZM ZR ZW LK CN IN MM TH MY PH ID Clb Sum Ja Bor Pen Bli Lb Syd NSW NAU QAU Ck Clc Ass Slo Nk Hn PW PG Ij Mlc FJ Luz Siq Mno Mdo CMA Cuo Cuo1 Cu12 Dst Dso9 Qs Int Ray
- 3313. *Eurema (s.str.) laeta* (Boisduval,1836)** (Pieridae) **Synonym(s):** *laeta* Boisduval,1836; *sana* Butler,1877; *lineata* Miskin,1889 AU QAU SI BT IN Ass Slo PH Luz TH Pbu CMA CDo ID Tim Kai
- 3314. *Eurema (Terias) blanda* (Boisduval,1836)** (Pieridae) **Synonym(s):** *blanda* Boisduval,1836 LK IN Ass Slo BD Syl SI BT MM TH CMA Cuo Cuo1 Cuo7 Cuo9 Cu10 Cu12 CDo Nrt Pkk Sgk Hya Tnc MY Lkw ID Sum Ja Bli Egg Btg Bor Mlc Ij Tim Amb PG Clb Sgh Bng Sul Tal PH Boh Ceb Ley Neg Pao Sam Bas Bon Cal Din Mno Pal Stu Taw Luz Mdo Boh Ceb Ley Neg Pao Sam Nk Adm Meg Khs Nl Djl Nat Hm Amb Ob Lb Sbw Flo Alo Sba Wt Tim CN Fkn Hn TW VN Ton PG Bsm Adl SB Ij Wg
- 3315. *Eurema (Terias) hecabe* (Linnaeus,1758)** (Pieridae) **Synonym(s):** *hecabe* Linnaeus,1758; *luzonensis* Linnaeus,1764 AO BF BI BJ BW CF CG CI CM CN DJ DZ EG EH ER ET GA GH GM GN GO Bio GW ID IN Ass Slo JP KE KH LR LS LY MA MG ML MM MR MW MY MZ NA NE NG PK Ci Kma RW SD SL SN SO ST SZ TD TG TH TN TW TZ UG VN ZA ZM ZR ZW LK Krc Cp Bba SI SG PH SB AU PG Tim Kai Amb Bru Crm NAU NSW QAU Luz Bal Cal Pal Mdo Ala Bab Bat Bas Bil Boh Bon Bur CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Mar Mas Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Sul Tab Taw Tic Adm Nk Bsm Tva Spb Lj Nta Kzu Ptb Clb Sul Ij Mdk Ent Kru Pma Pf Tuk Sly Bng Tan Suw Mpu Brb Buf CMA Dst Qs Cuo Cuo1 Cuo7 Cuo9 Cu10 CDo Cmz Cz11 Dsk Hpt Bnk Sgk Hya Tnc PSu Nsa Nst Ths Sya Loe Pbu Ntt SPa NBr Nir Mrg Sum Nia Egg Baw Ja Alo Sba Flo Nat Ob Crm Mlc Ban Bor Sbh KBa CX Hn Mhw Kgr Hp Wt Tim Bbr Dm Kai Aru SB TO FJ NH NC AU NSW Ton Tda Tnga Usa Ani Ate (2007, Cent. ent. Stud., Priamus 12 (3): pl.3 fig.1 [adult]).
- 3316. *Eurema ada* (Distant & Pryer,1887)** (Pieridae) **Synonym(s):** *ada* Distant & Pryer,1887 ID Sum Ja TH Nst MY Bor Sbh KBa Lkw MM VN Ton
- 3317. *Eurema andersoni* (Moore,1886)** (Pieridae) **Synonym(s):** *andersoni* Moore,1886 LK BT SI IN Adm PH Pal MM Mrg MY Lkw TH CMA Cuo Cuo5 Cu12 CDo CD2 Cmz Cz11 Dst Dso9 Pap Mro Nst Ths Nrt Kao Ntt SPa ID Sum Bor TW (2007, Cent. ent. Stud., Memoirs 3/4: Pl.3 fig.1 [adult]).
- 3318. *Eurema novapallida* Yata,1992** (Pieridae) **Synonym(s):** *pallida* Shirozu & Yata,1982 *nec* Chavann.,1850; *novapallida* Yata,1992 MM TH CMA Int Dst Mae Chi Nrt Nan Dpk LA VN Ann
- 3319. *Eurema sari* (Horsfield,1829)** (Pieridae) **Synonym(s):** *sari* Horsfield,1829 IN MM Mrg ID Ja Egg PH Bal Pal MY Bor TH CMA Cuo Cuo1 Cu12 CDo CD2 Sgk Hya PSu Nst Chw VN Ton (2007, Cent. ent. Stud., Memoirs 3/4: Pl.2 fig.7 [adult]).
- 3320. *Eurema simulatrix* Staudinger,1891** (Pieridae) **Synonym(s):** *simulatrix* Staudinger,1891 PH Boh Ley Mno Pal TH Ntt SPa Nst Nna CMA Cuo Cu12 Qs Qso3 Int MY Pen Lkw Bor Sbh KBa ID Sum Ja Clb MM Tns
- 3321. *Eurema tilaha* (Horsfield,1829)** (Pieridae) **Synonym(s):** *tilaha* Horsfield,1829 MM ID Sum Btu Ja Bli Clb MY Lkw Bor TH Nst Ths
- 3322. *Gandaca harina* (Horsfield,1829)** (Pieridae) **Synonym(s):** *harina* Horsfield,1829 IN MM Ass CN Adm TH CMA PH Bas Sga Taw Ala Bab Bal Bat Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic Cal Pal Clb Sul ID Sum Ja Bor MY Dst Qs Nst Sgk Hya Tnc ID Ob Bru Wg Ij Clb Sul Bng PG Adm Ben SI
- 3323. *Hebomoia glaucippe* (Linnaeus,1758)** (Pieridae) **Synonym(s):** *glaucippe* Linnaeus,1758 PH Boh Mas Neg Pan Ceb Cuy Dum Bab Bat Luz Mdo Bon Din Jol Ley Mno Pao Sam Sga Stu Taw Bal Cal Pal Mar Pol ID Mti Hm Beh Ob Tim TH CMA Dst Cuo Cuo1 Cu10 Qs Cmz Cz03 Dsk Hpt IN MM MY SG CN Hn LK Adm Nk Nia Sum Bor Ja Bli Kgn Lb Clb Sla Kla Alo Flo TW Nrt Shu Bnk Chi Tng Yal Nst Ths Sya Cu12 CDo CD2 Pap Mro Sgk Hya Tnc VN Ton Tda (2007, Priamus 12 (3): pl.3 fig.3 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.2 fig.3 [adult]).
- 3324. *Ixias pyrene* (Linnaeus,1764)** (Pieridae) **Synonym(s):** *pyrene* Linnaeus,1764; *aenippe* Cramer,[1779] AF CN HK LK IN Ass Slo Adm PK Cp Ci Bl Pj Kma Bl Sd Drm TH CMA Cuo Cuo1 Cu10 Cu11 Cu12 CDo Bnk Nst Ths Chi Nkh MY Prk MM Mrg TW VN Ton Tda Ann (2007, Cent. ent. Stud., Memoirs 3/4: Pl.2 fig.5 [adult]).
- 3325. *Leptosia nina* (Fabricius,1793)** (Pieridae) **Synonym(s):** *nina* Fabricius,1793; *comma* Fruhstorfer,1902 IN MM LK Adm SG MY Lkw AU PH Sga Stu Taw Luz Jol Bas Cal Ceb Cuy Mdo Mno Pal Pan ID Sum Bgk Flo Lb TH CMA Cm1 Dst Cuo Cuo1 Cuo2 Cu10 Cuo7 Dsk Hpt Qs CDo CD2 Chi Knc Nna Chy Lop Nrt Nth Pht Sbu Pgg Nst Sgk Hya Yal TW Nk Ja Bli Lb Sbw Flo Kla Tan Clb Sol PSu Tnc Cu12 (2007, Priamus 12 (3): pl.3 fig.2 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.2 fig.6 [adult]).
- 3326. *Pareronia anais* (Lesson,1837)** (Pieridae) **Synonym(s):** *anais* Lesson,1837; *#lutea* Eliot,1978 MM TH CMA Cuo Cuo1 Cu11 Cu12 Dst Qs CDo CD2 MY (2007, Cent. ent. Stud., Memoirs 3/4: Pl.2 fig.4 [adult]).
- 3327. *Pareronia valeria* (Cramer,[1776])** (Pieridae) **Synonym(s):** *valeria* Cramer,[1776] MM TH Chw Nst Ths MY SG ID Sum Bor PH Dum Cuy Bal Cal Pal Taw Ja Ass VN Nia Baw Kgn Lb Sbw Sba Flo (2007, Cent. ent. Stud., Memoirs 3/4: pl.41 figs.7,8 [adult]).

- 3328. Pieris (Artogeia) canidia (Sparrman,1768)** (Pieridae) Synonym(s): *canidia* Sparrman,1768
AF Ahw CN Feg Fkn Gg Gn Haz HK Hk Hn Hnn Hpe Hph Hun IMn IN Ass Slo Jn Kab KG Kgs Kig KK
KP Kst Kwa Kwt KwT Ld Lng Mc NHu Nu Pag Phn PK Ci Kab Mre Pm SG She Shs SI Stg Sz Ti Tkg Ton
TW Ui VN Yu RU Vv Kst SI Ug T-S NP TH CMA Cm1 Cuo Cuo7 CDo Int Qs Dso8 Dst Phr Loe Tda PH
Luz (2007, Cent. ent. Stud., Misc. Pap. 134: figs.10-11,18-21 [larva,pupa,adult]; 2007, Cent. ent. Stud.,
Memoirs 3/4: Pl.3 fig.15 [adult]).
- 3329. Pieris (Artogeia) melaina Röber,1907** (Pieridae) Synonym(s): *melaina* Röber,1907; *montanus*
Verity,1908 NP IN SI Hp TH CMA Cuo Int Dst Doi LA L13 L31 L38 L41 (2007, Cent. ent. Stud., Misc.
Pap. 134: fig.9 [adult]).
- 3330. Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758;
chariclea Stephens,1827; *venata* Verity,1908; *cyniphia* Turati,1924. Adr AF AL At AT Az Bd BE BG B-H Bs BY Cb
CH CN Co Cr CY CZ DE DK EE ER ES FI FR GB GR Hk HU HV IE Ii IL IQ IR IS IT JO Ka Kab Kbb Kg
KG KK Kp Kr Kw Ky LB LT LU LV MK MT NL No NO NP Om Pag PK Ci PL PT Pw Rd RO RU Sa Sb SE
Si SK So SS Tm TM TR Tt UA Ui UZ Aa Ax Ikc KuA Mn Sp Tk TrA Cw Dv Smt H-W Sur Ssx Ken Ko MA
DZ TN Sjn Trb Sof Rg Rtc Slv Mt LY Cy SY Kts T-S Um Bn DsA Elb Th Sju Act Alc Alv Alm Atu Av Bad
Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr
Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San Mu18 IN Ass Slo Dk TH Pa Hf
(2007, Cent. ent. Stud., Misc. Pap. 134: figs.12-15 [adult]).
- 3331. Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida*
Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940. Adr AF AL Ao AT Ba BE BG B-H Bw BY CH Cr CZ
DE DK ES FI FR GB GR Hk HU HV IE IR IT Kab Kb Kbb Kr LT LU LV MK MT NL Nu Pag PK Ci Cp PL
Pnj PT RO RU SA Sa SE Si SK Sm So Sr SS Teb TR UA Uk VI YE YU Cw Dv Smt H-W Sur Ssx Ken Mt
Ko Sof Slv Vrn Rtc ET NP JO Sjn He IL Hf Pa SO Ad Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe
Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple
Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm TH CMA CDo
- 3332. Prioneris philonome (Boisduval,1836)** (Pieridae) Synonym(s): *philonome* Boisduval,1836
SI IN MM CN TH Cbi Cph Pht Rat CMA CDo Pgg Phu VN Ton Tda
- 3333. Prioneris thestylis (Doubleday,1842)** (Pieridae) Synonym(s): *thestylis* Doubleday,1842; *seta*
Moore,1857; *watsoni* Hewitson,1868; *jugurtha* Fruhstorfer,1910. IN Ass Slo TH Cbi CMA Cuo Cu10 CDo Chy MM
Hnn CN Mus NP TW VN Ton Tda
- 3334. Saletara liberia (Cramer,1779)** (Pieridae) Synonym(s): *liberia* Cramer,1779 TH Pgg Sgk Hya
Tnc MY Bor ID Sum Amb Bru Ob
- 3335. Saletara panda (Godart,[1819])** (Pieridae) Synonym(s): *panda* Godart,[1819] TH PH Din
Hom Ley Mno Pao Sam Bas Bal Pal Sga Taw PH Luz Mar Mas Neg Pan Pol (2007, Cent. ent. Stud.,
Memoirs 3/4: pl.41 figs.10,11 [adult]).
- 3336. Acanthoecia larminati (Heylaerts,1904)** (Psychidae) Synonym(s): *larminati* Heylaerts,1904;
#laminati Robinson et al.,1994 IN MM TH VN ID Sum
- 3337. Acanthopsyche minima Hampson,1900** (Psychidae) Synonym(s): *minima* Hampson,1900
LK TH
- 3338. Brachycyttarus fasciatus Dierl,1971** (Psychidae) Synonym(s): *fasciatus* Dierl,1971 NP TH
MY
- 3339. Brachycyttarus griseus De Joannis,1929** (Psychidae) Synonym(s): *griseus* De Joannis,1929
TH VN Ton MY Bor Sbh
- 3340. Canephora hirsuta (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763;
unicolor Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802;
vestitella Hübner,[1825]; *asiatica* Staudinger,1887. PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO AL BG
GR TR DK NO SE FI EE LV LT RU Pt Mo Tt Om To Ro Tgn Cm Ao Or Ur UA Da Pr Nr Sr Am Prj Us Vv
Bn Cc GG Bjo Sok UZ Fe Man Osh KK At KG CN Mc KP KR JP Hkk TH
- 3341. Chalioides ferevitrea De Joannis,1929** (Psychidae) Synonym(s): *ferevitrea* De Joannis,1929
TH VN Ton
- 3342. Chalioides vitrea Swinhoe,1892** (Psychidae) Synonym(s): *vitrea* Swinhoe,1892 LK TH
- 3343. Cremastopsyche pendula De Joannis,1929** (Psychidae) Synonym(s): *pendula* De
Joannis,1929 TH VN Ton
- 3344. Cryptothelea fuscescens (Snellen,1879)** (Psychidae) Synonym(s): *fuscescens* Snellen,1879
ID Ja TH
- 3345. Cryptothelea leonina (Tams,1924)** (Psychidae) Synonym(s): *leonina* Tams,1924 TH MY Bor
Sbh ID Sum Ja
- 3346. Degia imparata Walker,1862** (Psychidae) Synonym(s): *imparata* Walker,1862; *immodica*
Meyrick,1936; *lepta* West,1932 ID Sum TH Kbi PH MY
- 3347. Eumeta minuscula Butler,1881** (Psychidae) Synonym(s): *minuscula* Butler,1881 TH IN SI CN
JP MY
- 3348. Eumeta variegata (Snellen,1879)** (Psychidae) Synonym(s): *variegata* Snellen,1879; *layardii*
Moore,1881; *pryeri* Leech,1888; *sikkima* Moore,1891; *wallacei* Swinhoe,1892 RU JP TW PH PG IN NI SI LK CN TH
CMA Dst Mth MY Bor Swk ID Clb Amb Sum Ja

- 3349. Kophene cuprea Moore,1879** (Psychidae) Synonym(s): *cuprea* Moore,1879 **IN Clc TH MY Bor BN Swk ID Sum**
- 3350. Kophene snelleni Heylaerts,1890** (Psychidae) Synonym(s): *snelleni* Heylaerts,1890 **IN Ass TH**
- 3351. Mahasena corbetti Tams,1928** (Psychidae) Synonym(s): *corbetti* Tams,1928 **TH MY ID Sum Ja Bor BN Sbh WS SB**
- 3352. Mekla deficiens (Walker,1862)** (Psychidae) Synonym(s): *deficiens* Walker,1862; ? *holmesi* Watt & Mann,1898 **IN Ass ID Sum MY TH Kbi**
- 3353. Metisa plana Walker,1855** (Psychidae) Synonym(s): *plana* Walker,1855 **TH LK**
- 3354. Muhabbetkemalia katani (Das,1956)** (Psychidae) Synonym(s): *katani* Das,1956 **IN Ass TH**
- 3355. Pagodiella hekmeyeri (Heylaerts,1885)** (Psychidae) Synonym(s): *hekmeyeri* Heylaerts,1885 **ID Ja TH**
- 3356. Deuterocopus melanotus Fletcher,1910** (Pterophoridae) Synonym(s): *melanotus* Fletcher,1910 **MY TH**
- 3357. Deuterocopus planeta Meyrick,1907** (Pterophoridae) Synonym(s): *planeta* Meyrick,1907 **TH IN LK MM ID Tim Kai PG**
- 3358. Deuterocopus sokotranus Rebel,1907** (Pterophoridae) Synonym(s): *sokotranus* Rebel,1907; *viticola* Meyrick,1911; *triannulatus* Meyrick,1913. **Sk YE Sna OM Dh SO NG JP Ri TW TH CMa MM IN LK ID Sba Sbw ZA Nta PG AU QAu**
- 3359. Gypsochares catharotes (Meyrick,1908)** (Pterophoridae) Synonym(s): *catharotes* Meyrick,1908 **PK CN TH IN Meg Ass Khs NP**
- 3360. Megalorhipida leucodactyla (Fabricius,1794)** (Pterophoridae) Synonym(s): *leucodactylus* Fabricius,1794; *defectalis* Walker,1864; *congrualis* Walker,1864; *oxydactyla* Walker,1864; *hawaiiensis* Butler,1881; *ochrodactyla* Fish,1881; *centetes* Meyrick,1886; *composochares* Meyrick,1886; *ralumensis* Pagenstecher,1900; *derelictus* Meyrick,1926; *palaestinensis* Amsel,1935 **MX CI EC MA PT ES JO IL Pa IR Elb Kdj Th Ss SA SA63 As OM YE Sna Ad Sk CN Kgs Fkn YW IN LK KE UG SC RE MU MG ZA Tva Lpo Hae SO ZR NG TD CI SL GM GN CV TH CMa MY PK Krc Rw Pes IN LK SB PG AU QAu US Hw MX BR PA PE PMo AR CO CL PR JM BS Tx Arz FI**
- 3361. Ochyrotica connexiva (Walsingham,1891)** (Pterophoridae) Synonym(s): *connexiva* Walsingham,1891 **IN Meg Ass Khs MM Krh BT TH TW**
- 3362. Oxyptilus regulus Meyrick,1906** (Pterophoridae) Synonym(s): *regulus* Meyrick,1906 **TH IN LK AU**
- 3363. Pterophorus albidus (Zeller,1852)** (Pterophoridae) Synonym(s): *albidus* Zeller,1852; *endogramma* Meyrick,1922; *suffiata* Yano,1963. **ZA Nta Tva MG ZW ZR CI FJ JP Ri GM NG KE SO UG TZ VN SB PG ID Sum Clb TH AU QAu**
- 3364. Pterophorus elaeopus (Meyrick,1908)** (Pterophoridae) Synonym(s): *elaepus* Meyrick,1908 **IN Meg Ass Khs TH MY ID Sum**
- 3365. Pterophorus lacteipennis (Walker,1864)** (Pterophoridae) Synonym(s): *lacteipennis* Walker,1864; *similalis* Walker,1864; *malacensis* Zeller,1877. **TH TW MY Bor Klt Clb Crm ID PG AU SB MM Tns Krh Swk SG QAu**
- 3366. Pterophorus nigropunctatus Arenberger,1989** (Pterophoridae) Synonym(s): *nigropunctatus* Arenberger,1989 **IN Meg Ass Khs TH**
- 3367. Sphenarches anisodactylus (Walker,1864)** (Pterophoridae) Synonym(s): *anisodactyla* Walker,1864; *diffusalis* Walker,1864; *direptalis* Walker,1864; *synophrys* Meyrick,1886; *croesus* Strand,1913. **CN Tkg TW JP NP IN Djl NI SC RE MG TZ ZR GM GN NG LK ZR ZA AU US Tx FI SB NC NH PG VN MY TH CMa**
- 3368. Sphenarches caffer (Zeller,1852)** (Pterophoridae) Synonym(s): *caffer* Zeller,1852; *walkeri* Walsingham,1881. **CN Tkg ZA TH**
- 3369. Stenodacma pyrrhodes (Meyrick,1889)** (Pterophoridae) Synonym(s): *pyrrhodes* Meyrick,1889; *kinbane* Matsumura,1931. **CN Kgs TW KP KR JP Kyu VN TH CMa IN Hp Ass Meg Khs Slo Drm NP SI BT PK Swa Haz AU QAu**
- 3370. Stenoptilodes taprobanes (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962. **TD PT ES FR Si IT MT BG GR Cr CY TR IL FI CN Kwt Kwa MM JP TH IN LK US Hw**
- 3371. Achroia innotata Walker,1864** (Pyralidae) Synonym(s): *innotata* Walker,1864 **ZA TH IN LK MY ID Sum Ja BN Bor Swk**
- 3372. Aethaloessa calidalis (Guenée,1854)** (Pyralidae) Synonym(s): *calidalis* Guenée,1854; *octavialis* Walker,1859; *fulvidalis* Wallengren,1860; *secutalis* Walker,1866; *witalis* R.Felder & Rogenhofer,1875; *aurantiaca* Hampson,1912 **TH CMa Cuo Cuo1 Cuo7 PH Luz IN LK SC MY SG MM TW ID Ja Sum Bor Amb Aru Clb Bli Crm WS PG NBr Nlr SB AU QAu NSw PF (Fig.31)**
- 3373. Aetholix flavibasalis (Guenée,1854)** (Pyralidae) Synonym(s): *flavibasalis* Guenée,1854; *cingalesa* Hampson,1893 **AU TH**
- 3374. Agassiziella albidivisa (W.Warren,1896)** (Pyralidae) Synonym(s): *albidivisa* W.Warren,1896 **IN Ass Meg Khs TH CMa Fn Nna Kao Knc Cbi Pgg TW**

- 3375. Agassiziella angulipennis (Hampson,1891)** (Pyrilidae) Synonym(s): *angulipennis*
Hampson,1891; angulipenne Hampson,1896 **IN NI TH Knc Rng LK GB**




Fig.31 - Aethaloessa calidalis (Pyrilidae), Thailand Chiang Mai 360m 25 12 2006, M.Kemal (Cesa)

- 3376. Agassiziella fuscifusale (Hampson,1893)** (Pyrilidae) Synonym(s): *fuscifusale* Hampson,1893
LK IN Ass TH Cbi
- 3377. Agassiziella picalis (Guenée,1854)** (Pyrilidae) Synonym(s): *picalis* Guenée,1854; *picalis*
Hampson,1893 **TH Nna Kao Knc LK IN**
- 3378. Agathodes caliginosalis Snellen,1895** (Pyrilidae) Synonym(s): *caliginosalis* Snellen,1895 **ID**
Ja TH CMa Cuo Cuo9
- 3379. Agathodes ostentalis (Geyer,1838)** (Pyrilidae) Synonym(s): *ostentalis* Geyer,1838 **PH Luz**
Ceb Mno IN LK MM Adm Sum Ja Sbw ID Clb Crm PG QAU AU CN TW TH ZA
- 3380. Agrotera basinotata Hampson,1891** (Pyrilidae) Synonym(s): *basinotata* Hampson,1891 **IN**
TW AU TH CMa Qs Cuo Cuo7 CDo CD2 Pap Mro
- 3381. Agrotera scissalis Walker,1865** (Pyrilidae) Synonym(s): *scissalis* Walker,1865 **TH LK IN**
- 3382. Ancylolomia chrysographella (Kollar,[1844])** (Pyrilidae) Synonym(s): *chrysographella*
Kollar,[1844]; responsella Walker,1863; *xylinella* Walker,1863; *basistriga* Moore,1886; *cassimella* Swinhoe,1886; *#bassistriga*
Bleszynski & Collins,1962. **YE Ad IN NI Bba Mhw Sml Hp NP LK MM TH MY CN KP JP TW**
- 3383. Ancylolomia indica R.Felder & Rogenhofer,1875** (Pyrilidae) Synonym(s): *indica* R.Felder
& Rogenhofer,1875 **IN Clc Kul Ass Tn Poo NI AF PK Krc Ch IR Bba MY TH LK MM ID Ja SA CN Hn**
- 3384. Anonaepestis bengalella Ragonot,1894** (Pyrilidae) Synonym(s): *bengalella* Ragonot,1894
TH Nrt Cbu Ray IN LK BT SG MY ID Sum Ja Bor Sbh AU
- 3385. Assara albicostalis Walker,1863** (Pyrilidae) Synonym(s): *albicostalis* Walker,1863; *subterebrellum*
Snellen,1880; niveicostella Hampson,1896. **Ch Skd NP CN Kwa IN LK ID Ja Clb PG AU WS FJ MY Bor Swk**
PH TH
- 3386. Bissetia tauomma Kapur,1950** (Pyrilidae) Synonym(s): *tauomma* Kapur,1950 **IN Pj MM**
TH
- 3387. Botyodes asialis Guenée,1854** (Pyrilidae) Synonym(s): *asialis* Guenée,1854; *#liliputalis* Strand,1913
LK MM TH NP Swk SG MY Bor TW PH Luz Boh CmM IN Sum Ja Clb Amb ID AU ZA

- 3388. Botyodes crocopteralis Hampson,1898** (Pyralidae) Synonym(s): *crocopteralis* Hampson,1898
TH NP SI MM
- 3389. Bradina diagonalis Guenée,1854** (Pyralidae) Synonym(s): *diagonalis* Guenée,1854 IN MM
TH Cma Qs CDo CD2 ID Sum Ja Sbw
- 3390. Brihaspa atrostigmella Moore,1868** (Pyralidae) Synonym(s): *atrostigmella* Moore,1868 SI
IN MM Krh TH Cma Dst Ds10 BD BT CN VN
- 3391. Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH
AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz
AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID
Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW
- 3392. Calamotropha atkinsoni (Zeller,1863)** (Pyralidae) Synonym(s): *atkinsoni* Zeller,1863;
fusicostella Snellen,1880; *holodryas* Meyrick,1933 TH LK MY SG Swk PH IN Cle MM LK TH ID Clb Bor
- 3393. Caprinia conchylalis (Guenée)** (Pyralidae) Synonym(s): TH
- 3394. Cathyalia fulvella Ragonot,1888** (Pyralidae) Synonym(s): *fulvella* Ragonot,1888; *erythrina*
Hampson,1896; *rufimarginella* Pagenstecher,1900; *clitopa* Turner,1947. TH LK BN Sbh PG SB IN MY Bor ID Sum
Ja Clb SB AU
- 3395. Ceroprepes naga Roesler & Küppers,1979** (Pyralidae) Synonym(s): *naga* Roesler &
Küppers,1979 ID Sum IN TH
- 3396. Ceroprepes proximalis Walker** (Pyralidae) Synonym(s): TH IN LK MY Sbh Bor Swk Clb
ID
- 3397. Chilo infuscatellus Snellen,1891** (Pyralidae) Synonym(s): *infuscatellus* Snellen,1891; *sticticraspis*
Hampson,1919; *coniorta* Hampson,1919; *calamina* Hampson,1919; *shariinensis* Egughi,1933; *tadzhikiellus* Gerasimov,1949.
AF PK TJ MY IN MM TH KP KR ID Ja Tim VN TW CN RU PH
- 3398. Chilo suppressalis Walker,1863** (Pyralidae) Synonym(s): *suppressalis* Walker,1863; *oryzae*
T.B.Fletcher,1928. PT ES FR Co IQ Amr IR PK CN Kgs Sz Stg Fkn Kwa KP KR JP Hkk Kyu MY TH IN Pj
Ass Cle LK TW Hw VN PH AU
- 3399. Chilo tumidicostalis (Hampson,1919)** (Pyralidae) Synonym(s): *tumidicostalis* Hampson,1919;
gemininotalis Hampson,1919 IN Ass Ben NP TH
- 3400. Chilotraea auricilius (Dudgeon,1905)** (Pyralidae) Synonym(s): *auricilius* Dudgeon,1905;
popescugorji Bleszynski,1963 IN Bi Djl Ass NP BT TH LK ID Clb Bor Mlc Sgr TW PH
- 3401. Chilotraea polychrysus (Meyrick,1932)** (Pyralidae) Synonym(s): *polychrysa* Meyrick,1932
MY TH Bnk IN Ass Khs BD CN ID
- 3402. Citripestis sagittiferella (Moore,1891)** (Pyralidae) Synonym(s): *sagittiferella* Moore,1891 JP
TW BT IN LK MY TH Cma Lop Che Cbi Cph Nst Pbu SG Swk ID Sum Ja PG FJ
- 3403. Cnaphalocrocis medinalis (Guenée,1854)** (Pyralidae) Synonym(s): *medinalis* Guenée,1854;
nurscialis Walker,1859 RU Am CN TW KP JP PH Luz LK MM KR Bor Ja Clb Amb Mi ID PG US Tx WS
NH NC AU MY TH Cma Cuo Cuo1 Cuo7 IN VN PH OW
- 3404. Coenodomus hockingi Walsingham,1888** (Pyralidae) Synonym(s): *hockingi*
Walsingham,1888; *singularis* Neumoegen,1893; *anomala* Aurivillius,1894 IN Sml Kgr Hp SI Cle US Mai ID Ja TH
- 3405. Conogethes pluto (Butler,1887)** (Pyralidae) Synonym(s): *pluto* Butler,1887 AU TH Cma Dst
Ds09
- 3406. Conogethes punctiferalis (Guenée,1854)** (Pyralidae) Synonym(s): *punctiferalis* Guenée,1854;
detracta Walker,1859; *nicippealis* Walker,1859; *guttatalis* Walker,[1866] TH CN TW IN ID JP PH AU
- 3407. Copamyntis obliquifasciella (Hampson,1896)** (Pyralidae) Synonym(s): *obliquifasciella*
Hampson,1896 TH IN LK MY ID Sum Ja Bor Sbh
- 3408. Corcyra cephalonica (Stainton,1866)** (Pyralidae) Synonym(s): *cephalonica* Stainton,1866;
oeconomellus Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965 ES FR Si IT MT
GB BE NL DE CH CZ SK RO BG GR TR DK NO SE FI LV LK ID Ja Kai ZA BR TW RE WS FJ PG AU IN
OW NW TH MY ID BN Bor Swk PR
- 3409. Cotachena alysoni Whalley,1961** (Pyralidae) Synonym(s): *alysoni* Whalley,1961 CN MY LA
TH SK IN JP Djl Ass Meg Khs Nag Slo SI
- 3410. Crocidolomia pavonana (Fabricius,1794)** (Pyralidae) Synonym(s): *pavonana* Fabricius,1794;
binotalis Zeller,1852; *comalis* Guenée,1854; *incomalis* Guenée,1854; *quadripunctata* Shiraki,1913; *dentalis* Amsel,1951 AU
NF TW PH Luz Boh ZA Lpo Tva Spb Mdk PK Sd Krc IN IR Ss Chh LK MM TH Cma Dst ID Sum Ja Clb
Bli MY BN Swk Bor
- 3411. Crocidolomia suffusalis (Hampson,1891)** (Pyralidae) Synonym(s): *suffusalis* Hampson,1891;
illustris Lucas,1892; *#sinensis* Caradja,1925 IN TW AU TH LK PG MY ID Ja Bli BN Sbh Bor Swk PH
- 3412. Crocidophora habisalis (Walker,1859)** (Pyralidae) Synonym(s): *habisalis* Walker,1859 TH
MY Bor ID TW
- 3413. Crocidophora limbalis Moore** (Pyralidae) Synonym(s): TH
- 3414. Crypsiptya coclesalis (Walker,1859)** (Pyralidae) Synonym(s): *coclesalis* Walker,1859;
itemalesalis Walker,1859; *strenualis* Walker,[1866]; *interfusalis* Walker,[1866]; *lacrymalis* Leech,1889 AU TH Knc Bnk
TW CN IN BT JP PH MY Bor ID

3415. **Cryptoblabes gnidiella (Millière,1867)** (Pyralidae) Synonym(s): *gnidiella* Millière,1867 **PT ES FR Sa Si IT MT GB NL AT GR TR IL Pa Hf EG JO DK NO SE FI TH**
3416. **Cydalima laticostalis (Guenée,1854)** (Pyralidae) Synonym(s): *laticostalis* Guenée,1854; *nitidicostalis* Guenée,1854; *leodicealis* Guenée,1859. **TH Nrt Cbu Cbi Tng Sup IN LK CN MM Adm MY ID Sum Ja Sbh Bor Swk Clb Mlc PG AU WS NH**
3417. **Cymoriza inthanonensis Yoshiyasu,1985** (Pyralidae) Synonym(s): *inthanonensis* Yoshiyasu,1985 **TH CMa Int**
3418. **Cyrtogramme melagynalis (Agassiz,1978)** (Pyralidae) Synonym(s): *melagynalis* Agassiz,1978 **SL TH LK JP ID Sum Bli PH PG GB**
3419. **Dausara amethysta Butler,1877** (Pyralidae) Synonym(s): *amethysta* Butler,1877 **TH MM MY SG ID Sum Bor Swk Sbh Klt PH PG (Fig.32)**
3420. **Dausara chiangmai Yoshiyasu,1995** (Pyralidae) Synonym(s): *chiangmai* Yoshiyasu,1995 **TH CMa Dst**
3421. **Dausara latiterminalis Yoshiyasu,1995** (Pyralidae) Synonym(s): *latiterminalis* Yoshiyasu,1995 **TH Nna Kao**
3422. **Deanolis albizonalis Hampson,1903** (Pyralidae) Synonym(s): *albizonalis* Hampson,1903 **TH Sup Bnk Pbu IN SI Djl**
3423. **Deanolis sublimbalis Snellen,1899** (Pyralidae) Synonym(s): *sublimbalis* Snellen,1899 **IN MM TH CN BN Bor PH ID PG AU**
3424. **Diaphania indica (Saunders,1851)** (Pyralidae) Synonym(s): *indica* Saunders,1851; *capensis* Zeller,1852; *gazoralis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904. **VE ZA Tva Lpo Spb Lj MG SA AF Srb Gbh PH Luz Ceb Boh CmM KP TW JP AU WS FJ PG MY IR Ss Irs IN CN TH CMa Cuo Cuo1 CDo CD2 Dst Dso9 (2007, Cesa Publ. Afr. Lepid. 16: pl.9 fig.5 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.4 [adult]; pl.43 fig.11 [adult]).**
3425. **Dichocrocis leptalis Hampson,1903** (Pyralidae) Synonym(s): *leptalis* Hampson,1903 **IN TH**
3426. **Dichocrocis megillalis Walker,1859** (Pyralidae) Synonym(s): *megillalis* Walker,1859 **TH MY Bor Swk**
3427. **Dioryctria abietella (Fabricius,1787)** (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787 **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Sb IN TH TW KP JP**
3428. **Dioryctria rubella Hampson,1901** (Pyralidae) Synonym(s): *rubella* Hampson,1901 **ID Sum CN TH HK PH**
3429. **Dioryctria sylvestrella (Ratzeburg,1840)** (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct. **PT ES Mu FR Co Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY TH**
3430. **Dipha aphidivora (Meyrick,1934)** (Pyralidae) Synonym(s): *aphidivora* Meyrick,1934 **IN LK MM TH TW MY Bor Swk ID Sum Ja Bli PH Luz PG**



Fig.32 - *Dausara amethysta* (Pyralidae) at night, Thailand Chiang Mai Doi Suthep 480m 22 11 2006, M. Kemal (Cesa)

3431. **Doloessa castanella (Hampson,1896)** (Pyralidae) Synonym(s): *castanella* Hampson,1896
TH AU SB MM IN Adm MY ID Ja Bli BN Bor
3432. **Doloessa viridis Zeller,1848** (Pyralidae) Synonym(s): *viridis* Zeller,1848; *figurana* Walker,1863; *ornata* Wileman,1910; *phthorogramma* Meyrick,1938 LK PH Boh ID Clb Ja Kai PG SB AU QAU TW TH CN HK MY SG Swk Bor FJ
3433. **Donacula dodatellus (Walker,1864)** (Pyralidae) Synonym(s): *dodatellus* Walker,1864 TH
IN LK JP MM MY ID Sum Ja Bli PH Clb
3434. **Drosophantis caeruleata (Hampson,1893)** (Pyralidae) Synonym(s): *caeruleata* Hampson,1893; *cyanealis* Hampson,1903; *corusca* Meyrick,1935 TH BT IN LK TW ID Sbw AU
3435. **Dysallacta negatalis (Walker,1859)** (Pyralidae) Synonym(s): *negatalis* Walker,1859; *monesusalis* Walker,1859; *phanasalis* Walker,1859 AU ZA TH CMA CDo Pki
3436. **Elophila diffualis (Snellen,[1880])** (Pyralidae) Synonym(s): *diffualis* Snellen,[1880]; *enixalis* Swinhoe,1885; *linealis* Moore,1888; *nigralbalis* Caradja,1925; *osculatrix* Meyrick,1933 IN TW CN JP ID Sum Ja PH TH Knc Cbi Bor MY AU QAU Bri GB
3437. **Elophila manilensis (Hampson,1911)** (Pyralidae) Synonym(s): *manilensis* Hampson,1911 TH
CMA Fn Nna Kao Cbi Bnk NP IN HK CN MM MY ID Ja Bor Swk Klt PH Luz Amb GB
3438. **Elophila melagynalis (Agassiz,1978)** (Pyralidae) Synonym(s): *melagynalis* Agassiz,1978 LK
TH Nna Kao Knc IN JP SL GB
3439. **Elophila nigralbalis (Caradja,1925)** (Pyralidae) Synonym(s): *nigralbalis* Caradja,1925 TH
CMA Fn Knc CN VN TW JP
3440. **Endocrossis flavibasalis (Moore,1867)** (Pyralidae) Synonym(s): *flavibasalis* Moore,1867
PH Luz IN Ass TH MM Prk MY Sum Nia PG ID
3441. **Endotricha albicilia Hampson,1891** (Pyralidae) Synonym(s): *albicilia* Hampson,1891 TH Cbi
Nna Kao IN Adm LK
3442. **Endotricha consocia (Butler,1879)** (Pyralidae) Synonym(s): *consocia* Butler,1879 CN Fkn
Hph TH CMA Cnz Czi JP TW
3443. **Endotricha khaoyaiensis Yoshiyasu,1989** (Pyralidae) Synonym(s): *khaoyaiensis* Yoshiyasu,1989 TH Kao Nna
3444. **Endotricha melanobasis Hampson,1916** (Pyralidae) Synonym(s): *melanobasis* Hampson,1916
TH Nna Kao CMA Int IN
3445. **Endotricha mesenterialis (Walker,1859)** (Pyralidae) Synonym(s): *mesenterialis* Walker,1859; *suffusalis* Walker,1859; *obscura* Butler,1886; *eoidalis* Snellen,1895 IN LK MM TH Cbi Nna Loc CMA Fn ID Nk Ja MY Cx JP TW AU PG Ls TO NH
3446. **Endotricha nigromaculata Whalley,1963** (Pyralidae) Synonym(s): *nigromaculata* Whalley,1963 TH CMA Pki IN
3447. **Endotricha puncticostalis (Walker,[1866])** (Pyralidae) Synonym(s): *puncticostalis* Walker,[1866]; *ustalis* Snellen,1880; *listeri* Butler,1888 TH Cbi Loc CMA Dst CX AU ID Clb PH
3448. **Endotricha ruminalis (Walker,1859)** (Pyralidae) Synonym(s): *ruminalis* Walker,1859; *ibycusalis* Walker,1859; *symphonialis* Hampson,1893 IN LK MM TH Cbi Loc CMA Msv Dst Pki Fn TW JP
3449. **Endotricha sasakawai Yoshiyasu,1989** (Pyralidae) Synonym(s): *sasakawai* Yoshiyasu,1989
TH Nna Kao CMA Dst Msv Pki
3450. **Endotricha similata (Moore,1888)** (Pyralidae) Synonym(s): *similata* Moore,1888 TH Nna
Kao IN CN Ti Sz Hph MM LK
3451. **Eoophyla ceratucha (Meyrick,1894)** (Pyralidae) Synonym(s): *ceratucha* Meyrick,1894; *falcatalis* Snellen,1901 TH CMA Fn Knc Cbi Rng ID Bor Ja Sum MY
3452. **Eoophyla clasnaumanni Speidel & Mey,2005** (Pyralidae) Synonym(s): *clasnaumanni* Speidel & Mey,2005 TH Nan Pua
3453. **Eoophyla melanops (Hampson,1896)** (Pyralidae) Synonym(s): *melanops* Hampson,1896 IN
SI TH CMA Fn Int Agk
3454. **Eoophyla nigripilosa Yoshiyasu,1987** (Pyralidae) Synonym(s): *nigripilosa* Yoshiyasu,1987
TH Nna Cbi CMA Dst
3455. **Eoophyla ochripicta (Moore,1889)** (Pyralidae) Synonym(s): *ochripicta* Moore,1889 IN NI
TH CMA Dst Fn Int CN
3456. **Eoophyla sejunctalis (Snellen,1876)** (Pyralidae) Synonym(s): *sejunctalis* Snellen,1876; *delicate* Moore,1887 LK IN Pj TH CMA Fn Nna Cbi Phu ID Sum
3457. **Eoophyla simplicialis (Snellen,1876)** (Pyralidae) Synonym(s): *simplicialis* Snellen,1876 ID
Ja TH CMA Nna Cbi
3458. **Eoophyla sinensis (Hampson,1897)** (Pyralidae) Synonym(s): *sinensis* Hampson,1897 NP CN
Sz TH CMA Int
3459. **Eoophyla thaiensis Yoshiyasu,1987** (Pyralidae) Synonym(s): *thaiensis* Yoshiyasu,1987 TH
Pgg CMA Fn Rng Cbi Cph Knc Phu
3460. **Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern &

Tubtim,1995 **DZ MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch CN Kgs JP TH TW MX NZ AU ZA**

- 3461. Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 **Md Cn MA DZ TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY AF PK Ch NP CN KP KR JP TH TW AU ZA**
- 3462. Eristena bifurcalis (Pryer,1877)** (Pyralidae) Synonym(s): *bifurcalis* Pryer,1877 **CN IN Ass MM TH Knc Nna Kao TW**
- 3463. Eristena fulva Yoshiyasu,1987** (Pyralidae) Synonym(s): *fulva* Yoshiyasu,1987 **TH CMa Msv**
- 3464. Eristena gregaria Yoshiyasu,1984** (Pyralidae) Synonym(s): *gregaria* Yoshiyasu,1984 **TH CMa Fn**
- 3465. Eristena pulchellalis (Hampson,1893)** (Pyralidae) Synonym(s): *pulchellalis* Hampson,1893 **LK IN Ass TH Nna Kao**
- 3466. Eristena pumila Yoshiyasu,1987** (Pyralidae) Synonym(s): *pumila* Yoshiyasu,1987 **TH Kao Nna**
- 3467. Eristena tanongchiti Yoshiyasu,1984** (Pyralidae) Synonym(s): *tanongchiti* Yoshiyasu,1984 **TH Cbi**
- 3468. Eschata chrysargyria (Walker,[1866])** (Pyralidae) Synonym(s): *chrysargyria* Walker,[1866]; *argentata* Moore,1888; *radiata* Swinhoe,1906 **IN Meg Ass Djl SI Khs Nag Mpr NI MM TH PH CN TW ID Crm**
- 3469. Eschata smithi Bleszynski,1970** (Pyralidae) Synonym(s): *smithi* Bleszynski,1970 **TH CMa**
- 3470. Etiella zinckenella (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 *nec* Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. **PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ NA TN LY EG GW LB SL GA CM NG NE CI GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cnz Czio Cz11 ID Sum Shh**
- 3471. Euclasta (s.str.) defamatalis (Walker,1859)** (Pyralidae) Synonym(s): *defamatalis* Walker,1859 **AF Srb Bsg Kot Kab Bkt PK Sfk IN Meg Ass Khs NI NP LK PH Boh MM TW TH MY**
- 3472. Euclasta (s.str.) filigeralis Lederer,1863** (Pyralidae) Synonym(s): *filigeralis* Lederer,1863 **IN NI NP TH KH VN LA LK PH Pal Luz Ceb Sam**
- 3473. Eurrhyarodes tricoloralis (Zeller,1852)** (Pyralidae) Synonym(s): *tricoloralis* Zeller,1852; *abnegatalis* Walker,1859; *confusalis* W.Warren,1896; *#tricoloralis* Klima,1939 **TW PH Luz IN Adm LK Ja Sgr Amb ID AU QAU WS PC FJ SB MY OW ZA TH CMa Cuo Cuo1 Cuo7 PG (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.3 [adult]).**
- 3474. Eutrichodes oenoealis (Walker,1859)** (Pyralidae) Synonym(s): *oenoealis* Walker,1859 **TH MY BN Bor Klt ID**
- 3475. Filodes fulvidorsalis (Hübner,1832)** (Pyralidae) Synonym(s): *fulvidorsalis* Hübner,1832 **RE ID Sbw TH CMa Dst Ds10**
- 3476. Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930. **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Th Elb Kdj LB IQ IL Pa Hf EG Tls Ax Ik KK KG CY ZA AU TH MY SG Bor Shh**
- 3477. Gauna endotrichalis W.Warren,1895** (Pyralidae) Synonym(s): *endotrichalis* W.Warren,1895 **IN TH CMa CDo Pki**
- 3478. Gauna mediolineata Hampson,1903** (Pyralidae) Synonym(s): *mediolineata* Hampson,1903 **TH IN MY Bor Shh**
- 3479. Glyphodes actorionalis Walker,1859** (Pyralidae) Synonym(s): *actorionalis* Walker,1859 **TH TW CN JP IN ID MY PH**
- 3480. Glyphodes bivitalis Guenée,1854** (Pyralidae) Synonym(s): *bivitalis* Guenée,1854; *alitalis* Hulst,1886 **TH CMa Dst Ds09 Phr Knc Pht Sbu Bnk Chc Ray Cbi MM MY SG BN Bor Shh Swk Clb PH Luz IN Adm Sum Ja Bor ID Sbw Amb QAU AU LK MY CN BT NP TW**
- 3481. Glyphodes caesalis Walker,1859** (Pyralidae) Synonym(s): *caesalis* Walker,1859 **TH CMa Cuo Cuo1 Phr Sbu Cbu Rng Nst Nth Phc Sso IN LK**
- 3482. Glyphodes conclusalis Walker,[1866]** (Pyralidae) Synonym(s): *conclusalis* Walker,[1866] **TH CMa Cuo Cuo7**
- 3483. Glyphodes onychinalis (Guenée,1854)** (Pyralidae) Synonym(s): *onychinalis* Guenée,1854; *braurealis* Walker,1859; *astomalis* R.Felder & Rogenhofer,1875 **AU TH CMa**
- 3484. Glyphodes perpectalis Walker** (Pyralidae) Synonym(s): **TH**

3485. **Glyphodes principalis Walker, 1865** (Pyralidae) Synonym(s): *principalis* Walker, 1865 TH ID Sum
3486. **Glyphodes stolalis Guenée, 1854** (Pyralidae) Synonym(s): *stolalis* Guenée, 1854; *substolalis* Snellen, 1899 TH MM MY Sum Ja BN Sbh Swk MY SB CN TW PH PG PH Luz Ceb IN LK Ja Bor ID Clb AU FJ Vil ZA



Fig.33- *Glyphodes* sp. (Pyralidae) at night, Thailand, Chiang Dao 465m 13 11 2006, M.Kemal (Cesa)

3487. **Guastica semilutea Walker, 1863** (Pyralidae) Synonym(s): *semilutea* Walker, 1863 TH BN Sbh Bor Swk Klt Clb IN Ass BT LK SG MY ID Sum PG Bsm
3488. **Haritalodes derogata (Fabricius, 1775)** (Pyralidae) Synonym(s): *derogata* Fabricius, 1775; *multilinealis* Guenée, 1854; *salomealis* Walker, 1859; *otysalis* Walker, 1859; *basipunctalis* Bremer, 1864; *anuligeralis* Walker, [1866]; *obliquialis* Lucas, 1898 ZA AU TH CMa Cuo Cuo7 CDo CD2 Sbu Bnk Sak AF Srb LK MY Bor ID Ja CN KP TW JP RU Sb WS FJ NC SB PG IN OW (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.2 [adult]).
3489. **Hellula undalis (Fabricius, 1781)** (Pyralidae) Synonym(s): *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, [1866]; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977 TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr Sse Ss Irs Ana Ke Th Kdj Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Sd Krc Hw US SH IN LK CN PH Luz TW JP AU QAU Bri Bth NSw Aby Gtn Hf TH MY Bor BN Swk Sbh
3490. **Heminomistis flagellalis (Hampson, 1906)** (Pyralidae) Synonym(s): *flagellalis* Hampson, 1906 MY Bor TH
3491. **Hemiscopis sanguinea Bänziger, 1987** (Pyralidae) Synonym(s): *sanguinea* Bänziger, 1987 TH CMa Dst CDo MY Prk ID Sum Ja Bor BN Klt
3492. **Hendecasis duplifascialis (Hampson, 1891)** (Pyralidae) Synonym(s): *duplifascialis* Hampson, 1891 AC LK TW TH IN PH AU
3493. **Heortia vitessoides (Moore, [1885])** (Pyralidae) Synonym(s): *vitessoides* Moore, [1885]; *#vitissoides* Hutacharern & Tubtim, 1995 WS MM BN Bor Sbh Swk Klt AU CN IN LK TH CMa Cuo Cuo1 CDo CD2 Pap Mro ID Sum Nia MY NP CN AU QAU NH FJ

- 3494. *Herculia nigrivitta* (Walker,1863)** (Pyrilidae) Synonym(s): *nigrivitta* Walker,1863; *fuscicosta* Walker,1863; *costigeralis* Walker,[1866]; *fuscicostalis* Snellen,1880; *obstans* Meyrick,1936 **AU TH IN LK HK MM MY ID Sum Sbh Swk Klt PH PG**
- 3495. *Herculia suffusalis* (Walker,1865)** (Pyrilidae) Synonym(s): *suffusalis* Walker,1865 **IN TW TH**
- 3496. *Herpetogramma licarsialis* (Walker,1859)** (Pyrilidae) Synonym(s): *licarsialis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939 **TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc TW LK CN JP MY Bor Ja ID MH FJ ZA WS TO SB PG AU IN TH**
- 3497. *Hydriris ornatalis* (Duponchel,1832)** (Pyrilidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilles,1880 *nec* Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972 **TH Bnk CMa Cuo Cuo7 PH Luz Ceb WS FJ NH MY IN LK ID Ja TW US AU PT ES FR Co Sa Si IT MT CH YU GR Cr CY TR IL Pa Hf LB IQ Bgd Amr EG ZA**
- 3498. *Hypargyria metalliferella* Ragonot,1888** (Pyrilidae) Synonym(s): *metalliferella* Ragonot,1888; *#metalliferella* Pinhey,1975 **SA PK Krc Sd AF IN ID Sum ZA AU TH CMa CDo Pki PH**
- 3499. *Hypsopygia postflava* (Hampson,1893)** (Pyrilidae) Synonym(s): *postflava* Hampson,1893 **IN LK TW TH**
- 3500. *Isocentris filalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *filalis* Guenée,1854; *rhodophilalis* Walker,[1866]; *amoenalis* Walker,[1866]; *dives* Butler,1870 **AU IN LK MM TH ID Ja Clb TW PH Luz MU PG**
- 3501. *Isocentris phoenicozona* Hampson,1896** (Pyrilidae) Synonym(s): *phoenicozona* Hampson,1896 **TH IN PG**
- 3502. *Joelminetia latimedia* Speidel & Witt,2007** (Pyrilidae) Synonym(s): *latimedia* Speidel & Witt,2007 **TH CMa Kob Nan Pua Php Fn**
- 3503. *Joelminetia* sp.** (Pyrilidae) Synonym(s): **TH CMa Pfa**
- 3504. *Lamoria adaptella* (Walker,1863)** (Pyrilidae) Synonym(s): *adaptella* Walker,1863; *planalis* Walker,1863; *foedella* Walker,1866; *fusconervella* Ragonot,1888; *anella* Hampson,1896 *nec* Denis & Schiffermüller,[1775]. **TH MY PK NC FJ AU ZA IN MM LK ID Sum Ja SG TW**
- 3505. *Lamprosema indicata* (Fabricius,1775)** (Pyrilidae) Synonym(s): *indicata* Fabricius,1775; *vulgalis* Guenée,1854; *sabalis* Walker,1859; *moeliusalis* Walker,1859; *reductalis* Walker,1865; *connexalis* Walker,[1866]; *dolosalis* Möschler,1881; *dnopheralis* Mabilles,1900; *lionnetalis* Legrand,1965 **ZA MG IN LK MY Bor TH ID SG CN TW JP**
- 3506. *Leucinodes insolitalis* Walker,1862** (Pyrilidae) Synonym(s): *insolitalis* Walker,1862 **TH MY Bor Swk**
- 3507. *Leucinodes orbonalis* Guenée,1854** (Pyrilidae) Synonym(s): *orbonalis* Guenée,1854 **ZA PK Sd Krc AF Srb Bsg Bkt IN LK MM TH ID Ja TW AU**
- 3508. *Lista ficki* Christoph,1881** (Pyrilidae) Synonym(s): *ficki* Christoph,1881 **RU Am TH CMa Dst**
- 3509. *Locastra crassipennis* (Walker,1857)** (Pyrilidae) Synonym(s): *crassipennis* Walker,1857 **TH IN MY ID Sum BN Bor Swk**
- 3510. *Locastra muscosalis* (Walker,[1866])** (Pyrilidae) Synonym(s): *muscosalis* Walker,[1866] **IN LK MM TH CRa CN JP TW**
- 3511. *Loryma recusata* (Walker,[1863])** (Pyrilidae) Synonym(s): *recusata* Walker,[1863]; *venosella* Walker,1866; *philornis* Meyrick,1937 **LK MY Bor TW AU ZA TH IN PG MY SG ID Sum Ja BN Bor Sbh Swk**
- 3512. *Lygomusotima constricta* Solis, Shen-Horn & Goolsby,2004** (Pyrilidae) Synonym(s): *constricta* Solis, Shen-Horn & Goolsby,2004 **TH SG**
- 3513. *Mabra elaphantophila* Bänziger,1985** (Pyrilidae) Synonym(s): *elaphantophila* Bänziger,1985 **TH CMa CDo CN Yu**
- 3514. *Mabra haematophaga* Bänziger,1985** (Pyrilidae) Synonym(s): *haematophaga* Bänziger,1985 **TH CMa CDo Dst Dsk**
- 3515. *Mabra lacriphaga* Bänziger,1985** (Pyrilidae) Synonym(s): *lacriphaga* Bänziger,1985 **TH CDo CMa MY Prk**
- 3516. *Mampava bipunctella* Ragonot,1888** (Pyrilidae) Synonym(s): *bipunctella* Ragonot,1888 **TH ID Sum Ja Bor Swk Sbh Klt MY FJ**
- 3517. *Marasmia exigua* (Butler,1879)** (Pyrilidae) Synonym(s): *exigua* Butler,1879 **JP TH**
- 3518. *Marasmia poyealis* (Boisduval,1833)** (Pyrilidae) Synonym(s): *poyealis* Boisduval,1833; *marisalis* Walker,1859; *ruralis* Walker,1859; *venilialis* Walker,1859; *cicatricosa* Lederer,1863; *rectistrigosa* Snellen,1872; *minutalis* Mabilles,1880; *mimica* W.Warren,1896; *hampsoni* Rothschild,1921 **WS PC FJ SB PG AU MY TH IN OW ZA**
- 3519. *Maruca amboinalis* (R.Felder & Rogenhofer,1874)** (Pyrilidae) Synonym(s): *amboinalis* R.Felder & Rogenhofer,1874; *#ambionalis* Hutacharern & Tubtim,1995 **TH IN ID Sum MY Bor TW**
- 3520. *Maruca vitrata* (Fabricius,1787)** (Pyrilidae) Synonym(s): *vitrata* Fabricius,1787; *testulalis* Geyer,[1832]; *aquatilis* Guérin-Méneville,[1832]; *bifenestralis* Mabilles,1880; *simialalis* Snellen,1892; *nigroapicalis* De Joannis,1930. **WS FJ PG TH CMa Cuo Cuo1 Cuo7 CDo CD2 Cz10 Cmz Dst Dso9 Pap Mro MY IN AU BR FR AF Srb VN Ton TW ID Sum Ja MG ZA Spb Mdk Tva Lpo Hw**
- 3521. *Meroctena tullalis* Walker,1859** (Pyrilidae) Synonym(s): *tullalis* Walker,1859 **IN MY TH**

- 3522. *Metoea foedalis* (Guenée,1854)** (Pyralidae) Synonym(s): *foedalis* Guenée,1854; *tenellalis* Guenée,1854; *leucothoalis* Walker,1859; *spilomelalis* Walker,1859; *oethonalis* Walker,1859; *scitalis* Lederer,1863; *epispila* Meyrick,1886; *pseudofoedalis* Strand,1913; *#cantonalis* Caradja,1925 **AU ZA TH IN LK CN TW Adm MY SG ID Ja Swk Klt Bor PH PG**
- 3523. *Microstega acutangulata* (Swinhoe,1901)** (Pyralidae) Synonym(s): *acutangulata* Swinhoe,1901 **TH CMA Dst CDo Lam CN Yu IN Up MY**
- 3524. *Microstega aureolalis* (Lederer,1863)** (Pyralidae) Synonym(s): *aureolalis* Lederer,1863; *ochrealis* Moore,1877 **IN SI TH CMA Dst CDo**
- 3525. *Microstega contractalis* (W.Warren,1896)** (Pyralidae) Synonym(s): *contractalis* W.Warren,1896 **IN Up Ass Meg Khs TH CMA Dst CDo**
- 3526. *Microstega homocolorum* Bänziger,1995** (Pyralidae) Synonym(s): *homocolorum* Bänziger,1995 **TH CMA Dst CDo CN Yu**
- 3527. *Mussidia pectincornella* (Hampson,1896)** (Pyralidae) Synonym(s): *pectincornella* Hampson,1896 **TH IN LK BT JP TW MY ID Ja PG FJ**
- 3528. *Nacoleia dienalis* (Guenée,1854)** (Pyralidae) Synonym(s): *dienalis* Guenée,1854 **TH**
- 3529. *Nacoleia octasema* (Meyrick,1886)** (Pyralidae) Synonym(s): *octasema* Meyrick,1886 **WS FJ NH SB PG AU MY TH**
- 3530. *Nausinoe perspectata* (Fabricius,1775)** (Pyralidae) Synonym(s): *perspectata* Fabricius,1775; *#perpectata* Hutacharern & Tubtim,1995 **IN LK TH ID Ja TW CN NP PG AU**
- 3531. *Noorda blitealis* Walker,1859** (Pyralidae) Synonym(s): *blitealis* Walker,1859; *subjectalis* Walker,[1866]; *holocrossa* Meyrick,1902 **YE Ad PK Sd Krc IN LK AU ZA TH**
- 3532. *Nymphicula mesorphna* (Meyrick,1894)** (Pyralidae) Synonym(s): *mesorphna* Meyrick,1894; *minuta* Yoshiyasu,1980 **MM Kni TH CMA Fn Nna Rng Cbi VN JP**
- 3533. *Nymphicula tripunctata* Yoshiyasu,1987** (Pyralidae) Synonym(s): *tripunctata* Yoshiyasu,1987 **TH Knc**
- 3534. *Nymphicula xanthobathra* (Meyrick,1894)** (Pyralidae) Synonym(s): *xanthobathra* Meyrick,1894 **ID Bor TH Knc Trat**
- 3535. *Nymphula depunctalis* (Guenée,1854)** (Pyralidae) Synonym(s): *depunctalis* Guenée,1854; *decussalis* Walker,1859; *vestigialis* Snellen,1880; *dianalis* Schaus,1905 **AR BR UY VE MA ES Cz An Gi PH Luz Clb PK IN LK MM TH MY Bor ID Ja Sum TW VN Ton AU MZ MG MW MU NG ZR PR**
- 3536. *Ocrasa nonusalis* Walker,1859** (Pyralidae) Synonym(s): *nonusalis* Walker,1859 **TH CMA Cuo Cuo1 NP IN LK CN HK TW MM MY**
- 3537. *Omiodes diemenalis* (Guenée,1854)** (Pyralidae) Synonym(s): *diemenalis* Guenée,1854; *absistalis* Walker,1859; *lydialis* Walker,1859; *ustalis* Lederer,1863; *incertalis* Walker,[1866]; *pyraustalis* Snellen,[1880]. **TH Cna CMA Cuo Cuo1 Cuo5 Bnk IN LK HK CN SG ID Ja BN Bor Sbh Swk MY PH NH FJ TO SC AU PG SB WS PC MM Nk TW (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.6 [adult]).**
- 3538. *Omphalomia accersita* Swinhoe,1894** (Pyralidae) Synonym(s): *accersita* Swinhoe,1894 **TH IN**
- 3539. *Omphisa anastomosalis* (Guenée,1854)** (Pyralidae) Synonym(s): *anastomosalis* Guenée,1854 **TH Bnk CN LK IN Adm ID Ja D-Y**
- 3540. *Omphisa fuscidentalis* (Hampson,1895)** (Pyralidae) Synonym(s): *fuscidentalis* Hampson,1895 **SI IN BD MM TH CMA Cuo Cuo1 Mwa**
- 3541. *Omphisa repetitalis* Snellen,1890** (Pyralidae) Synonym(s): *repetitalis* Snellen,1890 **SI IN TH CMA?**
- 3542. *Orthaga euadrusalis* Walker,1858** (Pyralidae) Synonym(s): *euadrusalis* Walker,1858 **LK MY Bor ID Ja JP TW TH Nrt Knc Pkk**
- 3543. *Orybina flaviplaga* (Walker,1863)** (Pyralidae) Synonym(s): *flaviplaga* Walker,1863 **IN TW CN TH CMA**
- 3544. *Orybina plangonalis* (Walker,1859)** (Pyralidae) Synonym(s): *plangonalis* Walker,1859 **IN TH CMA**
- 3545. *Ostrinia furnacalis* (Guenée,1854)** (Pyralidae) Synonym(s): *furnacalis* Guenée,1854; *damoalis* Walker,1859; *salentialis* Snellen,1880; *kodzukalis* Matsumura,1897; *polygoni* Dyar,1905; *vastatrix* Schultze,1908 **LK IN Drm Hp Meg Ass Clc Kul Djl Khs SI MM MY VN Ton PH Boh Cts Luz ID Sum Nia Bor Ja Flo Clb Tim Kei SB AU QAU Bri NWs Syd PG FJ Vil CN Mc Fkn Stg She Shs Pkn Sz Kwa Yu Kgs KP KR RU Us Prj TH HK TW JP SG Sbh Klt Mlc Crm Tim SB**
- 3546. *Pachynoa grossalis* (Guenée,1854)** (Pyralidae) Synonym(s): *grossalis* Guenée,1854 **TH IN MY ID Ja Bli**
- 3547. *Paliga machaeralis* (Walker,1859)** (Pyralidae) Synonym(s): *machaeralis* Walker,1859; *egenalis* Lederer,1863; *suavalis* Walker,1865; *rufipicta* Butler,1880; *fimbriata* Moore,1886; *albicostalis* Swinhoe,1890; *fuscicostalis* Swinhoe,1894 **LK IN Meg Ass Khs MM Rgo TH CMA Cuo Cuo1 CDo CD2 Knc Sbu Bnk Cbi Lmp ID Ja AU (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.5 [adult]).**
- 3548. *Palpita annulifer* Inoue,1996** (Pyralidae) Synonym(s): *annulifer* Inoue,1996 **TH CMA Dst Cuo Cuo1 Dso9 Pap Mro**
- 3549. *Paracataclysta fuscalis* (Hampson,1893)** (Pyralidae) Synonym(s): *fuscalis* Hampson,1893; *nyctopis* Meyrick,1894 **LK ID Sum MY Bor TH Cbi Cph IN BT VN Ton AU QAU NG**

3550. **Paracymoriza albalis** Yoshiyasu,1987 (Pyralidae) Synonym(s): *albalis* Yoshiyasu,1987 **TH**
Cbi Nna Kao
3551. **Paracymoriza albifascialis** (Hampson,1891) (Pyralidae) Synonym(s): *albifascialis* Hampson,1891 **TH CMa Dst Cbi IN Ass NI MY ID Sum Ja Bor Swk**
3552. **Paracymoriza aurantialis** (Swinhoe,1895) (Pyralidae) Synonym(s): *aurantialis* Swinhoe,1895 **IN Meg Ass TH Nna Kao CN**
3553. **Paracymoriza exolvalis** (Snellen,1882) (Pyralidae) Synonym(s): *exolvalis* Snellen,1882 **ID**
Sum Ja TH CMa Dst IN Ass SI MM VN Ton
3554. **Paracymoriza inextricata** (Moore,1887) (Pyralidae) Synonym(s): *inextricata* Moore,1887 **IN SI Ass TH CMa Dst Int CN**
3555. **Paracymoriza vagalis** (Walker,1865) (Pyralidae) Synonym(s): *vagalis* Walker,1865 **TH**
CMa Dst Nna Kao Cbi NP IN LK CN HK MM MY ID Sum Ja Bor BN Sbh Swk TW JP
3556. **Parapohnx bilinealis** (Snellen,1876) (Pyralidae) Synonym(s): *bilinealis* Snellen,1876; *bilineale* Hampson,1896 **IN Pj Drm Clc Hp TH Knc Phu JP**
3557. **Parapohnx crisonalis** (Walker,1859) (Pyralidae) Synonym(s): *crisonalis* Walker,1859; *hebraicalis* Snellen,1880; *myina* Meyrick,1885; *incurvalis* South,1901; *takamukui* Shibuya,1929 **CN TW LK ID Ja Sum Clb TH**
Nna Kao Cbi Bnk AU QAU JP GB
3558. **Parapohnx diminutalis** Snellen,1880 (Pyralidae) Synonym(s): *diminutalis* Snellen,1880; *dicentra* Meyrick,1885; *pallida* Butler,1886 **TW PH Luz IN ID LK Ja Sum Lb Bor Clb CN VN Ton TH CMa Knc Nna**
Cbi Cph Phu Pkk MZ AU QAU ZA GB FI
3559. **Parapohnx fluctuosalis** (Zeller,1852) (Pyralidae) Synonym(s): *fluctuosalis* Zeller,1852; *linealis* Guenée,1854; *chrysippusalis* Walker,1859; *obitalis* Walker,1859; *curta* Butler,1879; *luteivittalis* Mabilie,1880; *cryzalis* Wood-Mason,1885. **PT ES Sa GB IN LK JP TW AU CN VN Ton ID Sum Hw MG ZA Nta Kzu TH CMa Fn Dst**
Dpk Knc Nna Kao Cbi Phu MY SG Ja Bli BN Bor Sbh Swk PH
3560. **Parapohnx longialata** Yoshiyasu,1983 (Pyralidae) Synonym(s): *longialata* Yoshiyasu,1983 **TH Trat Cph**
3561. **Parapohnx stagnalis** (Zeller,1852) (Pyralidae) Synonym(s): *stagnalis* Zeller,1852; *depunctalis* Guenée,1852; *decussalis* Walker,1859; *vestigialis* Snellen,1880; *hillii* Tepper,1890 **ES GR AU ZA TH Knc MM MY SG**
ID Sum Ja Bli Bor Sbh Swk PH IN
3562. **Parapohnx villidalis** (Walker,1859) (Pyralidae) Synonym(s): *villidalis* Walker,1859; *sacadasalis* Walker,1859; *unilinealis* Snellen,1876; *villidale* Hampson,1896 **FJ MY Bor AU QAU TW FJ IN Sgr Ass LK ID Ja**
Bor Swk TH Knc Kao Nna IN Meg LK WS
3563. **Parapohnx votalis** (Walker,1859) (Pyralidae) Synonym(s): *votalis* Walker,1859 **IN MM LK**
VN Ton TH Nna kao Phu Cbi Cph LK
3564. **Pardomima (Pachyparda) distortana** (Strand,1913) (Pyralidae) Synonym(s): *distortana* Strand,1913; *#hampsoniana* Strand,1922; *empalacta* Meyrick,1937 **TH CMa SL CI GH NG CM GA ZR**
3565. **Patissa xanthoperas** Hampson,1895 (Pyralidae) Synonym(s): *xanthoperas* Hampson,1895 **TH MY ID Sum**
3566. **Patna eboricostella** Ragonot,1888 (Pyralidae) Synonym(s): *eboricostella* Ragonot,1888 **TH**
IN BT
3567. **Pempelia morosalis** (Saalmüller,1880) (Pyralidae) Synonym(s): *morosalis* Saalmüller,1880 **MG KE SL ZA Gau Pre IL Pa LK RU Am PK IN Hp Sml Ch TW TH MY JP ID Ja Bli Sum AU PG**
3568. **Phycita dentilinella** Hampson,1896 (Pyralidae) Synonym(s): *dentilinella* Hampson,1896 **IN**
Mpr TH
3569. **Pilocrocis barcalis** (Walker,1859) (Pyralidae) Synonym(s): *barcalis* Walker,1859 **TH Bor**
MY Swk
3570. **Pleuroptya iopasalis** (Walker,1859) (Pyralidae) Synonym(s): *iopasalis* Walker,1859 **LK IN**
MM TH CMa TW MY AU
3571. **Pleuroptya nigriflava** Swinhoe,1894 (Pyralidae) Synonym(s): *nigriflava* Swinhoe,1894 **TH**
Lmp Lop SI IN Ass
3572. **Polythlipta macralis** Lederer,1863 (Pyralidae) Synonym(s): *macralis* Lederer,1863 **TH IN**
LK ID Bli Amb Bor Swk MY PG
3573. **Prasinoxena metaleuca** Hampson,1912 (Pyralidae) Synonym(s): *metaleuca* Hampson,1912 **TH LK**
3574. **Proceras sacchariphagus** (Bojer,1856) (Pyralidae) Synonym(s): *sacchariphagus* Bojer,1856; *saccharellus* Guenée,1862; *mauriciellus* Walker,1863; *striatalis* Snellen,1891. **MU RE MG ID Clb Ja Sum Bli MY Prk**
SG TH PH Luz CN TW IN Ass LK
3575. **Prooedema inscissalis** (Walker,[1866]) (Pyralidae) Synonym(s): *inscissalis* Walker,[1866]; *#incissalis* Robinson, Tuck & Schaffer,1994 **TH IN LK CN MM BN Bor MY Swk PH PG Clb AU SB**
3576. **Protoetiella venustella** (Hampson,1896) (Pyralidae) Synonym(s): *venustella* Hampson,1896 **TH IN MY ID Sum BN Bor Sbh Swk PG AU**
3577. **Pseudargyria parallellus** Zeller,1867 (Pyralidae) Synonym(s): *parallellus* Zeller,1867 **TH IN**
MM MY

3578. **Pseudodavara haemaphoralis (Hampson,1908)** (Pyralidae) Synonym(s): *haemaphoralis* Hampson,1908 **TH BN Sbh Bor PG IN Meg Ass Khs LK MM ID Sum PH Mno Adl Ls SB Rs**
3579. **Pseudonoorda nigropunctalis (Hampson,1899)** (Pyralidae) Synonym(s): *nigropunctalis* Hampson,1899 **TH MY Prk SG ID Sum BN Bor Swk**
3580. **Pycnarmon abraxalis (Walker,[1866])** (Pyralidae) Synonym(s): *abraxalis* Walker,[1866] **TH IN MM BT**
3581. **Pycnarmon meritalis (Walker,1859)** (Pyralidae) Synonym(s): *meritalis* Walker,1859 **TH CMa CN AU TW JP (Fig.34)**



Fig.34 - Pycnarmon meritalis (Pyralidae) at night, Thailand Chiang Mai 360m 24 11 2006, M.Kemal (Cesa)

3582. **Pygospila tyres (Cramer,[1780])** (Pyralidae) Synonym(s): *tyres* Cramer,[1780]; *thyralis* Hübner,[1825]; *tyresalis* Guenée,1852; *tyridia* Strand,1920. **PH Luz CmM Mno Pal IN NP LK MM TH CMa Cuo Cu07 Cmz Cz10 Bor Ja Grm Clb Amb Aru PG AU ID ZA**
3583. **Pyralis regalis [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775 **ES FR Co IT CH AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT MD UA BY RU Am IN IL Pa Hf TW JP KP TH Sbh Bpr BN MY**
3584. **Pyrausta panopealis (Walker,1859)** (Pyralidae) Synonym(s): *panopealis* Walker,1859 **TH IN Adm MY ID Sum Ja PH**
3585. **Ramila argentifimbrialis Swinhoe,1890** (Pyralidae) Synonym(s): *argentifimbrialis* Swinhoe,1890; *angustifimbrialis* Robinson, Tuck & Schaffer,1994 **TH NP IN SI BT MM**
3586. **Rehimena phrynealis (Walker,1859)** (Pyralidae) Synonym(s): *phrynealis* Walker,1859 **IN NP TH CMa MY Bor LK ID Sum CN TW**
3587. **Sacada pyraliformis (Moore,1879)** (Pyralidae) Synonym(s): *pyraliformis* Moore,1879 **TH CMa MM IN SI Djl**
3588. **Salma albifurcalis Hampson,1916** (Pyralidae) Synonym(s): *albifurcalis* Hampson,1916 **TH IN LK MY**
3589. **Salma nubilalis (Hampson,1893)** (Pyralidae) Synonym(s): *nubilalis* Hampson,1893 **AU IN LK TH Nrt Sbu Cbi Ray**

- 3590. Sameodes cancellalis (Zeller,1852)** (Pyralidae) Synonym(s): *cancellalis* Zeller,1852; *pipilealis* Walker,1859; *lepidalis* Walker,1859; *sidealis* Walker,1859; *meridionalis* Walker,[1866]; *trithyralis* Snellen,1880 **AF Srb WS SB PH Luz IN LK MM Ja Clb PG ID AU TH TW Adm MY SG FJ**
- 3591. Schoenobius immeritalis Walker,1859** (Pyralidae) Synonym(s): *immeritalis* Walker,1859; *decursella* Walker,1863 **IN Drm Hp Clc LK TH**
- 3592. Schoenobius incertellus (Walker,1863)** (Pyralidae) Synonym(s): *incertellus* Walker,1863 **IQ Amr Qr IN Nag Clc LK MY Bor ID Ja Sum TH SG CN TW JP PH**
- 3593. Scirpophaga excerpatalis (Walker,1863)** (Pyralidae) Synonym(s): *excerptalis* Walker,1863; *monostigma* Zeller,1863; *butyrota* Meyrick,1889; *intacta* Snellen,1890; *rhodoproctalis* Hampson,1919. **PK Pj Cp MY Bor ID IN CN TW JP AU TH**
- 3594. Scirpophaga fusciflua Hampson,1893** (Pyralidae) Synonym(s): *fusciflua* Hampson,1893 **LK TH**
- 3595. Scirpophaga gilviberbis Zeller,1863** (Pyralidae) Synonym(s): *gilviberbis* Zeller,1863 **IN Clc TH**
- 3596. Scirpophaga incertulas (Walker,1863)** (Pyralidae) Synonym(s): *incertulas* Walker,1863; *?admotella* Walker,1863; *punctellus* Zeller,1863; *minutellus* Zeller,1863; *bipunctifera* Walker,1863; *gratiosellus* Walker,1864; *#ncertulas* Hutacharern & Tubtim,1995. **AF Srb NP IN Clc Bba Ass Poo LK MM VN TH Bnk CMa Cuo1 MY SG ID Sum Ja Bor Clb PH Pal Luz Mno TW CN Hn JP ZA Sbh Swk Klt (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.8 [adult]).**
- 3597. Scirpophaga magnella De Joannis,1929** (Pyralidae) Synonym(s): *magnella* De Joannis,1929. **IR Ss AF Srb Bkt Nu PK Lh Rw IN Hp Drm Ass Pj Cp NP MM TH VN Ton CN Hn**
- 3598. Scirpophaga melanostigmus (Turner,1922)** (Pyralidae) Synonym(s): *melanostigmus* Turner,1922 **TH AU**
- 3599. Scirpophaga nivella (Fabricius,1794)** (Pyralidae) Synonym(s): *nivella* Fabricius,1794; *chrysorrhoea* Zeller,1863; *auriflua* Zeller,1863; *brunnescens* Moore,1888; *celidias* Meyrick,1894; *euclastalis* Strand,1918. **WS ZR IN Clc LK SG PH CN TW JP ID Ja Bor Crm AU TH FJ MM Adm VN MY SG Bor Sbh Swk Klt**
- 3600. Scirpophaga tongyaii Lewvanich,1981** (Pyralidae) Synonym(s): *tongyaii* Lewvanich,1981 **TH Tng**
- 3601. Scirpophaga virginia Schultze,1908** (Pyralidae) Synonym(s): *virginia* Schultze,1908 **TH PH Luz**
- 3602. Siamusotima aranea Solis & Yen,2005** (Pyralidae) Synonym(s): *aranea* Solis & Yen,2005 **TH**
- 3603. Spoladea recurvalis (Fabricius,1775)** (Pyralidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifacialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910. **Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG Nlr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMa Cuo Cuo1 Cuo5 Dst Dso9 Sgk Hya PSu SG Md (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.9 [adult]).**
- 3604. Stericta inconcisa (Walker,1863)** (Pyralidae) Synonym(s): *inconcisa* Walker,1863 **TH CMa Int Dst MY Bor Swk**
- 3605. Strepsinoma croesusalis (Walker,1859)** (Pyralidae) Synonym(s): *croesusalis* Walker,1859; *trigonalis* Swinhoe,1895 **TH CMa Fn Dst Int Knc Nna Kao Rng Cbi Cph IN Ass Khs Meg CN HK Adm MY Bor Sbh Swk Klt AU JP Hkk**
- 3606. Sufetula sunidesalis Walker,1859** (Pyralidae) Synonym(s): *sunidesalis* Walker,1859; *albicans* Walker,1863; *flexalis* Walker,1863; *choreutalis* Snellen,1880. **SI IN Ass TH LN LK MM SG MY Bor Swk PH**
- 3607. Syllepte iophanes (Meyrick,1894)** (Pyralidae) Synonym(s): *iophanes* Meyrick,1894 **MY Bor TH CMa Cuo Cuo7 Cnz Cz11 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.7 [adult]).**
- 3608. Synclera traducalis (Zeller,1852)** (Pyralidae) Synonym(s): *tradiculis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862 **BG TR LB Bei SY IL Pa Hf IQ Mos Rwz Shq IR Ahz Fa Bu Shr AF Kot ZA PH Luz IN LK ID Ja Clb Amb TH Bnk Chc Mhs Sup LY YE SA MU KE TZ ET NG AO NA**
- 3609. Talanga nympha (Butler,1880)** (Pyralidae) Synonym(s): *nympha* Butler,1880 **TW TH CMa Cuo Cuo1**
- 3610. Terastia egialealis Walker,1859** (Pyralidae) Synonym(s): *egialealis* Walker,1859 **TH CRa NP IN CN MY SG ID Sum Ja Bor Sbh Clb**
- 3611. Teratauxa paradoxa (E.Hering,1901)** (Pyralidae) Synonym(s): *paradoxa* E.Hering,1901 **ID Sum SG MY Bor TH Nna Kao BN Sbh Swk**
- 3612. Thliptoceras anthropophilum Bänziger,1987** (Pyralidae) Synonym(s): *anthropophilum* Bänziger,1987 **TH CMa CDo**
- 3613. Thliptoceras lacriphagum Bänziger,1987** (Pyralidae) Synonym(s): *lacriphagum* Bänziger,1987 **TH CMa CDo**
- 3614. Thliptoceras shafferi Bänziger,1987** (Pyralidae) Synonym(s): *shafferi* Bänziger,1987 **TH CMa CDo**
- 3615. Thliptoceras umoremsugente Bänziger,1987** (Pyralidae) Synonym(s): *umoremsugente* Bänziger,1987 **TH CMa CDo Lmp**

- 3616. Tirathaba rufivena (Walker,1864)** (Pyrilidae) Synonym(s): *rufivena* Walker,1864; *rufovenalis* Snellen,1880; *acrocausta* Meyrick,1897; *fuscolumbalis* Snellen,1900; *ignivena* Hampson,1917; *distorta* Turner,1937. **LK MM Shn SG MY TH Bor ID Bli Bru Clb PG Ls AU QAU**
- 3617. Tirathaba ruptilinea (Walker,1866)** (Pyrilidae) Synonym(s): *ruptilinea* Walker,1866; *chlorosema* Lower,1903 **AU TH Ray Cbi Nst IN SB BN Bor MY Swk PH PG**
- 3618. Tocolosida bilinealis Snellen,1892** (Pyrilidae) Synonym(s): *bilinealis* Snellen,1892 **TH MY Bor BN**
- 3619. Tocolosida rubriceps Walker,1863** (Pyrilidae) Synonym(s): *rubriceps* Walker,1863 **TH CMA Dst Dso8 CDo NP IN CN Yu TW KP KR MM VN MY ID Sum Ja BN Bor Swk Shh Klt** (2007, Cent. ent. Stud., Memoirs 3/4: pl.46 figs.13,14 [adult]).
- 3620. Toxobotys boveyi Bänziger,1987** (Pyrilidae) Synonym(s): *boveyi* Bänziger,1987 **TH CMA CDo**
- 3621. Trichophysetis nigriscalis W.Warren,1895** (Pyrilidae) Synonym(s): *nigriscalis* W.Warren,1895 **TH CMA Int IN**
- 3622. Tyspanodes linealis (Moore,1867)** (Pyrilidae) Synonym(s): *linealis* Moore,1867 **AU TH Utt CMA**
- 3623. Udea ferrugalis (Hübner,1796)** (Pyrilidae) Synonym(s): *ferrugalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 **DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh Gh Tgo IQ Dia Bgd Rwz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM JP TW TH CMA Dst Dso9 Cc**
- 3624. Uthinia albisignalis (Hampson,1896)** (Pyrilidae) Synonym(s): *albisignalis* Hampson,1896; *albostrigalis* Snellen,1898 **NP IN MM TH VN MY ID Ja Bor Shh PH**
- 3625. Vitessa (suradeva-gr.) suradeva Moore,[1860]** (Pyrilidae) Synonym(s): *suradeva* Moore,[1860] **PH CmM Mno IN Ass Cpj LK MM Adm Mrg TH CMA Dst Ds10 MY Bor ID Sum Aru**
- 3626. Xenomilia humeralis W.Warren,1896** (Pyrilidae) Synonym(s): *humeralis* W.Warren,1896 **TH CMA IN CN Yu**
- 3627. Abisara abnormis Moore,1883** (Riodinidae) Synonym(s): *abnormis* Moore,1883 **TH Nrt Pht Nst Ths Sya CMA CDo**
- 3628. Abisara bifasciata Moore,1877** (Riodinidae) Synonym(s): *bifasciata* Moore,1877; *jhana* Fruhstorfer,1914 **AF BT SI MM Tns IN NP Nk Adm CN Yu TH CMA Loe Nrt**
- 3629. Abisara burnii De Nicéville,1895** (Riodinidae) Synonym(s): *burnii* De Nicéville,1895 **TH Loe MM CN Kwa TW VN Ton**
- 3630. Abisara echerius (Stoll,[1790])** (Riodinidae) Synonym(s): *echerius* Stoll,[1790] **CN MM Krh TH CMA Cuo Cuo9 Cbi Nrt VN Ann Ton PH Bon Sga Taw Bas Stu Luz Mdo Pal Bon Sga Taw Pan**
- 3631. Abisara freda Bennett,1957** (Riodinidae) Synonym(s): *freda* Bennett,1957 **MM TH CMA**
- 3632. Abisara fylla Doubleday & Hewitson,1851** (Riodinidae) Synonym(s): *fylla* Doubleday & Hewitson,1851; *fyllaria* Fruhstorfer,1914 **CN Kwa VN Ton MM TH CMA Dst**
- 3633. Abisara kausambi C.Felder & R.Felder,1860** (Riodinidae) Synonym(s): *kausambi* C.Felder & R.Felder,1860 **MM Tns MY Bor TH Kbi Tng Nst PH Bal Cal Pal**
- 3634. Abisara neophron Hewitson,1861** (Riodinidae) Synonym(s): *neophron* Hewitson,1861 **IN MM ID Ja MY VN Ton TH CMA CDo Phb Cbi Nna Rng**
- 3635. Abisara saturata Moore,1878** (Riodinidae) Synonym(s): *saturata* Moore,1878 **CN Hn MM TH Rng Tng Yal Phb MY ID Sum Bor**
- 3636. Abisara savitri C.Felder & R.Felder,1860** (Riodinidae) Synonym(s): *savitri* C.Felder & R.Felder,1860 **TH Rng Tng Nst IN ID Sda**
- 3637. Dodona adonira Hewitson,1866** (Riodinidae) Synonym(s): *adonira* Hewitson,1866 **TH CMA**
- 3638. Dodona deodata Hewitson,1876** (Riodinidae) Synonym(s): *deodata* Hewitson,1876 **PH Luz Mno Apo Neg Pal TH CMA CDo Chy**
- 3639. Dodona dipoea Hewitson,1866** (Riodinidae) Synonym(s): *dipoea* Hewitson,1866 **CN Ti SI Kma IN PK Mre TH CMA**
- 3640. Dodona egeon (Westwood,[1851])** (Riodinidae) Synonym(s): *egeon* Westwood,[1851] **NP TH Loe**
- 3641. Dodona eugenes Bates,1867** (Riodinidae) Synonym(s): *eugenes* Bates,1867 **?Ui CN Ti PK Mre Abb IN Kma TH CMA**
- 3642. Dodona ouida Moore,1866** (Riodinidae) Synonym(s): *ouida* Moore,1866 **TH CMA Srt**
- 3643. Laxita thuisto (Hewitson,1861)** (Riodinidae) Synonym(s): *thuisto* Hewitson,1861 **TH Nrt Cbi Phb Rng Tng Nst Ths Sgk Hya Tnc**
- 3644. Parallaxita damajanti (C.Felder & R.Felder,1860)** (Riodinidae) Synonym(s): *damajanti* C.Felder & R.Felder,1860 **TH Yal**
- 3645. Parallaxita orphna (Boisduval,1836)** (Riodinidae) Synonym(s): *orphna* Boisduval,1836 **TH Rng Tng Yal Nst Ths Sya Sgk Hya Tnc**
- 3646. Parallaxita telesia (Hewitson,1861)** (Riodinidae) Synonym(s): *telesia* Hewitson,1861 **TH Rng Yal Nst Ths Sya Tng Sgk Hya Tnc**

3647. **Stiboges nymphidia** **Butler,1876** (Riodinidae) Synonym(s): *nymphidia* *Butler,1876* **TH CMa**
Nna Nst Ths Sya Yal Rng Sgk Hya Tnc
3648. **Taxila haquinus** (**Fabricius,1793**) (Riodinidae) Synonym(s): *haquinus* *Fabricius,1793* **TH**
Rng Yal Nst Ths Sya Tng Sgk Hya PSu PH Bal Pal
3649. **Zemerus phlegyas** (**Cramer,[1780]**) (Riodinidae) Synonym(s): *phlegyas* *Cramer,[1780]* **CN**
Hn Ti IN Ass Slo NP TH CMa Cuo Cuo5 CDo Dsk Hpt Cbi Chy Nna Rng Tng Nst Ths Sya Sgk Hya PSu
Yal Ntt SPa ID Ja Lb Sbw Sba Sum Clb **(Fig.35)**




Fig.35- *Zemerus phlegyas* (Riodinidae), Thailand Chiang Mai 360m 7 11 2006, M Kemal (Cesa)

3650. **Agriothera doipakiae** **Moriuti,1987** (Roeslerstammiidae) Synonym(s): *doipakiae* *Moriuti,1987*
TH CMa Dst
3651. **Agriothera inthanonensis** **Moriuti,1984** (Roeslerstammiidae) Synonym(s): *inthanonensis*
Moriuti,1984 **TH CMa Int**
3652. **Agriothera sp.:** (Roeslerstammiidae) Synonym(s): **TH Nna Kao MY**
3653. **Telethera inthawichayanoni** **Moriuti,1987** (Roeslerstammiidae) Synonym(s):
inthawichayanoni *Moriuti,1987* **TH CMa Int**
3654. **Telethera karsholti** **Moriuti,1987** (Roeslerstammiidae) Synonym(s): *karsholti* *Moriuti,1987*
TH CMa Int
3655. **Actias maenas** **Doubleday,1847** (Saturniidae) Synonym(s): *maenas* *Doubleday,1847* **BD Syl**
IN CN Yu MM TH Nna Knc CMa Rng LA VN Ton MY ID Sum Ja
3656. **Actias rhodopneuma** **Röber,1925** (Saturniidae) Synonym(s): *rhodopneuma* *Röber,1925* **IN**
CN MM TH CMa LA VN
3657. **Actias selene** (**Hübner,1806**) (Saturniidae) Synonym(s): *selene* *Hübner,1806*; *#dianae* *Hutton,1846*
AF IN PK TH Nna CMa Dst Dso7 LA KH VN MM MY CN TW PH Luz Mdo Mno ID Sum
3658. **Antheraea (s.str.) assamensis** **Helfer,1837** (Saturniidae) Synonym(s): *assamensis* *Helfer,1837*
IN Ass CN MM TH CMa Knc Nna ID PH
3659. **Antheraea (s.str.) frithi** **Moore,1858** (Saturniidae) Synonym(s): *frithi* *Moore,1858* **KH VN**
IN CN MM TH Srt Khn Chy Roi CMa Sbu

3660. **Antheraea (s.str.) helferi Moore,1858** (Saturniidae) Synonym(s): *helferi* Moore,1858 **IN MM TH Knc LA VN ID PH MY Bor**
3661. **Antheraea (s.str.) larissa (Westwood,1847)** (Saturniidae) Synonym(s): *larissa* Westwood,1847; *ridlyi* Moore,1892; *delegata* Swinhoe,1883 **ID Ja Sum Bor MY TH Tng MM PH Pal Mdo Luz Neg Pan Sam Ley Mno**
3662. **Antheraea (s.str.) myanmarensis U.Paukstadt, L.H.Paukstadt & U.Brosch,1998** (Saturniidae) Synonym(s): *myanmarensis* U.Paukstadt, L.H.Paukstadt & U.Brosch,1998 **MM TH**
3663. **Antheraea (s.str.) platessa Rothschild,1903** (Saturniidae) Synonym(s): *platessa* Rothschild,1903 **IN Ass Adm TH LA VN MY Ja Sum Bor MM PH Luz Mar Neg Pan Sam Ley Mno**
3664. **Antheraea (s.str.) rosieri (Toxopeus,1940)** (Saturniidae) Synonym(s): *rosieri* Toxopeus,1940 **ID Sum TH CMa MM PH Mno Pal**
3665. **Antheraea (s.str.) roylii Moore,1859** (Saturniidae) Synonym(s): *roylii* Moore,1859; *roylei* Moore,[1860] **IN Up Bhi MM TH CMa Knc Nna LA VN MY ID Sum**
3666. **Antheraea (s.str.) steinkeorum U.Paukstadt, L.H.Paukstadt & U.Brosch,1999** (Saturniidae) Synonym(s): *steinkeorum* U.Paukstadt, L.H.Paukstadt & U.Brosch,1999 **TH Rng LA L13 MM Tns**
3667. **Archeoattacus edwardsii (White,1859)** (Saturniidae) Synonym(s): *edwardsii* White,1859; *malayanus* Kurosawa & Kishida,[1985] **IN CN MM TH CMa CDo Pki MY LA L13 VN**
3668. **Argema sinensis (Walker,1855)** (Saturniidae) Synonym(s): *sinensis* Walker,1855 **CN Yu Kig TH Chy Phe LA? VN? BT IN Ass**
3669. **Attacus atlas (Linnaeus,1758)** (Saturniidae) Synonym(s): *atlas* Linnaeus,1758 **IN CN HK JP ID Sum Ja Bli TW MY Bor Sbh SG PH Bab MM TH Bnk Nna CMa Cuo Cuo5 CRa Cbi Mae Rng SaK LA KH VN (2007, Cent. ent. Stud., Memoirs 3/4: Pl.13 fig.1 [adult]).**
3670. **Cricula jordani Bryk,1944** (Saturniidae) Synonym(s): *jordani* Bryk,1944 **CN Yu MM TH CMa Cuo Cuo7 CDo Fn Agk Knc LA VN Ton Fan Cuc M-c Bac (2007, Cent. ent. Stud., Memoirs 3/4: Pl.13 fig.3 [adult]).**
3671. **Cricula trifenestrata (Helfer,1837)** (Saturniidae) Synonym(s): *trifenestrata* Helfer,1837 **IN Ass TH CMa Nan Phr Chc Cbi Suk Mkd CN MY ID PH Neg Pal Mdo Ceb Mno Ley LA KH Pno VN Ton Fan M-c Tgi**
3672. **Lemaireia luteopeplus (Nässig & Holloway,1988)** (Saturniidae) Synonym(s): *luteopeplus* Nässig & Holloway,1988 **IN MM VN Ton TH CMa CDo Dst LA**
3673. **Loepa diversiocellata Bryk,1944** (Saturniidae) Synonym(s): *diversiocellata* Bryk,1944 **MM TH CMa Dst Dso7 Mta Hnd CDo Pki Fn Agk LA VN**
3674. **Loepa miranda Moore,1865** (Saturniidae) Synonym(s): *miranda* Moore,1865 **IN MM TH CMa LA VN**
3675. **Loepa sikkima Moore,1865** (Saturniidae) Synonym(s): *sikkima* Moore,1865 **IN SI MM TH Phu CMa CDo Agk Fn Srt MY Bor ID Sum Ja LA VN**
3676. **Rhodinia newara (Moore,1872)** (Saturniidae) Synonym(s): *newara* Moore,1872 **IN SI NP MM TH CMa VN CN Yu**
3677. **Salassa lemai Le Moul,1933** (Saturniidae) Synonym(s): *lemai* Le Moul,1933 **LA VN TH CMa**
3678. **Salassa thespis (Leech,1890)** (Saturniidae) Synonym(s): *thespis* Leech,1890; *mesosa* Jordan,1910; *episcopalis* Kaiser,1920; *excellens* Bryk,1944; *melanops* Bryk,1944 **SI IN Ass Meg Khs CN Hbe MM Kam TH CMa Int CN Shs Fkn Hpe LA L13**
3679. **Samia canningi (Hutton,1860)** (Saturniidae) Synonym(s): *canningi* Hutton,1860 **IN MM TH CMa CDo Knc Nna LA KH**
3680. **Saturnia (Rinaca) cachara (Moore,1872)** (Saturniidae) Synonym(s): *cachara* Moore,1872; *microcaligula* Nässig,1994 **IN Ass CN Yu TH CMa Fn Agk VN Ton Lci Fan LA L13**
3681. **Saturnia (Rinaca) simla Westwood,1847** (Saturniidae) Synonym(s): *simla* Westwood,1847; *oberthueri* Watson,1919; *fracki* Watson,1919; *jaintiensis* Watson,1927 **IN Hp Sml PK CN MM TH CMa VN**
3682. **Saturnia (Rinaca) thibeta Westwood,1853** (Saturniidae) Synonym(s): *thibeta* Westwood,1853; *bonhourei* Le Moul,1933; *okurai* Okano,1960; *arctica* Yang,1978 **IN MM TH CMa Int CN Ti VN**
3683. **Saturnia (Rinaca) zuleika Hope,1843** (Saturniidae) Synonym(s): *zuleika* Hope,1843; *#orites* Jordan,1911; *#hampsoni* Schüssler,1933; *lesoudieri* Le Moul,1933; *malaisei* Bryk,1944 **IN Ass NP CN Sz MM TH CMa Mta Hnd LA L13 VN**
3684. **Saturnia (s.str.) pinratanai Lampe,1989** (Saturniidae) Synonym(s): *pinratanai* Lampe,1989 **TH CMa Int Sbu Cbi**
3685. **Callerebia annada (Moore,1857)** (Satyridae) Synonym(s): *annada* Moore,1857 **BT NP MM Ass TH**
3686. **Callerebia narasingha (Moore,[1858])** (Satyridae) Synonym(s): *narasingha* Moore,[1858] **TH CMa CN MM SI Ti**
3687. **Coelites epiminthia Westwood,1851** (Satyridae) Synonym(s): *epiminthia* Westwood,1851 **TH Ptt Phu Yal Sgk Hya Tnc**
3688. **Coelites euptychioides C.Felder & R.Felder,[1867]** (Satyridae) Synonym(s): *euptychioides* C.Felder & R.Felder,[1867] **TH Yal**

3689. **Coelites nothis Westwood,1850** (Satyridae) Synonym(s): *nothis Westwood,1850* **TH Nna Cbi CMa**
3690. **Elymnias casiphone Geyer,[1837]** (Satyridae) Synonym(s): *casiphone Geyer,[1837]* **MM TH Tng Nst MY Lkw ID Ja Bli Lb VN**
3691. **Elymnias dara Distant & Pryer,1887** (Satyridae) Synonym(s): *dara Distant & Pryer,1887* **PH Bal Dum Pal TH Chy Knc Nst**
3692. **Elymnias esaca (Westwood,[1851])** (Satyridae) Synonym(s): *esaca Westwood,[1851]; godferyi Distant,1883; esacoides Nicéville,[1893]* **MY PH Bab Luz Mar Mdo Neg Pan Ley Mno Sam ID Ja Bor Sum Nia MM TH Rng Srt**
3693. **Elymnias hypermnestra (Linnaeus,1763)** (Satyridae) Synonym(s): *hypermnestra Linnaeus,1763* **IN LK Ass Slo NP MM TH CMa Cm1 Dsk Hpt Dst Qs Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cu10 CDo CD2 Nrt Chy Bnk Lmp Tht Sgk Hya Tnc PSu Nst Chw Ths Pbu Ntt SPa MY Lkw VN Ton Tda**
3694. **Elymnias malelas (Hewitson,1863)** (Satyridae) Synonym(s): *malelas Hewitson,1863* **NP IN Hp Kma SI MM MY TH CMa Cuo Cuo2 Cuo7 CDo CD2 Cbi Nna Nrt Loe VN (2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.15 [adult]).**
3695. **Elymnias nesaea (Linnaeus,1764)** (Satyridae) Synonym(s): *nesaea Linnaeus,1764* **PH Bon Sga Stu Taw MY TH Bnk CMa CDo Phu Ntt SPa Chw Nst Ths Sgk Hya Tnc**
3696. **Elymnias obnubila Marschall & De Nicéville,1890** (Satyridae) Synonym(s): *obnubila Marschall & De Nicéville,1890* **TH Rng Phu Nst**
3697. **Elymnias panthera (Fabricius,1787)** (Satyridae) Synonym(s): *panthera Fabricius,1787; lutescens Butler,1867* **MY PH CagSul TH Nst Ths Yal**
3698. **Elymnias patna Westwood,1851** (Satyridae) Synonym(s): *patna Westwood,1851* **TH Rng Cbi CMa CDo**
3699. **Elymnias penanga Westwood,1851** (Satyridae) Synonym(s): *penanga Westwood,1851* **TH Nna Rng Phu Tng Nst Yal**
3700. **Elymnias vasudeva (Moore,1857)** (Satyridae) Synonym(s): *vasudeva Moore,1857* **IN SI Ass MM Tns TH CMa CDo Nna MY NP**
3701. **Erites angularis Moore,1879** (Satyridae) Synonym(s): *angularis Moore,1879* **MM TH Knc Nst Rng Sgk Hya Tnc MY ID Sum**
3702. **Erites argentina Butler,1868** (Satyridae) Synonym(s): *argentina Butler,1868* **PH Bal Cal Pal Bor MY ID Sum Bor Ja TH Rng Nst**
3703. **Erites falcipennis Wood-Mason & Nicéville,1886** (Satyridae) Synonym(s): *falcipennis Wood-Mason & Nicéville,1886* **IN Mpr TH Phe Chi**
3704. **Erites medura Horsfield,1829** (Satyridae) Synonym(s): *medura Horsfield,1829* **ID Ja VN MM TH Phe Tak MY**
3705. **Ethope diademoides Moore,1879** (Satyridae) Synonym(s): *diademoides Moore,1879* **TH Knc Rng Tak MM MY**
3706. **Ethope himachala (Moore,1858)** (Satyridae) Synonym(s): *himachala Moore,1858* **IN Ass Slo MM TH CRa**
3707. **Ethope noirei (Janet,1896)** (Satyridae) Synonym(s): *noirei Janet,1896* **TH CMa CDo Chy Phi LA VN Ton Tda CN**
3708. **Lethe bhairava Moore,1858** (Satyridae) Synonym(s): *bhairava Moore,1858; anysis Hewitson,1862* **IN Ass SI BT TH CMa**
3709. **Lethe chandica Moore,1858** (Satyridae) Synonym(s): *chandica Moore,1858* **IN SI Djl MM TH Rng CMa CDo Cbi Tak PH Boh Ley Mno Mdo Cal Pal Sam Neg Jol Bur Luz Mar Pol**
3710. **Lethe confusa Aurivillius,1898** (Satyridae) Synonym(s): *confusa Aurivillius,1898; gambara Fruhstorfer,1911; apara Fruhstorfer,1911.* **Ass Slo Ben CN Hn ID IN Kgr Kma MM Mre Msm Mus MY Nag Pj PK SI TH CMa Cuo Cuo9 CDo Dst Qs Pap Mro Lmp Tht Rng Chy Knc Ti Tns Up VN Ton Yu (2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.13 [adult]).**
3711. **Lethe distans Butler,1870** (Satyridae) Synonym(s): *distans Butler,1870* **IN Ass BT SI MM TH CMa**
3712. **Lethe dura (Marshall,1882)** (Satyridae) Synonym(s): *dura Marshall,1882; libitina Leech,1891; gammiei Moore,1892* **CN BT MM Krh Tns TH CMa VN**
3713. **Lethe europa (Fabricius,1775)** (Satyridae) Synonym(s): *europa Fabricius,1775; ragalva Fruhstorfer,1911.* **CN Hn ID IN MM MY PH TW VN TH CMa Cuo Cuo9 CDo Knc Bnk Cbi Cbu Rat Nst Chw Sgk Hya Tnc**
3714. **Lethe gulnihali De Nicéville,1887** (Satyridae) Synonym(s): *gulnihali De Nicéville,1887; mandersi Elwes,1891; issa Fruhstorfer,1911* **BT IN Ass MM Tns Peg TH CMa Int**
3715. **Lethe kansa (Moore,1857)** (Satyridae) Synonym(s): *kansa Moore,1857* **SI IN Ass MM TH CMa Dst CDo Loe Chy VN Ton Tda**
3716. **Lethe latiaris (Hewitson,1863)** (Satyridae) Synonym(s): *latiaris Hewitson,1863* **NP Kdu IN Ass MM Tns SI TH CMa**

3717. **Lethe mekara (Moore,1858)** (Satyridae) Synonym(s): *mekara* Moore,1858; *zuchara* Fruhstorfer,1911; *crijnana* Fruhstorfer,1911; *debata* Fruhstorfer,1911; *gopaka* Fruhstorfer,1911; *sumati* Fruhstorfer,1911; *vajra* Fruhstorfer,1911; *manis* Corbet,1942 **IN SI Djl MM VN Ton ID Clb Mw MY Prk Bor TH CMa Cuo Cuo7 CDo Cbi Cbu Knc Chy Rng Phu Nst VN Ton Tda**
3718. **Lethe minerva (Fabricius,1775)** (Satyridae) Synonym(s): *minerva* Fabricius,1775; *arcadia* Cramer,1779; *caumas* Godart,1823 **MY ID Sum Ja Lb TH CMa Knc Nrt Phi Rng Pht Nst Chw MM**
3719. **Lethe naga Doherty,1889** (Satyridae) Synonym(s): *naga* Doherty,1889; *philemon* Fruhstorfer,1911 **IN Nag MM Shn TH Chy VN Ton**
3720. **Lethe pulaha (Moore,1857)** (Satyridae) Synonym(s): *pulaha* Moore,1857; *#plagiata* Talbot,1947. **Ass BT CN IN Kma Krh MM Mus MY NP Pj SI Sml TH TW Up VN**
3721. **Lethe rohria (Fabricius,1787)** (Satyridae) Synonym(s): *rohria* Fabricius,1787; *dyrta* Felder & Felder,1867. **CN Ch IN Kgr Kul MM Mus NP Pj PK SI Sml Up Mre Abb TH CMa Int CDo Nrt Chy Cbu Yal**
3722. **Lethe siderae Marshall,1880** (Satyridae) Synonym(s): *siderae* Marshall,1880 **CN SI IN TH CMa**
3723. **Lethe sinorix (Hewitson,1863)** (Satyridae) Synonym(s): *sinorix* Hewitson,1863; *kuantungensis* Mell,1923 **CN IN SI Ass BT MM TH CMa MY Pah VN Ton Tda**
3724. **Lethe sura (Doubleday & Hewitson,[1849])** (Satyridae) Synonym(s): *sura* Doubleday & Hewitson,[1849]; *moupinensis* Poujade,1884 **CN BT IN SI MM TH CMa**
3725. **Lethe verma (Kollar,[1844])** (Satyridae) Synonym(s): *verma* Kollar,[1844]; *laticincta* Fruhstorfer,1908; *cintamani* Fruhstorfer,1909; *satanus* Fruhstorfer,1911; *sintica* Fruhstorfer,1911 **Ass Slo Ch CN Hn IN SI Kma MM Shn Tns Mus MY Pah NP Shn SI Sml TH CMa Dst Qs CDo TW VN Ton Tda**
3726. **Lethe vindhya C.Felder & R.Felder,1859** (Satyridae) Synonym(s): *vindhya* C.Felder & R.Felder,1859 **IN SI BT Ass MM Tns TH CMa CDo Rng VN Ton Tda**
3727. **Mandarinia regalis Leech,1892** (Satyridae) Synonym(s): *regalis* Leech,1892 **TH Phe CMa**
3728. **Melanitis leda (Linnaeus,1758)** (Satyridae) Synonym(s): *leda* Linnaeus,1758; *bankia* Fabricius,1775; *barnardi* Lucas,1892 **BW ET KE KM MG MZ NA OM SA SC SO TZ UG YE ZA Lpo Tva Spb Mdk ZR ZW KP CN IN PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq KH KM MM MY CN ID Stu Tab Taw Tic Kzu Nta Ptb Wp Lj Gau Pre Kru Mll Fva Pma Pf Dbn Ly Mpu Brb AU TH CMa Cuo Cuo1 CDo CD2 Cbi Nna Srt Nrt Tng Nst Ths Sya Sgk Hya Tnc VN Ton Tda Tnga Usa Ani**
3729. **Melanitis phedima (Stoll,[1782])** (Satyridae) Synonym(s): *phedima* Stoll,[1782] **IN LK Ass Slo MM MY CN TH CMa Cuo Cuo1 Cuo7 CDo Lmp Tht Cbi Nna Ray Rng Tng Yal Ptt Nst Sgk Hya Tnc**
3730. **Melanitis zitenius (Herbst,1796)** (Satyridae) Synonym(s): *zitenius* Herbst,1796 **IN Ass Slo PH Pal TH CMa Cuo Cuo1 Rat Knc Cbi Srt Sgk Hya Tnc**
3731. **Mycalesis adamsoni Watson,1897** (Satyridae) Synonym(s): *adamsoni* Watson,1897 **TH CMa**
3732. **Mycalesis anapita Moore,1858** (Satyridae) Synonym(s): *anapita* Moore,1858 **TH Yal Sgk Hya Tnc**
3733. **Mycalesis anaxias Hewitson,1862** (Satyridae) Synonym(s): *anaxias* Hewitson,1862 **TH CMa Pap Mro Srt Cbi Chy Nna Knc**
3734. **Mycalesis anaxioides Marschall,1883** (Satyridae) Synonym(s): *anaxioides* Marschall,1883 **TH Nna Cbi Rng Phu**
3735. **Mycalesis annamitica Fruhstorfer,1906** (Satyridae) Synonym(s): *annamitica* Fruhstorfer,1906 **VN Ann TH CMa Int Pap Mro Chy Phe Knc**
3736. **Mycalesis deficiens Fruhstorfer,1911** (Satyridae) Synonym(s): *deficiens* Fruhstorfer,1911 **TH**
3737. **Mycalesis distanti Moore,1892** (Satyridae) Synonym(s): *distanti* Moore,1892 **TH CMa CDo Chy Sgk Nna Rat Tng Hya Tnc**
3738. **Mycalesis francisca (Stoll,[1780])** (Satyridae) Synonym(s): *francisca* Stoll,[1780] **Ann Ass IN Kma Kul MM Nag TH CMa Cuo Cuo1 Cuo7 Cuo9 Cu11 Cu12 CDo CD2 Int Lmp Tht Loe Phe Tak SI Tns Up VN JP**
3739. **Mycalesis fusca C.Felder & R.Felder,1860** (Satyridae) Synonym(s): *fusca* C.Felder & R.Felder,1860 **TH Rng Phu Nst Ths Sya Chw Kbi Sgk Hya Tnc (2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.9 [adult]).**
3740. **Mycalesis gotama Moore,1857** (Satyridae) Synonym(s): *gotama* Moore,1857 **IN Ass MM CN VN TW TH CMa Chy**
3741. **Mycalesis horsfieldi Moore,1892** (Satyridae) Synonym(s): *horsfieldi* Moore,1892 **ID Ja Bli Sum Bor Egg Nia Sly Clb TW P-T MY Lkw TH VN PH Jol Pal**
3742. **Mycalesis intermedia Moore,1892** (Satyridae) Synonym(s): *intermedia* Moore,1892 **MM TH CMa Cuo Cuo5 Dst Qs CDo Rat Chy Rng Tng Cbi Yal Sgk Hya Tnc Nst Chw Lsa MY Lkw VN**
3743. **Mycalesis janardana Moore,1858** (Satyridae) Synonym(s): *janardana* Moore,1858 **TH Pgg Kbi Tng Yal Sgk Hya Tnc Ntt SPa Nst Chw PH Boh Ley Pao Bas Mno**
3744. **Mycalesis lepcha (Moore,1880)** (Satyridae) Synonym(s): *lepcha* Moore,1880 **Ass IN Kma Krh Kul Mpr Mus NP Oi Pln Sml Tn Up TH CMa Loe**

3745. **Mycalesis maianaeas Hewitson,1964** (Satyridae) Synonym(s): *maianaeas* Hewitson,1964 **TH**
3746. **Mycalesis malsara Moore,1857** (Satyridae) Synonym(s): *malsara* Moore,1857 **TH CMa CDo Tak Phe Knc IN MM**
3747. **Mycalesis mineus (Linnaeus,1767)** (Satyridae) Synonym(s): *mineus* Linnaeus,1767; *drusia* Cramer,1775; *otrea* Stoll,1780; *subfasciata* Moore,1882; *carpenteri* Butler,1886. **Adm Ben Clc CN Drm IN Kgr Kma MM Mus Nag NP SI Tns Up PH Ala Boh Cts Cuy Gui Luz Mdo Neg Pal TH CMA Cuo Cuo1 Cuo7 CDo CD2 Cbu Cbi Knc Rat Nna Rng Sgk Hya Tnc Yal Tng Pbu Nst Ths Chw Srt**
3748. **Mycalesis mnasicles Hewitson,1864** (Satyridae) Synonym(s): *mnasicles* Hewitson,1864 **TH CMa Rng Tak Kbi Cbi Nst Yal**
3749. **Mycalesis nicotia Westwood,[1850]** (Satyridae) Synonym(s): *nicotia* Westwood,[1850]; *#nicotica* Pinratana,1988 **Ben IN Ass Meg Khs Kma Krh MM Mpr Mus Nag SI Tns Up TH CMA**
3750. **Mycalesis oroatis Hewitson,1864** (Satyridae) Synonym(s): *oroatis* Hewitson,1864 **TH Rng Yal Sgk Hya Tnc Tng Nst Knc**
3751. **Mycalesis orseis Hewitson,1864** (Satyridae) Synonym(s): *orseis* Hewitson,1864 **PH Bal Pal TH Rng Yal Tng Nst Ths Sya**
3752. **Mycalesis perseoides Moore,1892** (Satyridae) Synonym(s): *perseoides* Moore,1892 **TH CMA Cuo Cuo1 Pap Mro Cbi Knc Pht Sgk (2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.10 [adult]).**
3753. **Mycalesis perseus (Fabricius,1775)** (Satyridae) Synonym(s): *perseus* Fabricius,1775 **PH Boh Ceb Ley Luz Mdo Mno Neg Pan Pal LK Ass MM Kgr Adm IN Kma Mus NP SI Tns Up TH CMA Dst Qs Rat Phe Cbu Cbi Yal Cph ID SG Sum Ja Sbw Clb CN TW**
3754. **Mycalesis sangaica Butler,1877** (Satyridae) Synonym(s): *sangaica* Butler,1877 **TH Loe Knc Phe Cbu Cbi**
3755. **Mycalesis siamica Riley & Godfrey,1921** (Satyridae) Synonym(s): *siamica* Riley & Godfrey,1921 **TH**
3756. **Mycalesis suaveolens Wood-Mason & De Nicéville,1883** (Satyridae) Synonym(s): *suaveolens* Wood-Mason & De Nicéville,1883 **TH CMA**
3757. **Mycalesis thailandica Aoki & Yamaguchi,1983** (Satyridae) Synonym(s): *thailandica* Aoki & Yamaguchi,1983 **TH Knc**
3758. **Mycalesis visala Moore,1857** (Satyridae) Synonym(s): *visala* Moore,1857 **Adm Ass Ben Clc IN Kma LK MM Mus MY Nag Oi SI TH CMA Tak Nna Cbi Rng Yal Tng Up VN**
3759. **Neope arandii (Oberthür,1876)** (Satyridae) Synonym(s): *arandii* Oberthür,1876 **CN TH CMA**
3760. **Neope muirheadi C.Felder & R.Felder,1862** (Satyridae) Synonym(s): *muirheadi* C.Felder & R.Felder,1862 **TH CMA Dst Qs CDo CD2 Knc Chy Phe TW MM Shn Tns CN Hn (Fig.36)**



Fig.36 – *Neope muirheadi* (Satyridae) at rest, Thailand Chiang Dao, 13 11 2006, M. Kemal (Cesa)

3761. **Neope pulaha Moore, 1858** (Satyridae) Synonym(s): *pulaha Moore, 1858* **TH CMa CDo**
3762. **Neorina crishna Westwood, 1851** (Satyridae) Synonym(s): *crishna Westwood, 1851* **TH Rng**
3763. **Neorina hilda Westwood, 1850** (Satyridae) Synonym(s): *hilda Westwood, 1850* **SI BT IN Ass MM TH**
3764. **Neorina lowii (Doubleday, 1849)** (Satyridae) Synonym(s): *lowii Doubleday, 1849* **TH Nst Kna Ths Sya Phu Yal Sgk Hya Tnc PH Bal Pal MY Bor ID Sum**
3765. **Orinoma damaris Gray, 1846** (Satyridae) Synonym(s): *damaris Gray, 1846* **Ben IN Ass MM Tns TH CMa Kgr Kma Krh Nag NP SI Tns Up**
3766. **Orsotriaena medus (Fabricius, 1775)** (Satyridae) Synonym(s): *medus Fabricius, 1775* **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic IN LK ID Sum Ja Clb Sla IN MM TH CMa Dst Qs Cbi Nna Rat Knc Rng Yal Sgk Hya Tnc Pbu Nst Cuo Cuo7 CDo CD2 (2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.8 [adult]).**
3767. **Penthema binghami Wood-Mason, 1881** (Satyridae) Synonym(s): *binghami Wood-Mason, 1881* **MM TH Chy Nkh Nrt Cbi Phi Rng**
3768. **Penthema darlisa Moore, 1879** (Satyridae) Synonym(s): *darlisa Moore, 1879* **IN Ass MM Tns TH CMa Cuo Cuo9 CDo Rng TAK Knc VN Ann**
3769. **Ragadia crisilda Hewitson, 1862** (Satyridae) Synonym(s): *crisilda Hewitson, 1862* **IN Ass MM TH CMa Rng Chy Phe Sat Yal Sgk Hya Tnc VN MY CN Hn**
3770. **Ragadia makuta Horsfield, 1829** (Satyridae) Synonym(s): *makuta Horsfield, 1829; crisia Geyer, 1832* **ID Ja Sum TH Yal Ntt SPa Nst Ths Sya Sgk Hya Tnc**
3771. **Ypthima affectata Elwes & Edwards, 1893** (Satyridae) Synonym(s): *affectata Elwes & Edwards, 1893* **IN Ass Mpr TH Phi Phe Cbi Nst**
3772. **Ypthima akbar Talbot, 1947** (Satyridae) Synonym(s): *akbar Talbot, 1947* **TH CMa Phe**
3773. **Ypthima asterope (Klug, 1832)** (Satyridae) Synonym(s): *asterope Klug, 1832; marlenii Kattulas & Koutsafikis, 1978.* **Ad Ae AF As CY Dh EG GR Hd Hj IL Pa Hf IN Ass MM May Shn Mpr IQ IR JO KW LB OM PK Rd SA SY TR UE YE ZA Tva Lpo Spb Mpu Brb Wca Kru K12 Wv Kaa Ly Suw Wri Wb NA AO VN Ann TH**
3774. **Ypthima baldus (Fabricius, 1775)** (Satyridae) Synonym(s): *baldus Fabricius, 1775* **PH Bal Pal IN MM Tns TH CMa Cuo Cuo1 Cuo5 Cuo7 Cuo9 Dst Qs CDo CD2 Pap Mro Cbi Rat Nna Pht Non Sgk Hya Tnc PSu Bnk Pbu Nst Chw MY VN ID SG Lkw Ja Sum Clb Sly Bor Nat Baw TW (2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.11 [adult]).**
3775. **Ypthima confusa Shirozu & Shima, 1977** (Satyridae) Synonym(s): *confusa Shirozu & Shima, 1977* **TH CMa Int**
3776. **Ypthima dohertyi Moore, 1895** (Satyridae) Synonym(s): *dohertyi Moore, 1895* **MM TH CMa**
3777. **Ypthima evansi Eliot, 1967** (Satyridae) Synonym(s): *evansi Eliot, 1967* **TH CMa**
3778. **Ypthima fasciata Hewitson, 1865** (Satyridae) Synonym(s): *fasciata Hewitson, 1865* **CN TW ID MY Bor Nat Sum TH Rng Sat Yal**
3779. **Ypthima horsfieldi Moore, 1884** (Satyridae) Synonym(s): *horsfieldi Moore, 1884* **ID Ja TH Rng Tng Yal Nst Sgk Hya Tnc**
3780. **Ypthima huebneri Kirby, 1871** (Satyridae) Synonym(s): *huebneri Kirby, 1871* **IN MM TH CMa Cuo Cuo1 Dst Qs Int Pap Mro Rng Nrt Sat Cbi Yal Sgk Hya Tnc MY Lkw SG (2007, Priamus 12 (3): pl.3 fig.4 [adult]; 2007, Cent. ent. Stud., Memoirs 3/4: Pl.6 fig.12 [adult]).**
3781. **Ypthima humei Elwes & Edwards, 1893** (Satyridae) Synonym(s): *humei Elwes & Edwards, 1893* **TH CMa Rng TAK Pht Knc**
3782. **Ypthima lisandra (Cramer, [1782])** (Satyridae) Synonym(s): *lisandra Cramer, [1782]* **TH CMa Nrt Phe Chy**
3783. **Ypthima norma Westwood, 1851** (Satyridae) Synonym(s): *norma Westwood, 1851* **PH Luz MM TH Mae**
3784. **Ypthima pandocus Moore, 1858** (Satyridae) Synonym(s): *pandocus Moore, 1858* **TH Yal Knc**
3785. **Ypthima philomela (Linnaeus, 1763)** (Satyridae) Synonym(s): *philomela Linnaeus, 1763* **IN MM TH MY ID Sum Ja**
3786. **Ypthima sakra Moore, 1857** (Satyridae) Synonym(s): *sakra Moore, 1857* **NP IN Kma Hp Ass Slo CN Ti Sz SI BT TH**
3787. **Ypthima savara Grose-Smith, 1886** (Satyridae) Synonym(s): *savara Grose-Smith, 1886* **MM VN Ton TH CMa CDo Knc Phi Nrt Loe TAK Pbu Ntt SPa Sgk Hya Tnc**
3788. **Ypthima similis Elwes & Edwards, 1893** (Satyridae) Synonym(s): *similis Elwes & Edwards, 1893* **IN Ass Mpr MM TH CMa Cm1 Cuo Cuo1 Cuo7 Cuo9 Cuo10 Cuo12 CDo CD2 Pap Mro Dsk Hpt Phe Loe Pbu**
3789. **Ypthima sobrina Elwes & Edwards, 1893** (Satyridae) Synonym(s): *sobrina Elwes & Edwards, 1893* **IN Ass TH Mae CMa TAK Phe**

- 3790. *Ypthima watsoni* Moore, 1893** (Satyridae) Synonym(s): *watsoni* Moore, 1893 **IN Ass MM Mpr TH Cma Yal Nst Ths**
- 3791. *Ypthima yunosukei* Aoki & Uémura, 1984** (Satyridae) Synonym(s): *yunosukei* Aoki & Uémura, 1984 **TH Loe Sgk Hya Tnc**
- 3792. *Eretmocera impactella* (Walker, 1864)** (Scythridae) Synonym(s): *impactella* Walker, 1864 **OM PK IN LK MM MY SG TH Cma Cuo Cuo7 TW** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.15 [adult]).
- 3793. *Aschistophleps lampropoda* Hampson, [1893]** (Sesiidae) Synonym(s): *lampropoda* Hampson, [1893] **IN Ass TH VN**
- 3794. *Carmenta mimosa* Eichlin & Passoa, 1984** (Sesiidae) Synonym(s): *mimosa* Eichlin & Passoa, 1984 **TH**
- 3795. *Ceratocorema cymbalistis* (Meyrick, 1926)** (Sesiidae) Synonym(s): *cymbalistis* Meyrick, 1926 **IN TH**
- 3796. *Ceratocorema semihyalinum* (Hampson, 1919)** (Sesiidae) Synonym(s): *semihyalina* Hampson, 1919 **MM MY TH**
- 3797. *Isothamnis inclemens* (Meyrick, 1928)** (Sesiidae) Synonym(s): *inclemens* Meyrick, 1928 **TH**
- 3798. *Lamellisphesia haematinea* Kallies & Arita, 2004** (Sesiidae) Synonym(s): *haematinea* Kallies & Arita, 2004 **TH**
- 3799. *Lamellisphesia wiangensis* Kallies & Arita, 2004** (Sesiidae) Synonym(s): *wiangensis* Kallies & Arita, 2004 **TH**
- 3800. *Lenyra ashtaroth* (Westwood, 1848)** (Sesiidae) Synonym(s): *ashtaroth* Westwood, 1848; *tonkiniana* Le Cerf, 1927; *naumannii* Arita, 1989 **IN Ass VN Ton TH Cma**
- 3801. *Macrotarsipus albipunctus* Hampson, [1893]** (Sesiidae) Synonym(s): *albipunctus* Hampson, [1893] **TH Cma**
- 3802. *Melittia amboinensis* Felder, 1861** (Sesiidae) Synonym(s): *amboinensis* Felder, 1861; *batchiana* Le Cerf, 1917 **TH PG AU ID Amb MY Sum Bor Klt Ja**
- 3803. *Melittia bella* Arita & Gorbunov, 1996** (Sesiidae) Synonym(s): *bella* Arita & Gorbunov, 1996 **TH**
- 3804. *Melittia bombiliformis* (Cramer, [1782])** (Sesiidae) Synonym(s): *bombiliformis* Cramer, [1782]; *bombyliformis* Cramer, [1782]; *chalciformis* Fabricius, 1793; *anthedoniformis* Hübner, [1819]; *bombylipennis* Boisduval, [1875]; *arrecta* Meyrick, 1918 **TH**
- 3805. *Melittia nepcha* (Moore, 1879)** (Sesiidae) Synonym(s): *nepcha* Moore, 1879; *asiatica* Le Cerf, 1917; *vietnamica* Gorbunov, 1988 **VN TH**
- 3806. *Melittia siamica* Walker, [1865]** (Sesiidae) Synonym(s): *siamica* Walker, [1865] **TH**
- 3807. *Trilochana scolioides* Moore, 1879** (Sesiidae) Synonym(s): *scolioides* Moore, 1879; *megascolioides* Arita, 1989 **IN SI Djl TH Nna Kao**
- 3808. *Acherontia lachesis* (Fabricius, 1798)** (Sphingidae) Synonym(s): *lachesis* Fabricius, 1798; *morta* Hübner, [1819]; *charon* Billberg, 1820; *satanas* Boisduval, 1836; *lethe* Westwood, 1847; *circe* Moore, [1858]; *sojejimae* Matsumura, 1909. **TW ID Ja Ij CN TH Cma Cuo Chy Bnk Cbu Cbi JP PH Bal Ceb Ley Luz Mar Mdo Mno Neg Pal Pan Pol Sam**
- 3809. *Acherontia styx* (Westwood, 1847)** (Sphingidae) Synonym(s): *styx* Westwood, 1847; *ariel* Boisduval, [1875]; *#stax* Leuwanich, 2001 **JO LB Bei IQ Tkr SY SA OM IR Ss CN PH Bal Ceb Ley Luz Neg Pal Pan AF Srb Sfk TH Yal Cma Cuo Sbu Bnk Smu Phi IN LK NP MM VN KP KR JP MY ID Sum Ja TW**
- 3810. *Acosmerycoides leucocraspis* (Hampson, 1910)** (Sphingidae) Synonym(s): *leucocraspis* Hampson, 1910; *insignata* Mell, 1922 **IN TH VN CN**
- 3811. *Acosmeryx anceus* (Stoll, [1781])** (Sphingidae) Synonym(s): *anceus* Stoll, [1781] **IN Hp Meg Ass Khs NP MM TH Cma Cuo CDo MY PG AU VN ID Sum Ja Sba Clb Flo PH Bal Boh Cal Ceb Din Jol Ley Luz Mar Mdo Mno Neg Pal Pan Sam Sga Stu Taw**
- 3812. *Acosmeryx naga* (Moore, [1858])** (Sphingidae) Synonym(s): *naga* Moore, [1858] **TJ AF Pjr Pic Kab Sfk Nu Bsg IN NP TH Cma CDo MY VN CN TQ JP KP KR TW**
- 3813. *Acosmeryx omissa* Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *omissa* Rothschild & Jordan, 1903 **IN NP TH Cma CDo VN**
- 3814. *Acosmeryx pseudomissa* Mell, 1922** (Sphingidae) Synonym(s): *pseudomissa* Mell, 1922 **TH VN CN**
- 3815. *Acosmeryx sericeus* (Walker, 1856)** (Sphingidae) Synonym(s): *sericeus* Walker, 1856; *rufescens* Mell, 1922 **IN NP TH Cma CDo VN CN MY**
- 3816. *Acosmeryx shervillii* Boisduval, [1875]** (Sphingidae) Synonym(s): *shervillii* Boisduval, [1875]; *cinerea* Butler, 1875; *pseudonaga* Butler, 1881 **NP IN LK CN TH Cma Cuo Cbu MY VN ID Sum Ja Clb Bor PH Bal Pal Stu Taw**
- 3817. *Agrius convolvuli* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O.Bang-Haas, 1927 **Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga**

Pkn Ti KP KR JP ID Ja Sum GN AU NSw WS FJ SB TZ NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm
YE Ad Gor Elb TW Tn Ngl PK Krc Ask Clc BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt VI Mo
Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Mdo Mno Neg
Pal Pan Sam Sga Siq Pre Brb Mpu Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab CMA Cuo Cu03 Cmz Cz10 TAK
Bnk Cbu Nst Phc Kln TW Cc AZ AM (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.7 [adult]).

3818. **Ambulyx canescens (Walker,[1865])** (Sphingidae) Synonym(s): *canescens* Walker,[1865]
PH Bal Pal Ley Luz Mdo Mno Neg Pan Sam ID Adm MY Bor Sum Ja TH CMA Cuo KH VN
3819. **Ambulyx clavata (Jordan,1929)** (Sphingidae) Synonym(s): *clavata* Jordan,1929 TH MY ID
Sum Ja Bor
3820. **Ambulyx cyclasticta (Joicey & Kaye,1917)** (Sphingidae) Synonym(s): *cyclasticta* Joicey &
Kaye,1917 TH CMA Int Cuo MM
3821. **Ambulyx kuangtungensis (Mell,1922)** (Sphingidae) Synonym(s): *kuangtungensis* Mell,1922;
formosana Clark,1936; *hoenei* Mell,1937; *melli* Gehlen,1942 CN TW TH
3822. **Ambulyx liturata Butler,1875** (Sphingidae) Synonym(s): *liturata* Butler,1875 IN NP MM TH
CMA CDo VN CN
3823. **Ambulyx montana Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *montana* Cadiou &
Kitching,1990 TH CMA Int Nan VN
3824. **Ambulyx moorei Moore,[1858]** (Sphingidae) Synonym(s): *moorei* Moore,[1858]; *subocellata*
R.Felder & Rogenhofer,1874; *chinensis* Mell,1922; *bakeri* Clark,1929 PH Bal Pal IN LK Adm MY TH CMA Cuo Bor
Sum Ja VN CN
3825. **Ambulyx oblitterata Rothschild,1920** (Sphingidae) Synonym(s): *oblitterata* Rothschild,1920;
macromaculata Gehlen,1940 TH MY Bor ID Sum
3826. **Ambulyx ochracea Butler,1885** (Sphingidae) Synonym(s): *ochracea* Butler,1885 IN Meg Ass
Khs NP TH CMA CDo VN CN TW JP KP KR
3827. **Ambulyx pryeri Distant,1887** (Sphingidae) Synonym(s): *pryeri* Distant,1887 PH Bal Jol Pal
Stu ID Ja Sum Bor MY TH CMA Cuo
3828. **Ambulyx pseudoclavata Inoue,1997** (Sphingidae) Synonym(s): *pseudoclavata* Inoue,1997 TH
CMA Dst Chy Loe CDo
3829. **Ambulyx sericeipennis Butler,1875** (Sphingidae) Synonym(s): *sericeipennis* Butler,1875 IN
TH CMA CDo CN KP KR TW JP ID Sum Ja PH Luz Mdo Neg
3830. **Ambulyx siamensis Inoue,1991** (Sphingidae) Synonym(s): *siamensis* Inoue,1991 TH Khn
3831. **Ambulyx substrigilis (Westwood,1847)** (Sphingidae) Synonym(s): *substrigilis* Westwood,1847
PH Bal Pal IN NP TH MY VN Bor ID Sum LK
3832. **Ambulyx tattina (Jordan,1919)** (Sphingidae) Synonym(s): *tattina* Jordan,1919; *borneensis*
Gehlen,1940 PH Ley Luz Mdo Mno Neg Pan Sam Taw Bal Pal MY Bor ID Sum TH VN
3833. **Ampelophaga dolichoides (R.Felder & Rogenhofer,[1874])** (Sphingidae)
Synonym(s): *dolichoides* R.Felder & Rogenhofer,[1874] IN NP TH MY
3834. **Ampelophaga khasiana Rothschild,1895** (Sphingidae) Synonym(s): *khasiana* Rothschild,1895
IN Ass Khs Meg TH MY ID Sum
3835. **Ampelophaga rubiginosa Bremer & Grey,[1852]** (Sphingidae) Synonym(s): *rubiginosa*
Bremer & Grey,[1852] JP KP KR RU Us CN IN NP TH CN Yu TW
3836. **Amplipterus masoni (Clark,1924)** (Sphingidae) Synonym(s): *masoni* Clark,1924 IN NP
TH CMA CDo VN MY ID Sum TW
3837. **Amplipterus panopus (Cramer,[1779])** (Sphingidae) Synonym(s): *panopus* Cramer,[1779]
IN LK MM NP TH CMA Cuo Nrt Cbi VN CN PH Bon Pal Ceb Jol Ley Luz Mdo Mno Neg Pan Pol Rom
Sam Sib ID Clb Sum Ja
3838. **Anambulyx elwesi (Druce,1882)** (Sphingidae) Synonym(s): *elwesi* Druce,1882 IN TH CMA
CDo VN
3839. **Angonyx testacea (Walker,1856)** (Sphingidae) Synonym(s): *testacea* Walker,1856; *menghaiensis*
Meng,1991 CN Yu IN LK MM NP TH CMA Cuo Cmz Cz10 CDo VN TW MY ID Sum Bor Ja PH Bal Dum
Hom Jol Ley Luz Mdo Neg Pal Sam (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.6 [adult]).
3840. **Barbourion lemai (Le Moult,1933)** (Sphingidae) Synonym(s): *lemai* Le Moult,1933 TH VN
3841. **Callambulyx amanda Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *amanda*
Rothschild & Jordan,1903 PH Bal Pal TH Pht MY ID Sum Bor Ja
3842. **Callambulyx poecilus (Rothschild,1898)** (Sphingidae) Synonym(s): *poecilus* Rothschild,1898
IN NP TH CMA Cmz Cz10 MY ID Sum
3843. **Callambulyx rubricosa (Walker,1856)** (Sphingidae) Synonym(s): *rubricosa* Walker,1856;
indochinensis Clark,1936 IN NP TH CMA Cmz Cz10 VN ID Ja (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15
fig.5 [adult]).
3844. **Cechenena aegrota (Butler,1875)** (Sphingidae) Synonym(s): *aegrota* Butler,1875; *occidentalis*
Clark,1935 NP IN VN ID Sum Ja Bor PH Pal TH MY
3845. **Cechenena helops (Walker,1856)** (Sphingidae) Synonym(s): *helops* Walker,1856 NP IN TH
VN ID Sum Ja Bor Clb Mlc Crm PG AU PH Bal Din Ley Luz Mar Mdo Mno Neg Pal Pan Sam Siq

3846. **Cechenena lineosa (Walker,1856)** (Sphingidae) Synonym(s): *lineosa* Walker,1856 **TH CMa**
Cuo CDo IN Meg Ass Khs Hp Drm Sml NP SI BT MM VN CN TW MY ID Sum Bor
3847. **Cechenena minor (Butler,1875)** (Sphingidae) Synonym(s): *minor* Butler,1875 **IN NP TH**
CMa CDo VN CN TW
3848. **Cechenena subangustata Rothschild,1920** (Sphingidae) Synonym(s): *subangustata*
Rothschild,1920 **TH MY ID Sum Ja Bor TW PH Bal**
3849. **Cephonodes hylas (Linnaeus,1771)** (Sphingidae) Synonym(s): *hylas* Linnaeus,1771 **PH CmM**
Luz Mdo Mno Neg Pal Taw ZA Tva Lpo Spb Gau Pre Jh Nta Kzu Dbn GM MG SL KP KR JP IN ID Flo
Tim Sum LK MM TH CMa Cuo Knc Cbi Cph VN CN TW MY AU
3850. **Cephonodes picus (Cramer,[1777])** (Sphingidae) Synonym(s): *picus* Cramer,[1777] **PH Ceb**
Luz Neg Pal Sib IN LK TH MY ID Bor Ja Sba MH PG AU QAU
3851. **Cizara sculpta (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *sculpta* R.Felder
& Rogenhofer,[1874] **IN MM TH CMa Cuo VN**
3852. **Clanis bilineata (Walker,1866)** (Sphingidae) Synonym(s): *bilineata* Walker,1866 **ID Sum MY**
Bor TH Rng IN NP VN CN TW KP KR JP
3853. **Clanis hyperion Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *hyperion* Cadiou &
Kitching,1990 **TH IN**
3854. **Clanis phalaris (Cramer,[1777])** (Sphingidae) Synonym(s): *phalaris* Cramer,[1777] **IN LK**
Adm TH
3855. **Clanis titan Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *titan* Rothschild &
Jordan,1903 **IN NP MM TH CMa CDo MY ID Sum**
3856. **Clanis undulosa Moore,1879** (Sphingidae) Synonym(s): *undulosa* Moore,1879 **CN IN NP TH**
MY
3857. **Craspedortha porphyria (Butler,1876)** (Sphingidae) Synonym(s): *porphyria* Butler,1876;
inapicalis Mell,1922 **ID Ja IN NP TH CMa Cnz Cz10 VN CN**
3858. **Cypa decolor (Walker,1856)** (Sphingidae) Synonym(s): *decolor* Walker,1856 **PH Jol Ley Luz**
Mdo Mno Neg Sam PG ID Cm IN MM TH CMa CDo VN CN MY Bor Sum
3859. **Cypa enodis Jordan,1931** (Sphingidae) Synonym(s): *enodis* Jordan,1931 **NP MM TH CMa CDo**
MY VN TW
3860. **Cypa latericia Inoue,1991** (Sphingidae) Synonym(s): *latericia* Inoue,1991 **TH CMa Cuo CDo**
3861. **Cypa terranea (Butler,1876)** (Sphingidae) Synonym(s): *terranea* Butler,1876; *brooksi* Clark,1930;
duponti Roepke,1941 **TH MY Bor ID Sum Ja**
3862. **Cypoides chinensis (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *chinensis*
Rothschild & Jordan,1903; *transtriata* Chu & Wang,1980 **CN VN TH TW**
3863. **Daphnis hypothous (Cramer,[1780])** (Sphingidae) Synonym(s): *hypothous* Cramer,[1780]
PH Bal Boh Ceb Hom Jol Ley Luz Mdo Mno Neg Pal Pan Pol Sam Sga IN Ass Khs Meg LK MM NP TH
CMa Cuo Cnz Cz10 VN CN TW ID Sum Ja Tm JP
3864. **Daphnis nerii (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea*
Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934. **Az Cn MA DZ TN PT ES FR Co**
Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT
RU MD UA BY GG Bjo EG EG11 IR Ss LB Bei Bsa IL Hf Pa GN MU MG MZ ZA Nta Kzu Tva Lpo Spb
Mdk NG TZ YE Ad IN ID Ja PH Ceb Jol Ley Luz IQ Tn LK Agh Mar Neg Gau Pre Dbn Rd JO PK AF Sfk
Srb TH Bnk CMa Cuo JP Hw Sum NP MM TW Cc (2007, Cent. ent. Stud., Memoirs 3/4: pl.35 fig.6
[larva]).
3865. **Daphnis placida (Walker,1856)** (Sphingidae) Synonym(s): *placida* Walker,1856 **PH Ceb Ley**
Luz Mar Mdo Mno Neg Pal Pan Sam Sib Stu Taw IN Adm ID Sum TH CMa Cuo CN PG AU QAU NC LO
NH SB FJ WS
3866. **Daphnusa ocellaris Walker,1856** (Sphingidae) Synonym(s): *ocellaris* Walker,1856 **PH Boh**
Ceb Dum Ley Luz Mdo Mno Neg Pal IN LK NP TH CN MY ID Sum Bor Ja
3867. **Darapsa myron (Cramer,[1779])** (Sphingidae) Synonym(s): *myron* Cramer,[1779]; *pampinatrix*
J.E.Smith,1797; *cnotus* Hübner,[1823]; *#lutescens* B.P.Clark,1920; *texana* B.P.Clark,1920; *#isatis* Debauche,1934 **MX Ver**
US Tx Ny Ge TH Bnk
3868. **Degmaptera mirabilis (Rothschild,1894)** (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894
IN TH
3869. **Dolbina inexacta (Walker,1856)** (Sphingidae) Synonym(s): *inexacta* Walker,1856 **IN NP MM**
TH CMa Cnz Cz10 CN TW PH Luz Mno (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15 fig.4 [adult]).
3870. **Elibia dolichus (Westwood,1847)** (Sphingidae) Synonym(s): *dolichus* Westwood,1847 **PH Pal**
Stu Taw IN BD NP TH CMa Cnz Cz10 VN CN Hn MY ID Sum Bor Ja
3871. **Enpinanga assamensis (Walker,1856)** (Sphingidae) Synonym(s): *assamensis* Walker,1856;
oceanica Rothschild & Jordan,1916 **IN Adm Ass NP TH VN CN**
3872. **Enpinanga borneensis (Butler,1879)** (Sphingidae) Synonym(s): *borneensis* Butler,1879 **MY**
Bor TH ID Sum Ja PH Cal
3873. **Enpinanga vigens (Butler,1879)** (Sphingidae) Synonym(s): *vigens* Butler,1879; *javanica*
Dupont,1941; *sirani* Roesler & Küppers,1975 **TH Sgk Hya PSu MY ID Sum Ja Bor PH Pal**

3874. **Eupanacra automedon (Walker,1856)** (Sphingidae) Synonym(s): *automedon* Walker,1856
IN TH MY ID Sum Nia Bor Ja
3875. **Eupanacra busiris (Walker,1856)** (Sphingidae) Synonym(s): *busiris* Walker,1856 IN MM
NP TH CN VN MY ID Sum Ja Bor Clb Adm PH Bal Pal Ley Mdo Mno
3876. **Eupanacra dohertyi (Rothschild,1894)** (Sphingidae) Synonym(s): *dohertyi* Rothschild,1894;
continentalis Gehlen,1930 TH MY ID Sum Ja Bor Nia IN Ass PH Pal
3877. **Eupanacra elegantulus (Herrich-Schäffer,1856)** (Sphingidae) Synonym(s): *elegantulus*
Herrich-Schäffer,1856 TH MY ID Sum Ja Bor Clb Sbw Lb Sba PH Boh Dum Ley Luz Mar Mdo Mno Neg
Pal Pan Sib
3878. **Eupanacra hollowayi Tennent,1991** (Sphingidae) Synonym(s): *hollowayi* Tennent,1991 Bor
MY ID Sum TH
3879. **Eupanacra malayana (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *malayana*
Rothschild & Jordan,1903 TH MY VN ID Sum Ja Bor Sba PH Mno Pal
3880. **Eupanacra mydon (Walker,1856)** (Sphingidae) Synonym(s): *mydon* Walker,1856 IN Meg
Ass Khs Slo MM NP TH CMa Cuo Cmz Cz10 MY VN CN
3881. **Eupanacra perfecta (Butler,1875)** (Sphingidae) Synonym(s): *perfecta* Butler,1875 TH CMa
IN VN CN
3882. **Eupanacra sinuata (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *sinuata*
Rothschild & Jordan,1903 IN NP TH VN
3883. **Eupanacra variolosa (Walker,1856)** (Sphingidae) Synonym(s): *variolosa* Walker,1856 IN
NP TH CMa Cuo Cuo5 MY VN ID Sum Ja Bor PH Pal
3884. **Eurypteryx bhaga (Moore,[1866])** (Sphingidae) Synonym(s): *bhaga* Moore,[1866] IN NP
TH CMa CDo MY ID Sum Bor Ja Clb
3885. **Eurypteryx geoffreyi Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *geoffreyi* Cadiou &
Kitching,1990 TH Nna Kao Phr
3886. **Gehlenia obliquifascia (Hampson,1910)** (Sphingidae) Synonym(s): *obliquifascia*
Hampson,1910 TW IN NP TH CMa CDo MY VN
3887. **Gehlenia pinratanai Cadiou,1991** (Sphingidae) Synonym(s): *pinratanai* Cadiou,1991 TH CMa
Int
3888. **Giganteopalpus mirabilis (Rothschild,1894)** (Sphingidae) Synonym(s): *mirabilis*
Rothschild,1894 TH MY Bor ID Sum Nia Ja
3889. **Gnathothlibus erotus (Cramer,[1777])** (Sphingidae) Synonym(s): *erotus* Cramer,[1777] LK
IN Adm ID Sum TH PH Bal Ley Luz Mar Mno Neg Pal Pan Sam NC ID Tm MH AU PG
3890. **Griseosphinx preechari Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *preechari*
Cadiou & Kitching,1990 TH
3891. **Hayesiana triopus (Westwood,1847)** (Sphingidae) Synonym(s): *triopus* Westwood,1847 IN
NP TH CN
3892. **Hemaris (Saundersia) saundersii (Walker,1856)** (Sphingidae) Synonym(s): *saundersii*
Walker,1856 IN Hp Sml Ch Pj AF Nu TH MM
3893. **Hippotion boerhaviae (Fabricius,1775)** (Sphingidae) Synonym(s): *boerhaviae* Fabricius,1775
LK IN TW TH MY Ri ID Sum Mlc PG NC PH Jol Ley Luz Mno Neg Pal Pan Sib VN CN
3894. **Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone*
Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864 Md Cn MA
DZ TN LY PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Slv Vrn
GR Rd Cr TR CY LB Bei IL Hf Pa IR Kh Th Ss DK RU MD UA BY GG Bjo IN Tn LK ID Sum Ja Kai AU
QAU Hw PG NC NH FJ ZA Fs Cap Blo Tva Lpo Spb Mdk MZ GN SL MU MG PH Bal Boh Cal Ceb Dum
Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Tic WS TO EL LO SB MY Gau Pre Mpu Brb Jh Nta
Kzu Dbn SL JO AF Sfk Srb Nu Bsg TH CMa Cuo TW Cc (2007, Cent. ent. Stud., Memoirs 3/4: Pl.15
fig.8 [adult]; pl.35 fig.7 [larva]).
3895. **Hippotion echeclus (Boisduval,[1875])** (Sphingidae) Synonym(s): *echeclus* Boisduval,[1875]
IN MM TH CMa Cuo MY ID Sum Ja Bor Bli Lb Sba Flo Clb Ri PH Boh Ceb Ley Luz Mno Neg Pan JP Ri
3896. **Hippotion rafflesii (Moore,[1858])** (Sphingidae) Synonym(s): *rafflesii* Moore,[1858] IN LK
TH MM CN MY ID Sum Ja Flo Clb PH Mno Pal
3897. **Hippotion rosetta (Swinhoe,1892)** (Sphingidae) Synonym(s): *rosetta* Swinhoe,1892; *depictum*
Dumont,1941 IN TW JP Ri ID Sum Ja Clb Mlc PG PH Bal Boh Bon Ceb Jol Ley Luz Mar Mdo Mno Neg
Pal Pan Sga Siq Stu Taw TH CMa Cuo Cuo1 VN SB (2007, Cent. ent. Stud., Memoirs 3/4: pl.35
figs.8,9 [larva, prepupa]).
3898. **Hippotion velox (Fabricius,1793)** (Sphingidae) Synonym(s): *velox* Fabricius,1793; *phoenyx*
Herrich-Schäffer,[1856] NC LK IN TH CMa Cuo Cmz Cz10 JP Ri TW Adm Nk AU FJ PH Bal Cal Ceb Dum
Ley Luz Mar Mdo Mno Neg Pal Pan Sam Stu
3899. **Hyles livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini*
Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri*
Eitschberger, Danner & Surholt,1998. Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH
AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA
BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAU Ade Hw ZA Cap Fs Blo SO

MG IQ TW TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc

- 3900. Hyles livornica livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. **Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc**
- 3901. Langia zenzeroides Moore,1872** (Sphingidae) Synonym(s): *zenzeroides* Moore,1872; *nina* Mell,1922; *szechuana* Chu & Wang,1980; *kunmingensis* Zhao,1984 **IN TH VN CN Sz KP KR JP TW**
- 3902. Leucophlebia (Indiaphlebia) emittens Walker,1856** (Sphingidae) Synonym(s): *emittens* Walker,1856 **IN MM TH**
- 3903. Leucophlebia (s.str.) pinratanai Eitschberger,2003** (Sphingidae) Synonym(s): *lineata* sensu Inoue,1977; *pinratanai* Eitschberger,2003 **TH CMa Cuo Ssi CRA Hgd Int Nan Bou Dst CDo Wpp Sak**
- 3904. Leucophlebia (Thaiphlebia) frederkingi Eitschberger,2003** (Sphingidae) Synonym(s): *frederkingi* Eitschberger,2003 **TH CMa Dst Dkm**
- 3905. Macroglossum afflictitum Butler,1875** (Sphingidae) Synonym(s): *affictitia* Butler,1875 **IN LK MM TH CMa Cuo**
- 3906. Macroglossum aquilum Boisduval,[1875]** (Sphingidae) Synonym(s): *aquila* Boisduval,[1875] **IN MM TH VN MY ID Sum Ja Bor PH Luz Pal**
- 3907. Macroglossum belis (Linnaeus,1758)** (Sphingidae) Synonym(s): *belis* Linnaeus,1758 **IN Meg Ass Khs LK NP TH VN CN TW JP Ri ID Ja**
- 3908. Macroglossum bombylans (Boisduval,[1875])** (Sphingidae) Synonym(s): *bombylans* Boisduval,[1875] **NP IN CN KP KR TW JP PH Luz Neg TH CMa Dst VN**
- 3909. Macroglossum corythum Walker,1856** (Sphingidae) Synonym(s): *corythum* Walker,1856 **JP Ri NH Nlr Tnm SB TW IN Adm TH CMa Cuo VN CN MY ID Sum Bor Ja Flo Sba Clb Sly Flo PH Boh Cml Din Hom Ley Luz Mdo Mno Neg Pal Pan Sam Stu NC LO ID Aru Kai PG AU QAU**
- 3910. Macroglossum faro (Cramer,1780)** (Sphingidae) Synonym(s): *faro* Cramer,1780 **CN IN TH VN TW JP Ri MY ID Sum Ja Bor PH Ley Pal**
- 3911. Macroglossum fritzei Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *fritzei* Rothschild & Jordan,1903; *hunanensis* Chu & Wang,1980 **JP CN Hun TH Chy MY Bor TW**
- 3912. Macroglossum glaucopterum Butler,1875** (Sphingidae) Synonym(s): *glaucoptera* Butler,1875 **IN LK CN TH VN MY ID Sum Ja PH Mno Cml Din Neg Pao**
- 3913. Macroglossum gyrans Walker,1856** (Sphingidae) Synonym(s): *gyrans* Walker,1856 **IN LK MM NP TH MY ID Sum Bor Ja Tim**
- 3914. Macroglossum heliophilum Boisduval,[1875]** (Sphingidae) Synonym(s): *heliophilum* Boisduval,[1875]; *fringillum* Boisduval,[1875] **Ri JP TW CN IN TH VN MY ID Sum Ja Mlc Kai PG AU QAU PH Bat Mdo Pal Stu Taw Tic**
- 3915. Macroglossum hemichromum Butler,1875** (Sphingidae) Synonym(s): *hemichromum* Butler,1875 **IN TH VN MY ID Sum Bor Ja PH Ceb**
- 3916. Macroglossum insipidum Butler,1875** (Sphingidae) Synonym(s): *insipidum* Butler,1875; *sinensis* Mell,1922 **NP IN TH MY LK Adm ID Sum Ja Flo Bor PH Ley Mno Pal CN TW**
- 3917. Macroglossum mediovittum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *mediovitta* Rothschild & Jordan,1903 **CN TH JP MY ID Sum Bor Clb Mw PH Ley TW**
- 3918. Macroglossum mitchellii Boisduval,[1875]** (Sphingidae) Synonym(s): *mitchellii* Boisduval,[1875] **IN LK TH VN CN TW MY ID Sum Bor Ja**
- 3919. Macroglossum passalum (Drury,[1773])** (Sphingidae) Synonym(s): *passalus* Drury,[1773]; *rectifascia* R.Felder,1874 **IN LK ID Sum Ja Bor TH Dst CMa MY VN CN TW Ri JP PH Cml Cmm**
- 3920. Macroglossum piepersi Dupont,1941** (Sphingidae) Synonym(s): *piepersi* Dupont,1941 **ID Sum Ja MY TH**
- 3921. Macroglossum prometheum Boisduval,[1875]** (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875] **LK TH MY ID Sum Ja Clb Bor Nia AU PG PH Boh Ley Mar Mdo Mno Neg Pal Pan Sam Stu Taw**
- 3922. Macroglossum pseudungues Holloway,1987** (Sphingidae) Synonym(s): *pseudungues* Holloway,1987 **MY Bor TH**
- 3923. Macroglossum pyrrhostictum Butler,1875** (Sphingidae) Synonym(s): *pyrrhostictum* Butler,1875; *fukiensis* Chu & Wang,1980 **IN LK NP TH VN CN Fkn JP KP KR TW ID Sum Ja Flo PH Ley Luz Hw**
- 3924. Macroglossum saga Butler,1878** (Sphingidae) Synonym(s): *saga* Butler,1878 **IN NP TH CN KP TW JP**
- 3925. Macroglossum semifasciatum Hampson,1893** (Sphingidae) Synonym(s): *semifasciatum* Hampson,1893 **IN MM TH CMa Cuo VN MY ID Sum Bor Ja PH Pal**
- 3926. Macroglossum sitiene Walker,1856** (Sphingidae) Synonym(s): *sitiene* Walker,1856 **MV IN Clc LK MM TH CMa Cuo Dst CN Kwa Hn VN Ton TW JP MY ID Sum PH Dum Neg Pal**

3927. **Macroglossum sylvium (Boisduval,[1875])** (Sphingidae) Synonym(s): *sylvia* Boisduval,[1875]
IN LK TH MM VN CN MY TW Adm PH CmM Hom Luz Mdo Mno Neg Pal Sam JP
3928. **Macroglossum troglodytum Boisduval,[1875]** (Sphingidae) Synonym(s): *troglodytus* Boisduval,[1875]
IN LK TH VN CN JP MY ID Sum Ja PH Mno Pal
3929. **Macroglossum variegatum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *variegatum* Rothschild & Jordan,1903
IN VN TH CN MY ID Sum Bor Ja PH Ceb Ley Pal Stu Taw
3930. **Marumba cristatus (Butler,1875)** (Sphingidae) Synonym(s): *cristatus* Butler,1875 ID Sum
Bor Ja MY TH VN CN IN TW
3931. **Marumba dyras (Walker,1856)** (Sphingidae) Synonym(s): *dyras* Walker,1856 NP IN Hp LK
TH CMA Cuo CDo MY MM VN CN Adm ID Ja Sum Bor PH Ceb Ley Luz Mno Neg Pal Sam TW
3932. **Marumba juvencus Rothschild & Jordan,1912** (Sphingidae) Synonym(s): *juvencus* Rothschild & Jordan,1912
TH MY ID Sum Bor
3933. **Marumba saishiuanus Okamoto,1924** (Sphingidae) Synonym(s): *saishiuanus* Okamoto,1924
KP KR JP CN VN TW TH
3934. **Marumba spectabilis (Butler,1875)** (Sphingidae) Synonym(s): *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933
CN VN Ton IN NP TH CMA CDo MY ID Sum Bor Ja Clb
3935. **Marumba sperchius (Ménétriés,1857)** (Sphingidae) Synonym(s): *sperchius* Ménétriés,1857; *ussuriensis* O.Bang-Haas,1927; *coreanus* O.Bang-Haas,1938; *koreaesperchius* Bryk,1946
RU Us KP KR Sb CN JP IN NP TH VN TW ID Sum MY Bor
3936. **Marumba tigrinus Gehlen,1936** (Sphingidae) Synonym(s): *tigrina* Gehlen,1936 ID Sum Ja
Bor PH Pal TH
3937. **Megacorma obliqua (Walker,1856)** (Sphingidae) Synonym(s): *obliqua* Walker,1856 IN LK
MM TH CMA Cuo VN MY ID Sum Bor Ja PH Bal Jol Ley Luz Mno Neg Pal Sam Cm PG SB
3938. **Meganoton analis (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *analis* R.Felder & Rogenhofer,[1874]; *subalba* Mell,1922
IN Meg Ass Khs SI Djl NP CN VN ID Sum Clb TW TH Yal MY Bor
3939. **Meganoton loeffleri Eitschberger,2003** (Sphingidae) Synonym(s): *loeffleri* Eitschberger,2003
TH Rng
3940. **Meganoton nyctiphanes (Walker,1856)** (Sphingidae) Synonym(s): *nyctiphanes* Walker,1856
IN LK MM TH CMA Cuo VN Adm MY ID Sum PH Bal Pal
3941. **Meganoton rufescens (Butler,[1876])** (Sphingidae) Synonym(s): *rufescens* Butler,[1876] IN
TH CMA CDo CN MM MY Adm VN AU QAU PH Ley Luz Mno Pan Sam Pal ID Cm Amb Hm Ja Sum Bor PG
3942. **Morvennius decoratus (Moore,1872)** (Sphingidae) Synonym(s): *decoratus* Moore,1872; *indochinensis* Gehlen,1933
IN Ass SI NP TH MY ID Sum
3943. **Neogurelca himalacha (Butler,[1876])** (Sphingidae) Synonym(s): *himalacha* Butler,[1876]
CN Yu Sz Ti NP IN Ass TH CMA Int CRa TW
3944. **Neogurelca hyas (Walker,1856)** (Sphingidae) Synonym(s): *hyas* Walker,1856 IN MM TH
CMA Cuo Cuo7 NP VN CN TW MY JP ID Sum Ja Bor Clb PH Bal Ceb CmM Ley Luz Mno Neg Pal
3945. **Nephele hespera (Fabricius,1775)** (Sphingidae) Synonym(s): *didyma* Fabricius,1775; *hespera* Fabricius,1775
PK Pj Cp AF Srb Kab Sfk Pag IN Meg Ass Khs Hp LK MM NP TH CMA Cuo VN CN Ti MY ID Sum Ja
3946. **Opistoclanis hawkeri (Joicey & Talbot,1921)** (Sphingidae) Synonym(s): *hawkeri* Joicey & Talbot,1921
TH VN LA
3947. **Parum colligatum (Walker,1856)** (Sphingidae) Synonym(s): *colligatum* Walker,1856; *tristis* Bryk,1944
IN MM TH CMA CDo VN CN JP KP KR TW (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.12 [adult]).
3948. **Pentateucha curiosa Swinhoe,1908** (Sphingidae) Synonym(s): *curiosa* Swinhoe,1908 IN
Meg Ass Khs NP TH Int CMA VN
3949. **Pergesa actea (Cramer,1779)** (Sphingidae) Synonym(s): *acteus* Cramer,1779 IN Meg Ass Khs
LK NP CN MM TH CMA Cuo Cmz Cz10 JP Ri VN TW ID Sum Ja Bor Clb Bru Amb Flo PH Bal Boh Bon Ceb Din Dum Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Siq
3950. **Phyllosphingia dissimilis (Bremer,1861)** (Sphingidae) Synonym(s): *dissimilis* Bremer,1861
RU Us Sb CN KP KR JP CN Stg Tkg Sz PH Luz IN NP TH TW
3951. **Poliana leucomelas Rothschild & Jordan,1915** (Sphingidae) Synonym(s): *leucomelas* Rothschild & Jordan,1915
TH CMA Cuo KH Pno VN
3952. **Polyptychus trilineatus Moore,1888** (Sphingidae) Synonym(s): *trilineatus* Moore,1888 IN
Adm TH MY VN LK ID Clb Sum Ja Bli Flo Adm PH Boh Ceb Ley Luz Mno Neg Pan Siq
3953. **Psilogramma increta Walker,[1865]** (Sphingidae) Synonym(s): *increta* Walker,[1865] PH
Luz Mdo Neg Pal Pan TH CMA Cuo Cuo6 CDo VN CN TW KP KR JP
3954. **Psilogramma menephron (Cramer,[1780])** (Sphingidae) Synonym(s): *menephron* Cramer,[1780]
PH Bal Boh Bon Ceb Dum Jol Ley Luz Mas Mdo Mno Neg Pal Pan Sam Siq Stu Taw AF Sfk Kab Nu Bsg IN LK TH CMA Cuo VN CN TW ID Sum Ja AU NC

3955. **Rhagastis acuta (Walker,1856)** (Sphingidae) Synonym(s): *acuta* Walker,1856 **IN TH MY ID Sum Ja Bli PH Pal**
3956. **Rhagastis albomarginatus (Rothschild,1894)** (Sphingidae) Synonym(s): *albomarginatus* Rothschild,1894; *nubilosa* Bryk,1944 **ID Sum Ja CN IN MM NP TH VN**
3957. **Rhagastis castor (Walker,1856)** (Sphingidae) Synonym(s): *castor* Walker,1856; *sumatranus* Clark,1924; *javanica* Roepke,1941 **ID Ja Sum TW CN IN NP TH CMa CDo VN**
3958. **Rhagastis confusa Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *confusa* Rothschild & Jordan,1903 **IN NP TH**
3959. **Rhagastis gloriosa (Butler,1875)** (Sphingidae) Synonym(s): *gloriosa* Butler,1875; *orientis* Bryk,1944; *yunnanaria* Chu & Wang,1980 **IN MM NP TH CMa Int VN CN Yu**
3960. **Rhagastis hayesi Diehl,[1982]** (Sphingidae) Synonym(s): *hayesi* Diehl,[1982] **IN MY TH Phr ID Sum Ja**
3961. **Rhagastis lunata (Rothschild,1900)** (Sphingidae) Synonym(s): *lunata* Rothschild,1900; *sikkimensis* Rothschild & Jordan,1903; *gehleni* Bender,1941, *yunnanaria* Chu & Wang,1980 (*praeocc.*); *yunnana* Chu & Wang,1983 **IN NP TH VN CN Yu**
3962. **Rhagastis olivacea (Moore,1872)** (Sphingidae) Synonym(s): *olivacea* Moore,1872 **IN MM TH CMa NP VN**
3963. **Rhagastis rubetra Rothschild & Jordan,1907** (Sphingidae) Synonym(s): *rubetra* Rothschild & Jordan,1907; *mjobergi* Clark,1923 **TH MY ID Sum Nia Bor**
3964. **Rhagastis velata (Walker,1856)** (Sphingidae) Synonym(s): *velata* Walker,1856 **IN Meg Ass Khs Slo NP SI BT TH TW**
3965. **Rhodambulyx schnitzleri Cadiou,1990** (Sphingidae) Synonym(s): *schnitzleri* Cadiou,1990 **TH CMa Int**
3966. **Rhodoprasina callantha Jordan,1929** (Sphingidae) Synonym(s): *callantha* Jordan,1929 **IN Ass TH CMa CDo VN** (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.11 [adult]).
3967. **Rhodoprasina corolla Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *corolla* Cadiou & Kitching,1990 **TH CMa Int**
3968. **Rhodoprasina corrigenda Kitching & Cadiou,1996** (Sphingidae) Synonym(s): *corrigenda* Kitching & Cadiou,1996 **TH CMa Int VN Ton Fan**
3969. **Sataspes infernalis (Westwood,1848)** (Sphingidae) Synonym(s): *infernalis* Westwood,1848 **IN BD MM TH NP VN CN ID Sum Ja**
3970. **Sataspes tagalica Boisduval,[1875]** (Sphingidae) Synonym(s): *tagalica* Boisduval,[1875]; *chinensis* Mell,1922; *collaris* Chu & Wang,1980; *thoracica* Chu & Wang,1980 **IN MM TH CMa Cuo CN PH Luz Bur ID Sum Ja**
3971. **Smerinthulus diehli Hayes,[1982]** (Sphingidae) Synonym(s): *diehli* Hayes,[1982] **TH CMa Cuo MY ID Sum Bor**
3972. **Smerinthulus perversus (Rothschild,1895)** (Sphingidae) Synonym(s): *perversa* Rothschild,1895; *doipuiensis* Inoue,1991 **IN TH CMa**
3973. **Smerinthulus quadripunctatus Huwe,1895** (Sphingidae) Synonym(s): *quadripunctatus* Huwe,1895 **TH CMa Cuo CDo MM ID Ja**
3974. **Sphecodina caudata (Bremer & Grey,[1852])** (Sphingidae) Synonym(s): *caudata* Bremer & Grey,[1852] **RU Sb KP KR CN TH CMa Int**
3975. **Sphingonaepiopsis pumilio (Boisduval,[1875])** (Sphingidae) Synonym(s): *pumilio* Boisduval,[1875]; ? *chinensis* Schufuss,1870; *pusilla* Butler,1875; *minima* Butler,1876. **IN NP TH VN CN MY**
3976. **Sphinx caligineus (Butler,1877)** (Sphingidae) Synonym(s): *caligineus* Butler,1877 **JP KP KR CN TH**
3977. **Sphinx oberthueri (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *oberthueri* Rothschild & Jordan,1903; *jordani* Mell,1922; *thailandica* Inoue,1991 **TH CN Yu**
3978. **Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941. **Si RO YU BG GR Rd Cr TR RU IR Kh Th Elb Ss TM Kp Mrw AZ Kir Bak Cc GG Lag LB Bei Bsa IL Hf Pa UZ Fe AF Ca Srb Nu Bsg Kab Pag Jla PK Kai IN CN TH CMa Cuo MM MY TW Ri ID Sum Ja Bor Flo Mlc Clb Kai PH Bal Boh Ceb Jol Ley Luz Mar Mno Mdo Neg Pal Pan Sam IQ Agh JO**
3979. **Theretra boisduvalii (Bugnion,1839)** (Sphingidae) Synonym(s): *boisduvalii* Bugnion,1839 **IN LK TH CMa Cuo CDo VN TW ID Sum Ja**
3980. **Theretra clotho (Drury,[1773])** (Sphingidae) Synonym(s): *clotho* Drury,[1773] **LK IN NP TH CMa Cuo CN KP KR JP Adm ID Sly Mlc AU PG NC Sum Ja Flo Tim TW PH Bal Boh Bon Cal Ceb Jol Ley Mdo Mno Neg Pal Pan Sam Sib Siq Stu Taw**
3981. **Theretra latreillii Macleay,[1826]** (Sphingidae) Synonym(s): *latreillii* Macleay,[1826] **IN LK CN TW Adm MM TH CMa Cuo VN ID Sum Ja Flo Clb Mlc SB AU PH Bal Boh Bon Ceb Jol Ley Luz Mdo Mno Neg Pal Siq Stu Taw**
3982. **Theretra lycetus (Cramer,1775)** (Sphingidae) Synonym(s): *lycetus* Cramer,1775 **IN LK MM NP TH CMa CDo Dst Mth VN MY ID Sum Ja** (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.10 [adult]).

3983. **Thereatra nesus (Drury,[1773])** (Sphingidae) Synonym(s): *nessus Drury,[1773]* LK IN NP MM TH CMa Cuo Sgk Hya PSu VN CN JP TW AU QAU NH LO NC Hw PH Bal Boh Cal Cat Ceb Din Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib Siq Stu
3984. **Thereatra oldenlandiae (Fabricius,1775)** (Sphingidae) Synonym(s): *oldenlandiae Fabricius,1775; olivacens Mell,1922* LK IN NP MM TH CMa Cuo MY VN CN KP KR JP ID Sum Ja Flo Tim Bor Mlc Clb TW Clb Mlc PG AU WS PH Bal Boh Ceb Jol Ley Luz Mdo Mno Neg Pal Pan Pao Sam Sib Siq Taw
3985. **Thereatra pallicosta (Walker,1856)** (Sphingidae) Synonym(s): *pallicosta Walker,1856* IN LK MM TH CMa Cuo CDo Cmz Cz10 NP VN CN MY ID Sum Ja
3986. **Thereatra silhetensis (Walker,1856)** (Sphingidae) Synonym(s): *silhetensis Walker,1856* IN LK TH CMa Cuo MM MY Sum Bor Ja VN TW CN JP PH Bal Boh Cal CmL Din Jol Ley Luz Mno Neg Pal Pan Sam Taw ID Clb Sba FJ AU QAU NC WS
3987. **Thereatra suffusa (Walker,1856)** (Sphingidae) Synonym(s): *suffusa Walker,1856* NP IN MM TH CN VN TW JP Ri MY ID Sum Ja Bor PH Pal
3988. **Stathmopoda auriferella (Walker,1864)** (Stathmopodidae) Synonym(s): *auriferella Walker,1864; divisa Walsingham,1891; ischnotis Meyrick,1897; crocophanes Meyrick,1897; theoris Meyrick,1906; tharsalea Meyrick,1914; adulatrix Meyrick,1917; cirrhapis Meyrick,1922* SL LY Cy SD EG GM NG UG MG KM SC IL IR Ss PK IN LK ID Ja CN TW AU PH Luz JP ZA TH MY
3989. **Stathmopoda basiplectra Meyrick,1913** (Stathmopodidae) Synonym(s): *basiplectra Meyrick,1913* IN TH
3990. **Stathmopoda stimulata Meyrick,1913** (Stathmopodidae) Synonym(s): *stimulata Meyrick,1913* IN Ass LK CN MY Bor BN Sbh ID Clb TH
3991. **Stathmopoda xanthomocla Meyrick,1913** (Stathmopodidae) Synonym(s): *xanthomocla Meyrick,1913* IN TH Bnk
3992. **Xestocasis iostrota (Meyrick,1910)** (Stathmopodidae) Synonym(s): *iostrota Meyrick,1910* IN TH MY Bor Sbh Swk Klt ID Clb PH PG
3993. **Zaratha prosarista Meyrick,1909** (Stathmopodidae) Synonym(s): *prosarista Meyrick,1909* TH IN Ass MM TW PH
3994. **Aeolantes siphonias Meyrick,1908** (Stenomidae) Synonym(s): *siphonias Meyrick,1908* TH IN Hp Sml MM
3995. **Aeolantes sp.** (Stenomidae) Synonym(s): TH
3996. **Gazalina (s.str.) transversa Moore,1879** (Thaumetopoeidae) Synonym(s): *transversa Moore,1879* IN SI TH CMa Cuo Cuo1
3997. **Chaeopsestis ludovicae Le Cerf,1941** (Thyatiridae) Synonym(s): *ludovicae Le Cerf,1941* VN Ton TH CMa Dst Dso9 Int Fn Agk
3998. **Habrosyne derasoides Butler,1877** (Thyatiridae) Synonym(s): *derasoides Butler,1877; fraterna Moore,1888* JP IN Pj Drm Kgr Hp TH CMa CDo Fn Agk Int
3999. **Mimopsestis hoenei (Sick,1941)** (Thyatiridae) Synonym(s): *hoenei Sick,1941* CN Yu TH CMa Mae Agk Fn
4000. **Tethea aenea (Wileman,1911)** (Thyatiridae) Synonym(s): *aenea Wileman,1911* TW TH CMa CDo
4001. **Tethea oberthueri (Houlbert,1921)** (Thyatiridae) Synonym(s): *oberthueri Houlbert,1921* IN SI MM Knc Kam TH CMa CDo MY Bor TW CN Yu
4002. **Thyatira rubescens Werny,1966** (Thyatiridae) Synonym(s): *rubescens Werny,1966* TH CMa CDo
4003. **Wernya baenzigeri Yoshimoto,1996** (Thyatiridae) Synonym(s): *baenzigeri Yoshimoto,1996* TH
4004. **Wernya thailandica Yoshimoto,1987** (Thyatiridae) Synonym(s): *thailandica Yoshimoto,1987* TH
4005. **Aglaopus decussata (Moore,1883)** (Thyridae) Synonym(s): *decussata Moore,1883* TH IN TW MY ID Sum Sbh Bor Clb Mlc PG
4006. **Banisia fenestrifera Walker,1863** (Thyridae) Synonym(s): *fenestrifera Walker,1863* TH CMa CDo Pki CN Hn IN MY Bor Swk SG ID Sum Ja Bli PH Clb Crm PG AU Nlr SB
4007. **Banisia myrsusalis (Walker,1859)** (Thyridae) Synonym(s): *myrsusalis Walker,1859; pyraliata Moore,1882; zonula Swinhoe,1885; myrsalis Turner,1911* TH IN LK CN MY ID Sum Ja Bli BN Sbh Bor AU FJ VE
4008. **Calindoea argentalis (Walker,[1866])** (Thyridae) Synonym(s): *argentalis Walker,[1866]* TH IN HK CN LK MM MY SG ID Sum Ja Bli Bor Clb
4009. **Calindoea sp.n.:** (Thyridae) Synonym(s): MM TH
4010. **Calindoea trifascialis (Moore,1877)** (Thyridae) Synonym(s): *trifascialis Moore,1877* TH MM IN Adm
4011. **Canaea sp.:** (Thyridae) Synonym(s): TH
4012. **Collinsa decoratalis (W.Warren,1896)** (Thyridae) Synonym(s): *decoratalis W.Warren,1896* IN Meg Ass Khs MM TH MY

4013. **Dysodia miniata (Walker,1864)** (Thyridae) Synonym(s): *miniata* Walker,1864; *fenestrata* Moore,1881 **TH IN Djl SG ID Sum BN Swk Bor MY**
4014. **Epaena candidatalis (Swinhoe,1905)** (Thyridae) Synonym(s): *candidatalis* Swinhoe,1905 **TH IN MM**
4015. **Glanyeus insolitus Walker,1855** (Thyridae) Synonym(s): *insolitus* Walker,1855 **SG IN Syl MY Bor TH TW**
4016. **Glanyeus tricolor Moore,1879** (Thyridae) Synonym(s): *tricolor* Moore,1879 **IN Djl Ass Meg Khs TH MY BN Bor HK CN**
4017. **Herdonia osacesalis Walker,1859** (Thyridae) Synonym(s): *osacesalis* Walker,1859 **CN IN MM TH** (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.13 [adult]).
4018. **Hypolamprus angulalis (Moore,1888)** (Thyridae) Synonym(s): *angulalis* Moore,1888 **TH NP BT IN LK MM MY**
4019. **Mathoris sp.:** (Thyridae) Synonym(s): **TH MY BN Bor**
4020. **Mellea tetragonata (Walker,1863)** (Thyridae) Synonym(s): *tetragonata* Walker,1863 **TH CMa CDo IN MY Bor Swk SG ID Sum PH PG Adl**
4021. **Pharambara splendida Butler,1887** (Thyridae) Synonym(s): *splendida* Butler,1887 **TH IN LK TW Adm MY ID Bli Sbh Bor Swk PH Clb Mlc PG AU SB WS**
4022. **Picrostomastis inductalis (Walker,[1866])** (Thyridae) Synonym(s): *inductalis* Walker,[1866] **TH MM MY SG ID Sum Ja BN Swk Sbh Mlc Crm Tim PG**
4023. **Picrostomastis subrosealis (Leech,1889)** (Thyridae) Synonym(s): *subrosealis* Leech,1889 **TH IN CN MM MY SG ID Ja Bli BN Bor Sbh Klt PH Clb Sba**
4024. **Rhodoneura citrina Hampson,1897** (Thyridae) Synonym(s): *citrina* Hampson,1897 **ID TH Bor BN MY Swk Klt PH**
4025. **Rhodoneura erubrescens W.Warren,1908** (Thyridae) Synonym(s): *erubrescens* W.Warren,1908 **IN MM Meg Ass Khs Shn TH CMa Dst Ds10**
4026. **Rhodoneura polygraphalis (Walker,1865)** (Thyridae) Synonym(s): *polygraphalis* Walker,1865; *marmorealis* Moore,1877; *denticulosa* Moore,1885; *rhythmica* Meyrick,1887; *bastialis* Hampson,1892 **IN ID MY TH SB AU Au**
4027. **Rhodoneura pudicula Guenée,1857** (Thyridae) Synonym(s): *pudicula* Guenée,1857; *guttulosa* Walker,1864; *obsolescens* W.Warren,1908 **TH MY ID Sum Ja Bli Bor Clb PG**
4028. **Sonagara strigipennis Moore,1882** (Thyridae) Synonym(s): *strigipennis* Moore,1882 **TH CN IN SI MM BN Swk Bor MY**
4029. **Striglina buergersi Gaede,1922** (Thyridae) Synonym(s): *buergersi* Gaede,1922 **TW JP SG ID Sum Bli Sbh Bor MY PH Clb Mlc PG AU SB FJ TH**
4030. **Striglina duplicifimbria W.Warren,1896** (Thyridae) Synonym(s): *duplicifimbria* W.Warren,1896 **IN Ass Meg Khs BT CN MY ID Sum Bor Sbh TH**
4031. **Striglina scitaria (Walker,1862)** (Thyridae) Synonym(s): *scitaria* Walker,1862; *pyriniata* Walker,1862; *navigatorum* R.Felder & Rogenhofer,1875; *lineola* Guenée,1877; *thermesioides* Snellen,1877; *cancellata* Christoph,1880; *vialis* Moore,1883; *superior* Butler,1887; *strigosa* Moore,1888; *strigipennis* Moore,1888; *henrici* Snellen,1890 **RU Am JP TW IN LK MM Adm MY Bor TH CMa Sbu Ptn Chc Cph PG SB AU FJ**
4032. **Telchines vialis (Moore,1883)** (Thyridae) Synonym(s): *vialis* Moore,1883 **IN CN TH CMa CDo MY ID Sum Ja BN Sbh Bor**
4033. **Coryptilum rutillella (Walker,1869)** (Tineidae) Synonym(s): *rutillella* Walker,1869; *formosanum* Matsumura,1931 **IN TH CMa TW**
4034. **Dasyses rugosella (Stainton,1859)** (Tineidae) Synonym(s): *rugosella* Stainton,1859; *hirsutella* Walsingham,1881 **ZA Kzu Nta IN Clc TH LK ID Ja**
4035. **Epactris sp.:** (Tineidae) Synonym(s): **MY TH**
4036. **Erechthias leucopogon (Meyrick,1924)** (Tineidae) Synonym(s): *leucopogon* Meyrick,1924 **TH MY BN Swk Bor ID Clb**
4037. **Gerontha captiosella Walker,1864** (Tineidae) Synonym(s): *captiosella* Walker,1864; *#capna* Diakonoff,[1968] **LK IN ID Sum Ja Adm AU PH Luz Mno TH CMa Nna Kao Knc Nst MY Bor Sbh**
4038. **Gerontha dracuncula Meyrick,1928** (Tineidae) Synonym(s): *dracuncula* Meyrick,1928 **IN SI Adm TH MY BN Bor TW**
4039. **Gerontha navapuriensis Moriuti,1989** (Tineidae) Synonym(s): *navapuriensis* Moriuti,1989 **TH CMa**
4040. **Gerontha siamensis Moriuti,1989** (Tineidae) Synonym(s): *siamensis* Moriuti,1989 **TH Cbi Loe Chy**
4041. **Gerontha siroii Moriuti,1989** (Tineidae) Synonym(s): *siroii* Moriuti,1989 **TH Loe Cbi**
4042. **Gerontha sumihiroi Moriuti,1989** (Tineidae) Synonym(s): *sumihiroi* Moriuti,1989 **TH Nna Kao CMa Cbi MY Pah**
4043. **Gerontha thailandiae Moriuti,1989** (Tineidae) Synonym(s): *thailandiae* Moriuti,1989 **TH Cbi CMa Loe Dst Nna Kao**
4044. **Gerontha tudai Moriuti,1989** (Tineidae) Synonym(s): *tudai* Moriuti,1989 **TH Nna Kao CMa**

4045. **Harmaclona robinsoni Davis,1998** (Tineidae) Synonym(s): *robinsoni* Davis,1998 **BN MY**
Pah Bor Swk ID Clb TH Chy
4046. **Harmaclona tephrantha (Meyrick,1916)** (Tineidae) Synonym(s): *tephrantha* Meyrick,1916
ZA IN LK PG AU TH Chy Cbi Cma Dst Nna Kao Loe Ntt MY Sgo Pah Bor BN Sbh Swk PH Luz Mno Pal
TW ID Ja Klt Clb
4047. **Machaeropteris scythopa (Meyrick,1931)** (Tineidae) Synonym(s): *scythopa* Meyrick,1931
TH MY VN Ton
4048. **Micrerethista denticulata Davis,1998** (Tineidae) Synonym(s): *denticulata* Davis,1998 **JP**
TH Cma Dst MY Kdh Sgo BN Bor Sbh ID Clb
4049. **Micrerethista resima Davis,1998** (Tineidae) Synonym(s): *resima* Davis,1998 **TH Nna**
4050. **Monopis congestella (Walker,1864)** (Tineidae) Synonym(s): *congestella* Walker,1864 **MY**
BN Sbh Bor Swk ID Clb PH TH
4051. **Monopis impressella (Walker,1863)** (Tineidae) Synonym(s): *impressella* Walker,1863 **IN**
LK MY BN Bor Sbh ID Clb TH
4052. **Monopis longella (Walker,1863)** (Tineidae) Synonym(s): *longella* Walker,1863 **IN Kma Hp**
NP SI MY TH
4053. **Morphaga (sistrata-gr.) sistrata (Meyrick,1916)** (Tineidae) Synonym(s): *sistrata*
Meyrick,1916 **LK IN TH MY ID Clb PH Mno Pal**
4054. **Phaeoses leucodeta (Meyrick,1914)** (Tineidae) Synonym(s): *leucodeta* Meyrick,1914 **JP TH**
4055. **Rhodobates sp.:** (Tineidae) Synonym(s): **TH Cma Dst**
4056. **Spatularia mimosae (Stainton,1859)** (Tineidae) Synonym(s): *mimosae* Stainton,1859;
seminivora Walsingham,1899; *fuligineella* Deventer,1904; *ophionota* Meyrick,1907 **IN LK TH MY ID Clb Mlc Ja SB**
4057. **Thisizima antiphanes Meyrick,1894** (Tineidae) Synonym(s): *antiphanes* Meyrick,1894 **MM**
TH
4058. **Thisizima ceratella Walker,1864** (Tineidae) Synonym(s): *ceratella* Walker,1864 **MM TH**
4059. **Thisizima sedilis Meyrick,1907** (Tineidae) Synonym(s): *sedilis* Meyrick,1907 **IN BT MM TH**
4060. **Tinea subalbidella Stainton,1867** (Tineidae) Synonym(s): *subalbidella* Stainton,1867; *liberiella*
Zeller,1879; *excavata* Meyrick,1914; *frugivora* Meyrick,1917; *insectivora* Meyrick,1932; *arcanella* Zaguljaev,1960 **IL Pa Js**
PK Krc IN MM TH ZA
4061. **"Enarmonia" mixanthes (Meyrick,1932)** (Tortricidae) Synonym(s): *mixanthes* Meyrick,1932
Ch IN TH Nna Kao
4062. **"Grapholita" conciliata (Meyrick,1920)** (Tortricidae) Synonym(s): *conciliata* Meyrick,1920;
heteropa Meyrick,1920 **IN Ben Up Ddu TH**
4063. **"Olethreutes" pachypleura (Meyrick,1921)** (Tortricidae) Synonym(s): *pachypleura*
Meyrick,1921 **FJ TH Cma Int**
4064. **Acanthoclita balanoptycha (Meyrick,1910)** (Tortricidae) Synonym(s): *balanoptycha*
Meyrick,1910 **IN TH Knc Tpp**
4065. **Acanthoclita balia Diakonoff,1982** (Tortricidae) Synonym(s): *balia* Diakonoff,1982 **LK TH**
Knc Tpp
4066. **Acroclita cheradonta Meyrick,1912** (Tortricidae) Synonym(s): *cheradonta* Meyrick,1912 **IN**
Ben LK VN Ton TH Knc Tpp
4067. **Acroclita corinthia Meyrick,1912** (Tortricidae) Synonym(s): *corinthia* Meyrick,1912 **LK TH**
Cma Loe Nna Kao Chy TW
4068. **Acroclita lithoxoa Diakonoff,1950** (Tortricidae) Synonym(s): *lithoxoa* Diakonoff,1950 **IN**
Ben TH Knc Tpp
4069. **Acroclita macrosaris (Meyrick,1938)** (Tortricidae) Synonym(s): *macrosaris* Meyrick,1938
ID Ja TH Loe Knc Tpp
4070. **Acroclita nigrovenana Kuznetsov,1988** (Tortricidae) Synonym(s): *nigrovenana*
Kuznetsov,1988 **VN Ton TH Knc Tpp JP CN Yu**
4071. **Adoxophyes flagrans Meyrick,1912** (Tortricidae) Synonym(s): *flagrans* Meyrick,1912 **MM**
May TH Cma Dst
4072. **Adoxophyes moderatana (Walker,1863)** (Tortricidae) Synonym(s): *moderatana* Walker,1863;
epizeucta Meyrick,1910; *insignifica* Rothschild,1915; *prosiliens* Meyrick,1928 **TH IN Adm MY Bor ID Clb PG SB**
4073. **Adoxophyes privatana (Walker,1863)** (Tortricidae) Synonym(s): *privatana* Walker,1863;
euryomis Meyrick,1902 **HK Hn SG PH Luz IN MM Ass TH Nna Kao Yal Cbi Cma LK ID Sum Bor MY VN**
Ton Ja Tnm Trn Tal Clb Amb Bru PG FJ TO TW CN JP KP KR
4074. **Aemulatrix aequilibra Diakonoff,1982** (Tortricidae) Synonym(s): *aequilibra* Diakonoff,1982
LK TH Knc Tpp
4075. **Allobrachygonia sp.1** (Tortricidae) Synonym(s): **TH**
4076. **Allobrachygonia sp.2** (Tortricidae) Synonym(s): **TH**
4077. **Anathamna spermatophaga Diakonoff & Bradley,1976** (Tortricidae) Synonym(s):
spermatophaga Diakonoff & Bradley,1976 **TH Knc Tpp**

4078. **Ancylis anthophanes Meyrick,1928** (Tortricidae) Synonym(s): *anthophanes* Meyrick,1928
TH Knc Tpp PG Nlr NBr
4079. **Ancylis aromatiass Meyrick,1912** (Tortricidae) Synonym(s): *aromatiass* Meyrick,1912; *cyanostoma* Meyrick,1916 IN Ben TH Nna Kao Knc Tpp CN Yu Fkn
4080. **Ancylis celerata (Meyrick,1912)** (Tortricidae) Synonym(s): *celerata* Meyrick,1912 IN TH Knc Tpp
4081. **Ancylis hylaea Meyrick,1912** (Tortricidae) Synonym(s): *hylaea* Meyrick,1912; *sasaki* Matsumura,1917 TH Nna Kao Cbi IN Ass Meg Khs JP
4082. **Ancylis lomholdti Kawabe,1989** (Tortricidae) Synonym(s): *lomholdti* Kawabe,1989 TH Loe
4083. **Ancylis lutescens Meyrick,1912** (Tortricidae) Synonym(s): *lutescens* Meyrick,1912 IN Ben TH Knc Tpp
4084. **Ancyroclepsis nakhasathieni Tuck,1995** (Tortricidae) Synonym(s): *nakhasathieni* Tuck,1995
TH Cma Int
4085. **Andrioplecta dierli Komai,1992** (Tortricidae) Synonym(s): *dierli* Komai,1992 TH Knc Tpp
4086. **Andrioplecta moriutii Komai,1992** (Tortricidae) Synonym(s): *moriutii* Komai,1992 TH Knc
4087. **Andrioplecta phuluangensis Komai,1992** (Tortricidae) Synonym(s): *phuluangensis* Komai,1992 TH Loe
4088. **Andrioplecta shoreae Komai,1992** (Tortricidae) Synonym(s): *shoreae* Komai,1992 TH Knc Tpp MY Bor Snk
4089. **Andrioplecta suboxystaura Komai,1992** (Tortricidae) Synonym(s): *suboxystaura* Komai,1992
TH Nna Kao
4090. **Andrioplecta subpulverula (Obraztsov,1968)** (Tortricidae) Synonym(s): *subpulverula* Obraztsov,1968 TH Knc Tpp ID Ja
4091. **Antaeola antaea (Meyrick,1912)** (Tortricidae) Synonym(s): *antaea* Meyrick,1912 TH Cma Int
Nna Kao LK
4092. **Apsidophora purpurorbis Diakonoff,1973** (Tortricidae) Synonym(s): *purpurorbis* Diakonoff,1973 TH Loe Cma CDo Dst Knc Tpp MY PG ID Clb SG
4093. **Arcesis anax Diakonoff,1983** (Tortricidae) Synonym(s): *anax* Diakonoff,1983 ID Sum TH
Knc Tpp
4094. **Arcesis threnodes (Meyrick,1905)** (Tortricidae) Synonym(s): *threnodes* Meyrick,1905; *hemiopta* Meyrick,1905; *tetracona* Meyrick,1907 TH Loe Cma Int Chy Nna Kao NP IN LK HK JP MY ID Sum BN Sbh
Bor PH Clb Crm PG
4095. **Archigrapta limacina Razowski,1964** (Tortricidae) Synonym(s): *limacina* Razowski,1964
MM Krh TH Rng
4096. **Archips alleni Tuck,1990** (Tortricidae) Synonym(s): *alleni* Tuck,1990 TH Nna Kao
4097. **Archips machlopi (Meyrick,1912)** (Tortricidae) Synonym(s): *machlopi* Meyrick,1912; *compacta* Meyrick,1918; *isocyrta* Meyrick,1920; *seminubila* Meyrick,1930; *transcutata* Meyrick,1935 IN Ben Meg Ass Khs TH
Knc Cma CDo ID Ja Sum Bli PK NP CN VN Ton MM
4098. **Archips micaceanus (Walker,1863)** (Tortricidae) Synonym(s): *micaceana* Walker,1863; *epicyrta* Meyrick,1905; *isocyrta* Meyrick,1920; *obscura* Diakonoff,1939; *euroca* Diakonoff,1958 CN HK VN Ann MM TH Cma
Knc Bnk Phb Cbu Ray Cbi IN Up Ddu LK
4099. **Argyroptocha phalaenopa Diakonoff,[1968]** (Tortricidae) Synonym(s): *phalaenopa* Diakonoff,[1968] PH Luz TH Knc Tpp
4100. **Argyrotaenia tricensa (Meyrick,1912)** (Tortricidae) Synonym(s): *tricensa* Meyrick,1912 IN
Ass TH Int CDo Dst NP MY JP TW CN VN
4101. **Asaphistis praeceps (Meyrick,1909)** (Tortricidae) Synonym(s): *praeceps* Meyrick,1909 TH
Loe NP IN Meg Khs Ass JP VN Ton
4102. **Assulella archaea Diakonoff,1983** (Tortricidae) Synonym(s): *archaea* Diakonoff,1983 ID
Sum TH Cma Int Knc Tpp VN
4103. **Assulella litigiosa (Meyrick,1912)** (Tortricidae) Synonym(s): *litigiosa* Meyrick,1912; *#litigiosa* Diakonoff,1959 IN Ass Meg Khs NP TH Cma Hnd Int MY
4104. **Asymmetrarcha iograptia (Meyrick,1907)** (Tortricidae) Synonym(s): *iograptia* Meyrick,1907
TH Loe IN Ass Meg Khs
4105. **Asymmetrarcha thaiensis Kawabe,1989** (Tortricidae) Synonym(s): *thaiensis* Kawabe,1989
TH Cma Int Loe
4106. **Baburia abdita (Diakonoff,1973)** (Tortricidae) Synonym(s): *abdita* Diakonoff,1973 TH Nna
Kao MY Bor
4107. **Bactra (Chiloides) angulata Diakonoff,1956** (Tortricidae) Synonym(s): *angulata* Diakonoff,1956 TH Nna Kao Loe LK MY Bor ID Ja PG
4108. **Bactra (Chiloides) cerata Meyrick,1909** (Tortricidae) Synonym(s): *cerata* Meyrick,1909 FJ
PG PW ID Sda LK IN TH Cma Fn Loe Knc Tpp
4109. **Bactra (Chiloides) copidotis Meyrick,1909** (Tortricidae) Synonym(s): *copidotis* Meyrick,1909; *phenacistis* Meyrick,1909; *commensalis* Meyrick,1922; *borealis* Diakonoff,1964 IN NI LK TH Nna Kao

4110. **Bactra (Chiloides) coronata** Diakonoff,1950 (Tortricidae) Synonym(s): *coronata* Diakonoff,1950 TH Cma Fn Nna Kao Knc Tpp PH Luz ID Bor Ja
4111. **Bactra (Chiloides) leucogama** Meyrick,1909 (Tortricidae) Synonym(s): *leucogama* Meyrick,1909 TH Cbi TW LK ID Clb
4112. **Bactra (Chiloides) orbiculi** Diakonoff,1956 (Tortricidae) Synonym(s): *orbiculi* Diakonoff,1956 PH Luz ID Bor Klt TH Knc Tpp
4113. **Bactra (Chiloides) venosana** (Zeller,1847) (Tortricidae) Synonym(s): *venosana* Zeller,1847; *truculenta* Meyrick,1909; *scythropa* Meyrick,1911; *geraropa* Meyrick,1932; *banosii* Gozmany,1960 MD Cn MA DZ TN PT ES FR Co Sa Si IT MT CH SK GR EG SD IQ SA TR IN NP LK CN TH Cma Int Fn Nna Kao Cbi Knc Tpp Loe ID Ja Tim TW VN Ton JP PH AU Hw FJ Bor Sbh Klt
4114. **Bactra (Nannobactra) hostilis** Diakonoff,1956 (Tortricidae) Synonym(s): *hostilis* Diakonoff,1956; *leonina* Diakonoff,1959 KP KR JP CN Hn TH Cma Fn IN
4115. **Bactra (Nannobactra) minima** Meyrick,1909 (Tortricidae) Synonym(s): *minima* Meyrick,1909; *phaeopsis* Meyrick,1911; *anpingiana* Strand,1920; *microtripa* Meyrick,1927 Az Cn IN LK PG NP TH Cma Int TW PH ID Tim SB AU
4116. **Bactra (s.str.) honesta** Meyrick,1909 (Tortricidae) Synonym(s): *honesta* Meyrick,1909 TH Knc Tpp
4117. **Balbidomaga dorophora** Diakonoff,1983 (Tortricidae) Synonym(s): *dorophora* Diakonoff,1983 TH MY ID Sum BN Bor Sbh AU PG Ls
4118. **Bipartivalva aquilana** Kuznetsov,1988 (Tortricidae) Synonym(s): *aquilana* Kuznetsov,1988 TH Knc Tpp
4119. **Bubonoxena ephippias** (Meyrick,1907) (Tortricidae) Synonym(s): *ephippias* Meyrick,1907 IN LK VN Ton TH Cma Int Dst Knc Tpp ID Ja PH
4120. **Bubonoxena spirographa** Diakonoff,[1968] (Tortricidae) Synonym(s): *spirographa* Diakonoff,[1968] PH Luz TH Knc Tpp
4121. **Capua chloraspis** Meyrick,1924 (Tortricidae) Synonym(s): *chloraspis* Meyrick,1924 IN Ben TH Cma Int
4122. **Cerace cyanopyga** Diakonoff,1950 (Tortricidae) Synonym(s): *cyanopyga* Diakonoff,1950 MM May TH
4123. **Cerace euchrysa** Diakonoff,1974 (Tortricidae) Synonym(s): *euchrysa* Diakonoff,1974 TH Cma
4124. **Cerace sardias** Meyrick,1907 (Tortricidae) Synonym(s): *sardias* Meyrick,1907 IN Ass Meg Khs Nag TH
4125. **Cerace stipana** Walker,1863 (Tortricidae) Synonym(s): *stipana* Walker,1863; *clara* Diakonoff,1950 BD Syl MM TH CN SI IN Ass Meg Khs NP TW
4126. **Chiraps alloica** (Diakonoff,1948) (Tortricidae) Synonym(s): *alloica* Diakonoff,1948 BT MY TH ID Ja
4127. **Cimeliomorpha cymbalora** (Meyrick,1907) (Tortricidae) Synonym(s): *cymbalora* Meyrick,1907 IN Ass Meg Khs MM TH Knc Tpp MY Bor Swk ID Ja
4128. **Cnesteboda celligera** (Meyrick,1918) (Tortricidae) Synonym(s): *celligera* Meyrick,1918; *plaucoprosopis* Meyrick,1931 IN Ben Pus TW MY SG ID Ja BN Bor Swk TH
4129. **Cochylimorpha moriutii** (Kawabe,1987) (Tortricidae) Synonym(s): *moriutii* Kawabe,1987 TH Cma Dst
4130. **Coniostola stereoma** (Meyrick,1912) (Tortricidae) Synonym(s): *stereoma* Meyrick,1912; *eriomis* Meyrick,1933 TH IN Ben ID Ja
4131. **Costosa rhodantha** (Meyrick,1907) (Tortricidae) Synonym(s): *rhodantha* Meyrick,1907 IN Meg Ass Khs LK TH NP
4132. **Crociosema lantana** Busck,1910 (Tortricidae) Synonym(s): *lantana* Busck,1910; *polyphaea* Turner,1926; *phaedropa* Turner,1946; *tornocosma* Turner,1946; *corynetes* Diakonoff,1982 HW MX AU QAU LK TH Cma Dst
4133. **Crociosema plebejana** Zeller,1847 (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946. DZ MA TN PT ES FR Co Sa Si IT MT IE GB BE DE CH AT PL CZ SK HU RO YU B-H HV MK SS AL BG GR Cr TR DK RU MD UA BY Cc GG AZ AM SA IR IL Pa Hf LB Bsa SA YE TM IN TH Cma TW AU CA US MX BR PE CO VE EC GS ZA PH Luz Hw SH CL
4134. **Cryptasasma (Allobrachygonia) helota** (Meyrick,1905) (Tortricidae) Synonym(s): *helota* Meyrick,1905 CN HK LK IN NI MY Prk Bor BN Sbh Swk ID Ja TH Cma Dst CDo
4135. **Cryptophlebia amblyopa** Clarke,1976 (Tortricidae) Synonym(s): *amblyopa* Clarke,1976 TH Cma Pki Int Nna Kao Cbi Rng Pgg Knc Tpp PW
4136. **Cryptophlebia hemitoma** Diakonoff,1976 (Tortricidae) Synonym(s): *hemitoma* Diakonoff,1976 NP TH Loe Chy Nna Kao Cbi JP
4137. **Cryptophlebia moriutii** Kawabe,1989 (Tortricidae) Synonym(s): *moriutii* Kawabe,1989 TH Cma Agk

- 4138. Cryptophlebia ombrodelta (Lower,1898)** (Tortricidae) *Synonym(s): ombrodelta Lower,1898; carpophaga Walsingham,1899; lasiandra Meyrick,1909; #lasiandra Hutacharern & Tubtim,1995; #ombrodelta Hutacharern & Tubtim,1995* **IN LK TW ID Ja MY Bor TH CMA Fn Chy Cbi Pty Knc Tpp PH Luz AU QAU NSw NAU Vau GU CN JP VN Sum BN Sbh Swk Klt PG Hw Cro**
- 4139. Cryptophlebia repletana (Walker,1863)** (Tortricidae) *Synonym(s): repletana Walker,1863; tricosema Meyrick,1914; tetraploca Meyrick,1928* **IN TW JP TH CMA Fn Nna Kao Knc Cbi Pgg Knc Tpp ID Sum Ja Bli Swk PH Clb PG Nlr FJ**
- 4140. Cryptophlebia rhynchias (Meyrick,1905)** (Tortricidae) *Synonym(s): rhynchias Meyrick,1905* **TH Loe Nna Kao Knc Tpp IN LK WS NH AU**
- 4141. Cryptophlebia sigerui Kawabe,1995** (Tortricidae) *Synonym(s): sigerui Kawabe,1995* **TH Nna Kao**
- 4142. Cydia celiae (Clarke,1976)** (Tortricidae) *Synonym(s): celiae Clarke,1976* **TH Knc Tpp**
- 4143. Cydia comanticosta (Kuznetsov,1988)** (Tortricidae) *Synonym(s): comanticosta Kuznetsov,1988* **VN Ton TH Knc Tpp**
- 4144. Cydia dysaethria (Diakonoff,1982)** (Tortricidae) *Synonym(s): dysaethria Diakonoff,1982* **LK TH Knc Tpp**
- 4145. Cydia malesana (Meyrick,1920)** (Tortricidae) *Synonym(s): malesana Meyrick,1920; platydryas Meyrick,1932* **IN TH Knc Tpp NA Dmr Bnd**
- 4146. Cydia obumbrana Kuznetsov,1992** (Tortricidae) *Synonym(s): obumbrana Kuznetsov,1992* **VN TH Knc Tpp**
- 4147. Cydia seclusana (Walker,1866)** (Tortricidae) *Synonym(s): seclusana Walker,1866; magnana Kuznetsov,1988* **PG VN Ton TH Knc Tpp IN Adm MY ID Sum BN Sbh Bor Klt PG**
- 4148. Cymolomia phaeopelta (Meyrick,1921)** (Tortricidae) *Synonym(s): phaeopelta Meyrick,1921* **TH CMA CDo Int Nna Kao Knc Tpp BT NP IN MY ID Ja Bor Klt Crm**
- 4149. Dactyloglypha pallens Diakonoff,1973** (Tortricidae) *Synonym(s): pallens Diakonoff,1973* **ID Ja Ged VN TH Knc Tpp**
- 4150. Dactyloglypha tonica (Meyrick,1909)** (Tortricidae) *Synonym(s): tonica Meyrick,1909* **TH CMA Msv Dst Knc Tpp IN Ass Meg Khs LK TW JP MY ID Ja BN Bor Swk**
- 4151. Demeijerella catharota (Meyrick,1928)** (Tortricidae) *Synonym(s): catharota Meyrick,1928* **TH Nna Kao IN Adm**
- 4152. Dicephalarcha herbosa (Meyrick,1909)** (Tortricidae) *Synonym(s): herbosa Meyrick,1909; mniopyrrha Meyrick,1931* **IN Meg Ass Khs TH CMA Nna Kao Knc Tpp ID Clb Ja MY Bor Bli Mlc**
- 4153. Dierlia sp.1** (Tortricidae) *Synonym(s):* **TH Knc Tpp**
- 4154. Dierlia sp.2** (Tortricidae) *Synonym(s):* **TH Knc Tpp**
- 4155. Dierlia sp.3** (Tortricidae) *Synonym(s):* **TH Knc Tpp**
- 4156. Dudua aprobola (Meyrick,1886)** (Tortricidae) *Synonym(s): aprobola Meyrick,1886; metallota Lower,1901* **Ami QAU IN LK SC ID Ja VN Ton TW TH CMA CDo Nrt Chc Nkh Cbi Bnk Knc Tpp PG Eca Amb Bru Nlr TO AU WS FJ Cro Glb PH Mno Sum Bli Clb Mlc CN NP MV MM**
- 4157. Dudua brachytoma Diakonoff,1973** (Tortricidae) *Synonym(s): brachytoma Diakonoff,1973* **ID Ja TH CMA Pki Nna Kao Knc Tpp**
- 4158. Dudua charadraea (Meyrick,1909)** (Tortricidae) *Synonym(s): charadraea Meyrick,1909; ptarmicopa Meyrick,1936* **LK ID Ja Sum TW CN Sz TH CMA Loe Nna Kao Rng Knc Tpp JP PW VN**
- 4159. Dudua hemigrapta (Meyrick,1931)** (Tortricidae) *Synonym(s): hemigrapta Meyrick,1931* **TW TH CMA Fn JP**
- 4160. Dudua tetanota (Meyrick,1909)** (Tortricidae) *Synonym(s): tetanota Meyrick,1909* **IN Meg Ass Khs TH CMA Dst Knc Tpp CN Hn ID Clb NP TW BN Bor Bru PG VN Ton**
- 4161. Dynatocephala omophaea (Meyrick,1926)** (Tortricidae) *Synonym(s): omophaea Meyrick,1926; cirrhocrossa Meyrick,1926; cruenta Diakonoff,1976; erebenna Diakonoff,1983* **TH NP IN MY ID Sum Bor Swk BN Sbh**
- 4162. Emrahia hoplista (Meyrick,1927)** (Tortricidae) *Synonym(s): hoplista Meyrick,1927* **ID Sum TH Knc Tpp**
- 4163. Endothenia bacillata Diakonoff,1973** (Tortricidae) *Synonym(s): bacillata Diakonoff,1973* **ID Bli MY TH Nna Kao**
- 4164. Epiblema foenellum (Linnaeus,1758)** (Tortricidae) *Synonym(s): foenella Linnaeus,1758; hohenwartiana Scopoli,1772; scopoliana [Denis & Schiffermüller],1775; pflugiana Fabricius,1787; tibialana Hübner,[1793]; interrogationana Donovan,1793; clavigerana Walker,1863; sinicana Walker,1863* **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY Cc GG KG CN Mc Sz Ui Yu Fkn Jn Hpe MN KP KR JP Hkk Sh Krl IN TW TH CMA Agk VN**
- 4165. Epinotia bicolor (Walsingham,1900)** (Tortricidae) *Synonym(s): bicolor Walsingham,1900* **IN Ass TH CMA Dst Loe Nna Kao IN TW JP CN Fkn Hpe Hun Sz Gn KP KR VN**
- 4166. Epinotia canthonias (Meyrick,1920)** (Tortricidae) *Synonym(s): canthonias Meyrick,1920* **TH Knc Tpp**
- 4167. Epinotia nielsenii (Kawabe,1989)** (Tortricidae) *Synonym(s): nielsenii Kawabe,1989* **TH CMA Hnd**

4168. **Epinotia thaiensis Kawabe,1995** (Tortricidae) Synonym(s): *thaiensis* Kawabe,1995 **TH Loe CN Ahw**
4169. **Epinotia yoshiyasui Kawabe,1989** (Tortricidae) Synonym(s): *yoshiyasui* Kawabe,1989 **TH CMa Int Dst**
4170. **Episimus mollita Meyrick,1931** (Tortricidae) Synonym(s): *mollita* Meyrick,1931 **ID Ja TH Knc Tpp**
4171. **Eubrochoneura altissima Kawabe,1978** (Tortricidae) Synonym(s): *altissima* Kawabe,1978 **TH Loe JP**
4172. **Eucoenogenes ancyrota (Meyrick,1907)** (Tortricidae) Synonym(s): *ancyrota* Meyrick,1907 **TH CMa Loe Nna Kao Pty IN LK JP MM MY BN Bor**
4173. **Eucoenogenes cyanopis (Meyrick,1912)** (Tortricidae) Synonym(s): *cyanopis* Meyrick,1912; *melanochlaena* Meyrick,1936; *#cyanopsis* Kawabe,1989. **IN Ass Meg Khs MM LK TH CMa Agk Fn Loe Knc Tpp ID Ja Ged**
4174. **Eucoenogenes euphlebia Kawabe,1989** (Tortricidae) Synonym(s): *euphlebia* Kawabe,1989 **TH Nna Kao**
4175. **Eucoenogenes japonica Kawabe,1978** (Tortricidae) Synonym(s): *japonica* Kawabe,1978 **JP TH CMa Pki Nna Kao**
4176. **Eucoenogenes munda (Diakonoff,1983)** (Tortricidae) Synonym(s): *munda* Diakonoff,1983 **ID Sum TH Knc Tpp**
4177. **Eucosma calligrapha (Meyrick,1912)** (Tortricidae) Synonym(s): *calligrapha* Meyrick,1912 **TH Knc Tpp IN Ass Meg Khs**
4178. **Eucosma doiinthanonensis Kawabe,1989** (Tortricidae) Synonym(s): *doiinthanonensis* Kawabe,1989 **TH CMa Int CDo VN**
4179. **Eudemopsis brevis Liu & Bai,1982** (Tortricidae) Synonym(s): *brevis* Liu & Bai,1982 **TH Nna Kao CN Sz**
4180. **Eupoecilia ambiguella (Hübner,1796)** (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignot de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928 **ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG TrA Aa DsA CN JP NP IN Ass Meg Khs MY Sbh Bor TH CMa CDo**
4181. **Eupoecilia diana Razowski,1968** (Tortricidae) Synonym(s): *diana* Razowski,1968 **TH Nna Kao SB Hon**
4182. **Eupoecilia eucalypta (Meyrick,1928)** (Tortricidae) Synonym(s): *eucalypta* Meyrick,1928 **TH Cbi LK**
4183. **Eupoecilia reliquatrix (Meyrick,1928)** (Tortricidae) Synonym(s): *ambiguella* Meyrick,1921; *reliquatrix* Meyrick,1928; *opisthodonta* Diakonoff,1941 **ID Ja Sum TH CMa**
4184. **Eupoecilia wegneri (Diakonoff,1941)** (Tortricidae) Synonym(s): *wegneri* Diakonoff,1941 **TH CMa Dst MY ID Ja BN Sbh Bor**
4185. **Fibuloides bicucullus (Pinkaw,2005)** (Tortricidae) Synonym(s): *bicucullus* Pinkaw,2005 **TH Knc Tpp**
4186. **Fibuloides khaonanensis Pinkaw,2008** (Tortricidae) Synonym(s): *khaonanensis* Pinkaw,2008 **TH Nst**
4187. **Fibuloides vaneae (Pinkaw,2005)** (Tortricidae) Synonym(s): *vaneae* Pinkaw,2005 **TH Knc Tpp**



4188. **Fulcrifera tricentra (Meyrick,1907)** (Tortricidae) Synonym(s): *tricentra* Meyrick,1907; *crocopa* Meyrick,1907; *pseudonectis* Meyrick,1907 **IN Bba LK TH Knc Tpp**
4189. **Gatesclarkeana erotias (Meyrick,1905)** (Tortricidae) Synonym(s): *erotias* Meyrick,1905 **ID Ja Kai Tim IN LK SI TH**
4190. **Gatesclarkeana idia Diakonoff,1973** (Tortricidae) Synonym(s): *idia* Diakonoff,1973 **ID Ja Bli Sum Clb Bor Klt Mlc Bru Tal Ob TH CMa Fn Loe Chy Nna Kao Cbi Phu Knc Tpp MM MY Sbh JP CN**
4191. **Gatesclarkeana senior Diakonoff,1966** (Tortricidae) Synonym(s): *senior* Diakonoff,1966; *asynthetes* Diakonoff,[1968] **ID Ja Bli Tim Mlc PH Mno Luz Neg Pal TH Cbu Pty**
4192. **Gibberifera angkhangensis Kawabe & Nasu,1994** (Tortricidae) Synonym(s): *angkhangensis* Kawabe & Nasu,1994 **TH CMa Agk**
4193. **Gibberifera glaciata (Meyrick,1907)** (Tortricidae) Synonym(s): *glaciata* Meyrick,1907 **PK NP IN Ass Meg Khs CN Hun Sz Yu Ti TW TH**
4194. **Gibberifera simplana (Fischer v. Röslerstamm,1836)** (Tortricidae) Synonym(s): *simplana* Fischer v. Röslerstamm,1836 **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY TH CMa Hnd Pki Int CN JP**
4195. **Gnathmocerodes tonsoria (Meyrick,1909)** (Tortricidae) Synonym(s): *tonsoria* Meyrick,1909 **LK TH IN Adm ID Ja**
4196. **Gypsonoma anthrasitis Meyrick,1912** (Tortricidae) Synonym(s): *anthrasitis* Meyrick,1912 **TH Knc Tpp**
4197. **Gypsonoma infusana Kuznetsov,1988** (Tortricidae) Synonym(s): *infusana* Kuznetsov,1988 **VN TH Knc Tpp**
4198. **Hedya ebenina (Meyrick,1916)** (Tortricidae) Synonym(s): *ebenina* Meyrick,1916 **IN TH Rng**
4199. **Hedya iophaea (Meyrick,1912)** (Tortricidae) Synonym(s): *iophaea* Meyrick,1912 **LK IN TH CMa Pki Int Nna Kao Cbi TW JP**
4200. **Hedya kurokoi Kawabe,1995** (Tortricidae) Synonym(s): *kurokoi* Kawabe,1995 **TH Nna Kao**
4201. **Hedya manoi Kawabe,1987** (Tortricidae) Synonym(s): *manoi* Kawabe,1987 **JP TH CMa Pki Nna Kao**
4202. **Heleanna physalodes (Meyrick,1910)** (Tortricidae) Synonym(s): *physalodes* Meyrick,1910 **TH Knc Tpp**
4203. **Hermenias pachnitis Meyrick,1912** (Tortricidae) Synonym(s): *pachnitis* Meyrick,1912 **TH Knc Tpp**
4204. **Herpystis mica Kuznetsov,1988** (Tortricidae) Synonym(s): *mica* Kuznetsov,1988 **TH Knc Tpp**
4205. **Homona coffearia (Nieter,1861)** (Tortricidae) Synonym(s): *coffearia* Nieter,1861 **TH CMa CDo Nan LK IN Ass SI Djl Snm Ch CN MY ID Ja BN Bor Swk Sbh**
4206. **Homona eductana (Walker,1863)** (Tortricidae) Synonym(s): *eductana* Walker,1863; *difficilis* Meyrick,1928; *permutata* Meyrick,1928 **TH CMa CDo CN HK NP IN Adm MM MY ID Ja BN Sbh Swk PH**
4207. **Homona encausta (Meyrick,1907)** (Tortricidae) Synonym(s): *encausta* Meyrick,1907 **LK NP TH CMa Dst Dso9 IN MY ID Clb Mlc VN**
4208. **Hoplitendemis erebodes Diakonoff,1973** (Tortricidae) Synonym(s): *erebodes* Diakonoff,1973 **ID Ja TH Nna Kao Cbi**
4209. **Isodemis illiberalis (Meyrick,1918)** (Tortricidae) Synonym(s): *illiberalis* Meyrick,1918; *interjecta* Meyrick,1922; *montivola* Diakonoff,1941 **IN SI Djl TH CMa Dst**
4210. **Isodemis serpentinana (Walker,1863)** (Tortricidae) Synonym(s): *serpentinana* Walker,1863; *sulana* Walker,1866 **MY Bor ID Sum Ja Sba PG IN LK MM TH Knc CMa Dst PH Luz**
4211. **Isotenes inae Diakonoff,1948** (Tortricidae) Synonym(s): *inae* Meyrick,1938; *miserana* T.B.Fletcher,1920 nec Walk.,1863 **IN Ass ID Sum Ja Ged TH CMa Dst NP MY PH Luz Mno**
4212. **Karacaoglania sp.1** (Tortricidae) Synonym(s): **TH Knc Tpp**
4213. **Karacaoglania sp.2** (Tortricidae) Synonym(s): **TH Knc Tpp**
4214. **Lambertiodes harmonia (Meyrick,1908)** (Tortricidae) Synonym(s): *harmonia* Meyrick,1908 **IN SI Djl Meg Ass Khs TH CMa Int**
4215. **Lepteucosma blanda (Kawabe,1989)** (Tortricidae) Synonym(s): *blanda* Kawabe,1989 **TH CMa Dst Fn Int Chy**
4216. **Lepteucosma siamensis (Kawabe,1989)** (Tortricidae) Synonym(s): *siamensis* Kawabe,1989 **TH CMa Dst Int**
4217. **Lobesia (Lomaschiza) kurokoi Bae,1995** (Tortricidae) Synonym(s): *kurokoi* Bae,1995 **TH CMa Dst Knc Tpp**
4218. **Lobesia (Lomaschiza) ultima Diakonoff,1954** (Tortricidae) Synonym(s): *ultima* Diakonoff,1954; ? *moriutii* Bae,1995 **ID Ja TH**
4219. **Lobesia (s.str.) moriutii Bae,1995** (Tortricidae) Synonym(s): *moriutii* Bae,1995 **TH CMa Fn**
4220. **Lobesia (s.str.) pattayae Bae,1995** (Tortricidae) Synonym(s): *pattayae* Bae,1995 **TH Pty Cbi**

- 4221. Lobesia (s.str.) siamensis Bae,1995** (Tortricidae) Synonym(s): *siamensis* Bae,1995 **TH Kao Nna**
- 4222. Lobesia aeolopa Meyrick,1907** (Tortricidae) Synonym(s): *aeolopa* Meyrick,1907; *proterandra* Meyrick,1921; *dryopelta* Meyrick,1932; *eustales* Bradley,1956 **LK IN Bba TH Knc Tpp TW MY ID Ja Sba AU Lhw**
- 4223. Lobesia genialis Meyrick,1912** (Tortricidae) Synonym(s): *genialis* Meyrick,1912 **TH Knc Tpp LK**
- 4224. Lobesia lithogonia Diakonoff,1954** (Tortricidae) Synonym(s): *lithogonia* Diakonoff,1954 **TH Knc Tpp**
- 4225. Loboschiza koenigiana (Fabricius,1775)** (Tortricidae) Synonym(s): *koenigiana* Fabricius,1775; *#koenigiana* Fabricius,1787; *aurantiana* Pryer,1877; *vulnerata* Walsingham,1900; *delectana* Snellen,1902 **TH Knc Tpp NP IN LK MM Tns ID Ja CN PK MY VN Ton JP PG AU**
- 4226. Lopharcha moriutii Nasu,2006** (Tortricidae) Synonym(s): *moriutii* Nasu,2006 **TH CN HK**
- 4227. Lopharcha rapax (Meyrick,1908)** (Tortricidae) Synonym(s): *rapax* Meyrick,1908 **IN LK MM ID Sbw TH**
- 4228. Lumaria probolias (Meyrick,1907)** (Tortricidae) Synonym(s): *probolias* Meyrick,1907; *exalbescens* Meyrick,1922 **TH NP IN LK TW MY ID Ja Sbh Bor UG MW**
- 4229. Matsumuraeses acrocosma Diakonoff,1971** (Tortricidae) Synonym(s): *acrocosma* Diakonoff,1971 **TH Kbi**
- 4230. Megaherpystis melaneura (Meyrick,1912)** (Tortricidae) Synonym(s): *melaneura* Meyrick,1912 **TH CMa Nna Kao Int Knc Tpp IN LK MM JP**
- 4231. Megalota fallax (Meyrick,1909)** (Tortricidae) Synonym(s): *fallax* Meyrick,1909 **IN Meg Ass Khs Clc TH Knc Tpp**
- 4232. Megalota vera Diakonoff,1966** (Tortricidae) Synonym(s): *vera* Diakonoff,1966 **AU QAu PG Bsm Bli ID Mlc NHa TH Nna Kao Phu Knc Tpp**
- 4233. Meridemis furtiva Diakonoff,1976** (Tortricidae) Synonym(s): *furtiva* Diakonoff,1976 **NP TW TH CMa CDo Dsk Dst MY ID Sum Ja Bli Clb VN Ton Tda**
- 4234. Mesocallyntera squamosa Diakonoff,1959** (Tortricidae) Synonym(s): *squamosa* Diakonoff,1959 **PG ID Clb TH Knc Tpp**
- 4235. Metendothenia albomaculata Kawabe,1989** (Tortricidae) Synonym(s): *albomaculata* Kawabe,1989 **TH Nna Kao**
- 4236. Metendothenia fidelis Diakonoff,1973** (Tortricidae) Synonym(s): *fidelis* Diakonoff,1973 **TH ID Bli**
- 4237. Metendothenia pulchra Kawabe,1989** (Tortricidae) Synonym(s): *pulchra* Kawabe,1989 **TH**
- 4238. Microsarotis lucida (Meyrick,1916)** (Tortricidae) Synonym(s): *lucida* Meyrick,1916 **TH Knc Tpp**
- 4239. Microsarotis palamedes (Meyrick,1916)** (Tortricidae) Synonym(s): *palamedes* Meyrick,1916 **TH Knc Tpp**
- 4240. Neocalyptis affinisana (Walker,1863)** (Tortricidae) Synonym(s): *affinisana* Walker,1863 **TH CMa Dst NP IN LK HK IN Adm MY ID Sum Ja BN Bor Sbh Swk Clb Sbw**
- 4241. Neohermenias thalassitis (Meyrick,1910)** (Tortricidae) Synonym(s): *thalassitis* Meyrick,1910 **ID Ja TH CMa Loe Knc Tpp**
- 4242. Neopotamia angulata Kawabe,1995** (Tortricidae) Synonym(s): *angulata* Kawabe,1995 **TH Rng**
- 4243. Neopotamia cathemacta Diakonoff,1983** (Tortricidae) Synonym(s): *cathemacta* Diakonoff,1983 **ID Sum TH Knc Tpp**
- 4244. Neopotamia divisa (Walsingham,1900)** (Tortricidae) Synonym(s): *divisa* Walsingham,1900; *acrosema* Meyrick,1909 **TH CMa Int IN Ass Khs Nag Meg**
- 4245. Neopotamia formosa Kawabe,1989** (Tortricidae) Synonym(s): *formosa* Kawabe,1989 **TH Nna Kao Rng Knc Tpp TW**
- 4246. Neopotamia punctata Kawabe,1989** (Tortricidae) Synonym(s): *punctata* Kawabe,1989 **TH Nna Kao**
- 4247. Neopotamia siamensis Kawabe,1995** (Tortricidae) Synonym(s): *siamensis* Kawabe,1995 **TH CMa Hnd**
- 4248. Noduliferola niphanda (Diakonoff,1984)** (Tortricidae) Synonym(s): *niphanda* Diakonoff,1984 **ID Sba VN Ton TH Knc Tpp**
- 4249. Notocelia aritai Kawabe,1989** (Tortricidae) Synonym(s): *aritai* Kawabe,1989 **TH CMa Int Dst**
- 4250. Ophiorrhabda mormopa (Meyrick,1906)** (Tortricidae) Synonym(s): *mormopa* Meyrick,1906; *#melanocyclus* Common,1970 **TH CMa Fn Nna Kao Knc Tpp VN Ton IN NP LK MY ID Sum Ja BN Sbh Bor Swk PH Luz Clb Crm PG AU SB**
- 4251. Ophiorrhabda philocompsa (Meyrick,1921)** (Tortricidae) Synonym(s): *philocompsa* Meyrick,1921 **ID Ja TH Nna Kao Loe Knc Tpp VN**
- 4252. Ophiorrhabda quartaria (Diakonoff,1973)** (Tortricidae) Synonym(s): *quartaria* Diakonoff,1973 **TH MY ID Sum Ja BN Sbh Bor**

4253. **Pelochrista pollinaria** Diakonoff,1971 (Tortricidae) Synonym(s): *pollinaria* Diakonoff,1971
PK Gg TH Knc Tpp
4254. **Penthostola albomaculatis** Liu & Bai,1985 (Tortricidae) Synonym(s): *albomaculatis* Liu & Bai,1985 CN Yu TH Knc Tpp
4255. **Penthostola diakonoffi** Kawabe,1995 (Tortricidae) Synonym(s): *diakonoffi* Kawabe,1995 TH Cma Agk
4256. **Penthostola nigrantis** Kawabe,1995 (Tortricidae) Synonym(s): *nigrantis* Kawabe,1995 TH Cma Hnd
4257. **Peridaedala** sp. (Tortricidae) Synonym(s): TH Knc Tpp
4258. **Phaecedophora fimbriata** Walsingham,1900 (Tortricidae) Synonym(s): *fimbriata* Walsingham,1900; *metactenis* Meyrick,1909; *eucrossa* Meyrick,1914; *eaolotehna* Meyrick,1935; *leucocteis* Diakonoff,1953; *aeolotechna* Diakonoff,1968 IN Ass MM Peg TW JP PG CN TH Cma CDo Dst Cbi Knc Tpp NP ID Ja Swk BN Bor MY VN
4259. **Phaecasiophora attica** (Meyrick,1907) (Tortricidae) Synonym(s): *attica* Meyrick,1907 TH Cma Int IN Ass SI MM CN
4260. **Phaecasiophora caryosema** (Meyrick,1931) (Tortricidae) Synonym(s): *caryosema* Meyrick,1931 TH Nna Kao IN Meg Ass Khs TW
4261. **Phaecasiophora cornigera** Diakonoff,1959 (Tortricidae) Synonym(s): *cornigera* Diakonoff,1959 TH Cma Dst IN Ass Meg Khs Cpj MY Sbh BN Bor MM
4262. **Phaecasiophora decolor** Diakonoff,1983 (Tortricidae) Synonym(s): *decolor* Diakonoff,1983 ID Sum TH Cma Dst
4263. **Phaecasiophora kurokoi** Kawabe,1989 (Tortricidae) Synonym(s): *kurokoi* Kawabe,1989 TH Nna Kao
4264. **Phaecasiophora thaiensis** Kawabe,1987 (Tortricidae) Synonym(s): *thaiensis* Kawabe,1987 TH Cma Int
4265. **Phaecasiophora walsinghami** Diakonoff,1959 (Tortricidae) Synonym(s): *walsinghami* Diakonoff,1959 TH Cma Dst Nna Kao CDo Knc Tpp ID Ja Ged
4266. **Phalonidia datetis** Diakonoff,1984 (Tortricidae) Synonym(s): *datetis* Diakonoff,1984 TH Cbi Knc Cma Int Fn Bnk
4267. **Phaulacantha metamelas** Diakonoff,1973 (Tortricidae) Synonym(s): *metamelas* Diakonoff,1973 TH Cma Dst Bor Knc Tpp ID Klt
4268. **Planostocha cumulata** (Meyrick,1907) (Tortricidae) Synonym(s): *cumulata* Meyrick,1907 TH Cma CDo NP IN LK MM BN Bor PG AU QAU Kda PMo
4269. **Procoronis swinhoeiana** (Walsingham,1890) (Tortricidae) Synonym(s): *swinhoeiana* Walsingham,1890; *rhothias* Meyrick,1911 TH Knc Tpp IN MM MY ID Clb Mlc Crm PG SB FJ NH NC
4270. **Proschistis marmoropa** Meyrick,1907 (Tortricidae) Synonym(s): *marmoropa* Meyrick,1907 LK TH Nna Kao
4271. **Protarchella nivis** (Diakonoff,1941) (Tortricidae) Synonym(s): *nivis* Diakonoff,1941 TH MY ID Ja Sum Bor Klt BN Sbh Swk VN Ton Tda
4272. **Pseudacroclita hapalaspis** (Meyrick,1931) (Tortricidae) Synonym(s): *hapalaspis* Meyrick,1931 JP TH Cma Dst Phu Nna Kao
4273. **Retinia cristata** (Walsingham,1900) (Tortricidae) Synonym(s): *cristata* Walsingham,1900; *insignis* Heinrich,1928 JP Hdo TH Cma Int CN
4274. **Retinia salweenensis** (Miller,1977) (Tortricidae) Synonym(s): *salweenensis* Miller,1977 TH Nan
4275. **Rhctogonia ancalota** (Meyrick,1907) (Tortricidae) Synonym(s): *ancalota* Meyrick,1907 TH IN LK MM
4276. **Rhodacra parvusa** Kawabe,1995 (Tortricidae) Synonym(s): *parvusa* Kawabe,1995 TH Loe
4277. **Rhodacra pyrrhocrossa** (Meyrick,1912) (Tortricidae) Synonym(s): *pyrrhocrossa* Meyrick,1912 IN Meg Ass Khs TH Nna Kao Knc Tpp TW JP
4278. **Rhopaltriplasia anamilleta** Diakonoff,1973 (Tortricidae) Synonym(s): *anamilleta* Diakonoff,1973 PG TH Loe Nna Kao
4279. **Rhopobota antecellana** Kuznetsov,1988 (Tortricidae) Synonym(s): *antecellana* Kuznetsov,1988 VN Ton TH Knc Tpp
4280. **Rhopobota bicolor** Kawabe,1989 (Tortricidae) Synonym(s): *bicolor* Kawabe,1989 TH Cma Int Loe Nna Kao TW JP CN Hun Sz
4281. **Rhopobota naevana** (Hübner,[1817]) (Tortricidae) Synonym(s): *unipunctana* Haworth,1811 (praeocc.); *naevana* Hübner,[1817]; *geminana* Stephens,1852; *luctiferana* Walker,1863; *vacciniana* Packard,1869 (praeocc.); *ilicifoliana* Kearfott,1907; *microrrhyncha* Meyrick,1931; *malivorella* Matsumura,1931 PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ Sb Sh KP KR JP CN MN Yu IN Ch Sri LK TH Nna Kao TW US
4282. **Rhopobota sp.1** (Tortricidae) Synonym(s): TH Knc Tpp
4283. **Rhopobota sp.2** (Tortricidae) Synonym(s): TH Knc Tpp

4284. **Rhopobota symbolias (Meyrick,1912)** (Tortricidae) Synonym(s): *symbolias* Meyrick,1912 **IN**
Ass Meg Khs JP TH CMa Int Knc Tpp
4285. **Schoenotenes pseudurga Diakonoff,1960** (Tortricidae) Synonym(s): *pseudurga*
Diakonoff,1960 **TH MM MY ID Ja**
4286. **Scotiophyes faeculosa (Meyrick,1928)** (Tortricidae) Synonym(s): *faeculosa* Meyrick,1928
NP IN TH CDo CMa Int Dst
4287. **Semniotes abrupta Diakonoff,1973** (Tortricidae) Synonym(s): *abrupta* Diakonoff,1973 **Bor**
ID TH CMa Fn Nna Kao
4288. **Semutophila saccharopa Tuck,1986** (Tortricidae) Synonym(s): *saccharopa* Tuck,1986 **VN**
MY TH Knc Tpp
4289. **Sisona albitibiana Snellen,1902** (Tortricidae) Synonym(s): *albitibiana* Snellen,1902 **TH Cbi**
Knc Tpp ID Ja
4290. **Sorolopha aeolochlora (Meyrick,1916)** (Tortricidae) Synonym(s): *aeolochlora* Meyrick,1916
TH CMa IN Ass Meg Khs
4291. **Sorolopha archimediass (Meyrick,1912)** (Tortricidae) Synonym(s): *archimediass* Meyrick,1912;
oxygona Diakonoff,[1968] **PH Luz CN HK TH Knc Tpp**
4292. **Sorolopha bathysema Diakonoff,1973** (Tortricidae) Synonym(s): *bathysema* Diakonoff,1973
TH Chy Cbi Phu PG
4293. **Sorolopha camarotis (Meyrick,1936)** (Tortricidae) Synonym(s): *camarotis* Meyrick,1936 **IN**
Ben TH CMa Int Loe Nna Kao MY ID Ja
4294. **Sorolopha Chiangmaiensis Kawabe,1989** (Tortricidae) Synonym(s): *Chiangmaiensis*
Kawabe,1989 **TH CMa Dst Int**
4295. **Sorolopha cyclotoma Lower,1901** (Tortricidae) Synonym(s): *cyclotoma* Lower,1901 **TH Loe**
PG AU QAU
4296. **Sorolopha delochlora (Turner,1916)** (Tortricidae) Synonym(s): *delochlora* Turner,1916;
#aelochlora Hutacharern & Tubtim,1995 **AU QAU TH**
4297. **Sorolopha ferruginosa Kawabe,1989** (Tortricidae) Synonym(s): *ferruginosa* Kawabe,1989
TH CMa
4298. **Sorolopha herbifera (Meyrick,1909)** (Tortricidae) Synonym(s): *herbifera* Meyrick,1909 **NP**
IN Ass Khs Meg LK TH Loe CMa Int Nna Kao Knc Tpp MY ID Sum Ja Sbh Bor
4299. **Sorolopha karsholti Kawabe,1989** (Tortricidae) Synonym(s): *karsholti* Kawabe,1989 **TH**
CMa Int
4300. **Sorolopha khaoyaiensis Kawabe,1989** (Tortricidae) Synonym(s): *khaoyaiensis* Kawabe,1989
TH Nna Kao
4301. **Sorolopha nagaii Kawabe,1989** (Tortricidae) Synonym(s): *nagaii* Kawabe,1989 **TH CMa Dst**
Knc Tpp MY Bor Sbh
4302. **Sorolopha plinthograpta (Meyrick,1931)** (Tortricidae) Synonym(s): *plinthograpta*
Meyrick,1931; *#plinthographta* Hutacharern & Tubtim,1995 **TW TH CMa Nna Kao Knc Tpp JP ID Ja VN**
4303. **Sorolopha plumboviridis Diakonoff,1973** (Tortricidae) Synonym(s): *plumboviridis*
Diakonoff,1973 **ID Mlc Bch TH Loe CN**
4304. **Sorolopha rubescens Diakonoff,1973** (Tortricidae) Synonym(s): *rubescens* Diakonoff,1973
ID Hm TH CMa Fn Nna Kao
4305. **Sorolopha saitoi Kawabe,1989** (Tortricidae) Synonym(s): *saitoi* Kawabe,1989 **TH CMa Dst**
VN
4306. **Sorolopha semiculta (Meyrick,1909)** (Tortricidae) Synonym(s): *semiculta* Meyrick,1909;
heteraspis Meyrick,1936 **IN LK TH Nna Kao Knc Tpp TW SB**
4307. **Sorolopha sp.:** (Tortricidae) Synonym(s): **TH**
4308. **Sorolopha sphaerocopa (Meyrick,1929)** (Tortricidae) Synonym(s): *sphaerocopa* Meyrick,1929
VN Ton TH Loe Nna Kao Rng Knc Tpp CN JP ID Sum Ja Mlc
4309. **Sorolopha stygiaula (Meyrick,1933)** (Tortricidae) Synonym(s): *stygiaula* Meyrick,1933 **ID**
Ja TH Knc Tpp



4310. **Spilonota babylonica** Meyrick,1912 (Tortricidae) Synonym(s): *babylonica* Meyrick,1912 **IN**
NI TH Knc Tpp
4311. **Spilonota melanocopa** (Meyrick,1912) (Tortricidae) Synonym(s): *melanocopa* Meyrick,1912
LK IN Ass Meg Khs TH CMa Int Loe Nna Kao Knc Tpp VN
4312. **Spilonota routhia** Meyrick,1910 (Tortricidae) Synonym(s): *routhia* Meyrick,1910 **ZA VN MU**
IN LK TH
4313. **Spilonota semicurva** (Meyrick,1912) (Tortricidae) Synonym(s): *semicurva* Meyrick,1912 **TH**
CMa Pki Int Dst Loe IN Ass Meg Khs
4314. **Statherotis discana** (R.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *discana*
R.Felder & Rogenhofer,1875; *cuneata* Diakonoff,1973; *saturata* Diakonoff,1973 **TH CMa Cbi Knc Tpp PH Mno TW**
VN Ton IN ID Ja Mlc SB
4315. **Statherotis leucapsis** (Meyrick,1902) (Tortricidae) Synonym(s): *leucapsis* Meyrick,1902 **TH**
CMa Fn Int Dst Lam Nrt Cbi Knc Tpp MM LK IN MY ID Ja Bli SC MV
4316. **Statherotoxys niphophora** Diakonoff,1973 (Tortricidae) Synonym(s): *niphophora*
Diakonoff,1973 **TH ID Ja Sbh Swk Bor**
4317. **Strepsicrates discobola** Diakonoff,[1968] (Tortricidae) Synonym(s): *discobola*
Diakonoff,[1968] **PH Mno TH Knc Tpp**
4318. **Strepsicrates inobtrusa** Diakonoff,[1968] (Tortricidae) Synonym(s): *inobtrusa*
Diakonoff,[1968] **TH MY ID Ja BN Sbh Bor Swk PH**
4319. **Strepsicrates routhia** (Meyrick,1910) (Tortricidae) Synonym(s): *routhia* Meyrick,1910 **LK**
TH CMa Int Loe IN MU JP
4320. **Sycacantha (inodes-gr.) choanantha** Diakonoff,1971 (Tortricidae) Synonym(s):
choanantha Diakonoff,1971 **TH Nna Kao Cbi MM Tns ID Sba**
4321. **Sycacantha (inodes-gr.) complicitana** (Walker,1863) (Tortricidae) Synonym(s):
complicitana Walker,1863 **MY Bor Swk IN Ass CN Hn ID Baw Bli Sbw Mlc PG TH Nna Kao Trat**
4322. **Sycacantha (inodes-gr.) diakonoffi** Kawabe,1987 (Tortricidae) Synonym(s): *diakonoffi*
Kawabe,1987 **TH CMa**
4323. **Sycacantha (inodes-gr.) formosa** Diakonoff,1971 (Tortricidae) Synonym(s): *formosa*
Diakonoff,1971 **MY Bor Swk TH CMa Fn Cbi Trat**
4324. **Sycacantha (inodes-gr.) inodes** (Meyrick,1911) (Tortricidae) Synonym(s): *inodes*
Meyrick,1911 **ID Sum Ja Bli MY BN Bor Sbh Klt SB Eca Bsm Clb Baw Klt TH CMa CDo Nna Kao Cbi**
PG NBr Nlr Wd PH Luz VN
4325. **Sycacantha (inodes-gr.) inopinata** Diakonoff,1973 (Tortricidae) Synonym(s): *inopinata*
Diakonoff,1973 **ID Bli TH CMa Int Cbi Nna Kao Pgg VN**
4326. **Sycacantha (inodes-gr.) potamographa** Diakonoff,[1968] (Tortricidae) Synonym(s):
potamographa Diakonoff,[1968] **TH Chy PH Mno ID Bor**
4327. **Sycacantha (inodes-gr.) siamensis** Diakonoff,1971 (Tortricidae) Synonym(s): *siamensis*
Diakonoff,1971 **TH Kbi Nna Kao**
4328. **Sycacantha (thermographa-gr.) concentra** Diakonoff,1973 (Tortricidae) Synonym(s):
concentra Diakonoff,1973 **ID Sba Bli TH Nna Kao MY**

- 4329. Syntozyga macrosperma Diakonoff,1971** (Tortricidae) Synonym(s): *macrosperma* Diakonoff,1971 **TH Kbi**
- 4330. Syntozyga pedias (Meyrick,1920)** (Tortricidae) Synonym(s): *pedias* Meyrick,1920; *familiaris* Meyrick,1921 **IN Ben ID Ja Bli Clb Bor Klt PG TH CMa Knc Tpp**
- 4331. Teleta talaris (Durrant,1915)** (Tortricidae) Synonym(s): *talaris* Durrant,1915; *xanthogastra* Meyrick,1921 **TH CMa Dst CDo Nna Kao Knc Tpp ID Ij Ja BN Bor Sbh Clb PG**
- 4332. Temnolopha matura Diakonoff,1973** (Tortricidae) Synonym(s): *matura* Diakonoff,1973 **ID Bor Klt TH Loe Knc Tpp**
- 4333. Temnolopha mosaica Lower,1901** (Tortricidae) Synonym(s): *mosaica* Lower,1901; *clydonias* Meyrick,1907 **AU QAU IN LK TH KH ID Ja Clb Mlc PH Luz**
- 4334. Terthreutis sp.[1]:** (Tortricidae) Synonym(s): **MM MY ID Sum TH**
- 4335. Terthreutis sp.[2]:** (Tortricidae) Synonym(s): **TH**
- 4336. Tetramoera flavescens Kuznetsov,1988** (Tortricidae) Synonym(s): *flavescens* Kuznetsov,1988 **VN Ton TH Knc Tpp**
- 4337. Tetramoera paragramma (Meyrick,1909)** (Tortricidae) Synonym(s): *paragramma* Meyrick,1909 **TH IN Ben ID Ja**
- 4338. Thaumatotibia hemitoma (Diakonoff,1976)** (Tortricidae) Synonym(s): *hemitoma* Diakonoff,1976 **TH Knc Tpp NP**
- 4339. Thymioptila oedalea (Meyrick,1909)** (Tortricidae) Synonym(s): *oedalea* Meyrick,1909; *neolopha* Meyrick,1931 **TH MY LK CN Hn IN Adm ID Sum BN Bor Klt Sba Bru Mlc Bsm**
- 4340. Thysanocrepis crossota (Meyrick,1911)** (Tortricidae) Synonym(s): *crossota* Meyrick,1911 **TH Nna Kao Knc Tpp IN MY ID Bli BN Bor Klt Clb PG AU SB Adl**
- 4341. Triheteracra melano xenia Diakonoff,1971** (Tortricidae) Synonym(s): *melano xenia* Diakonoff,1971 **LK TH Kbi**
- 4342. Tritopterna anachastopa (Meyrick,1934)** (Tortricidae) Synonym(s): *anachastopa* Meyrick,1934 **TH Knc Tpp**
- 4343. Trymalitis cataracta Meyrick,1907** (Tortricidae) Synonym(s): *cataracta* Meyrick,1907; *optima* Meyrick,1911; *macarista* Meyrick,1934 **Adm LK ID Ja TH AU QAU PG FJ PH Luz**
- 4344. Trymalitis sp.:** (Tortricidae) Synonym(s): **TH SB**
- 4345. Tymbarcha cerinopa Meyrick,1908** (Tortricidae) Synonym(s): *cerinopa* Meyrick,1908 **IN Meg Ass Khs TH MY ID Ja Klt Bor Clb**
- 4346. Ulodemis trigrapha Meyrick,1907** (Tortricidae) Synonym(s): *trigrapha* Meyrick,1907; *falsa* Meyrick,1914 **IN Ld NI LK BT NP TH CMa Dst CDo Nrt CN Yu**
- 4347. Zeiraphera nigra Kawabe,1995** (Tortricidae) Synonym(s): *nigra* Kawabe,1995 **TH CMa Int**
- 4348. Acropteris ciniferaria (Walker,1866)** (Uraniidae) Synonym(s): *ciniferaria* Walker,1866; *obliquaria* Moore,1877 **IN ID Clb MY Bor Sbh KBa TH CMa Cuo Cuo5 Cuo2** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.14 [adult]).
- 4349. Acropteris iphiata Guenée,[1858]** (Uraniidae) Synonym(s): *iphiata* Guenée,[1858]; *pontiata* Guenée,[1858]; *convexaria* Walker **JP CN IN Meg Ass Khs MM TH CMa Cuo Cuo5 Cuo1** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.13 [adult]).
- 4350. Acropteris striataria (Clerk,1759)** (Uraniidae) Synonym(s): *striataria* Clerk,1759; *grammearia* Geyer,1832; *caseata* Guenée,[1858]; *teriadata* Guenée,[1858]; *sparsaria* Walker; *ciniferaria* Walker,1866; *vagata* Moore,1877 **IN Ass MM Mrg TH Ja ID**
- 4351. Brachydecetia n.sp.** (Uraniidae) Synonym(s): **TH**
- 4352. Dysaethria erasaria (Christoph,1881)** (Uraniidae) Synonym(s): *erasaria* Christoph,1881; *schidacina* Butler,1881; *pallidistriata* W.Warren,1899 **RU Sb Us KP KR JP TW CN Hn ID Sum MY Bor Sbh KBa TH CMa**
- 4353. Dysaethria rhagavolita Holloway,1998** (Uraniidae) Synonym(s): *rhagavolita* Holloway,1998 **MY Bor Swk TH**




Fig.37 - *Dysaethria* sp. (*Uraniidae*) at night, Thailand Chiang Dao 465m 13 11 2006, M. Kemal (Cesa)

- 4354. *Europelema desistaria* (Walker,1861)** (*Uraniidae*) Synonym(s): *desistaria* Walker,1861; *inclarata* Walker,1866; *insolita* Walker,1866; *fuscata* Dalla Torre,1924 **IN MM TH MY Bor Swk ID Sly Clb Flo AU QAU**
- 4355. *Nyctalemon menoetius* Hopffer,1856** (*Uraniidae*) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925 **ID Clb PH Luz Mno MY Bor TH**
- 4356. *Nyctalemon zampa* Butler,1869** (*Uraniidae*) Synonym(s): *zampa* Butler,1869; *crameri* Boisduval,1874 **PH Mno CN IN Ass MM VN Ton Hn MY TH CMa ID Ja Sum SG Nia Btg** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.12 [adult]).
- 4357. *Orudiza protheclaria* Walker,1861** (*Uraniidae*) Synonym(s): *protheclaria* Walker,1861; *luctiferata* Snellen,1880 **TH CMa Cuo Cuo1 Cuo5 Cuo7 IN BD Syl KH ID Sum Ja Clb MM Ass Meg Khs Poo MY Bor** (2007, Cent. ent. Stud., Memoirs 3/4: Pl.16 fig.15 [adult]).
- 4358. *Rhombophylla edentata* (Hampson,1895)** (*Uraniidae*) Synonym(s): *edentata* Hampson,1895 **IN SI TH MY Bor Sbh BN ID Ja**
- 4359. *Caenorycta anholochrysa* Diakonoff,1966** (*Xyloryctidae*) Synonym(s): *anholochrysa* Diakonoff,1966 **TH MY Bor BN ID Clb**
- 4360. *Cryptophasa* sp.:** (*Xyloryctidae*) Synonym(s): **TH**
- 4361. *Linoclostis gonatias* Meyrick,1908** (*Xyloryctidae*) Synonym(s): *gonatias* Meyrick,1908 **TH**
IN Ass Meg Khs MY Bor Sbh BN ID Ja
- 4362. *Paralecta antistola* Meyrick,1930** (*Xyloryctidae*) Synonym(s): *antistola* Meyrick,1930 **MY TH**
- 4363. *Acrolepiopsis chirapanthui* Moriuti,1984** (*Yponomeutidae*) Synonym(s): *chirapanthui* Moriuti,1984 **TH CMa**
- 4364. *Anthonympha* sp.:** (*Yponomeutidae*) Synonym(s): **TH**
- 4365. *Argyresthia kaoyaiensis* Moriuti** (*Yponomeutidae*) Synonym(s): **TH Nna Kao**
- 4366. *Atteva fabriciella* (Swederus,1787)** (*Yponomeutidae*) Synonym(s): *fabriciella* Swederus,1787
IN TW AU ID Sum Ja Bli TH CMa Uth Cbi Lop Chc
- 4367. *Atteva sciodoxa* Meyrick,1908** (*Yponomeutidae*) Synonym(s): *sciodoxa* Meyrick,1908 **MM**
MY Pen Bor TH Chy
- 4368. *Callitrinca angoonae* Moriuti,1982** (*Yponomeutidae*) Synonym(s): *angoonae* Moriuti,1982
TH Cbi Knc

- 4369. Callitrinca sp.n.** (Yponomeutidae) Synonym(s): **TH**
- 4370. Diaphragmistis macroglena Meyrick,1914** (Yponomeutidae) Synonym(s): *macroglena Meyrick,1914* **IN Ass TH**
- 4371. Nosymna sp.** (Yponomeutidae) Synonym(s): **TH Lmp**
- 4372. Nosymna stipella Snellen,1903** (Yponomeutidae) Synonym(s): *stipella Snellen,1903* **TH MY BN Bor Swk Klt ID Sum Ja**
- 4373. Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella Linnaeus,1758; cinerea Fourcroy,1785 nec Hufn.,1766; xylostei Fabricius,1798; maculipennis Curtis,1832; niveella Zeller,1839; cruciferarum Zeller,1843; brassicella Fitch,1856; limbipennella Clemens,1860; mollipedella Clemens,1860; cicerella Rondani,1876; dubiosella Beutenmüller,1889; albovenosa Walsingham,1897; megapterella Bentinck,1943* **DZ TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY AF Hr IR Elb Kdv Dam Mz Kh IQ Njf Hjo LB Bsa IL Hf Pa ZA TH MY Cmh IN Hp SA AE YE**
- 4374. Thecobathra kurokoi Moriuti,1982** (Yponomeutidae) Synonym(s): *kurokoi Moriuti,1982* **TH**
- 4375. Thecobathra lambda Moriuti,1963** (Yponomeutidae) Synonym(s): *lambda Moriuti,1963* **TW CN TH**
- 4376. Yponomeuta bolidias Meyrick,1913** (Yponomeutidae) Synonym(s): *bolidias Meyrick,1913* **TH MY**
- 4377. Ypsolopha laorum Moriuti,1987** (Yponomeutidae) Synonym(s): *laorum Moriuti,1987* **TH CMa Int Dst**
- 4378. Ypsolopha mrabrurum Moriuti,1987** (Yponomeutidae) Synonym(s): *mrabrurum Moriuti,1987* **TH CMa Int**
- 4379. Achelura bifasciata (Hope,1840)** (Zygaenidae) Synonym(s): *bifasciata Hope,1840* **IN SI Ass NP MM TH CMa**
- 4380. Alohogaster rubribasis Hampson,1892** (Zygaenidae) Synonym(s): *rubribasis Hampson,1892; serraticornis Hampson,1896* **IN Ass Meg Khs Nag TH**
- 4381. Amesia namouna (Doubleday,1847)** (Zygaenidae) Synonym(s): *namouna Doubleday,1847; euploeoides Herrich-Schäffer,1853; noctipennis Walker,1862; semiradiata Walker,1864; pexifascia Butler,1877; hyala Druce,1885; desmiata Jordan,1907; modesta Snellen,[1902]* **MY Bor Sbh KBa Swk ID Sum Ja IN SI Djl TH**
- 4382. Amesia sanguiflua (Drury,1773)** (Zygaenidae) Synonym(s): *sanguiflua Drury,1773* **TH IN ID Ja Sum TW**
- 4383. Balataea zebraica (Butler,1876)** (Zygaenidae) Synonym(s): *zebraica Butler,1876; fulvida Butler,1876; diffusa Oberthür,1894* **IN Meg Ass Khs Hp Kgr SI Nag Prk MY ID Sum MM Mm TH CMa Cuo Cu05 Cu07 TW (2007, Cent. ent. Stud., Memoirs 3/4: Pl.12 fig.14 [adult]).**
- 4384. Brachartona catoxantha Hampson,1892** (Zygaenidae) Synonym(s): *catoxantha Hampson,1892* **MM Tns TH Pkk Sbu Ray Cbi Ntt Cph MY ID Bor**
- 4385. Callizygaena ada Butler,1892** (Zygaenidae) Synonym(s): *ada Butler,1892* **TH MY Bor**
- 4386. Campylotes sp.** (Zygaenidae) Synonym(s): **TH**
- 4387. Chalcophaedra zuleika (Doubleday,1847)** (Zygaenidae) Synonym(s): *zuleika Doubleday,1847; corusca Herrich-Schäffer,1853* **TH IN SI BT Meg Ass Khs Slo BD MM**
- 4388. Corma laranda Druce,1896** (Zygaenidae) Synonym(s): *laranda Druce,1896* **TH CN**
- 4389. Corma zelica (Doubleday,1847)** (Zygaenidae) Synonym(s): *zelica Doubleday,1847; leucomelas Moore,1886; neoterica Swinhoe,1890; nectarina Kirby,1892* **IN Ass MM Rgo TH**
- 4390. Corma zenotia (Doubleday,1847)** (Zygaenidae) Synonym(s): *zenotia Doubleday,1847; zenotea Walker,1854; spoliata Walker,1864* **IN Ass MM Mm TH VN Ton**
- 4391. Cyclosia imitans (Butler,1881)** (Zygaenidae) Synonym(s): *imitans Butler,1881* **TH SI IN BT Ass PH Pal?**
- 4392. Cyclosia inornata (Walker,1864)** (Zygaenidae) Synonym(s): *inornata Walker,1864; sobria Walker,1864; cuprea Swinhoe,1891; tristis Jordan,1902* **MY Bor ID Sum CN Hn TH IN Meg Ass Khs MM**
- 4393. Cyclosia midama (Herrich-Schäffer,1853)** (Zygaenidae) Synonym(s): *midama Herrich-Schäffer,1853; venusta Walker,1854; submaculans Walker,1859; spilophila Walker,1869; juvenis Butler,1879; terpsichrois Butler,1883; stelligera Butler,1887; striata Druce,1891; padangana Jordan,1907* **ID Nia Sum Bor MY SG Ja Tns MM LK BD Syl BT TH SI IN Ass**
- 4394. Cyclosia panthona (Stoll,[1780])** (Zygaenidae) Synonym(s): *panthona Stoll,[1780]* **CN HK IN Mrg MM LK TH CMa CDo Phr Phi**
- 4395. Cyclosia papilionaris (Drury,[1782])** (Zygaenidae) Synonym(s): *papilionaris Drury,[1782]; venaria Fabricius,1775; ferrea Walker,1854; nigrescens Moore,1877; parvula Butler,1883; australinda Hampson,1891; latipennis Hampson,1891; enodis Swinhoe,1892; nicobarensis M.Hering,1922; philippinensis Draeseke,1924* **CN Hn Ton VN TH CRa Pbu Cbi MY ID Sum Ja MM Mrg Shn Tns IN NI Adm Nk Ass BT SI PH**
- 4396. Cyclosia pieridoides (Herrich-Schäffer,1853)** (Zygaenidae) Synonym(s): *pieridoides Herrich-Schäffer,1853; glauca Walker,1856; hestinoidea Walker,1862; binghami Butler,1882; melasina Jordan,1892; cyanescens Hampson,1895; virgo Jordan,1907; bangkana M.Hering,1922; labuana M.Hering,1922* **MY Bor Swk VN Ton ID Bgk Sum Nia Ja MM Tns TH**

- 4397. *Erasmia pulchella* Hope,1841** (Zygaenidae) Synonym(s): *pulchella* Hope,1840; *#cyanea* Jordan,1907; *hainana* Jordan,1907; *chinensis* Hering,1922 **TW CN Hn HK MM IN Ass Meg SI TH JP**
- 4398. *Eterusia aedea* (Linnaeus,1763)** (Zygaenidae) Synonym(s): *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881; **IN SI Dj MM Krh BT Khs Ass Meg TH CMa CDo Hn VN Ton BD Slo CN Ti Sz T-T Kig Fkn Hun Hpe Tkg LK TW JP** (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.14 [adult]).
- 4399. *Eterusia repleta* Walker,1864** (Zygaenidae) Synonym(s): *repleta* Walker,1864; *alompra* Moore,1879; *urania* Schaus,1890 **KH IN MM TH CMa Cuo**
- 4400. *Eterusia sublutea* Walker,1854** (Zygaenidae) Synonym(s): *sublutea* Walker,1854 **BD Syl TH CMa**
- 4401. *Eterusia tricolor* Hope,1840** (Zygaenidae) Synonym(s): *tricolor* Hope,1840; *trimacula* Möschler,1872 **TH CMa CDo CN IN SI BT Ass MM** (2007, Cent. ent. Stud., Memoirs 3/4: pl.47 fig.15 [adult]).
- 4402. *Eucorma obliquaria* (Fabricius,1787)** (Zygaenidae) Synonym(s): *obliquaria* Fabricius,1787; *subdives* Walker,1854; *transversa* Walker,1864; *eusemioides* R.Felder & Rogenhofer,1874 **ID Nia Sum Ja Clb MY Bor TH**
- 4403. *Gyneutocera papilionaris* Guérin-Méneville,1831** (Zygaenidae) Synonym(s): *papilionaris* Guérin-Méneville,1831; *sylene* Kollar,[1844]; *fraterna* Moore,1883; *zara* Swinhoe,1891 **BD Syl IN Clc Ch Ass Meg Khs TH VN Ton**
- 4404. *Histia albimacula* Hampson,1892** (Zygaenidae) Synonym(s): *albimacula* Hampson,1892 **MM TH**
- 4405. *Histia flabellicornis* (Fabricius,1775)** (Zygaenidae) Synonym(s): *flabellicornis* Fabricius,1775; *rhodope* Cramer,1775; *flabelliformis* Gmelin,[1793] **MM Tns Shn TH CMa TW**
- 4406. *Milleria adalifa* (Doubleday,1847)** (Zygaenidae) Synonym(s): *adalifa* Doubleday,1847; *virginalis* Herrich-Schäffer,1853; *subcyanescens* Walker,1854 **IN SI Dj Meg Ass Khs BT TH ID Sum Ja TW BD Syl**
- 4407. *Phacusa tenebrosa* Walker,1854** (Zygaenidae) Synonym(s): *tenebrosa* Walker,1854 **TH Rng ID Ja Clb Amb Bru PH IN Nk**
- 4408. *Phauda flammans* (Walker,1854)** (Zygaenidae) Synonym(s): *flammans* Walker,1854; *kantonensis* Mell,1922 **CN IN PK Lh Sml Hp MM SI TH Bnk ID Ja TW**
- 4409. *Pidorus albifascia* (Moore,1879)** (Zygaenidae) Synonym(s): *albifascia* Moore,1879 **IN Ass MM VN Ton CN Yu TH**
- 4410. *Pidorus geminus* (Walker,1854)** (Zygaenidae) Synonym(s): *gemina* Walker,1854 **CN HK IN KH Hn MY Bor TH Phi TW**
- 4411. *Prosopandrophila distincta* (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *distincta* Guérin-Méneville,1843 **TH MY Pen ID Ja Sum MM Mrg Bor KH**
- 4412. *Prosopandrophila mirifica* (Swinhoe,1903)** (Zygaenidae) Synonym(s): *mirifica* Swinhoe,1903 **TH**
- 4413. *Soritia pulchella* (Kollar,[1848])** (Zygaenidae) Synonym(s): *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sempunctata* Walker,1854; *triliturata* Walker,1863; *octopunctata* Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879 **IN Ass Meg Khs Ch SI Syl BD AF CN MM VN Ton TH**
- 4414. *Trypanophora semihyalina* Kollar,[1844]** (Zygaenidae) Synonym(s): *semihyalina* Kollar,[1844]; *humeralis* Walker,1854; *argyrospila* Walker,1863; *glaucopoides* Walker,1863; *atkinsoni* Moore,1879; *malayana* Roepke,1943 **Ch IN Hp Kgr SI Clc CN TH CMa Cuo3 ID Ja**



Announcements

Recent Publications of the Cesa

Priamus (Supplement) nr. 20 was published on 6 November,2010. It may also be freely obtainable as **pdf** files from the following URL address:

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement20>

Seven,E., 2010, Studies on the fauna and ecology of Papilionoidea and Hesperioidea (Lepidoptera) in Şirvan District (Siirt Prov., SE Turkey) [in Turkish]. *Priamus (suppl.)* 20: 1-118, figs.

 The truth can be bent but never broken - <http://www.cesa-tr.org/Cesaproj.mht>

Contents:

Koçak,A.Ö. & M.Kemal, 2010, Lepidoptera of Thailand. Cesa News 60: 1-186, 38 figs.

Announcements: Recent publications of the Cesa. Cesa News 60: 187. **Editorial**, p.188.

Centre for Entomological Studies Ankara

(A scientific Consortium)
(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

[urn:lsid:biocol.org:col:35261](http://www.biocol.org/col:35261)

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁶, Miscellaneous Papers (ISSN 1015-8235)⁷, Memoirs (ISSN-8227)⁸, DVD Films⁹, Iconographia Insectorum¹⁰, Cesa Publications on African Lepidoptera (series)¹¹, Cesa News [online]¹², Cesa Books¹³

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey), Orthoptera: Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Dr. Piotr Naskrecki (Connecticut University, U.S.A.), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat); Dr. Emine Demir (Turkey). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, and Asst. Prof. Dr. Murat Ünal (Yüzüncü Yıl University, Van, Turkey)

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Faculty of Science, Biology Dept., Campus, Van 65000 / Turkey. e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

⁶ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

⁷ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

⁸ <http://www.cesa-tr.org/Memoirs.htm> - pdf available after corresponding

⁹ <http://www.cesa-tr.org/CDF.htm>

¹⁰ <http://www.cesa-tr.org/Icon.htm>

¹¹ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

¹² <http://www.cesa-tr.org/Cesanews.htm> pdf available

¹³ <http://www.cesa-tr.org/Cesabooks.htm>

Dosya adı: Cesa60tay.doc
Dizin: C:\Documents and Settings\asus.YOUR-
9C92AAA766\Desktop
Şablon: C:\Documents and Settings\asus.YOUR-
9C92AAA766\Application Data\Microsoft\Templates\Normal.dot
Başlık: Upper Geçitaltı (1560m)
Konu:
Yazar: A.Ö.K.
Anahtar Sözcük:
Açıklamalar:
Oluşturma Tarihi: 13.11.2010 10:37:00
Düzeltilme Sayısı: 48
Son Kayıt: 13.11.2010 23:58:00
Son Kaydeden: Koçak
Düzenleme Süresi: 776 Dakika
Son Yazdırma Tarihi: 14.11.2010 00:06:00
En Son Tüm Yazdırmada
Sayfa Sayısı: 186
Sözcük Sayısı: 109.418(yaklaşık)
Karakter Sayısı: 623.684(yaklaşık)